### **Environmental Protection Agency**

PSNS FOR THE PRIMARY PRECIOUS METALS AND MERCURY SUBCATEGORY—Continued

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
Zinc	1.428 0.140	0.588

#### §421.257 [Reserved]

## Subpart X—Secondary Precious Metals Subcategory

Source: 50 FR 38365, Sept. 20, 1985, unless otherwise noted.

# § 421.260 Applicability: Description of the secondary precious metals subcategory.

The provisions of this subpart are applicable to discharges resulting from the production of precious metals at secondary precious metals facilities.

#### § 421.261 Specialized definitions.

For the purpose of this subpart:

- (a) Except as provided below, the general definitions, abbreviations, and methods of analysis set forth in 40 CFR part 401 shall apply to this subpart.
- (b) The term *precious metals* shall mean gold, platinum, palladium, rhodium, iridium, osmium, and ruthenium
- (c) The term *Combined Metals*, shall mean the total of gold, platinum and palladium.

 $[50~{\rm FR}~38365,~{\rm Sept.}~20,~1985,~{\rm as~amended}~{\rm at}~55~{\rm FR}~31705,~{\rm Aug.}~3,~1990]$ 

#### § 421.262 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available.

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable technology currently available:

(a) Furnace wet air pollution control.

BPT LIMITATIONS FOR THE SECONDARY PRECIOUS METALS SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/troy ounce of precious metals, including silver, incinerated or smelted	
Copper	136.400	71.800
Cyanide (total)	20.820	8.616
Zinc	104.800	43.800
Ammonia (as N)	9,571.000	4,207.000
Combined metals	21.54	
Total suspended solids	2,944.000	1,400.000
pH	( <sup>1</sup> )	( <sup>1</sup> )

<sup>&</sup>lt;sup>1</sup> Within the range of 7.5 to 10.0 at all times.

#### (b) Raw material granulation.

# BPT LIMITATIONS FOR THE SECONDARY PRECIOUS METALS SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/troy ounce of precious metal in the granulated raw material	
Copper	12.050 1.839 9.256 845.100 1.902 259.900	6.340 0.761 3.867 371.500
<u>pH</u>	(1)	(1)

<sup>&</sup>lt;sup>1</sup> Within the range of 7.5 to 10.0 at all times.

### (c) Spent plating solutions.

# BPT LIMITATIONS FOR THE SECONDARY PRECIOUS METALS SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/liter of spent plating so- lution used as a raw ma- terial	
Conner	1.900	1.000
Copper	1.900	1.000
Cyanide (total)	0.290	0.120
Zinc	1.460	0.610
Ammonia (as N)	133.300	58.600
Combined metals	0.300	
Total suspended solids	41.000	19.500
pH	( <sup>1</sup> )	( <sup>1</sup> )

<sup>&</sup>lt;sup>1</sup> Within the range of 7.5 to 10.0 at all times.

(d) Spent cyanide stripping solutions.