#### § 464.36

(i) West Sand Reclamation Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting gray iron where greater than 1,784 tons of metal are poured per year.

**PSES** 

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		oounds per mil- of sand re-
Copper (T)	0.217 0.396 0.732 0.642 1.18	0.12 0.194 0.276 0.224 0.386
nate monitoring)	22.4	7.47

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

**PSES** 

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pounds) claimed	oounds per mil- of sand re-
Copper (T)	0.217 0.59 1.1 0.642 1.18	0.12 0.291 0.418 0.224 0.386
nate monitoring)	22.4	7.47

[50 FR 45247, Oct. 30, 1985; 51 FR 21762, June 16, 1986]

# § 464.36 Pretreatment standards for new sources.

Except as provided in 40 CFR 403.7, any new source subject to this subpart which introduces pollutants into publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for new sources.

(a) Casting Cleaning Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

#### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		oounds per mil- s) of metal
Copper (T) Lead (T) Zinc (T)	0.0129 0.0237 0.0437	0.0071 0.0116 0.0165

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

#### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pound poured	oounds per mil- s) of metal
Copper (T) Lead (T) Zinc (T)	0.0129 0.0353 0.0656	0.0071 0.0174 0.025

(b) Casting Quench Operations. (1) Applicable to plants that are easting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

# **Environmental Protection Agency**

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg million pounds)	(pounds per of metal poured
Copper (T)	0.0138 0.0252 0.0466 0.0257	0.0076 0.0124 0.0176 0.00838
nate monitoring)	1.43	0.476

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

#### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pound poured	oounds per mil- s) of metal
Copper (T)	0.0138 0.0376 0.0699 0.0257	0.0076 0.0185 0.0266 0.00838
Oil and Grease (for alternate monitoring)	1.43	0.476

(c) Dust Collection Scrubber Operations.
(1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

**PSNS** 

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million 5 billion SCF) o	Sm³ (pounds per f air scrubbed
Copper (T) Lead (T) Zinc (T) Total Phenols TTO Oil and Grease (for alter-	0.218 0.398 0.736 0.646 2.04	0.12 0.195 0.278 0.225 0.664
nate monitoring)	22.5	7.51

(2) Applicable to plants that are casting primarily steel, to plants that are

casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

#### PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		Sm³ (pounds per f air scrubbed
Copper (T)	0.218 0.593 1.1 0.656 2.04	0.12 0.293 0.421 0.225 0.664
nate monitoring)	22.5	7.51

- (d) Grinding Scrubber Operations. No discharge of process wastewater pollutants to a POTW.
- (e) Investment Casting. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		(pounds per of metal poured
Copper (T)	3.19 5.84 10.8 13.2	1.76 2.86 4.07 4.3
nate monitoring)	330	110

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

## § 464.36

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg million pounds)	
Copper (T) Lead (T) Zinc (T) TTO Oil and Grease (for alter-	3.19 8.7 16.2 13.2	1.76 4.3 6.17 4.3
nate monitoring)	330	110

(f) Melting Furnace Scrubber Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million S billion SCF) o	6m <sup>3</sup> (pounds per f air scrubbed
Copper (T)	1.02 1.86 3.44 3.01 8.34	0.561 0.911 1.3 1.05 2.73

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million 5 billion SCF) o	Sm³ (pounds per f air scrubbed
Copper (T)	1.02 2.77 5.15 3.01 8.34	0.561 1.37 1.96 1.05 2.73
nate monitoring)	105	35

(g) Mold Cooling Operations. (1) Applicable to plants that are casting pri-

marily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

#### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per mil- lion pounds) of meta poured	
Copper (T)	0.0428	0.0236
Lead (T)	0.0783	0.0384
Zinc (T)	0.145	0.0546
TTO	0.0797	0.026
Oil and Grease (for alternate		
monitoring)	4.43	1.48

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pound poured	oounds per mil- s) of metal
Copper (T)  Lead (T)  Zinc (T)  TTO  Oil and Grease (for alternate monitoring)	0.0428 0.117 0.217 0.0797 4.43	0.0236 0.0576 0.0827 0.026

(h) Slag Quench Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

## **Environmental Protection Agency**

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		oounds per mil- s) of metal
Copper (T) Lead (T) Zinc (T) TTO Oil and grease (for alternate	0.0527 0.0964 0.178 0.0257	0.0291 0.0473 0.0673 0.00838
monitoring)	5.46	1.82

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

## **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per mil- lion pounds) of meta poured	
Copper (T)	0.0527 0.144 0.267 0.0257	0.0291 0.0709 0.102 0.00838
monitoring)	5.46	1.82

(i) Wet Sand Reclamation Operations.
(1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

#### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pounds) claimed	oounds per mil- of sand re-
Copper (T)	0.217 0.396 0.732 0.642 1.18	0.12 0.194 0.276 0.224 0.386
nate monitoring)	22.4	7.47

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

#### **PSNS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pounds) claimed	oounds per mil- of sand re-
Copper (T)	0.217 0.59 1.10 0.642 1.18	0.12 0.291 0.418 0.224 0.386
nate monitoring)	22.4	7.47

§ 464.37 Effluent limitations guidelines representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology. [Reserved]

# Subpart D—Zinc Casting Subcategory

# § 464.40 Applicability; description of the zinc casting subcategory.

The provisions of this subpart are applicable to discharges to waters of the United States and to the introduction of pollutants into publicly owned treatment works resulting from zinc casting operations as defined in §464.02(d).

# § 464.41 Specialized definitions.

For the purpose of this subpart:

- (a) Total Toxic Organics (TTO). TTO is a regulated parameter under PSES (§464.45) and PSNS (§464.46) for the zinc subcategory and is comprised of a discrete list of toxic organic pollutants for each process segment where it is regulated, as follows:
- (1) Casting Quench (§464.45(a) and §464.46(a)):
- 21. 2,4,6-trichlorophenol
- 22. para-chloro meta-cresol
- 31. 2,4-dichlorophenol
- 34. 2,4-dimethylphenol 39. fluoranthene
- 44. methylene chloride (dichloromethane)
- 65. phenol