

§ 464.34

40 CFR Ch. I (7-1-13 Edition)

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of sand reclaimed	
Copper (T) .....	0.217	0.12
Lead (T) .....	0.396	0.194
Zinc (T) .....	0.732	0.276
Total Phenols .....	0.642	0.224

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0485
Lead (T) .....	0.53	0.26	0.112
Zinc (T) .....	0.98	0.37	0.194
Total Phenols .....	0.86	0.3	0.149

<sup>1</sup>kg/1000 kkg (pounds per million pounds) of sand reclaimed.

<sup>2</sup>These concentrations must be multiplied by the ratio of (89.5/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of sand reclaimed) for a specific plant.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of sand reclaimed	
Copper (T) .....	0.217	0.12
Lead (T) .....	0.59	0.291
Zinc (T) .....	1.1	0.418
Total Phenols .....	0.642	0.224

PSNS

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0485
Lead (T) .....	0.79	0.39	0.164
Zinc (T) .....	1.47	0.56	0.299
Total Phenols .....	0.86	0.3	0.149

<sup>1</sup>kg/1000 kkg (pounds per million pounds) of sand reclaimed.

<sup>2</sup>These concentrations must be multiplied by the ratio of (89.5/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of sand reclaimed) for a specific plant.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16, 1986]

§ 464.34 New source performance standards.

Any new source subject to this subpart must achieve the following new source performance standards (NSPS), except that non-continuous dischargers shall not be subject to the maximum day and maximum for monthly average mass (kg/1,000 kkg or lb/million lb of metal poured; kg/1,000 kkg or lb/million lb of sand reclaimed; kg/62.3 million Sm<sup>3</sup> or lb/billion SCF of air scrubbed) effluent standards for copper, lead, zinc, total phenols, oil and grease, and TSS. For non-continuous dischargers, annual average mass standards and maximum day and maximum for monthly average concentration (mg/l) standards shall apply. Concentration standards and annual average mass standards shall only apply to non-continuous dischargers.

(a) *Casting Cleaning Operations.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0129	0.0071
Lead (T) .....	0.0237	0.0116
Zinc (T) .....	0.0437	0.0165
Oil and grease .....	1.34	0.446
TSS .....	0.67	0.536
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0029
Lead (T) .....	0.53	0.26	0.0067
Zinc (T) .....	0.98	0.37	0.0116
Oil and grease .....	30	10	0.223
TSS .....	15	12	0.116
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup>kg/1000 kkg (pounds per million pounds) of metal poured.

<sup>2</sup>These concentrations must be multiplied by the ratio of (5.33/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that

**Environmental Protection Agency**

**§ 464.34**

are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0129	0.0071
Lead (T) .....	0.0353	0.0174
Zinc (T) .....	0.0656	0.025
Oil and grease .....	1.34	0.446
TSS .....	1.7	0.67
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0029
Lead (T) .....	0.79	0.39	0.0098
Zinc (T) .....	1.47	0.56	0.0179
Oil and grease .....	30	10	0.223
TSS .....	38	15	0.446
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1,000 kkg (pounds per million pounds) of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (5.35/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.  
<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(b) *Casting Quench Operations.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0138	0.0076
Lead (T) .....	0.0252	0.0124
Zinc (T) .....	0.0466	0.0176
Oil and grease .....	1.43	0.476
TSS .....	0.713	0.571
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0031
Lead (T) .....	0.53	0.26	0.0071
Zinc (T) .....	0.98	0.37	0.0124
Oil and grease .....	30	10	0.238
TSS .....	15	12	0.124
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> Kg/1000 kkg (pounds per million pounds) of metal poured.  
<sup>2</sup> Within the range of 7.0 to 10.0 at all times.  
<sup>3</sup> These concentrations must be multiplied by the ratio of (5.7/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0138	0.0076
Lead (T) .....	0.0376	0.0185
Zinc (T) .....	0.0699	0.0266
Oil and grease .....	1.43	0.476
TSS .....	1.81	0.713
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0031
Lead (T) .....	0.79	0.39	0.0105
Zinc (T) .....	1.47	0.56	0.019
Oil and grease .....	30	10	0.238
TSS .....	38	15	0.476
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> Kg/1000 kkg (pounds per million pounds) of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (5.7/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.  
<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(c) *Dust Collection Scrubber Operations.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

§ 464.34

40 CFR Ch. I (7-1-13 Edition)

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm <sup>3</sup> (pounds per billion SCF) of air scrubbed	
Copper (T) .....	0.218	0.12
Lead (T) .....	0.398	0.195
Zinc (T) .....	0.736	0.278
Total Phenols .....	0.646	0.225
Oil and grease .....	22.5	7.51
TSS .....	11.3	9.01
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0488
Lead (T) .....	0.53	0.26	0.113
Zinc (T) .....	0.98	0.37	0.195
Total phenols .....	0.86	0.3	0.15
Oil and grease .....	30	10	3.76
TSS .....	15	12	1.95
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/62.3 millions Sm<sup>3</sup> (pound per billion SCF) of air scrubbed.

<sup>2</sup> Within the range of 7.0 to 10.0 at all times.

<sup>3</sup> These concentrations must be multiplied by the ratio of (0.09/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm <sup>3</sup> (pounds per billion SCF) of air scrubbed	
Copper (T) .....	0.218	0.12
Lead (T) .....	0.593	0.293
Zinc (T) .....	1.1	0.421
Total phenols .....	0.656	0.225
Oil and grease .....	22.5	7.51
TSS .....	28.5	11.3
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0488
Lead (T) .....	0.79	0.39	0.165
Zinc (T) .....	1.47	0.56	0.3
Total phenols .....	0.86	0.3	0.15
Oil and grease .....	30	10	3.76
TSS .....	38	15	7.51
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/62.3 millions Sm<sup>3</sup> (pound per billion SCF) of air scrubbed.

<sup>2</sup> Within the range of 7.0 to 10.0 at all times.

<sup>3</sup> These concentrations must be multiplied by the ratio of (0.09/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

(d) *Grinding Scrubber Operations.* No discharge of process wastewater pollutants to navigable waters.

(e) *Investment Casting.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	3.19	1.76
Lead (T) .....	5.84	2.86
Zinc (T) .....	10.8	4.07
Oil and grease .....	330	110
TSS .....	165	132
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.716
Lead (T) .....	0.53	0.26	1.65
Zinc (T) .....	0.98	0.37	2.86
Oil and grease .....	30	10	55.1
TSS .....	15	12	28.6
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1,000 kkg (pounds per million pounds) of metal poured.

<sup>2</sup> These concentrations must be multiplied by the ratio of (1,320/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

**Environmental Protection Agency**

**§ 464.34**

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	3.19	1.76
Lead (T) .....	8.7	4.3
Zinc (T) .....	16.2	6.17
Oil and grease .....	330	110
TSS .....	419	165
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>		
Copper (T) .....	0.29	0.16	0.716
Lead (T) .....	0.79	0.39	2.42
Zinc (T) .....	1.47	0.56	4.41
Oil and grease .....	30	10	55.1
TSS .....	38	15	110
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1,000 kkg (pounds per million pounds) of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (1,320/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.  
<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(f) *Melting Furnace Scrubber Operations.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm <sup>3</sup> (pounds per billion SCF) of air scrubbed	
Copper (T) .....	1.02	0.561
Lead (T) .....	1.86	0.911
Zinc (T) .....	3.44	1.30
Total phenols .....	3.01	1.05
Oil and grease .....	105	35
TSS .....	52.6	42.1
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average
	(mg/l) <sup>2</sup>		
Copper (T) .....	0.29	0.16	0.228
Lead (T) .....	0.53	0.26	0.526
Zinc (T) .....	0.98	0.37	0.911
Total phenols .....	0.86	0.3	0.701
Oil and grease .....	30	10	17.5
TSS .....	15	12	9.11
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/62.3 million Sm<sup>3</sup> (pounds per billion SCF) of air scrubbed.

<sup>2</sup> These concentrations must be multiplied by the ratio of (0.42/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm <sup>3</sup> (pounds per billion SCF) of air scrubbed	
Copper (T) .....	1.02	0.561
Lead (T) .....	2.77	1.37
Zinc (T) .....	5.15	1.96
Total phenols .....	3.01	1.05
Oil and grease .....	105	35
TSS .....	133	52.6
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average
	(mg/l) <sup>2</sup>		
Copper (T) .....	0.29	0.16	0.228
Lead (T) .....	0.79	0.39	0.771
Zinc (T) .....	1.47	0.56	1.4
Total phenols .....	0.38	0.3	0.701
Oil and grease .....	30	10	17.5
TSS .....	38	15	35
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/62.3 million Sm<sup>3</sup> (pounds per billion SCF) of air scrubbed.

<sup>2</sup> These concentrations must be multiplied by the ratio of (0.42/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(g) *Mold Cooling Operations.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0428	0.0236
Lead (T) .....	0.0783	0.0384
Zinc (T) .....	0.0145	0.0546
Oil and grease .....	4.43	1.48
TSS .....	2.22	1.77
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

§ 464.34

40 CFR Ch. I (7-1-13 Edition)

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>1</sup>	
Copper (T) .....	0.29	0.16	0.0096
Lead (T) .....	0.53	0.26	0.0222
Zinc (T) .....	0.98	0.37	0.0384
Oil and grease .....	30	10	0.738
TSS .....	15	12	0.384
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1,000 kkg (pounds per million) pounds of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (17.7/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.  
<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0428	0.0236
Lead (T) .....	0.117	0.0576
Zinc (T) .....	0.217	0.0827
Oil and grease .....	4.43	1.48
TSS .....	5.61	2.22
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0096
Lead (T) .....	0.79	0.39	0.0325
Zinc (T) .....	1.47	0.56	0.0591
Oil and grease .....	30	10	0.738
TSS .....	38	15	1.48
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1,000 kkg (pounds per million) pounds of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (17.7/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.  
<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(h) *Slag Quench Operations.* (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0527	0.0291
Lead (T) .....	0.0964	0.0473
Zinc (T) .....	0.178	0.0673
Oil and grease .....	5.46	1.82
TSS .....	2.73	2.18
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0118
Lead (T) .....	0.53	0.26	0.0273
Zinc (T) .....	0.98	0.37	0.0473
Oil and grease .....	30	10	0.909
TSS .....	15	12	0.473
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1,000 kkg (pounds per million pounds) of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (21.8/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.  
<sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0527	0.0291
Lead (T) .....	0.144	0.0709
Zinc (T) .....	0.267	0.102
Oil and grease .....	5.46	1.82
TSS .....	6.91	2.73
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0118
Lead (T) .....	0.79	0.39	0.04
Zinc (T) .....	1.47	0.56	0.0728
Oil and grease .....	30	10	0.909
TSS .....	38	15	1.82
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup> kg/1000 kkg (pounds per million pounds) of metal poured.  
<sup>2</sup> These concentrations must be multiplied by the ratio of (21.8/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

**Environmental Protection Agency**

**§ 464.35**

<sup>3</sup>Within the range of 7.0 to 10.0 at all times.

(i) *Wet Sand Reclamation Operations.*  
 (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of sand reclaimed	
Copper (T) .....	0.217	0.12
Lead (T) .....	0.396	0.194
Zinc (T) .....	0.732	0.276
Total phenols .....	0.642	0.224
Oil and grease .....	22.4	7.47
TSS .....	11.2	8.96
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup>Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0485
Lead (T) .....	0.53	0.26	0.112
Zinc (T) .....	0.98	0.37	0.194
Total phenols .....	0.86	0.3	0.149
Oil and grease .....	30	10	3.73
TSS .....	15	12	1.94
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup>kg/1,000 kkg (pounds per million pounds) of sand reclaimed.

<sup>2</sup>These concentrations must be multiplied by the ratio of (89.5/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of sand reclaimed) for a specific plant.

<sup>3</sup>Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

**NSPS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of sand reclaimed	
Copper (T) .....	0.217	0.12
Lead (T) .....	0.59	0.291
Zinc (T) .....	1.1	0.418
Total phenols .....	0.642	0.224
Oil and grease .....	22.4	7.47
TSS .....	28.4	11.2
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup>Within the range of 7.0 to at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T) .....	0.29	0.16	0.0485
Lead (T) .....	0.79	0.39	0.164
Zinc (T) .....	1.47	0.56	0.299
Total phenols .....	0.86	0.3	0.149
Oil and grease .....	30	10	3.73
TSS .....	38	15	7.47
pH .....	( <sup>3</sup> )	( <sup>3</sup> )	( <sup>3</sup> )

<sup>1</sup>kg/1,000 kkg (pounds per million pounds) of sand reclaimed.

<sup>2</sup>These concentrations must be multiplied by the ratio of (89.5/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of sand reclaimed) for a specific plant.

<sup>3</sup>Within the range of 7.0 to 10.0 at all times.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16, 1986]

**§ 464.35 Pretreatment standards for existing sources.**

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources.

(a) *Casting Cleaning Operations.* (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

**PSES**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) .....	0.0129	0.0071
Lead (T) .....	0.0237	0.0116
Zinc (T) .....	0.0437	0.0165

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.