#### **Environmental Protection Agency**

#### <sup>3</sup>Within the range of 7.0 to 10.0 at all times.

(i) Wet Sand Reclamation Operations. (1) Applicable to plants that are casting primarily ductile or gray iron and to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per m lion pounds) of sand r claimed	
Copper (T)	0.217	0.12
Lead (T)	0.396	0.194
Zinc (T)	0.732	0.276
Total phenols	0.642	0.224
Oil and grease	22.4	7.47
TSS	11.2	8.96
рН	(1)	(1)

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T)	0.29	0.16	0.0485
Lead (T)	0.53	0.26	0.112
Zinc (T)	0.98	0.37	0.194
Total phenols	0.86	0.3	0.149
Oil and grease	30	10	3.73
TSS	15	12	1.94
рН	(3)	(3)	(3)

1 kg/1,000 kkg (pounds per million pounds) of sand reclaimed. 2These concentrations must be multiplied by the ratio of

<sup>2</sup> These concentrations must be multiplied up the rate of (89.5/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of sand reclaimed) for a specific plant. <sup>3</sup> Within the range of 7.0 to 10.0 at all times.

(2) Applicable to plants that are casting primarily steel and to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year.

NSPS

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver-
	kg/1,000 kkg (p lion pounds) claimed	oounds per mil- of sand re-
Copper (T)	0.217	0.12
Lead (T)	0.59	0.291
Zinc (T)	1.1	0.418
Total phenols	0.642	0.224
Oil and grease	22.4	7.47
TSS	28.4	11.2
pH	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.0 to at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age <sup>1</sup>
	(mg/l) <sup>2</sup>	(mg/l) <sup>2</sup>	
Copper (T)	0.29	0.16	0.0485
Lead (T)	0.79	0.39	0.164
Zinc (T)	1.47	0.56	0.299
Total phenols	0.86	0.3	0.149
Oil and grease	30	10	3.73
TSS	38	15	7.47
pH	(3)	(3)	( <sup>3</sup> )

 $^1\,kg/1,\!000\,$  kkg (pounds per million pounds) of sand reclaimed.

<sup>2</sup>These concentrations must be multiplied by the ratio of (89.5/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of sand reclaimed) for a specific plant.

<sup>3</sup>Within the range of 7.0 to 10.0 at all times.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16. 19861

#### §464.35 Pretreatment standards for existing sources.

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources.

(a) Casting Cleaning Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per mil lion pounds) of meta poured	
Copper (T) Lead (T) Zinc (T)	0.0129 0.0237 0.0437	0.0071 0.0116 0.0165
	1	

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

#### §464.35

#### §464.35

## PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per mil- lion pounds) of metal poured	
Copper (T) Lead (T) Zinc (T)	0.0129 0.0353 0.0656	0.0071 0.0174 0.025

(b) Casting Quench Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
		oounds per mil- s) of metal
Copper (T)	0.0138	0.0076
Lead (T)	0.0252	0.0124
Zinc (T)	0.0466	0.0176
TTO	0.0257	0.00838
Oil and grease (for alternate		
monitoring)	1.43	0.476

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per mil lion pounds) of meta poured	
Copper (T)	0.0138	0.0076
Lead (T)	0.0376	0.0185
Zinc (T) <sup>2</sup>	0.0699	0.0266
тто	0.0257	0.00838
Oil and grease (for alternate		
monitoring)	1.43	0.476

(c) *Dust Collection Scrubber Operations*. (1) Applicable to plants that are casting primarily ductile iron, to plants

#### 40 CFR Ch. I (7-1-14 Edition)

that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
		Sm <sup>3</sup> (pounds of air scrubbed
Copper (T) Lead (T) Zinc (T)	0.218 0.398 0.736	0.12 0.195 0.278
Total Phenols	0.646	0.225
Oil and Grease (for alter- nate monitoring)	22.5	7.51

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

PSES	
------	--

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
		Sm <sup>3</sup> (pounds of air scrubbed
Copper (T)     Lead (T)     Zinc (T)     Total Phenols     TTO	0.218 0.593 1.1 0.656 2.04	0.12 0.293 0.421 0.225 0.664
nate monitoring)	22.5	7.51

(d) *Grinding Scrubber Operations*. No discharge of process wastewater pollutants to a POTW.

(e) Investment Casting. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

#### **Environmental Protection Agency**

# PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per million pounds) of metal poure	
Copper (T) Lead (T) Zinc (T) TTO Oil and Grease (for alter-	3.19 5.84 10.8 13.2	1.76 2.86 4.07 4.3
nate monitoring)	330	110

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T) TTO	3.19 8.7 16.2 13.2	1.76 4.3 6.17 4.3
Oil and Grease (for alter- nate monitoring)	330	110

(f) Melting Furnace Scrubber Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/62.3 million S billion SCF) o	
Copper (T)	1.02	0.561
Lead (T)	1.86	0.911
Zinc (T)	3.44	1.30
Total phenols	3.01	1.05
тто	8.34	2.73
Oil and grease (for alter-		
nate monitoring)	105	35

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where

§464.35

equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/62.3 million per billion SCF)	Sm <sup>3</sup> (pounds of air scrubbed
Copper (T)    Lead (T)    Zinc (T)    Total phenols    TTO	1.02 2.77 5.15 3.01 8.34	0.561 1.37 1.96 1.05 2.73
Oil and grease (for alter- nate monitoring)	105	35

(g) Mold Cooling Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (p lion pound poured	oounds per mil- s) of metal
Copper (T) Lead (T)	0.0428 0.0783	0.0236 0.0384
Zinc (T)	0.145 0.0797	0.0546 0.026
Oil and grease (for alternate monitoring)	4.43	1.48

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

#### §464.36

## PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per mil- lion pounds) of metal poured	
Copper (T) Lead (T)	0.0428	0.0236
Zinc (T)	0.217	0.0827
TTO Oil and grease (for alternate	0.0797	0.026
monitoring)	4.43	1.48

(h) Slag Quench Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where greater than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per mil- lion pounds) of meta poured	
Copper (T)	0.0527	0.0291
Lead (T)	0.0964	0.0473
Zinc (T)	0.178	0.0673
TTO	0.0257	0.00838
Oil and grease (for alternate		
monitoring)	5.46	1.82

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per mil- lion pounds) of metal poured	
Copper (T)	0.0527	0.0291
Lead (T)	0.144	0.0709
Zinc (T)	0.267	0.102
тто	0.0257	0.00838
Oil and grease (for alternate		
monitoring)	5.46	1.82

# 40 CFR Ch. I (7-1-14 Edition)

(i) West Sand Reclamation Operations. (1) Applicable to plants that are casting primarily ductile iron, to plants that are casting primarily malleable iron where greater than 3,557 tons of metal are poured per year, and to plants that are casting gray iron where greater than 1,784 tons of metal are poured per year.

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (p lion pounds) claimed	oounds per mil- of sand re-
Copper (T)    Lead (T)    Zinc (T)    Total Phenols    TTO    Oil and grease (for alter-	0.217 0.396 0.732 0.642 1.18	0.12 0.194 0.276 0.224 0.386
nate monitoring)	22.4	7.47

(2) Applicable to plants that are casting primarily steel, to plants that are casting primarily malleable iron where equal to or less than 3,557 tons of metal are poured per year, and to plants that are casting primarily gray iron where equal to or less than 1,784 tons of metal are poured per year.

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (p lion pounds) claimed	oounds per mil- of sand re-
Copper (T)    Lead (T)    Zinc (T)    Total Phenols    TTO    Oil and grease (for alter-	0.217 0.59 1.1 0.642 1.18	0.12 0.291 0.418 0.224 0.386
nate monitoring)	22.4	7.47

[50 FR 45247, Oct. 30, 1985; 51 FR 21762, June 16, 1986]

# §464.36 Pretreatment standards for new sources.

Except as provided in 40 CFR 403.7, any new source subject to this subpart which introduces pollutants into publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for new sources.