

has waived its review under Executive Order 12866.

This rule amends the Oriental fruit fly regulations by adding a portion of Los Angeles and San Bernardino Counties, CA, to the list of quarantined areas. The regulations restrict the interstate movement of regulated articles from a quarantined area.

County records indicate there are approximately 1,500 acres of wine grapes, 200 acres of lemons and oranges, 50 acres of miscellaneous fruit, 20 garden centers, and 26 chain stores with nursery licenses within the quarantined area that may be affected by this rule. In addition, there are 13 production nurseries in the ZIP Code, although some may not be within the quarantined area.

We expect that any small entities located within the quarantined area that sell regulated articles do so primarily for local intrastate, not interstate, movement, so the effect, if any, of this rule on these entities appears to be minimal. The effect on any small entities that may move regulated articles interstate will be minimized by the availability of various treatments that, in most cases, will allow these small entities to move regulated articles interstate with very little additional cost.

Under these circumstances, the Administrator of the Animal and Plant Health Inspection Service has determined that this action will not have a significant economic impact on a substantial number of small entities.

#### Executive Order 12372

This program/activity is listed in the Catalog of Federal Domestic Assistance under No. 10.025 and is subject to Executive Order 12372, which requires intergovernmental consultation with State and local officials. (See 7 CFR part 3015, subpart V.)

#### Executive Order 12988

This interim rule has been reviewed under Executive Order 12988, Civil Justice Reform. This rule: (1) Preempts all State and local laws and regulations that are inconsistent with this rule; (2) has no retroactive effect; and (3) does not require administrative proceedings before parties may file suit in court challenging this rule.

#### National Environmental Policy Act

An environmental assessment and finding of no significant impact have been prepared for this interim rule. The site-specific environmental assessment provides a basis for the conclusion that the implementation of integrated pest management to eradicate the Oriental

fruit fly will not have a significant impact on human health and the natural environment. Based on the finding of no significant impact, the Administrator of the Animal and Plant Health Inspection Service has determined that an environmental impact statement need not be prepared.

The environmental assessment and finding of no significant impact were prepared in accordance with: (1) The National Environmental Policy Act of 1969 (NEPA), as amended (42 U.S.C. 4321 *et seq.*), (2) regulations of the Council on Environmental Quality for implementing the procedural provisions of NEPA (40 CFR parts 1500–1508), (3) USDA regulations implementing NEPA (7 CFR part 1b), and (4) APHIS' NEPA Implementing Procedures (7 CFR part 372).

Copies of the environmental assessment and finding of no significant impact are available for review in our reading room (information on the location and hours of the reading room is listed under the heading **ADDRESSES** at the beginning of this notice). In addition, copies may be obtained by writing to the individual listed under **FOR FURTHER INFORMATION CONTACT**. The environmental assessment and finding of no significant impact may also be viewed on the Internet at <http://www.aphis.usda.gov/ppd/es/ppq/offrc.pdf>.

#### Paperwork Reduction Act

This rule contains no new information collection or recordkeeping requirements under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*).

#### List of Subjects in 7 CFR Part 301

Agricultural commodities, Plant diseases and pests, Quarantine, Reporting and recordkeeping requirements, Transportation.

Accordingly, 7 CFR part 301 is amended as follows:

#### PART 301—DOMESTIC QUARANTINE NOTICES

1. The authority citation for part 301 continues to read as follows:

**Authority:** 7 U.S.C. 166, 7711, 7712, 7714, 7731, 7735, 7751, 7752, 7753, and 7754; 7 CFR 2.22, 2.80, and 371.3.

Section 301.75–15 also issued under Sec. 204, Title II, Pub. L. 106–113, 113 Stat. 1501A–293; sections 301.75–15 and 301.75–16 also issued under Sec. 203, Title II, Pub. L. 106–224, 114 Stat. 400 (7 U.S.C. 1421 note).

2. In § 301.93–3, paragraph (c) is revised to read as follows:

#### § 301.93–3 Quarantined areas.

\* \* \* \* \*

(c) The areas described below are designated as quarantined areas:

#### CALIFORNIA

*Los Angeles and San Bernardino Counties.* That portion of Los Angeles and San Bernardino Counties in the Rancho Cucamonga area bounded by a line as follows: Beginning at the intersection of North Mills Avenue and Mount Baldy Road; then northeast and north along Mount Baldy Road to its intersection with Barrett Road; then east from the intersection of Mount Baldy Road and Barrett Road along an imaginary line to the Joe Elliot Tree Memorial; then southeast from the Joe Elliot Tree Memorial along an imaginary line to the north end of Etiwanda Avenue; then southeast and south along Etiwanda Avenue to State Highway 30; then west along State Highway 30 to Rochester Avenue; then south along Rochester Avenue to Baseline Road; then west along Baseline Road to Milliken Avenue; then south along Milliken Avenue to State Highway 66; then west along State Highway 66 to Haven Avenue; then south along Haven Avenue to 8th Street; then west along 8th Street to East 8th Street; then west along East 8th Street to West 8th Street; then west along West 8th Street to Central Avenue; then north along Central Avenue to State Highway 66; then west along State Highway 66 to North Mills Avenue; then north along North Mills Avenue to the point of beginning.

Done in Washington, DC, this 2nd day of October 2002.

**Bobby R. Acord,**

*Administrator, Animal and Plant Health Inspection Service.*

[FR Doc. 02–25537 Filed 10–7–02; 8:45 am]

BILLING CODE 3410–34–P

#### NUCLEAR REGULATORY COMMISSION

#### 10 CFR Part 63

#### RIN 3150–AG91

#### Specification of a Probability for Unlikely Features, Events and Processes

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Final rule.

**SUMMARY:** The U. S. Nuclear Regulatory Commission (NRC) is amending its regulations governing the disposal of high-level radioactive wastes in a

potential geologic repository at Yucca Mountain, Nevada, to define the term “unlikely” in quantitative terms. NRC regulations now specify a range of numerical values for use in determining whether a feature, event or process, or a sequence of events and processes, should be excluded from certain required assessments. NRC is taking this action to clarify how it plans to implement two of the environmental standards for Yucca Mountain issued by the U.S. Environmental Protection Agency (EPA). Specifically, EPA’s standards require the exclusion of “unlikely” features, events or processes, or sequences of events and processes, from the required assessments for the human-intrusion and ground-water protection standards. In accordance with the Energy Policy Act of 1992, NRC has adopted EPA’s standards in its recently published technical requirements for a potential geologic repository at Yucca Mountain.

**EFFECTIVE DATE:** November 7, 2002.

**ADDRESSES:** The final rule and any related documents are available on NRC’s rulemaking Web site at <http://ruleforum.llnl.gov>. For information about the interactive rulemaking Web site, contact Carol Gallagher (301) 415–5905; e-mail [cag@nrc.gov](mailto:cag@nrc.gov).

The documents may also be examined at the NRC Public Document Room (PDR), Room O–1F23, 11555 Rockville Pike, Rockville, MD.

NRC maintains an Agencywide Document Access and Management System (ADAMS), which provides text and image files of NRC’s public documents. These documents may be accessed through NRC’s Public Electronic Reading Room on the Internet at <http://www.nrc.gov/reading-rm/adams.html>. If you do not have access to ADAMS, or if there are problems in accessing the documents located in ADAMS, contact the NRC PDR Reference staff at 1–800–397–4209, or 301–415–4737; or by e-mail to: [pdr@nrc.gov](mailto:pdr@nrc.gov).

**FOR FURTHER INFORMATION CONTACT:** Timothy McCartin, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, telephone (301) 415–7285, e-mail: [tjm3@nrc.gov](mailto:tjm3@nrc.gov); or Clark Prichard, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001, telephone (301) 415–6203, e-mail: [cwp@nrc.gov](mailto:cwp@nrc.gov).

**SUPPLEMENTARY INFORMATION:**

**I. Background**

On November 2, 2001 (66 FR 55732), NRC published a final rule, 10 CFR part 63, governing disposal of high-level

radioactive wastes in a potential geologic repository at Yucca Mountain, Nevada. We are now finalizing one particular matter that specifies a probability for unlikely features, events, and processes (FEPs). These are the regulations that the U.S. Department of Energy (DOE) must meet in any license application for construction and operation of a potential repository. As mandated by the Energy Policy Act of 1992, Pub. L. 102–486, NRC’s rule adopts the radiation protection standards established by EPA in 40 CFR Part 197 (66 FR 32074; June 13, 2001). EPA’s standards for disposal include an individual-protection standard (40 CFR 197.20); a human-intrusion standard (40 CFR 197.25); and ground-water protection standards (40 CFR 197.30). These EPA standards have been incorporated into NRC’s regulations at 10 CFR 63.311, 63.321, and 63.331, respectively.

DOE’s performance assessments are required to consider the naturally occurring features, events, and processes that could affect the performance of a geologic repository (*i.e.*, specific conditions or attributes of the geologic setting; degradation, deterioration, or alteration processes of engineered barriers; and interactions between natural and engineered barriers). EPA’s standards include limits on what DOE must consider in performance assessments undertaken to determine whether the repository will perform in compliance with the standards (40 CFR 197.36). EPA’s standards state that DOE’s performance assessments shall not include consideration of “very unlikely” FEPs, which EPA defines to be those FEPs that are estimated to have less than one chance in 10,000 of occurring within 10,000 years of disposal. In addition, EPA’s standards require NRC to exclude “unlikely” FEPs, or sequences of events and processes, from the required assessments for demonstrating compliance with the human-intrusion and ground-water protection standards. EPA did not define unlikely FEPs in its standards, but, rather, left the specific probability of the unlikely FEPs for NRC to define. The Commission explained in its rulemaking establishing part 63 that it “\* \* \* fully supports excluding unlikely FEPs from analyses for estimating compliance with the standards for human intrusion and ground-water protection \* \* \*,” and that it “\* \* \* plan[ne]d to conduct an expedited rulemaking to quantitatively define the term ‘unlikely’” (66 FR 55734; November 2, 2001).

NRC published a proposed rule, “10 CFR Part 63: Specification of a

Probability for Unlikely Features, Events, and Processes,” on January 25, 2002 (67 FR 3628), and requested public comments. That proposed rule defined the term “unlikely” in quantitative terms. This action was taken to allow NRC to implement EPA’s final standards for a potential repository at Yucca Mountain, Nevada. The Commission was careful to point out that its specification for unlikely events was in the context of very specific assessments (*i.e.*, those made to assess compliance with ground-water protection and human-intrusion standards) over a long time frame, and this specification was not intended to suggest or imply precedent for other significantly different applications that used the term “unlikely”.

Unlike the broader purposes served by the performance assessment for the all-pathway individual-protection standard, the performance assessments used to determine compliance with the human-intrusion standard and the ground-water protection standards serve narrow, focused objectives. In the case of the performance assessment for human intrusion, the purpose is to evaluate the robustness of the repository system, assuming the occurrence of a prescribed human-intrusion scenario. In the case of the performance assessment for ground-water protection, the purpose is to evaluate potential degradation of the ground-water resource. Although EPA’s final standards did not specify a numerical value to define unlikely FEPs in quantitative terms, the preamble to the standards stated that the exclusion of unlikely FEPs is intended to focus these assessments on the “expected” or “likely” performance of the repository.<sup>1</sup>

From a probabilistic perspective, any FEP with an annual probability of  $10^{-4}$  or higher would have a high probability of occurring within the 10,000 year compliance period.<sup>2</sup> As the Commission

<sup>1</sup> For example, the preamble states: (1) “[T]he assessment of resource pollution potential is based upon the engineering design of the repository being sufficiently robust under expected conditions to prevent unacceptable degradation of the ground-water resource over time” (66 FR 32114; June 13, 2001); and (2) the term “undisturbed,” which is used in connection with demonstrating compliance with the ground-water protection standards, means the “\* \* \* disposal system is not disturbed by human intrusion but that other processes or events that are likely to occur could disturb the system” (66 FR 32104; June 13, 2001).

<sup>2</sup> Estimating a high probability of occurrence for an FEP creates an expectation that an FEP will occur; however, it does not guarantee such an occurrence. There is a chance that even high-probability FEPs will not occur. Likewise, in a probabilistic sense, having a low probability of occurrence does not mean that an FEP will not occur.

described in the proposed rule, likely FEPs should include not only FEPs very likely to occur, but also those reasonably likely to occur. Given uncertainties in estimating the occurrence of FEPs over a 10,000 year time period, the Commission believed a prudent decision was to consider FEPs with 10 percent or greater chance of occurring within the 10,000 year compliance period as likely FEPs. Thus, the Commission sought public comment on its proposal that unlikely FEPs be defined as those FEPs with less than a 10 percent chance, but greater than or equal to a 0.01 percent chance, of occurring within the 10,000 year compliance period (*i.e.*, annual probability less than  $10^{-5}$ , but greater than or equal to  $10^{-8}$ , which is the upper boundary for very unlikely events). As mentioned previously, the focus of the performance assessments for human intrusion and ground-water protection is to be on expected conditions. The Commission believes an upper bound for unlikely FEPs of a 10 percent chance of occurring within the compliance period will focus the assessments for ground-water protection and human intrusion on the likely performance of the repository.

## II. Public Comments and Responses

The 75-day comment period for the proposed rule closed on April 10, 2002. Comments were received from the following five organizations: EPA; State of Nevada and the Nevada Agency for Nuclear Projects; DOE; Nuclear Energy Institute (NEI); and Exelon Generation. Commenters differed on the quantitative values NRC should use for defining unlikely FEPs. Although some commenters supported the proposed values, others provided different numbers and associated rationales. In preparing the final rule, the NRC staff carefully reviewed and considered these comments. The commenters that suggested alternative values did not provide a convincing basis for rejecting NRC's proposed range and adopting a different range; therefore, the Commission has decided to finalize the rule as originally proposed. The NRC's consideration of each of the comments is provided below.

### 1. EPA Comments

*Comment 1.1:* The upper value for the probability range for unlikely FEPs should be an annual probability of  $10^{-6}$ . An annual probability of  $10^{-6}$  as a demarcation separating likely FEPs from unlikely FEPs is reasonable because it is the middle of the range between FEPs that are nearly certain to occur (*i.e.*, annual probability of  $10^{-4}$ ), and FEPs

that are very unlikely to occur (*i.e.*, annual probability of  $10^{-8}$ ). Placing the demarcation closer to either end of the range could be perceived as biased, either too liberal or too conservative, whereas the middle of the range avoids those implications. The NRC proposal, which is a factor of 10 reduction (from the  $10^{-4}$  annual probability level), could be perceived as an arbitrary selection, whereas an annual probability of  $10^{-6}$  is a factor of 100 reduction and is likely to be more widely accepted.

*Response 1.1:* The Commission stated in the proposed rulemaking (67 FR 3629; January 25, 2002) that the specification of a value to quantitatively define the probability for unlikely FEPs is complicated because of the subjective nature of the term "unlikely." The Commission did consider the merits of using an annual probability of  $10^{-6}$  rather than  $10^{-5}$  for the demarcation between likely and unlikely FEPs. These two probability values represent approximately a 1 percent and 10 percent chance of occurring over the 10,000 year regulatory period. The Commission considered a 1 percent chance of occurring (*i.e.*, annual probability of  $10^{-6}$  over 10,000 years) neither expected nor likely and, therefore, an inappropriate value for the demarcation between likely and unlikely FEPs (67 FR 3630; January 25, 2002). The Commission continues to believe an annual probability of  $1 \times 10^{-5}$  (*i.e.*, 10 percent chance of occurring within the 10,000 year compliance period) is a protective and prudent value for defining the upper limit of unlikely FEPs and is retaining the proposed range for defining unlikely FEPs.

EPA has suggested that a probability value which represents the middle of a particular range (only when displayed on a logarithmic scale) contains some inherent justification for its selection. EPA also suggests that the NRC proposal, which is a factor of 10 less than an annual probability of  $10^{-4}$ , may be considered too high by some, whereas the EPA recommended value of  $10^{-6}$ , which is 100 times lower than  $10^{-4}$ , is likely to be more acceptable. The issue is not whether a particular value lies within the middle of a range (when plotted in a particular manner), or that the value is 10 rather than 100 times less than another value. The issue for NRC is to determine an appropriate value that is protective of public health and safety and the environment, and consistent with EPA's standards. EPA's standards exclude unlikely FEPs from the required assessments for ground-water protection and human intrusion so that these assessments may focus on

the likely performance of the repository. This is the context in which the definition of a specific probability value should be viewed. The Commission and other commenters consider the NRC proposal (*i.e.*, 10 percent chance of occurring over 10,000 years defines demarcation between likely and unlikely FEPs) consistent with the intended focus of the assessments for ground-water protection and human intrusion, and protective of public health and safety and the environment (see Comments 3–5).

*Comment 1.2:* Given the significant uncertainty in estimating the probability for rare events (*e.g.*, events with an annual probability of  $10^{-5}$ ), specification of an annual probability value of  $10^{-6}$  for the demarcation between likely and unlikely FEPs will provide greater confidence that all likely FEPs are considered in the assessments for ground-water protection and human intrusion. There is no need to be restrictive about the probability limits because both standards and regulations allow for excluding FEPs that have no significant impact on performance results. Use of an annual probability of  $10^{-6}$  assures a reasonably conservative approach is taken for screening FEPs.

*Response 1.2:* EPA has suggested that the Commission adopt a more conservative approach for selecting the demarcation between likely and unlikely FEPs. The Commission disagrees with this approach advocated by EPA for the following reasons: (1) The proposed value of  $10^{-5}$  (*i.e.*, 10 percent chance of occurrence over 10,000 years) already represents a reasonably conservative value for the demarcation between likely and unlikely FEPs; (2) introducing additional conservatism for screening of FEPs, by selecting an annual probability of  $10^{-6}$ , will detract from the intended purpose of the assessments to focus on likely performance; and (3) understanding and addressing uncertainties in the quantitative estimates for the probabilities of FEPs is preferred over selection of more conservative screening values.

The Commission acknowledges that selection of a more conservative value (*i.e.*, annual probability of  $10^{-6}$ ) for the demarcation between likely and unlikely FEPs could provide additional assurance by considering a broader range of FEPs. Such an approach, however, would not be consistent with the intent that the required assessments focus on likely behavior. EPA, in

describing what level of expectation will meet the standards, has pointed out negative aspects of an overly conservative approach (e.g., conservatism can bias analyses and deflect attention from questions critical to developing an adequate understanding of the FEPs) (66 FR 32102; June 13, 2001). The Commission understands that EPA believes its recommendation (i.e., annual probability of  $10^{-6}$ ) is "reasonably" conservative. However, the Commission views EPA's recommendation, which would identify FEPs with as little as a one-in-a-million chance of occurring in a year (i.e., one percent chance of occurring over 10,000 years) as likely FEPs, as overly conservative and thus not appropriate. The Commission, as well as other commenters (see Comments 4 and 5), support the annual probability of  $10^{-5}$  (i.e., 10 percent chance of occurrence over 10,000 years) as a reasonably conservative value for the demarcation between likely and unlikely FEPs. The Commission continues to believe the specification of an annual probability of  $10^{-5}$  is consistent with the focus on likely performance for the assessments of ground-water protection and human intrusion.

There will be uncertainty in estimating performance of any geologic repository, including the uncertainty in estimating the probabilities of FEPs. NRC's regulation for Yucca Mountain contains specific requirements for addressing uncertainty in estimating performance, which includes uncertainty for estimating probabilities for FEPs. The Commission believes it is prudent to understand and evaluate the uncertainty in the probability estimates rather than set a more conservative screening value as a means to address uncertainty in estimating probabilities of FEPs. Reasonable expectation, as specified in EPA standards (40 CFR 197.14) and NRC regulations (10 CFR 63.304), in compliance with the postclosure standards of the repository, dictates that uncertainties be understood and evaluated even when they may be difficult to precisely quantify (e.g., accounting for the inherently greater uncertainties, in making long-term projections of the performance of the Yucca Mountain disposal system, does not exclude important parameters from assessments and analyses simply because they are difficult to precisely quantify to a high degree of confidence). In the preamble to the final standards, EPA asserted that "[T]he reasonable expectation approach is aimed simply at focusing attention on

understanding the uncertainties in projecting disposal system performance so that regulatory decision making will be done with a full understanding of the uncertainties involved" (66 FR 32102; June 13, 2001). The Commission believes its requirements for the performance assessments provide for a thorough evaluation and understanding of uncertainties in estimating repository performance. Thus, selection of a more conservative probability value for the demarcation between likely and unlikely FEPs is unnecessary. As discussed previously, the Commission continues to believe the proposed value (i.e., 10 percent chance of occurring within 10,000 years) ensures the assessments for ground-water protection and human intrusion focus, as intended, on likely performance, whereas the use of more conservative values to define unlikely FEPs would inappropriately distort the estimation of likely performance.

*Comment 1.3:* Variation in dose assessments for Yucca Mountain is sufficiently broad (e.g., two orders of magnitude—a factor of one-hundred) that it is reasonable to adopt an annual probability value of  $10^{-6}$  as the demarcation between likely and unlikely FEPs because this value represents a numerically similar difference (i.e., two orders of magnitude) between it and the probability for events nearly certain to occur within the 10,000 year period (i.e., an annual probability value of  $10^{-4}$ ). Whereas NRC's proposed value (i.e., an annual probability value of  $10^{-5}$ ) is only a factor of 10 (i.e., one order of magnitude) different from the probability for events nearly certain to occur.

*Response 1.3:* The performance assessments for evaluating individual protection for the proposed repository at Yucca Mountain evaluate performance probabilistically; therefore, the estimates of repository performance are represented by a range of values. The variation in repository performance results from including uncertainty and variability in the models and parameters of the performance assessment used to represent FEPs associated with the site conditions and the natural and engineered barriers of the repository. EPA's observation that the variation in estimates of repository performance and the difference between the EPA recommendation of an annual probability value of  $10^{-6}$  and the probability of FEPs nearly certain to occur within the 10,000 year period (i.e., an annual probability value of  $10^{-4}$ ) are both two orders of magnitude does not justify EPA's recommendation,

nor does it imply that NRC's proposed value of  $10^{-5}$  is inappropriate. EPA has not provided information to support the relevance of this observation to the specification of a value for the demarcation of likely and unlikely FEPs. The performance assessments for Yucca Mountain involve complex models, for FEPs, that consider the uncertainty and variability in natural processes and the degradation of engineered materials. Performance assessments are expected to continue to evolve over time as new information is collected and evaluated and the variation in performance assessment results is also expected to change. A logical conclusion of the EPA comment is that the demarcation between likely and unlikely FEPs should change if future assessments of Yucca Mountain cause the variation of results to deviate from the current two orders of magnitude range. The Commission believes the determination of an annual probability for the demarcation between likely and unlikely FEPs should not be tied to the performance assessment results nor any other particular assessment of site conditions (see also response to Comment 1.4).

*Comment 1.4:* The selection of the probability for the demarcation between likely and unlikely FEPs should be divorced from the site conditions.

*Response 1.4:* The Commission agrees that site conditions should not be used to determine the probability for the demarcation between likely and unlikely FEPs. NRC's proposed rulemaking did not use any site conditions to determine an appropriate probability value. In the proposed rule, the Commission did identify a few selected FEPs, as a matter of reference, to inform the public of the kinds of FEPs that might be included and excluded by the proposed probability range for unlikely FEPs (67 FR 3630; January 25, 2002).

## 2. State of Nevada and the Nevada Agency for Nuclear Projects Comments

*Comment 2.1:* Unlikely FEPs should be defined by the same quantitative value used to define very unlikely FEPs (i.e., annual probability less than  $10^{-8}$ ). The EPA standard requires the Commission to set the quantitative level for unlikely FEPs, but it does not require that it be higher than the value used to define very unlikely FEPs.

*Response 2.1:* The EPA standards provide that a numerical value to define unlikely FEPs is to be specified by NRC, and the preamble to the standards clearly indicates that any such value would be higher than the value used to define very unlikely events. More

specifically, the preamble to the final standards states: “[W]e intended to establish another demarcation for excluding unlikely features, events, and processes with a higher probability. \* \* \*” (66 FR 32100; June 13, 2002).

The Commission does not consider the State’s proposal (*i.e.*, unlikely FEPs be specified with the same numerical value used to define very unlikely FEPs) consistent with EPA’s intent for the standards or common understanding of the two terms “unlikely” and “very unlikely,” which imply a difference in likelihood. The Commission believes its proposal, which specified a numerical range for unlikely FEPs above the range for very unlikely FEPs, is consistent with the EPA standards, as required by statute, and is fully protective of public health and safety and the environment.

*Comment 2.2:* Preservation of ground-water quality must not be compromised. Therefore, the assessment for protection of ground water should be no less rigorous than the assessment used to evaluate individual protection, which is required to consider unlikely events.

*Response 2.2:* The State is correct in pointing out that the individual protection assessment is the only assessment that includes unlikely FEPs; however, the EPA standards are clear that “unlikely” FEPs are to be excluded from the performance assessments for ground-water protection and human intrusion (40 CFR 197.36). The State of Nevada’s recommendation is not consistent with EPA’s standards that specify different assessments for determining compliance with the ground-water protection and individual-protection standards. EPA’s intent for the assessments for ground-water protection and human intrusion is to focus on the *likely* performance of the repository; thus, unlikely events are to be excluded from these two assessments (*see* Response 1.2). Unlikely FEPs should not be included in the assessments for ground-water protection and human intrusion, because inclusion would inappropriately emphasize the contribution of these less likely FEPs when determining the likely behavior of the repository. Exclusion of low-probability FEPs ensures that the assessments for ground-water protection and human intrusion are as intended (*i.e.*, on likely repository performance).

Ground water is an important resource, and potential contamination of ground water is evaluated in all three assessments (*i.e.*, ground-water protection, human intrusion, and individual protection) required by regulations and standards. More specifically, the assessment for ground-water protection must demonstrate

compliance with stringent safety standards [*e.g.*, 0.04 millisievert/year (mSv/yr) (4 millirem/year (mrem/yr))] for the potential contamination of drinking water. The assessment for individual protection must demonstrate compliance with a 0.15 mSv/yr (15 mrem/yr) exposure limit from *all* potential exposure pathways (*e.g.*, drinking contaminated water, consuming crops that are assumed to be irrigated with contaminated water, consuming animal products that are assumed to be raised with contaminated water and feed) and include unlikely FEPs. The assessment for human intrusion must demonstrate compliance with a 0.15 mSv/yr (15 mrem/yr) exposure limit from *all* potential exposure pathways, and assume that a human intrusion results in a borehole that provides a direct pathway for water to transport waste to the water table (*i.e.*, the ground-water resource). The Commission considers the multiple and overlapping assessments for ground-water protection, individual protection, and human intrusion, and the associated standards, to provide a comprehensive evaluation of potential ground-water contamination that is protective of the ground-water resource. Requiring the assessments for ground-water protection and human intrusion to include “unlikely” FEPs is not necessary for protection of the ground-water resource nor consistent with the EPA standards.

*Comment 2.3:* NRC’s proposed value for unlikely events would, but should not, allow the exclusion of igneous activity from consideration in the performance assessments for ground-water protection and human intrusion because it could be the largest contributor to dose. The proposed definition for unlikely events is subjective to the extreme because the largest risk contributor is excluded.

*Response 2.3:* The State’s recommendation that igneous activity be included because, as currently assessed, igneous activity is the largest contributor to risk, is not consistent with EPA’s standards. EPA’s standards specify that NRC is to determine FEPs are either “unlikely” or “very unlikely,” based on the likelihood of occurrence of the FEPs and not on other considerations, such as risk. The Commission explained, in its proposed rule (67 FR 3629; January 25, 2002), that EPA’s intent for the assessments for ground-water protection and human intrusion was to focus on the *likely* performance of the repository; thus, unlikely events are to be excluded from these two assessments. Unlikely FEPs should not be included in the

assessments for ground-water protection and human intrusion because inclusion would inappropriately emphasize the contribution of these less likely FEPs when determining the likely behavior of the repository. Exclusion of such low-probability FEPs ensures that the assessments for ground-water protection and human intrusion are as intended (*i.e.*, on likely repository performance), and are not considered “subjective to the extreme,” because of this exclusion.

Exclusion of igneous activity in the assessments for ground-water protection and human intrusion is not expected to have a significant effect on either assessment. The assessment for ground-water protection is not affected because the dose from an igneous event is predominately through the air pathway and not the ground-water pathway. The assessment for human intrusion is not affected because the assumed intrusion (*i.e.*, single borehole to the water table) scenario leads to a ground-water pathway, whereas the igneous event primarily involves the air pathway. As the State has indicated, the air pathway is considered in the assessment for individual protection.

*Comment 2.4:* The performance assessments for human intrusion and individual protection should consider similar FEPs, to provide a meaningful comparison of repository resilience.

*Response 2.4:* As discussed in the previous responses (under Comments 2.2 and 2.3), each of the three performance assessments (*i.e.*, those conducted to demonstrate compliance with the standards for individual protection, ground-water protection, and resiliency to an assumed human intrusion) has its own specific purpose, assumptions, and standards. The EPA standards and NRC’s regulations do not require that direct comparisons be made between any of these assessments. The performance assessment for human intrusion demonstrates the resilience of the repository by assuming a specified intrusion occurs and by requiring potential exposures to comply with the same overall exposure limit [*i.e.*, 0.15 mSv/yr (15 mrem/yr) from all pathways] used for individual protection. Although the EPA standards clearly state “unlikely” FEPs are not to be included in the assessment for human intrusion and ground-water protection (40 CFR 197.36), the performance assessments for individual protection, ground-water protection, and human intrusion provide a comprehensive evaluation of FEPs to inform the licensing decision. Regardless of which aspect of repository performance is the largest risk contributor, the regulatory

requirements for all assessments must be met.

*Comment 2.5:* The possibility of multiple intrusions into the repository should be considered as a likely event and included in the evaluation of human intrusion rather than the "single" intrusion prescribed in the EPA standards and adopted in NRC's regulations.

*Response 2.5:* The State raised a similar concern (*i.e.*, consideration for multiple intrusions) during the public comment period for part 63. The Commission addressed this issue when it finalized part 63, stating:

Another related issue is whether the stylized calculation should consider multiple intrusions. The final EPA standards resolve this issue in favor of a single intrusion. Moreover, in its findings and recommendations, NAS [National Academy of Sciences] argued against analyses of whether and how often exploratory drilling would occur at Yucca Mountain because of the complexities associated in such assessments. Simply stated, the NAS felt that no one can accurately predict the characteristics of future human society and their technology. In the context of human intrusion, estimating the probability of exploratory drilling for a given resource relies on an ability to predict certain economic and technical factors that influence supply of, and demand for, that resource. In fact, NAS noted that the continued advances in noninvasive geophysical techniques may, in fact, reduce the number and frequency of exploratory boreholes \* \* \*

Consequently, any consideration for the drilling of multiple exploratory boreholes or later drilling of more boreholes further increases the speculative nature of the intrusion scenario with potentially little increase in understanding repository resilience.

The EPA standards provide for consideration of a single borehole at the earliest time that human intrusion into the waste package can occur without recognition by the drillers. The Commission believes this is an appropriate test for evaluating repository resilience. Moreover, the suggested alternative to evaluate multiple intrusions for the human intrusion calculation fails to reflect the purpose of the human intrusion calculation, that is to test the resilience of the repository, not to evaluate the speculative issue of frequency of the intrusion (66 FR 55761; November 2, 2001).

### 3. DOE Comments

DOE supports NRC's proposed probability range for defining unlikely FEPs as a reasonable and conservative choice.

*Comment 3.1:* For assessing operational safety of the repository,

NRC's regulations specify that operational events that occur one or more times during the operational period are considered reasonably likely to occur. Applying this definition (*i.e.*, one or more times) to the specification of a value to define unlikely FEPs results in an upper bound of one chance of occurrence within 10,000 years (*i.e.*, approximately  $10^{-4}$  annual probability). Thus, NRC's proposal of an upper bound of one chance in ten of occurring within 10,000 years (*i.e.*,  $10^{-5}$  annual probability) for unlikely FEPs is a reasonable and conservative approach.

*Response 3.1:* During the development of the proposed rulemaking, NRC considered an annual probability of  $10^{-4}$  for the demarcation between likely and unlikely FEPs, but ultimately decided on a probability of one chance in ten of occurring within 10,000 years (*i.e.*, annual probability of  $10^{-5}$ ) as a prudent value, given the uncertainties in estimating the occurrence of FEPs over the very long compliance period. The Commission was careful to point out that its specification for unlikely events was in the context of very specific assessments (*i.e.*, those made to assess compliance with ground-water protection and human-intrusion standards) over a long time frame, and this specification was not intended to suggest or imply precedent for other significantly different applications that used the term "unlikely" (67 FR 3630; January 25, 2002). Similarly, significantly different applications such as requirements for the safety assessment of the operational period (*e.g.*, significantly shorter time period, inclusion of worker activities) should not imply a precedent for specifying a value for unlikely FEPs.

### 4. NEI Comments

NEI supports NRC's proposed probability range for defining unlikely FEPs. NEI stated that the proposed definition of unlikely FEPs will facilitate a reasonable and prudently conservative analysis of these aspects of repository performance (*i.e.*, ground-water protection and human intrusion).

### 5. Exelon Generation Comments

Exelon Generation supports NRC's proposed probability range for defining unlikely FEPs.

## III. Changes From the Proposed Rule

### Section 63.342 Limits on Performance Assessments

The word "should" has been replaced with the word "shall" to be consistent with the final EPA standard (40 CFR 197.36).

## IV. Section-by-Section Analysis

### Section 63.342 Limits on Performance Assessments

This section specifies how DOE will determine which features, events, and processes will be considered in the performance assessments described in subpart L of part 63.

## V. Voluntary Consensus Standards

The National Technology Transfer and Advancement Act of 1995, Pub. L. 104-113, requires that Federal agencies use technical standards that are developed or adopted by voluntary consensus standards bodies unless using such a standard is inconsistent with applicable law or is otherwise impractical. In this rule, NRC is establishing probability limits for unlikely FEPs at a potential geologic repository for high-level radioactive waste at Yucca Mountain, Nevada. This action does not constitute the establishment of a standard that contains generally applicable requirements.

### VI. Finding of No Significant Environmental Impact: Availability

Pursuant to section 121(c) of the Nuclear Waste Policy Act, this rule does not require the preparation of an environmental impact statement under section 102(2)(c) of the National Environmental Policy Act of 1969 or any environmental review under subparagraph (E) or (F) of section 102(2) of such act.

## VII. Paperwork Reduction Act Statement

This rule does not contain new or amended information collection requirements subject to the Paperwork Reduction Act of 1995. (44 U.S.C. 3501 *et seq.*) Existing requirements were approved by the Office of Management and Budget (OMB), approval number 3150-0199.

### Public Protection Notification

If a means used to impose an information collection requirement does not display a currently valid OMB control number, NRC may not conduct nor sponsor, and a person is not required to respond to, the information collection.

## VIII. Regulatory Analysis

The Commission has prepared a regulatory analysis on this regulation. The analysis examines the costs and benefits of the alternatives considered by the Commission. It is available for inspection in the NRC Public Document Room, One White Flint North, 11555 Rockville Pike, Rockville, MD 20852.

Single copies of the analysis may be obtained from Clark Prichard, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone (301) 415-6203, e-mail: *cwp@nrc.gov*.

### IX. Regulatory Flexibility Certification

In accordance with the Regulatory Flexibility Act [5 U.S.C. 605(b)], the Commission certifies that this rule will not, if promulgated, have a significant economic impact on a substantial number of small entities. This rule relates to the licensing of only one entity, DOE, which does not fall within the scope of the definition of "small entities" set forth in the Regulatory Flexibility Act or the size standards established by the NRC (10 CFR 2.810).

### X. Backfit Analysis

NRC has determined that the backfit rule does not apply to this rule and, therefore, that a backfit analysis is not required, because this rule does not involve any provisions that would impose backfits as defined in 10 CFR chapter 1.

### XI. Small Business Regulatory Enforcement Fairness Act

In accordance with the Small Business Regulatory Enforcement Act of 1996, the NRC has determined that this action is not a major rule and has verified this determination with the Office of Information and Regulatory Affairs of OMB.

### List of Subjects in 10 CFR Part 63

Criminal penalties, High-level waste, Nuclear power plants and reactors, Nuclear materials, Reporting and recordkeeping requirements, Waste treatment and disposal.

For the reasons set out in the preamble and under the authority of the Atomic Energy Act of 1954, as amended; the Energy Reorganization Act of 1974, as amended; the Nuclear Waste Policy Act of 1982, as amended; and 5 U.S.C. 552 and 553, the NRC is adopting the following amendments to 10 CFR part 63.

### PART 63—DISPOSAL OF HIGH-LEVEL RADIOACTIVE WASTES IN A GEOLOGIC REPOSITORY AT YUCCA MOUNTAIN, NEVADA

1. The authority citation for part 63 continues to read as follows:

**Authority:** Secs. 51, 53, 62, 63, 65, 81, 161, 182, 183, 68 Stat. 929, 930, 932, 933, 935, 948, 953, 954, as amended (42 U.S.C. 2071, 2073, 2092, 2093, 2095, 2111, 2201, 2232, 2233); secs. 202, 206, 88 Stat. 1244, 1246 (42 U.S.C. 5842, 5846); secs. 10 and 14, Pub. L. 95-601, 92 Stat. 2951 (42 U.S.C. 2021a and

5851); sec. 102, Pub. L. 91-190, 83 Stat. 853 (42 U.S.C. 4332); secs. 114, 121, Pub. L. 97-425, 96 Stat. 2213g, 2238, as amended (42 U.S.C. 10134, 10141); and Pub. L. 102-486, sec. 2902, 106 Stat. 3123 (42 U.S.C. 5851).

2. Section 63.342 is revised to read as follows:

#### § 63.342 Limits on performance assessments.

DOE's performance assessments shall not include consideration of very unlikely features, events, or processes, *i.e.*, those that are estimated to have less than one chance in 10,000 of occurring within 10,000 years of disposal. DOE's assessments for the human-intrusion and ground-water protection standards shall not include consideration of unlikely features, events, and processes, or sequences of events and processes, *i.e.*, those that are estimated to have less than one chance in 10 and at least one chance in 10,000 of occurring within 10,000 years of disposal. In addition, DOE's performance assessments need not evaluate the impacts resulting from any features, events, and processes or sequences of events and processes with a higher chance of occurrence if the results of the performance assessments would not be changed significantly.

Dated at Rockville, Maryland, this 2nd day of October, 2002.

For the Nuclear Regulatory Commission.

**Annette Vietti-Cook,**

*Secretary of the Commission.*

[FR Doc. 02-25521 Filed 10-7-02; 8:45 am]

BILLING CODE 7590-01-P

## FEDERAL RESERVE SYSTEM

### 12 CFR Part 204

[Regulation D; Docket No. R-1132]

#### Reserve Requirements of Depository Institutions

**AGENCY:** Board of Governors of the Federal Reserve System.

**ACTION:** Final rule.

**SUMMARY:** The Board is amending Regulation D, Reserve Requirements of Depository Institutions, to reflect the annual indexing of the low reserve tranche and the reserve requirement exemption for 2003, and announces the annual indexing of the deposit reporting cutoff level that will be effective beginning in September 2003. The amendments increase the amount of transaction accounts subject to a reserve requirement ratio of three percent in 2003, as required by section 19(b)(2)(C) of the Federal Reserve Act, from \$41.3 million to \$42.1 million of net

transaction accounts. This adjustment is known as the low reserve tranche adjustment. The Board is increasing from \$5.7 million to \$6.0 million the amount of reservable liabilities of each depository institution that is subject to a reserve requirement of zero percent in 2003. This action is required by section 19(b)(11)(B) of the Federal Reserve Act, and the adjustment is known as the reservable liabilities exemption adjustment. The Board is also increasing the deposit cutoff level that is used in conjunction with the reservable liabilities exemption to determine the frequency of deposit reporting from \$106.9 million to \$112.3 million for nonexempt depository institutions. (Nonexempt institutions are those with total reservable liabilities exceeding the amount exempted from reserve requirements.) Thus, beginning in September 2003, nonexempt institutions with total deposits of \$112.3 million or more will be required to report weekly while nonexempt institutions with total deposits less than \$112.3 million may report quarterly, in both cases on form FR 2900. Exempt institutions with at least \$6.0 million in total deposits may report annually on form FR 2910a.

**DATES:** Effective Date: November 7, 2002.

**Compliance Dates:** For depository institutions that report weekly, the low reserve tranche adjustment and the reservable liabilities exemption adjustment will apply to the fourteen-day reserve computation period that begins Tuesday, November 26, 2002, and the corresponding fourteen-day reserve maintenance period that begins Thursday, December 26, 2002. For institutions that report quarterly, the low reserve tranche adjustment and the reservable liabilities exemption adjustment will apply to the seven-day reserve computation period that begins Tuesday, December 17, 2002, and the corresponding seven-day reserve maintenance period that begins Thursday, January 16, 2003. For all depository institutions, the deposit cutoff level will be used to screen institutions in July of 2003 to determine the reporting frequency for the twelve month period that begins in September 2003.

**FOR FURTHER INFORMATION CONTACT:** Heatherun Allison, Counsel (202/452-3565), Legal Division, or June O'Brien, Economist (202/452-3790), Division of Monetary Affairs; for user of Telecommunications Device for the Deaf (TDD) only, contact (202/872-4984); Board of Governors of the Federal Reserve System, 20th and C Streets, NW., Washington, DC 20551.