# Coding for Selected Publications

Standardized locator lists and marked up samples showing how to key selected publications

GPO Publication 200.9
November 25, 2002
(Revised August 1999)

# MICROCOMP ACCENT FUNCTIONS

| Cntl/Alt 174 (≪)+ | Description | Display |
|---|---|---|
| 0 | Breve | ă |
| 1 | Acute | á |
| 2 | Grave | à |
| 3 | Circumflex | â |
| 4 | Dieresis | ä |
| 5 | Caron | ǎ |
| 6 | Tilde | ã |
| 7 | Angstrom | å |
| 8 | Macron | ā |
| 9 | Cedilla | ą |
| a | Right arrow | $\vec{A}$ |
| b | Bullet | $\dot{A}$ |
| c | Right hook | $\underline{A}$ |
| d | ½ Right arrow | $\overrightarrow{A}$ |
| e | Hungarumlaut | Ő |
| f | Ogonek | Ą |
| g | Sub-Macron | $\underline{A}$ |
| h | Sub-Bullet | $\underset{\circ}{A}$ |
| i | Dash over Dot (To Come) | A |

The Control/Alt 174 (≪) plus the code character, i.e. 1, is used for both Caps and lowercase.

Example—ÉMIGRÉ is set as E≪1MIGRE≪1

ÉMIGRÉ = E (DECIMAL 174) 1 MIGRE (DECIMAL 174) 1

# ACCENTS

1 OF 3

## Microcomp Accent Functions

| *Function Code*[1] | *Description* | *Display* |
|---|---|---|
| 0 | Breve | ă |
| 1 | Acute | á |
| 2 | Grave | à |
| 3 | Circumflex | â |
| 4 | Dieresis | ä |
| 5 | Caron | ǎ |
| 6 | Tilde | ã |
| 7 | Angstrom | å |
| 8 | Macron | ā |
| 9 | Cedilla | ą |
| a | Right arrow | ⃗a |
| b | Bullet | ȧ |
| c | Right hook | ⃐a |
| d | ½ Right arrow | ⃗a |
| e | Hungarumlaut | ő |
| f | Ogonek | ą |
| 0 | Breve | Ă |
| 1 | Acute | Á |
| 2 | Grave | À |
| 3 | Circumflex | Â |
| 4 | Dieresis | Ä |
| 5 | Caron | Ǎ |
| 6 | Tilde | Ã |
| 7 | Angstrom | Å |
| 8 | Macron | Ā |
| 9 | Cedilla | Ą |
| a | Right arrow | ⃗A |
| b | Bullet | Ȧ |
| c | Right hook | ⃐A |
| d | ½ Right arrow | ⃗A |
| e | Hungarumlaut | Ő |
| f | Ogonek | Ą |

.: are now available in both ACOMP, the typsetting program, and PARAM, the parameter maintenance program. Same as with the ATEX typsetting 'he program function code of decimal 203 may have any character related to it in the character displacement table (i.e. /174/ /203/). To get an accent d have the data keyed with the accent function code (174) and a figure/letter (as described in table above) immediately following the character that accented. (i.e. Jose{1 will produce on output José.)

ACCENTS 2 OF 3

# MICROCOMP ACCENT FUNCTIONS ON GREEK CHARACTERS USING MICROGRD.813

ctrl/alt 174

| Function Code | Description |
|---|---|
| 0 | Breve |
| 1 | Acute |
| 2 | Grave |
| 3 | Circumflex |
| 4 | Dieresis |
| 5 | Caron |
| 6 | Tilde |
| 7 | Angstrom |

| Function Code | Description |
|---|---|
| 8 | Macron |
| 9 | Cedilla |
| a | Right arrow |
| b | Bullet |
| c | Right hook |
| d | ½ Right Arrow |
| e | Hungarumlaut |
| f | Ogonek |

MUST BE LOWER CASE

ctrl/alt 174

| Display | Keyboard Input | Display | Keyboard Input |
|---|---|---|---|
| Ă | Δg813ΔT1A<0 | Ă | Δg813ΔT2A<0 |
| Β́ | Δg813ΔT1B<1 | Β́ | Δg813ΔT2B<1 |
| Ψ̀ | Δg813ΔT1C<2 | Ψ̀ | Δg813ΔT2C<2 |
| Δ̂ | Δg813ΔT1D<3 | Δ̂ | Δg813ΔT2D<3 |
| Ε̄ | Δg813ΔT1E<4 | Ε̄ | Δg813ΔT2E<4 |
| Φ̄ | Δg813ΔT1F<5 | Φ̄ | Δg813ΔT2F<5 |
| Γ̄ | Δg813ΔT1G<6 | Γ̄ | Δg813ΔT2G<6 |
| Η̇ | Δg813ΔT1H<7 | Η̇ | Δg813ΔT2H<7 |
| Ī | Δg813ΔT1I<8 | Ī | Δg813ΔT2I<8 |
| Ξ̣ | Δg813ΔT1J<9 | Ξ̣ | Δg813ΔT2J<9 |
| K̃ | Δg813ΔT1K<a | K̃ | Δg813ΔT2K<a |
| Λ̇ | Δg813ΔT1L<b | Λ̇ | Δg813ΔT2L<b |
| M̄ | Δg813ΔT1M<c | M̄ | Δg813ΔT2M<c |
| N̄ | Δg813ΔT1N<d | N̄ | Δg813ΔT2N<d |
| Ο̃ | Δg813ΔT1O<e | Ο̃ | Δg813ΔT2O<e |
| Ρ̣ | Δg813ΔT1P<f | Ρ̣ | Δg813ΔT2P<f |
| Θ̆ | Δg813ΔT1Q<0 | Θ̆ | Δg813ΔT2Q<0 |



2

ACCENTS 3 OF 3

| Display | Keyboard Input | Display | Keyboard Input |
|---|---|---|---|
| ῥ | Δg813ΔT1R<1 | Ῥ | Δg813ΔT2R<1 |
| ὲ | Δg813ΔT1S<2 | ὲ | Δg813ΔT2S<2 |
| ἳ | Δg813ΔT1T<3 | ἳ | Δg813ΔT2T<3 |
| ὶ | Δg813ΔT1U<4 | ὶ | Δg813ΔT2U<4 |
| ὶ | Δg813ΔT1V<5 | ὶ | Δg813ΔT2V<5 |
| ὶ | Δg813ΔT1W<6 | ὶ | Δg813ΔT2W<6 |
| ὶ | Δg813ΔT1X<7 | ὶ | Δg813ΔT2X<7 |
| ὶ | Δg813ΔT1Y<8 | ὶ | Δg813ΔT2Y<8 |
| ὶ | Δg813ΔT1Z<9 | ὶ | Δg813ΔT2Z<9 |
| ὶ | Δg813ΔT1a<0 | ὶ | Δg813ΔT2a<0 |
| ὶ | Δg813ΔT1b<1 | ὶ | Δg813ΔT2b<1 |
| ὶ | Δg813ΔT1c<2 | ὶ | Δg813ΔT2c<2 |
| ὶ | Δg813ΔT1d<3 | ὶ | Δg813ΔT2d<3 |
| ὶ | Δg813ΔT1e<4 | ὶ | Δg813ΔT2e<4 |
| ὶ | Δg813ΔT1f<5 | ὶ | Δg813ΔT2f<5 |
| ὶ | Δg813ΔT1g<6 | ὶ | Δg813ΔT2g<6 |
| ὶ | Δg813ΔT1h<7 | ὶ | Δg813ΔT2h<7 |
| - | Δg813ΔT1i<8 | ὶ | Δg813ΔT2i<8 |
| ὶ | Δg813ΔT1j<9 | ὶ | Δg813ΔT2j<9 |
| ὶ | Δg813ΔT1k<a | ὶ | Δg813ΔT2k<a |
| ὶ | Δg813ΔT1l<b | ὶ | Δg813ΔT2l<b |
| ὶ | Δg813ΔT1m<c | ὶ | Δg813ΔT2m<c |
| ὶ | Δg813ΔT1n<d | ὶ | Δg813ΔT2n<d |
| ὶ | Δg813ΔT1o<e | ὶ | Δg813ΔT2o<e |
| ὶ | Δg813ΔT1p<f | ὶ | Δg813ΔT2p<f |
| ὶ | Δg813ΔT1q<0 | ὶ | Δg813ΔT2q<0 |
| ὶ | Δg813ΔT1r<1 | ὶ | Δg813ΔT2r<1 |
| ὶ | Δg813ΔT1s<2 | ὶ | Δg813ΔT2s<2 |
| ὶ | Δg813ΔT1t<3 | ὶ | Δg813ΔT2t<3 |
| ὶ | Δg813ΔT1u<4 | ὶ | Δg813ΔT2u<4 |
| ὶ | Δg813ΔT1v<5 | ὶ | Δg813ΔT2v<5 |
| ὶ | Δg813ΔT1w<6 | ὶ | Δg813ΔT2w<6 |
| ὶ | Δg813ΔT1x<7 | ὶ | Δg813ΔT2x<7 |
| ὶ | Δg813ΔT1y<8 | ὶ | Δg813ΔT2y<8 |
| ὶ | Δg813ΔT1z<9 | ὶ | Δg813ΔT2z<9 |

# ASCII CHART *IBM Character Codes*

| DEC | HEX | OCTAL | BINARY | SYMBOL | KEY |
|---|---|---|---|---|---|
| 0 | 00 | 000 | 0000 0000 | (NULL) | Ctrl 2 |
| 1 | 01 | 001 | 0000 0001 | ☺ | Ctrl A |
| 2 | 02 | 002 | 0000 0010 | ☻ | Ctrl B |
| 3 | 03 | 003 | 0000 0011 | ♥ | Ctrl C |
| 4 | 04 | 004 | 0000 0100 | ♦ | Ctrl D |
| 5 | 05 | 005 | 0000 0101 | ♣ | Ctrl E |
| 6 | 06 | 006 | 0000 0110 | ♠ | Ctrl F |
| 7 | 07 | 007 | 0000 0111 | • | Ctrl G |
| 8 | 08 | 010 | 0000 1000 | ◘ | Ctrl H |
| 9 | 09 | 011 | 0000 1001 | ○ | Ctrl I |
| 10 | 0A | 012 | 0000 1010 | ◙ | Ctrl J |
| 11 | 0B | 013 | 0000 1011 | ♂ | Ctrl K |
| 12 | 0C | 014 | 0000 1100 | ♀ | Ctrl L |
| 13 | 0D | 015 | 0000 1101 | ♪ | Ctrl M |
| 14 | 0E | 016 | 0000 1110 | ♫ | Ctrl N |
| 15 | 0F | 017 | 0000 1111 | ☼ | Ctrl O |
| 16 | 10 | 020 | 0001 0000 | ► | Ctrl P |
| 17 | 11 | 021 | 0001 0001 | ◄ | Ctrl Q |
| 18 | 12 | 022 | 0001 0010 | ↕ | Ctrl R |
| 19 | 13 | 023 | 0001 0011 | ‼ | Ctrl S |
| 20 | 14 | 024 | 0001 0100 | ¶ | Ctrl T |
| 21 | 15 | 025 | 0001 0101 | § | Ctrl U |
| 22 | 16 | 026 | 0001 0110 | ▬ | Ctrl V |
| 23 | 17 | 027 | 0001 0111 | ↨ | Ctrl W |
| 24 | 18 | 030 | 0001 1000 | ↑ | Ctrl X |
| 25 | 19 | 031 | 0001 1001 | ↓ | Ctrl Y |
| 26 | 1A | 032 | 0001 1010 | → | Ctrl Z |
| 27 | 1B | 033 | 0001 1011 | ← | Esc |
| 28 | 1C | 034 | 0001 1100 | ∟ | Ctrl \ |
| 29 | 1D | 035 | 0001 1101 | ↔ | Ctrl ] |
| 30 | 1E | 036 | 0001 1110 | ▲ | Ctrl 6 |
| 31 | 1F | 037 | 0001 1111 | ▼ | Ctrl - |
| 32 | 20 | 040 | 0010 0000 | | Space |
| 33 | 21 | 041 | 0010 0001 | ! | ! |
| 34 | 22 | 042 | 0010 0010 | " | " |
| 35 | 23 | 043 | 0010 0011 | # | # |
| 36 | 24 | 044 | 0010 0100 | $ | $ |
| 37 | 25 | 045 | 0010 0101 | % | % |
| 38 | 26 | 046 | 0010 0110 | & | & |
| 39 | 27 | 047 | 0010 0111 | ' | ' |
| 40 | 28 | 050 | 0010 1000 | ( | ( |
| 41 | 29 | 051 | 0010 1001 | ) | ) |
| 42 | 2A | 052 | 0010 1010 | * | * |
| 43 | 2B | 053 | 0010 1011 | + | + |
| 44 | 2C | 054 | 0010 1100 | , | , |
| 45 | 2D | 055 | 0010 1101 | - | - |
| 46 | 2E | 056 | 0010 1110 | . | . |
| 47 | 2F | 057 | 0010 1111 | / | / |
| 48 | 30 | 060 | 0011 0000 | 0 | 0 |
| 49 | 31 | 061 | 0011 0001 | 1 | 1 |
| 50 | 32 | 062 | 0011 0010 | 2 | 2 |
| 51 | 33 | 063 | 0011 0011 | 3 | 3 |
| 52 | 34 | 064 | 0011 0100 | 4 | 4 |
| 53 | 35 | 065 | 0011 0101 | 5 | 5 |
| 54 | 36 | 066 | 0011 0110 | 6 | 6 |
| 55 | 37 | 067 | 0011 0111 | 7 | 7 |
| 56 | 38 | 070 | 0011 1000 | 8 | 8 |
| 57 | 39 | 071 | 0011 1001 | 9 | 9 |
| 58 | 3A | 072 | 0011 1010 | : | : |
| 59 | 3B | 073 | 0011 1010 | ; | ; |
| 60 | 3C | 074 | 0011 1100 | < | < |
| 61 | 3D | 075 | 0011 1101 | = | = |
| 62 | 3E | 076 | 0011 1110 | > | > |
| 63 | 3F | 077 | 0011 1111 | ? | ? |
| 64 | 40 | 100 | 0100 0000 | @ | @ |
| 65 | 41 | 101 | 0100 0001 | A | A |
| 66 | 42 | 102 | 0100 0010 | B | B |
| 67 | 43 | 103 | 0100 0011 | C | C |
| 68 | 44 | 104 | 0100 0100 | D | D |
| 69 | 45 | 105 | 0100 0101 | E | E |
| 70 | 46 | 106 | 0100 0110 | F | F |
| 71 | 47 | 107 | 0100 0111 | G | G |
| 72 | 48 | 110 | 0100 1000 | H | H |
| 73 | 49 | 111 | 0100 1001 | I | I |
| 74 | 4A | 112 | 0100 1010 | J | J |
| 75 | 4B | 113 | 0100 1011 | K | K |
| 76 | 4C | 114 | 0100 1100 | L | L |
| 77 | 4D | 115 | 0100 1101 | M | M |
| 78 | 4E | 116 | 0100 1110 | N | N |
| 79 | 4F | 117 | 0100 1111 | O | O |
| 80 | 50 | 120 | 0101 0000 | P | P |
| 81 | 51 | 121 | 0101 0001 | Q | Q |
| 82 | 52 | 122 | 0101 0010 | R | R |
| 83 | 53 | 123 | 0101 0011 | S | S |
| 84 | 54 | 124 | 0101 0100 | T | T |
| 85 | 55 | 125 | 0101 0101 | U | U |
| 86 | 56 | 126 | 0101 0110 | V | V |
| 87 | 57 | 127 | 0101 0111 | W | W |
| 88 | 58 | 130 | 0101 1000 | X | X |
| 89 | 59 | 131 | 0101 1001 | Y | Y |
| 90 | 5A | 132 | 0101 1010 | Z | Z |
| 91 | 5B | 133 | 0101 1011 | [ | [ |
| 92 | 5C | 134 | 0101 1100 | \ | \ |
| 93 | 5D | 135 | 0101 1101 | ] | ] |
| 94 | 5E | 136 | 0101 1110 | ^ | ^ |
| 95 | 5F | 137 | 0101 1111 | _ | _ |
| 96 | 60 | 140 | 0110 0000 | ` | ` |
| 97 | 61 | 141 | 0110 0001 | a | a |
| 98 | 62 | 142 | 0110 0010 | b | b |
| 99 | 63 | 143 | 0110 0011 | c | c |
| 100 | 64 | 144 | 0110 0100 | d | d |
| 101 | 65 | 145 | 0110 0101 | e | e |
| 102 | 66 | 146 | 0110 0110 | f | f |
| 103 | 67 | 147 | 0110 0111 | g | g |
| 104 | 68 | 150 | 0110 1000 | h | h |
| 105 | 69 | 151 | 0110 1001 | i | i |
| 106 | 6A | 152 | 0110 1010 | j | j |
| 107 | 6B | 153 | 0110 1011 | k | k |
| 108 | 6C | 154 | 0110 1100 | l | l |
| 109 | 6D | 155 | 0110 1101 | m | m |
| 110 | 6E | 156 | 0110 1110 | n | n |
| 111 | 6F | 157 | 0110 1111 | o | o |
| 112 | 70 | 160 | 0111 0000 | p | p |
| 113 | 71 | 161 | 0111 0001 | q | q |
| 114 | 72 | 162 | 0111 0010 | r | r |
| 115 | 73 | 163 | 0111 0011 | s | s |
| 116 | 74 | 164 | 0111 0100 | t | t |
| 117 | 75 | 165 | 0111 0101 | u | u |
| 118 | 76 | 166 | 0111 0110 | v | v |
| 119 | 77 | 167 | 0111 0111 | w | w |
| 120 | 78 | 170 | 0111 1000 | x | x |
| 121 | 79 | 171 | 0111 1001 | y | y |
| 122 | 7A | 172 | 0111 1010 | z | z |
| 123 | 7B | 173 | 0111 1011 | { | { |
| 124 | 7C | 174 | 0111 1100 | \| | \| |
| 125 | 7D | 175 | 0111 1101 | } | } |
| 126 | 7E | 176 | 0111 1110 | ~ | ~ |
| 127 | 7F | 177 | 0111 1111 | ⌂ | Ctrl — |
| 128 | 80 | 200 | 1000 0000 | Ç | Alt 128 |
| 129 | 81 | 201 | 1000 0001 | ü | Alt 129 |
| 130 | 82 | 202 | 1000 0010 | é | Alt 130 |
| 131 | 83 | 203 | 1000 0011 | â | Alt 131 |
| 132 | 84 | 204 | 1000 0100 | ä | Alt 132 |
| 133 | 85 | 205 | 1000 0101 | à | Alt 133 |
| 134 | 86 | 206 | 1000 0110 | å | Alt 134 |
| 135 | 87 | 207 | 1000 0111 | ç | Alt 135 |
| 136 | 88 | 210 | 1000 1000 | ê | Alt 136 |
| 137 | 89 | 211 | 1000 1001 | ë | Alt 137 |
| 138 | 8A | 212 | 1000 1010 | è | Alt 138 |
| 139 | 8B | 213 | 1000 1011 | ï | Alt 139 |
| 140 | 8C | 214 | 1000 1100 | î | Alt 140 |
| 141 | 8D | 215 | 1000 1101 | ì | Alt 141 |
| 142 | 8E | 216 | 1000 1110 | Ä | Alt 142 |
| 143 | 8F | 217 | 1000 1111 | Å | Alt 143 |
| 144 | 90 | 220 | 1001 0000 | É | Alt 144 |
| 145 | 91 | 221 | 1001 0001 | æ | Alt 145 |
| 146 | 92 | 222 | 1001 0010 | Æ | Alt 146 |
| 147 | 93 | 223 | 1001 0011 | ô | Alt 147 |
| 148 | 94 | 224 | 1001 0100 | ö | Alt 148 |
| 149 | 95 | 225 | 1001 0101 | ò | Alt 149 |
| 150 | 96 | 226 | 1001 0110 | û | Alt 150 |
| 151 | 97 | 227 | 1001 0111 | ù | Alt 151 |
| 152 | 98 | 230 | 1001 1000 | ÿ | Alt 152 |
| 153 | 99 | 231 | 1001 1001 | Ö | Alt 153 |
| 154 | 9A | 232 | 1001 1010 | Ü | Alt 154 |
| 155 | 9B | 233 | 1001 1011 | ¢ | Alt 155 |
| 156 | 9C | 234 | 1001 1100 | £ | Alt 156 |
| 157 | 9D | 235 | 1001 1101 | ¥ | Alt 157 |
| 158 | 9E | 236 | 1001 1110 | ₧ | Alt 158 |
| 159 | 9F | 237 | 1001 1111 | ƒ | Alt 159 |
| 160 | A0 | 240 | 1010 0000 | á | Alt 160 |
| 161 | A1 | 241 | 1010 0001 | í | Alt 161 |
| 162 | A2 | 242 | 1010 0010 | ó | Alt 162 |
| 163 | A3 | 243 | 1010 0011 | ú | Alt 163 |
| 164 | A4 | 244 | 1010 0100 | ñ | Alt 164 |
| 165 | A5 | 245 | 1010 0101 | Ñ | Alt 165 |
| 166 | A6 | 246 | 1010 0110 | ª | Alt 166 |
| 167 | A7 | 247 | 1010 0111 | º | Alt 167 |
| 168 | A8 | 250 | 1010 1000 | ¿ | Alt 168 |
| 169 | A9 | 251 | 1010 1001 | ⌐ | Alt 169 |
| 170 | AA | 252 | 1010 1010 | ¬ | Alt 170 |
| 171 | AB | 253 | 1010 1011 | ½ | Alt 171 |
| 172 | AC | 254 | 1010 1100 | ¼ | Alt 172 |
| 173 | AD | 255 | 1010 1101 | ¡ | Alt 173 |
| 174 | AE | 256 | 1010 1110 | « | Alt 174 |
| 175 | AF | 257 | 1010 1111 | » | Alt 175 |
| 176 | B0 | 260 | 1011 0000 | ░ | Alt 176 |
| 177 | B1 | 261 | 1011 0001 | ▒ | Alt 177 |
| 178 | B2 | 262 | 1011 0010 | ▓ | Alt 178 |
| 179 | B3 | 263 | 1011 0011 | │ | Alt 179 |
| 180 | B4 | 264 | 1011 0100 | ┤ | Alt 180 |
| 181 | B5 | 265 | 1011 0101 | ╡ | Alt 181 |
| 182 | B6 | 266 | 1011 0110 | ╢ | Alt 182 |
| 183 | B7 | 267 | 1011 0111 | ╖ | Alt 183 |
| 184 | B8 | 270 | 1011 1000 | ╕ | Alt 184 |
| 185 | B9 | 271 | 1011 1001 | ╣ | Alt 185 |
| 186 | BA | 272 | 1011 1010 | ║ | Alt 186 |
| 187 | BB | 273 | 1011 1010 | ╗ | Alt 187 |
| 188 | BC | 274 | 1011 1100 | ╝ | Alt 188 |
| 189 | BD | 275 | 1011 1101 | ╜ | Alt 189 |
| 190 | BE | 276 | 1011 1110 | ╛ | Alt 190 |
| 191 | BF | 277 | 1011 1111 | ┐ | Alt 191 |
| 192 | C0 | 300 | 1100 0000 | └ | Alt 192 |
| 193 | C1 | 301 | 1100 0001 | ┴ | Alt 193 |
| 194 | C2 | 302 | 1100 0010 | ┬ | Alt 194 |
| 195 | C3 | 303 | 1100 0011 | ├ | Alt 195 |
| 196 | C4 | 304 | 1100 0100 | ─ | Alt 196 |
| 197 | C5 | 305 | 1100 0101 | ┼ | Alt 197 |
| 198 | C6 | 306 | 1100 0110 | ╞ | Alt 198 |
| 199 | C7 | 307 | 1100 0111 | ╟ | Alt 199 |
| 200 | C8 | 310 | 1100 1000 | ╚ | Alt 200 |
| 201 | C9 | 311 | 1100 1001 | ╔ | Alt 201 |
| 202 | CA | 312 | 1100 1010 | ╩ | Alt 202 |
| 203 | CB | 313 | 1100 1011 | ╦ | Alt 203 |
| 204 | CC | 314 | 1100 1100 | ╠ | Alt 204 |
| 205 | CD | 315 | 1100 1101 | ═ | Alt 205 |
| 206 | CE | 316 | 1100 1110 | ╬ | Alt 206 |
| 207 | CF | 317 | 1100 1111 | ╧ | Alt 207 |
| 208 | D0 | 320 | 1101 0000 | ╨ | Alt 208 |
| 209 | D1 | 321 | 1101 0001 | ╤ | Alt 209 |
| 210 | D2 | 322 | 1101 0010 | ╥ | Alt 210 |
| 211 | D3 | 323 | 1101 0011 | ╙ | Alt 211 |
| 212 | D4 | 324 | 1101 0100 | ╘ | Alt 212 |
| 213 | D5 | 325 | 1101 0101 | ╒ | Alt 213 |
| 214 | D6 | 326 | 1101 0110 | ╓ | Alt 214 |
| 215 | D7 | 327 | 1101 0111 | ╫ | Alt 215 |
| 216 | D8 | 330 | 1101 1000 | ╪ | Alt 216 |
| 217 | D9 | 331 | 1101 1001 | ┘ | Alt 217 |
| 218 | DA | 332 | 1101 1010 | ┌ | Alt 218 |
| 219 | DB | 333 | 1101 1011 | █ | Alt 219 |
| 220 | DC | 334 | 1101 1100 | ▄ | Alt 220 |
| 221 | DD | 335 | 1101 1101 | ▌ | Alt 221 |
| 222 | DE | 336 | 1101 1110 | ▐ | Alt 222 |
| 223 | DF | 337 | 1101 1111 | ▀ | Alt 223 |
| 224 | E0 | 340 | 1110 0000 | α | Alt 224 |
| 225 | E1 | 341 | 1110 0001 | ß | Alt 225 |
| 226 | E2 | 342 | 1110 0010 | Γ | Alt 226 |
| 227 | E3 | 343 | 1110 0011 | π | Alt 227 |
| 228 | E4 | 344 | 1110 0100 | Σ | Alt 228 |
| 229 | E5 | 345 | 1110 0101 | σ | Alt 229 |
| 230 | E6 | 346 | 1110 0110 | µ | Alt 230 |
| 231 | E7 | 347 | 1110 0111 | τ | Alt 231 |
| 232 | E8 | 350 | 1110 1000 | Φ | Alt 232 |
| 233 | E9 | 351 | 1110 1001 | Θ | Alt 233 |
| 234 | EA | 352 | 1110 1010 | Ω | Alt 234 |
| 235 | EB | 353 | 1110 1011 | δ | Alt 235 |
| 236 | EC | 354 | 1110 1100 | ∞ | Alt 236 |
| 237 | ED | 355 | 1110 1101 | φ | Alt 237 |
| 238 | EE | 356 | 1110 1110 | ε | Alt 238 |
| 239 | EF | 357 | 1110 1111 | ∩ | Alt 239 |
| 240 | F0 | 360 | 1111 0000 | ≡ | Alt 240 |
| 241 | F1 | 361 | 1111 0001 | ± | Alt 241 |
| 242 | F2 | 362 | 1111 0010 | ≥ | Alt 242 |
| 243 | F3 | 363 | 1111 0011 | ≤ | Alt 243 |
| 244 | F4 | 364 | 1111 0100 | ⌠ | Alt 244 |
| 245 | F5 | 365 | 1111 0101 | ⌡ | Alt 245 |
| 246 | F6 | 366 | 1111 0110 | ÷ | Alt 246 |
| 247 | F7 | 367 | 1111 0111 | ≈ | Alt 247 |
| 248 | F8 | 370 | 1111 1000 | ° | Alt 248 |
| 249 | F9 | 371 | 1111 1001 | ∙ | Alt 249 |
| 250 | FA | 372 | 1111 1010 | · | Alt 250 |
| 251 | FB | 373 | 1111 1011 | √ | Alt 251 |
| 252 | FC | 374 | 1111 1100 | ⁿ | Alt 252 |
| 253 | FD | 375 | 1111 1101 | ² | Alt 253 |
| 254 | FE | 376 | 1111 1110 | ■ | Alt 254 |
| 255 | FF | 377 | 1111 1111 | BLANK | Alt 255 |

* Use key sequences consisting of "Ctrl" are typed in by pressing the CTRL key and while holding held down, pressing the key indicated. These sequences are based on those [illegible] the IBM Personal Computer series keyboards. The key sequences may be [illegible]

Controlled Copy Support Systems Inc.
3609 B Chain Bridge Rd., Fairfax, VA 22030
[illegible]

IBM Extended ASCII characters can be displayed by pressing the "Alt" key and then typing the decimal code for the character on the keypad.

BOXHEADS

## SPECIFYING BOXHEAD STYLE

SUBFORMAT GENERATION automatically centers boxheads vertically and horizontally within each column measure. Single or multiple line entries are handled in the same manner.

Now, it is possible to change that boxhead style. They don't have to center. They can be made to set flush left, flush right, or to be set variable. The variable feature centers 2 lines or less and arranges 3 or more lines flush left with a hanging indention.

They can be set to align at the bottom of the boxhead. They can be set to align at the top of the boxhead, and they can be rearranged to center on the deepest entry in a particular hierarchy.

Individual examples of the 6 new boxhead features follow.

### •L in Boxheads

•L used in a boxhead overrides the default and forces boxhead data to be set flush left instead of centered. The •L is inserted after the •h code and before the data.

The following table displays every type of column—tracer, stub, reading, and figure. We're inserting the •L after *every* •h code in the boxhead; but, you could use it with just one.

```
•c4,tr7p,r100b,r115p,7
```

•L POSITIONS BOXHEAD ENTRIES FLUSH LEFT

| Tracer Column* | Stub Column | Reading Column | Figure Column |
|---|---|---|---|
| 101 | This is the stub column. | A reading column usually sets flush left with a hanging indention. | 1 |
| 102 | This is the stub column. | A reading column usually sets flush left with a hanging indention. | 2 |
| 103 | This is the stub column. | A reading column usually sets flush left with a hanging indention. | 3 |

*All of the boxhead entries were set flush left. They were keyed as follows: •h1•L Tracer Column* •h1•L Stub Column •h1•L Reading Column •h1•L Figure Column •j

### •R In Boxheads

•R used in a boxhead overrides the default and forces boxhead data to be set flush right instead of centered. The •R is inserted after the •h code and before the data.

The following table displays all of the column types—tracer, stub, reading, and figure. We inserted the •R after *every* •h code in the boxhead. However, this feature can be used in as many boxhead entries as you desire.

```
•c4,tr7p,r100b,r115p,7
```

•R POSITIONS BOXHEAD ENTRIES FLUSH RIGHT

| Tracer Column* | Stub Column | Reading Column | Figure Column |
|---|---|---|---|
| 101 | This is the stub column. | A reading column usually sets flush left with a hanging indention. | 1 |
| 102 | This is the stub column. | A reading column usually sets flush left with a hanging indention. | 2 |
| 103 | This is the stub column. | A reading column usually sets flush left with a hanging indention. | 3 |

*All of the boxhead entries were set flush right. They were keyed as follows: •h1•R Tracer Column* •h1•R Stub Column •h1•R Reading Column •h1•R Figure Column •j



5

### •V in Boxheads

Used in a boxhead, •V acts as a variable locator and overrides SUBFORMAT GENERATION's default which centers all boxhead data vertically and horizontally within each column measure.

•V centers boxhead data consisting of 2 lines or less. It arranges boxhead data consisting of 3 or more lines flush left with a hanging indention. The •V is inserted after the •h code and before the data.

The following table displays a stub column, a reading column, and a figure column. For demonstration, we inserted the •V after *every* •h code in the boxhead.

```
•c3,s120b,r120b,15
```

•V PRODUCES A VARIABLE IN BOXHEADS

| Stub Columns Are Also Reading Columns* | Reading Columns Usually Are Set Flush Left with a Hanging Indention | Figure Columns Are For Numbers |
|---|---|---|
| This is the stub column. | A reading column usually sets flush left with a hanging indention. | $29,300 |
| This is the stub column. | A reading column usually sets flush left with a hanging indention. | 1,540 |
| This is the stub column. | A reading column usually sets flush left with a hanging indention. | 9,700 |

* The boxhead entries were keyed as follows: •h1•V Stub Columns Are Also Reading Columns* •h1•V Reading Columns Usually Are Set Flush Left with a Hanging Indention •h1•V Figure Columns Are For Numbers •j

### •b in Boxheads

•b moves designated boxhead data to the *bottom* of the boxhead. It overrides the default which centers boxhead entries vertically and horizontally.

Up to now, the only way to move a boxhead entry down from center was to use •P's to create blank lines above the data. This required inserting a random number of •P's, then proofing to determine if the desired placement had been obtained.

### Using the •b

To use this feature, key •b after the •h code and before the data. The system will determine the depth of the longest entry of the same hierarchy, and align the •b entry with the last line of the deepest similar hierarchy.

If the deepest similar hierarchy entry makes 3 lines, and the •b entry makes 1 line, the system will generate 2 lines of space above the single line •b entry to make the depth equal to the deepest similar hierarchy.

In the following table, you'll see that *all* of the entries align at the bottom of the boxhead, and that the system has inserted lines of space above the entries as needed to balance the •b entry with the deepest similar hierarchy.

```
•c5,s110,8,8,8,8
```

•b MOVES DATA TO THE BOTTOM OF THE BOXHEAD

| | Values for Established Residential Neighborhoods | | Percentage Occupied | |
|---|---|---|---|---|
| Eastern States* | Assessment | Taxes | June to December 1990 | Currently |
| Delaware ..... | 45,500 | 90,900 | 50 | 58 |
| Maryland ..... | 66,000 | 114,000 | 54 | 47 |
| Virginia ..... | 81,340 | 123,000 | 68 | 77 |

*The boxhead entries were keyed as follows: •h1•b Eastern States* •h1•b Values for Established Residential Neighborhoods •h2•b Assessment •h2•b Taxes •h1•b Percentage Occupied •h2•b June to December 1990 •h2•b Currently •j



7

### •t in Boxheads

•t moves designated boxhead data to the *top* of the boxhead. It overrides the default which centers boxhead entries vertically and horizontally.

Up to now, the only way to move a boxhead entry up from center was to use •P's to create blank lines below the data. This required inserting a random number of •P's, then proofing to determine if the desired placement had been obtained.

### Using the •t

To use this feature, key •t after the •h code and before the data. The system will determine the depth of the longest entry of the same hierarchy, and align the •t entry with the first line of the deepest similar hierarchy.

If the deepest similar hierarchy entry makes 3 lines, and the •t entry makes 1 line, the system will generate 2 lines of space below the single line •t entry to make the depth equal to the deepest similar hierarchy.

In the following table, you'll see that *all* of the entries align at the top of the boxhead, and that the system has inserted lines of space below the entries as needed to align the •t entries at the top of the boxhead.

```
•c5,s110,8,8,8,8
```

•t MOVES DATA TO THE TOP OF THE BOXHEAD

| Eastern States* | Values for Established Residential Neighborhoods | | Percentage Occupied | |
|---|---|---|---|---|
| | Assessment | Taxes | June to December 1990 | Currently |
| Delaware | 45,500 | 90,900 | 50 | 58 |
| Maryland | 66,000 | 114,000 | 54 | 47 |
| Virginia | 81,340 | 123,000 | 68 | 77 |

*The boxhead entries were keyed as follows: •h1•t Eastern States* •h1•t Values for Established Residential Neighborhoods •h2•t Assessment •h2•t Taxes •h1•t Percentage Occupied •h2•t June to December 1990 •h2•t Currently •j

### •m in Boxheads

•m alters the boxhead arrangement normally provided by the system. It centers the •m entry in a depth equal to the depth of the longest entry in the same hierarchy.

Following is a table arranged completely by the system. The boxhead entries are all centered automatically. At the bottom of the page, the same table appears utilizing the •m feature.

```
•c5,s110,8,8,8,8
```

SYSTEM ARRANGED THE BOXHEAD

| Eastern States * | Values for Established Residential Neighborhoods | | Percentage Occupied | |
|---|---|---|---|---|
| | Rates | Taxes | June to December 1990 | Currently |
| Delaware | 45,500 | 90,900 | 50 | 48 |
| Maryland | 56,500 | 94,900 | 67 | 56 |

### Using the •m

To use this feature, key •m after the •h code and before the data. The system will determine the depth of the longest entry in the same hierarchy and then center the •m entry in a depth equal to the depth of that longest entry.

For example, if the •m entry makes 1 line and the deepest entry of the same hierarchy makes 3 lines, the system will add 1 line of space above and below the •m entry, then center it as if it were actually 3 lines deep.

We inserted •m before **Percentage Occupied** in the following table. As a result, this single line entry is being treated as an equal to the longest entry.

```
•c5,s110,8,8,8,8
```

•m CENTERS ON THE DEEPEST SIMILAR HIERARCHY

| Eastern States* | Values for Established Residential Neighborhoods | | Percentage Occupied | |
|---|---|---|---|---|
| | Rates | Taxes | June to December 1990 | Currently |
| Delaware | 45,500 | 90,900 | 50 | 58 |
| Maryland | 56,500 | 94,900 | 67 | 56 |

*The boxhead entries were set as follows: •h1 Eastern States* •h1 Values for Established Residential Neighborhoods •h2 Rates •h2 Taxes •h1•m Percentage Occupied •h2 June to December 1990 •h2 Currently •j

# BREAK AND COMBINE

## (Programs Needed: BRAKE.EXE and COMBIN.EXE)

### BREAK

1. If your file is so big that temporary files are created when you call it up in Xywrite, you should break it into smaller extensions.
2. [COMMAND] BRAKE -100000 filename.XXX filename.001<enter>.

   The command keyed as above tells the program to break the .XXX file into extensions of 100,000 characters starting with extension 001.
3. [COMMAND] BRAKE filename.XXX filename.001<enter>.

   The command keyed as above (with no designation as to how many characters to break on) will break on •Z's.

   If you key the command "BRAKE" by itself, instructions on its use will appear on the screen.
4. After the program is finished running you will get a message that says "COULDN'T RENAME TO HOLDING DIRECTORY." Ignore this message.
5. If the file does not already contain •Z's and you want the break to occur at special places, i.e., new chapters, etc., insert a •Z wherever a break is desired.
6. The program will tell how many files were created.
7. Usually breaking on 100,000 characters is sufficient to avoid temporary files.
8. Note that the original (.XXX) file will remain on the system.

### COMBINE

1. [Command] COMBIN filename.000 filename.XXX<enter>. Note that COMBIN will not overwrite the original (.XXX) file if it is still on the disk. Either delete the original file or give the combined output file another name.
2. The program will tell how many files were combined and the name of the combined output file.
3. Back up the combined file and then delete the broken files from the disk.



VerDate 17-NOV-95 07:33 Dec 15. 1995 Jkt 000000 PO 00000 Frm 00001 Fmt 2002 Sfmt 2002 \HILL\BREAK.DOC apps23

## BUMP FOLIOS

Whenever a format call follows a skip code, the last folio must be stripped on, just as if it is the end of a job or part.

Although if just a New Page is desired, then no format call is necessary, the skip code starts a new page. The only format calls necessary following a skip code are for New Odds (•F6601) or New Page with sink (•F6604).

## EXAMPLES:

1 offset folio going to New Page:
•F6602 •I21 Offset Folio 10 Insert Here •a001
•I21 on next folio

1 offset folio going to New Odd:
•F6602 •I21 Offset Folio 10 Insert Here
•F6601 on next folio

Multiple folios going to New Page:
•F6602 •I21 Offset Folios 10 to 20 Insert Here •a011
•I21 on next folio

Multiple folios going to New Odd: [Or any page where a format call will be used]
•F6602 •I21 Offset Folios 10 to 19 Insert Here •a010
•I21 Strip offset folio 20 here
•F6601 on next folio

For Appros, going to a New Page—No sink
•F6602 •I21 Offset Folios 10 to 19 Insert Here •a010
•I21 Strip offset folio 20 here
•F6602 on next folio



16A

## SPECIFYING COLUMN STYLE

Following are five additional MICROCOMP features which can be inserted into the function line to provide greater control over each individual column. The five entries are `C`, `L`, `R`, `j`, and `V`. They are entered after the column identification. FOR EXAMPLE: `s100C`, `12L`, `r100R`, `r120j`, and `r95V`,

### C

We inserted the `C` into the following function line after *all* of the column entries; however, you may choose to use it with only one column. The `C` centers the entry in each applicable column whether the column is a figure column or a reading column.

The table below utilizes `C` with a tracer column, a stub column, a reading column, and a figure column. It also shows a combination with other features such as the bold and parallel rules.

```
•c4,tr7pC,r100Cb,r115Cp,7C
```

C CENTERS ENTRIES IN SPECIFIED COLUMNS

| Tracer Column | Stub Column | Reading Column | Figure Column |
|---|---|---|---|
| 1 | This is a stub column. | `C` in the function line causes the lines in this reading column to center. | 1 |
| 2 | This is the stub. | This column centers every line. Reading columns usually set flush left with a hanging indention. | 2 |
| 3 | This is a stub column. | `C` in the function line centers this reading column. | 3 |

### Boxheads

SUBFORMAT GENERATION automatically centers boxhead data vertically and horizontally in each individual column measure. This style can be changed. See the section SPECIFYING BOXHEAD STYLE.

L

The `L` feature causes *every* line in each specified column to set flush left. Figure columns will align flush left not flush right. Reading columns will print flush left with a ragged right margin.

The `L` must be inserted after the column entry; but, it can appear before or after any additional function being used for that particular column. We inserted `L` into the following function line after *all* of the column entries; however, it could be used with just one column.

The following table has every type of column—tracer, stub, reading, and figure. It demonstrates the combination of bold and parallel rules with the `L` feature.

```
•c4,tr7pL,r100Lb,r115Lp,7L
```

L POSITIONS THE ENTRIES FLUSH LEFT

(Examples of `L`)

| Tracer Column | Stub Column | Reading Column | Figure Column |
|---|---|---|---|
| 1 | This is a stub column. | All of the lines in this reading column are setting flush left with a ragged right margin. Reading columns usually have a justified right margin. | 1. |
| 2 | This is a stub column. | All of the lines in this reading column are setting flush left with a ragged right margin. Reading columns usually have a justified right margin. | 2. |
| 3 | This is a stub column. | All of the lines in this reading column are setting flush left with a ragged right margin. Reading columns usually have a justified right margin. | 3. |

## R

The R feature positions column data flush right. Reading columns will appear flush right with a ragged left margin. In the following table, we inserted an R after *both* reading column entries; however, you could use it with just one column.

The R must be inserted after the column entry. It can appear before or after any additional function being used with that particular column entry. In the following function line, we keyed the R before the bold rule in the `r100Rb,` entry and after the parallel rule in the `r115pR,` entry.

```
•c4,tr7p,r100Rb,r115pR,7
```

R POSITIONS COLUMN ENTRIES FLUSH RIGHT

| Tracer Column | Stub Column | Reading Column | Figure Column |
|---|---|---|---|
| 1 | This is the stub column. | Every line in this column is setting flush right. | 1 |
| 2 | This is the stub. | Usually, reading columns set flush and hang with a justified right margin | 2 |
| 3 | This is the stub column. | Every line in this column is setting flush right. Usually, reading columns set flush left with a justified hanging indention. | 3 |

## j

`j` is a feature which can be used to alter the appearance of the last line of a reading column. The `j` feature causes the last line in a reading column to justify, even if there are only a couple words in the last line.

We inserted the `j` into the following function line after *both* of the reading column entries; however, you can use this feature with as many reading column entries as you choose.

```
.c3,s140j,r120j,7
```

### j JUSTIFIES THE LAST LINE

| Stub Column | Reading Column | Figure Column |
|---|---|---|
| This is a stub column. It is also a reading column. | Reading columns usually set flush left with a hanging indention. The `j` forces the last line in a reading column to justify. | 1 |
| This is a stub column. It is also a reading column. | The last line of a reading column usually uses regular word spacing. | 2 |
| This is a stub column. It is also a reading column. | Reading columns usually set flush left with a hanging indention. Now, you can force it to justify. | 3 |

## V

The V feature alters the appearance of entries in specified reading columns. V functions as a variable locator. This means if the entry in the reading column is 2 lines or less, then the lines will center. If the entry is 3 or more lines, then the lines will set flush left with a hanging indention.

We inserted V into the following function line after *both* reading columns; however, you could use it with just one. The feature must be keyed after the column entry, but can appear before or after any other function code pertaining to that particular column entry.

```
•c3,s140bV,r120Vp,7
```

V PROVIDES A VARIABLE IN READING COLUMNS

| Stub Column | Reading Column | Figure Column |
|---|---|---|
| This is the stub column. It is also a reading column. | A V in the function line will cause 2 lines of data to center. | 1 |
| This is the stub column. It is also a reading column. | A V in the function line will arrange more than 2 lines flush left with a hanging indention | 3 |
| This stub column is also a reading column. | The V functions as a variable locator. | 2 |

# MicroComp Comments

| Comment | Message |
|---|---|
| 1: | Word too big to break |
| 2: | Table too wide for format |
| 3: | Invalid Function Code: Translated Function Code = |
| 4: | Missing illustration file |
| 5: | Invalid Function after Precedence Code |
| 6: | Error finding end of line |
| 7: | Depth of Graphic will not fit or no break points between lines |
| 8: | Invalid Locator number |
| 9: | Insufficient memory available to process subcolumns |
| 10: | Insufficient memory available to process Locator index |
| 11: | Invalid Spell Checker Zipitone -- 1 & 0 only (on/off) |
| 12: | Invalid or missing BarCode data in the Slugline |
| 13: | Missing Slugline in: (Filename) |
| 14: | Too many start only Locators in the column |
| 15: | Insufficient memory available to write Restart file |
| 16: | BoundingBox information not on graphic locator |
| 17: | Width of illustration greater than measure |
| 18: | XyWrite Mode ERROR in: (Filename) |
| 19: | SGML tag doesn't parse correctly |
| 20: | SGML tag not declared in DTD |
| 21: | SGML entity not declared in DTD |
| 22: | SFG table column not defined wide enough |
| 23: | STANDARD TABLE ATTRIBUTES incorrect |
| 24: | Not an SGML database |
| 25: | Locator spans more columns than page has |
| 26: | PCDATA must follow tag |
| 27: | Can't process context attribute |
| 28: | Can't process end tag properly |
| 29: | SFG Spanning Locator error |
| 30: | Graphic span in SGML not indicated |
| 31: | Side notes do not fit |
| 32: | Folio Start/End Chars. (213/214) not in Format: (Number) |
| 33: | Relative (non-footnote) Locator following Footnote Locator |
| 34: | Data too deep for page by ? 10ths of a point |
| | **(On Systems with ACOMP.EXEs after 10/6/95)** |
| 35: | Problem with text type footnote at end of SFG table |
| | **(On Systems with ACOMP.EXEs of 10/6/95 and earlier)** |
| 57: | Problem with text type footnote at end of SFG table |

# DEMODE, DEPAD, AND DESLUG

## DEMODE

**(Programs needed: DMODE.EXE and DEMODE.BAT)**

1. At the DOS prompt, key DEMODE FILENAME <enter>.
2. The demoded file will appear on the screen.

## DEPAD

**(Programs needed: DPAD.EXE and DEPAD.BAT)**

1. At the DOS prompt key DEPAD FILENAME <enter>.
2. The depadded file will appear on the screen.

## DESLUG

**(Programs needed: DSLUG.COM and DESLUG.BAT)**

**(IMPORTANT: You also need an \OUTPUT\ directory to run this program)**

1. At the DOS prompt, key DESLUG FILENAME <enter>.
2. The deslugged file will appear on the screen.

# ERROR MESSAGES



01 BAD MAG TAPE (EDLOAD ONLY)
02 Invalid function or illegal character following precedence code
03 Format/Subformat not followed by an allowed function
04 [BELL]F not followed by 4 digits
05 [BELL]S not followed by 4 digits
06 Invalid locator in text... this locator is generated by MTP
07 RAW DATA... File start without Format/Subformat and locator
08 Format number not in "FORMAT.MTP[40,20]"
09 Format not on disk
0A Two stop index cmds in a row
0B Two start index cmds in a row
0C End index without start index cmd
0D File ended in index mode
0E Bypass end cmd without bypass start cmd
0F [BELL]X not followed by "l" or "s"
10 [BELL]I not followed by 2 digits
11 Invalid locator for this format
12 [BELL]L telephone leadering error... NO DATA
13 [BELL]N footnote function error... not enough footnotes
14 [BELL]N footnote function error... too many footnotes
15 [BELL]G grid... must be a single digit 1 thru 8 ONLY
16 [BELL]T typeface... must be a single digit 1 thru 4 ONLY
17 Fraction function error
18 ERROR... previous character might require special handling
19 [BELL]Q leading error... must be followed by 2 digits
20 [BELL]Q leading error... not followed by an allowed function
21 [BELL]0–9 quadding space... must be followed by 2 digits
22 [BELL]B not preceded by [BELL]V
23 [BELL]V 2 V's in a row without a [BELL]B
24 [BELL]V data ended without a [BELL]B
25 [BELL]A frame end... not followed by an allowed function
26 [BELL]X not followed by 4 characters (loose leaf only)
27 [BELL]a skip page command... not followed by 3 figures
28 [BELL]a skip page command... not followed by an allowed function
29 [BELL]D not preceded by a valid locator
30 [BELL]L not preceded by a valid locator
31 [BELL]P not preceded by a valid locator
32 Barcode slugline length not valid
33 Barcode slugline input data not alphanumeric
34 [BELL]E missing, data ended while in exclude data mode (EDLOAD ONLY)
35 [BELL]E missing, file ended while in exclude data mode (disk edit ONLY)
36 [BELL]E invalid here... must be preceded by [BELL]X
37 [BELL]X... no [BELL]E since last [BELL]X, 2 in a row is an error
38 [BELL]Z not followed by an allowed function
39 [BELL]X/[BELL]E data string missing black box (loose leaf only)
40 Bypass start command followed by bypass start command
41 Bypass stop command followed by bypass stop command
42 Invalid 5th digit on format call
43 Not enough [BELL]P's after subcolumn locators
44 [BELL]L... followed by an illegal function
45 [BELL]L... followed by another [BELL]L... 2 in a row is illegal
46 "Accent function error" accent function not followed by valid argument
47 [BELL]S... redundant subformat call with no data for first subformat
48 [BELL]G... invalid grid for this format
49 Bypass start command... file ended in bypass mode
50 Two consecutive subcolumn locators
51 Two consecutive graphic locators... illegal
52 [BELL]m mode change function error (EDLOAD ONLY)
53 [BELL]P must be followed by data
54

55 [BELL]N footnote error...[BELL]N must follow locator
56
57
58 [BELL]g graphics function error
59 Invalid function following [BELL]g graphics
60 File ended in [BELL]U typeset unit mode
61 [BELL]U followed by invalid argument
62 [BELL]U function "ON" followed by function "ON"
63 [BELL]U function "OFF" followed by function "OFF"
64 [BELL]Y followed by invalid argument (single digit "0" or "1" only)
65 [BELL]Y function "ON" followed by function "ON"
66 [BELL]Y function "OFF" followed by function "OFF"
67 [BELL]R not followed by 2 digits
68 [BELL]R not followed by an allowable function

**Automatic Subformat Generation Messages**

69 Table edit terminated due to invalid function in table
6A Table not followed by an allowed function
6B "j" to force justify stub not followed by ","
6C "aw" absolute width error or not followed by ","
6D L0 (no cross or down rules) must be followed by ","
6E L1 or L2 not followed by valid rule weight specifications or ","
70 [BELL]c not followed by digits
71 [BELL]c number of columns too large (30 maximum) or zero
72 "L" rule type must be followed by a single digit "0", "1" or "2" only
73 "p" point size (head) not followed by digit(s) or too big
74 "p" point size (body) not used correctly "digit(s)/digit(s)"
75 "g" grid must be followed by a single digit 1 thru 8 only
76 "t" typeface must be followed by a single digit 1 thru 4 only
77 Column spec error ...invalid data
78 Box head error...total number of heads not equal to [BELL]cNN
79 Box head error...head not terminated with [BELL]
7A "n(c, s, j)" inhibit carding/space/justification function error
7B "lt" leader top function error
7C "b..." not followed by "l" for block mode or digits for bearoff
7D Too many footnotes in subformat generation table (locator 39)
7E No footnote for footnote reference in previous line
80 Box head terminator "[BELL]j" not followed by a locator
81 Data exceeds number of allowed columns
82 Invalid table title locator (95 or 96 only)
83 Invalid function or misplaced code in function line
84 Incomplete function line
85 [BELL]"h" followed by invalid data...figs 1 thru 6 only
86 Invalid function in table
87 Invalid column bearoff function
88 Invalid table locator
89 Invalid data in rule descriptor
8A [BELL]p must be preceded by data
8B [BELL]p must be followed by [BELL]
90 Invalid rule specs
91 Rule specs not followed by a function
92 Error in expand stub specs
93 Invalid function in table footnote (footnote must be at end of table)
94 Invalid function in boxhead
95 Table title point size error
96 Indent value error
97 File/job ended in subformat generation mode
98 Hierarchy error in boxhead
99 [BELL]"o" error (must follow [BELL]Inn, [BELL]D, or [BELL]P)

# USING A FIFTH DIGIT ON A FORMAT CALL

## (Add a fifth digit to a format call to change page numbering method)

0 = Get the starting folio from Sysdir (the MTP screen).

1 = Get the starting folio from the format.

6 = Get the starting folio from the format — ROMAN NUMERAL.

2 = Continues folio count.

7 = Continues folio count — ROMAN NUMERAL.

3 = Continues folio count (next odd).

8 = Continues folio count (next odd) — ROMAN NUMERAL.

4 = Continues folio count (next even).

9 = Continues folio count (next even) — ROMAN NUMERAL.

5 = New format but stays on same page.

NOTE: With the exceptions of digits one and six, if the format call is the first one in the job, the page number comes from Sysdir (the MTP screen).

## LIST OF FUNCTION CODES

| Name | Example | Description |
|---|---|---|
| Bump Folio | •a### | Ends the page and the next folio is increased by one digit less than the •a number. •a004 ends the page and makes the next folio number higher by 3. |
| Duplicator | •P | Duplicates the preceding locator code. Used most frequently in Subcolumn listings and Tabular material. |
| Ends Column | •z | Ends data. Forces the following data to start new column or page. |
| Ends Page | •A | Ends the page and forces a new page start. (Never use inside a table because it will kill the boxheads.) |
| Floated Data | •U1 | Marks the beginning of material to be held together as a unit and floated, as necessary. |
| | •U0 | Marks the end of the material to be floated as a unit. |
| Footnotes in Text | •N | Key in text at the footnote citing, e.g., •N³. Key again after the footnote locator, before the footnote data, e.g., •I31•N Data |
| Format Call | •F#### | Specifies that a particular set of page parameters is to be used. |
| Generated Footnote Reference(s) | •n | No reference numbers are keyed with •n because they are generated by the format. •n CANNOT be used in the same format with •N. |
| Grid Call | •G# | Specifies which grid is to be used. A format can have 8 grids (•G1 – •G8). The last 4 grids, •G5 – •G8, are hard-wired and applicable to all formats. |
| Grid Number | •g### | Specifies a particular grid number, e.g., •g703. |
| Horizontal Space | •01 to •99 | Inserts space in a line of type, in 18ths of an em. Consists of the precedence code and 2 numerics. For example, •18 inserts 18/18ths of an em of space in the line, •27 inserts 27/18ths of an em of space in the line. |
| Leadering | •L | Telephone leadering, for tabular data. Separates "left" data from "right" data. |
| Locator Code | •I## | Numbers 01–96 are used to tag data elements. Numbers 97–99 are reserved for folios. |
| Precedence Code | • | Alerts the system that a change of instruction follows. Also called a BELL code. |
| Q Space | | |
| Adds Space | •Q## | Adds leading between 2 locators. Amount is entered in points (01–99). A •Q24 would insert 24 points of vertical space between locators. |
| Subtracts Space | •q## | Subtracts vertical space between 2 locators. Amount is entered in points (01–99). A •q04 would subtract 4 points of vertical space. |
| Return | •K | Returns system to the grid and typeface of the current locator. |
| Revision Bars | •Y1 | Starts drawing a revision bar in the margin. |
| | •Y0 | Stops drawing the revision bar in the margin. |
| Shading | •H1 | Produces a solid black background for type. |
| | •H2 to •H9 | Produce progressively lighter gray screens behind the type. |
| | •H0 | Turns the Shading Feature off. |
| Slug Line | •Z | Used for slug lines at the top of galleys. |
| Subformat | •S#### | Provides an additional set of locators when more than 99 locators are needed. |

## LIST OF FUNCTION CODES—Continued

| Name | Example | Description |
|---|---|---|
| Tab Code | •D | Brings in the next sequential locator. Used in text, tabular and leaderwork. |
| Typeface | •T# | There are 4 typefaces. Usually, T1 is Roman, T2 is Bold, T3 is Italic, and T4 is Cap and Small Cap. |

## FUNCTION CODES FOR ILLUSTRATIONS

| Name | Example | Description |
|---|---|---|
| Brackets PostScript File | •! | For use with the **•gf,** function. **precedence!** MUST be keyed at the beginning of the PostScript file being used. (We are using a bullet for our precedence code. You will key the character you are using for your precedence code.) |
| | Δ! | For use with the **•gf,** function. **bell!** MUST be keyed at the end of the PostScript file being used. (Key Ctrl Alt 007 to obtain the BELL Code) |
| Brackets PostScript for WordPerfect files | Ctrl G | For use with the **•gf,** function. WordPerfect users MUST key **Ctrl G** at the end of the PostScript file, not the usual **Ctrl Alt 7**. |
| Graphics Call | •g, | Allows space for illustrations to be stripped in by hand. Desired depth is required. (**•g,d###**) |
| Graphic Strip | •gs, | Electronically strips in an illustration contained in a separate Encapsulated PostScript file. Depth is required. (**•gs,d###**) |
| Graphic in File *(Operational in Release 7.2)* | •gf, | Electronically strips in an illustration PostScript file that has been merged into the data base. The PostScript file MUST be bracketed by **precedence!** at the beginning and Δ! at the end. Graphic size is scaled by the system according to the depth requested. Example: **•gf,d###** |

## SUBFORMAT GENERATION CODES
(Tabular Data)

| Name | Example | Description |
|---|---|---|
| **BOXHEAD OPTIONS** | | |
| Align Bottom | •b | Sets the boxhead entry flush to the bottom of the boxhead. Key after the •h and before the data, e.g., •h1•b Data. |
| Align Middle | •m | Centers a boxhead entry on the deepest entry of the same hierarchy. Key after the •h and before the data, e.g., •h1•m Data. |
| Align Top | •t | Sets the boxhead entry at the top of the boxhead. Key after the •h and before the data, e.g., •h1•t Data. |
| Flush Left | •L | Sets the boxhead entry flush left. Key after the •h and before the data, e.g., •h1•L Data. |
| Flush Right | •R | Sets the boxhead entry flush right. Key after the •h and before the data, e.g., •h1•R Data. |
| Variable | •V | Sets a Variable boxhead entry. 1 and 2 lines center, 3 or more lines set flush and hang. Key after the •h and before the data, e.g., •h1•V Data. |
| **COLUMN OPTIONS** | | |
| Center | C | Centers entries in the column specified. Key in the function line after the column designation, e.g., s###C,. |
| Flush Left | L | Positions that column's entries flush left. Key in the function line after the column designation, e.g., r###L,. |
| Flush Right | R | Positions that column's entries flush right. Key in the function line after the column designation, e.g., r###R,. |
| Force Justification | j | Force justifies the last line of a reading column. Must have at least 2 words in the line. Key in the function line after the column designation, e.g., r###j,. |
| Variable | V | Provides a variable for all of the entries in a reading column, e.g., r###V,. |
| **DATA OPTIONS** | | |
| Centers Column | •oi0 | Key immediately after the Locator or Tab Code and before the data. Causes the entry to center in its column. |
| Changes Indention | •oi2 to •oi9 | Key immediately after the Locator or Tab Code and before the data. Sets the entry flush and hang. •oi2 through •oi9 indents the data to correspond to the stub locators of a similar number, •I02 through •I09. |
| Expand Stub | •s# | Expands the stub the number of columns indicated. •s2 expands the stub to include the next 2 columns, etc. |
| Footnote | •f | Key after the body of the table and before the •e. Example: •f4 Data . . . •e |
| Leader from Bottom | •l | Key into the data. Leaders tabular data from the bottom. |
| Paragraph Style | •oi1 | Key immediately after the Locator or Tab Code. Sets that entry as a paragraph instead of flush and hang. |
| Restricts Leaders | •xl | Restricts leaders in the tabular column indicated. Can be keyed after the Locator or at the end of the data entry. |
| Return Stub | •s0 | Returns the stub to its original width. |

## SUBFORMAT GENERATION CODES—Continued
(Tabular Data)

| Name | Example | Description |
|---|---|---|
| Rule | •r | Draws a horizontal rule that is not provided by the system. |
| Double Rule | •rd | Draws a double rule in tabular data, e.g., a total line. |
| Single Rule | •rs | Draws a single rule in tabular data, e.g., a subtotal line. |
| Rule None | •rn | No rule is drawn in a column indicated with an •xn. |
| **FUNCTION LINE OPTIONS** | | |
| Absolute Width | aw, | Holds the widths of all of the columns to the widths entered in the function line. Key before the stub entry. |
| Absolute Width Indented | aw##, | Maintains the absolute width of columns; but, indents the table from the left margin. Enter desired indention in points. Key before the stub entry. |
| Bearoff | b#, | Overrides the standard bearoff provided around figure columns. Enter desired amount in points. Key before the stub entry. |
| Block Style | bl, | Produces a block style for all of the reading columns in the table. Key before the stub entry. |
| Body Size | ##/##, | Changes the point size and leading of the body of the table. Enter type sizes in points and key before the stub entry. MUST change both Boxhead and Body sizes or neither one. |
| Bold Vertical Rule | b, | Reading column followed by a bold vertical rule. (r112b,) Figure column followed by a bold vertical rule. (12b,) |
| Boxhead Size | p##, | Changes the point size of the table boxhead. MUST change both Boxhead and Body sizes or neither one. Key before the stub entry. |
| 1 Em Increments | i1, | Restricts tabular indentions to 1 em increments, regardless of the stub. Key before the stub entry. |
| Footnote Size | f##, | Changes the footnote point size. Key before the stub. MUST follow the body point size/leading function when it is used. |
| Grid Number | g2, or g703, | Insert a specific Grid 1 through 8 to override the default grid; or, insert any 3 digit Grid Number for Unlimited Grids. The •e at the end of the table reinstates the Subformat Generation parameters. Key before the stub entry. |
| Heading Size | tp##, | Changes the point size of the table heading. Key before the stub entry. |
| Leader from Top | lt, | Causes reading columns to leader from the top. Key before the stub entry. |
| Minimum Spacing | ns, | Keeps the spacing at the top and bottom of a table to a minimum. Key before the stub entry. |
| No Carding | nc, | Controls the vertical justification in a table. Doesn't allow the system to insert additional carding or leading between the entries. Key before the stub entry. |
| No Justification | nj, | Restricts the stub and reading columns from justifying, regardless of their widths. Key before the stub entry. |
| No Leaders | xl##, | Restricts leaders in a reading column. Width entered in points. |
| No Spread | xs##, | Restricts the spread of a reading column. Enter the desired width in points. |
| No Leaders/No Spread | xls##, | Restricts leaders and spread in a reading column. Enter the desired width in points. |

## SUBFORMAT GENERATION CODES—Continued
(Tabular Data)

| Name | Example | Description |
|---|---|---|
| No Rule | n, | Reading column with no rule following. (r156n,)<br>Figure column with no rule following. (12n,) |
| Offsets Table | o##, | Offsets or indents the table from the left margin equal to the amount entered after the o##,. Enter the amount of indention in points. Key before the stub entry. *See aw##.* |
| Parallel Rule | p, | Reading column followed by a parallel rule, e.g., r125p,<br>Figure column followed by a parallel rule, e.g., 77p, |
| Rule Designation | L2, | Produces both horizontal and vertical rules and provides the option of changing their weight. L2(0,0,0) changes thickness of horizontal rules to zero (0). Key before the stub entry. |
| | L1, | Restricts all of the vertical rules in the table. L1(20,10,20) changes the thickness of the horizontal rules to 2 points, 1 point, and 2 points for the closing rule. Key before the stub entry. |
| | L0, | Restricts ALL rules, vertical and horizontal. Key before the stub entry. |
| Typeface Change | t#, | Changes the typeface of the table by overriding the Subformat Generation parameters. There are 4 typefaces. Usually, T1 is Roman, T2 is Bold, T3 is Italic, and T4 is Cap and Small Cap. Key before the stub entry. |
| **REQUIRED TABULAR CODES** | | |
| Call | •c | •c is the first entry in the function line of a Subformat Generated table. It is followed by the number of columns in the table, e.g., •c5,. MUST match the number of columns keyed. |
| Ends Boxhead | •j | Ends boxhead data and initiates drawing the rule. MUST be keyed. |
| Hierarchy of Boxheads | •h | Indicates the level of hierarchy in Subformat Generated tables. Can have as many as 6 levels, e.g., •h4. MUST by keyed. |
| Ends Table | •e | Indicates the end of a Subformat Generated table. MUST be keyed. |
| **TYPES OF COLUMNS** | | |
| Aligning Column | ##.#, | Figure columns can align on designated characters, such as a decimal point. |
| Figure Column | ##, | Enter the number of figures in the column. Can be multiple digits. |
| Reading Column | r###, | Reading column designation, r, followed by the minimum column width given in points. |
| Stub Column | s###, | Stub column designation, s, followed by a minimum width given in points. |
| Tracing Column | tr###, | Tracing column designation uses the maximum number of figures to be keyed. Follow a Tracing column with a Reading column, not a Stub column; however, you MUST use Stub Locators. |

## GLOBAL DESCRIPTION

The new Global program, converts the program in use on the ATEX system, to a C-language program to be used on a PC. It works much like the older program, but it also incorporates changes to punctuation marks - mostly opening and closing double quotes.

Anytime a double quote ( " ), or double double quotes ( "" ) appear they are changed to two single opening quotes or two single closing quotes according to their position in the sentence. Also, should the occurrence of a quote within a quote fall at the end of the main quote, a thinspace will be inserted after the single closing quotes and before the double closing quote.

Like the old program Global will change old format and sub-format numbers to the current format and sub-format numbers(see table).

---

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Former #'s - | F8707, | F8709, | F8713, | F8706, | F8708, | F8712, | F8714, | S8707 |
| Current #'s - | F6601, | F6601, | F6601, | F6602, | F6602, | F6602, | F6602, | S6601 |
| Former #'s - | S8709, | S8713, | S8706, | S8708, | S8712, | S8714, | I07, | I06 |
| Current #'s - | S6601, | S6601, | S6602, | S6602, | S6602, | S6602, | I21, | I07 |
| Former #'s - | I05, | I08, | I10, | I11, | I12, | I15, | I17, | I20, I04 |
| Current #'s - | I06, | I74, | I46, | I47, | I74, | I03, | I02, | I74, I05 |

---

Global will search for new text paragraphs: if they are indented will remove the indention and insert a BELL I21; if they are flush left will insert a BELL I21; and no change to properly identified text paragraphs. Global will also insert carriage return line feeds at the end of text paragraphs so that the paragraphs will be easily discernible.

After a BELL I21 is encountered, Global will then search for the following appellations: Admiral, Chairman, Chairperson, Congressman, General, Judge, Representative, Secretary, Senator, Dr., Mr., Ms., Mrs., or Miss. When a match is found, Global will then look for the person's last name to be followed by a colon, period, question mark, or comma. If a question mark or comma is found no changes will be performed and the name will be written out as it stands. When a colon or period is found then Global will insert BELL T4s, BELL T1s, and change the colon to a period or leave the period unchanged as illustrated in the following example:

---

BELL I21Admiral Jones.
or
BELL I21Admiral Jones:

will be changed to

BELL I21Admiral Bell T4Jones.BELL T1

---

Global will also:

- search for and change FY to fiscal year.

- search for and change a hex 2 (smiley face) to a space.

- search for and change an apostrophe followed by two numbers representing an abbreviated year, to print out the entire number i.e. '90 changes to 1990.

- search for and change a double space and change it to a single space.

- search for scratch marks ( # ) and determine whether it is being used as a precedence code, if so it will be changed to a BELL. If it is not being used as a precedence code it will remain the same.

- search for BELL I02 - - - and delete the dashes and spaces following the BELL I02.

- search for hyphenated: numbers, capitals, or combination of both; and insert a nut-dash if necessary.

**Execution:** **global input.fil output.fil**

**If using GLOBAL.EXE dated 4-13-93 the input file will be deleted.**

**If using GLOBAL.EXE dated 8-05-91 the input file will remain on the disk.**

21 This is how you leave space allowance for graphics. If there is not enough room on the page for the illustration, the page will end and the illustration will fall on the next page. If you want the illustration to float you can use •U1 at the beginning and a •U0 at the end.

This is how you leave space allowance for graphics. If there is not enough room on the page for the illustration, the page will end and the illustration will fall on the next page. If you want the illustration to float you can use •U1 at the beginning and a •U0 at the end.

This is how you leave space allowance for graphics. If there is not enough room on the page for the illustration, the page will end and the illustration will fall on the next page. If you want the illustration to float you can use •U1 at the beginning and a •U0 at the end.

Ag, ar-318, d150

95 Insert illus. 1A here.

96 This is the legend.

21 This is how you leave space allowance for graphics. If there is not enough room on the page for the illustration, the page will end and the illustration will fall on the next page. If you want the illustration to float you can use •U1 at the beginning and a •U0 at the end.

This is how you leave space allowance for graphics. If there is not enough room on the page for the illustration, the page will end and the illustration will fall on the next page. If you want the illustration to float you can use •U1 at the beginning and a •U0 at the end.



30

BELL I 40 1 OF 3 JUNE '94

### Locator •I40

Subformat Generation has a new variable locator. It is locator •I40 and it produces spanner heads over figure, aligning, and reading columns.

### Using Locator •I40

This locator has two requirements. First, •I40 MUST always follow a stub locator. It can immediately follow •Ds, •Ps, and even other •I40s; but, the stub locator MUST always be keyed first.

Second, whenever locator •I40 is used, it MUST be followed by a number set inside parentheses. This number denotes the number of additional columns that are to be spanned. For example, •I40(6) means the data will span a total of 7 columns, the •I40 column and 6 additional columns.

The sample tables that appear on the following page display the actual codes that were keyed to produce the various spanner heads. The major characteristics of each table are highlighted below.

### Table 1

This first table uses •I22↑ for the stub locator with •I40(4), •I40(3), and •I40(1) to create three spanner heads.

### Table 2

The second table features •I22↑ with eleven •D•xl↑ combinations preceding •I40(2)Weekly average, thousands*.

### Table 3

The third table uses the expand stub feature •s9•I27Not seasonally adjusted•s0. You could key •I22↑ •I40(8)Not seasonally adjusted and produce the same result.

### Table 4

The last table combines the •D•xl↑•D•oi0•T3Annual rates with the •I22↑•I40(6)•T3Annual rates.

AUG. 96

BELL I40 2 OF 3



Subformat Generation Locator 40 Features

| Stub | Col 1 | Col 2 | Col 3 | Col 4 | Col 5 | Col 6 | Col 7 |
|---|---|---|---|---|---|---|---|
| Normal [ •I40(2) ] ..... | 1234567 | 1234567 | This is centered | | | 1234567 | 1234567 |
| Normal [ •I40(2) ] ..... | 1234567 | 1234567 | This should run over to create more than two lines which will then be flushed left and hung in one em | | | 1234567 | 1234567 |
| Left [ •I40•L(2)•. ] ..... | This is flush left w/leaders ..... | | | 1234567 | 1234567 | 1234567 | 1234567 |
| Left [ •I40•L(2)•. ] ..... | This is flush left with leaders and should run over and leaders from the top by default. | | | 1234567 | 1234567 | 1234567 | 1234567 |
| Left [ •I40•L(2)•.•I ] ..... | This is flush left with leaders and should run over and leaders from the bottom ..... | | | 1234567 | 1234567 | 1234567 | 1234567 |
| Right [ •I40•R(2) ] ..... | 1234567 | 1234567 | 1234567 | This is flush right | | | 1234567 |
| Right [ •I40•R(2) ] ..... | 1234567 | 1234567 | 1234567 | This is flush right and should run over and leaders from the top by default | | | 1234567 |
| Right [ •I40•R(2)•I ] ..... | 1234567 | 1234567 | 1234567 | This is flush right and should run over and leaders from the bottom | | | 1234567 |
| Justified [ •I40•J(2)•. ] ..... | 1234567 | 1234567 | This is justified w/leaders ..... | | | 1234567 | 1234567 |
| Justified [ •I40•J(2)•. ] ..... | 1234567 | 1234567 | This is justified with leaders and should run over and leaders from the top by default. | | | 1234567 | 1234567 |
| Justified [ •I40•J(2)•.•I ] ..... | 1234567 | 1234567 | This is justified with leaders and should run over and leaders from the bottom ..... | | | 1234567 | 1234567 |
| Forced Justified [ •I40•j(2) ] .... | This is forced justified | | | This is forced justified | | | |

31A

BELL I 40 3 OF 3



## TABLE 1—ECONOMIC INDICATORS

| Period | Personal income | Less: Personal tax and nontax payments | Equals: Disposable personal income | Less: Personal outlays[1] | Equals: Personal saving | Disposable personal income in 1987 dollars (billions) | Per capita disposable personal income: Current dollars | Per capita disposable personal income: 1987 dollars | Per capita personal consumption expenditures: Current dollars | Per capita personal consumption expenditures: 1987 dollars | Percent change in real per capita disposable personal income | Saving as percent of disposable personal income | Population, including Armed Forces overseas (thousands)[2] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| •I22↑ | •I40(4)Billions of dollars | | | | | | •I40(3)Dollars | | | | •I40(1)Percent | | |
| 1982 | 2,690.9 | 371.4 | 2319.6 | 2,120.1 | 199.5 | 2,820.4 | 9.989 | 12,146 | 8,868 | 10,782 | —0.1 | 8.6 | 232,201 |
| •I22↑ | •I40(10)Seasonally adjusted annual rates | | | | | | | | | | | | |
| 1982: IV | 2,690.9 | 371.4 | 2319.6 | 2,120.1 | 199.5 | 2,820.4 | 9.989 | 12,146 | 8,868 | 10,782 | —0.1 | 8.6 | 232,201 |

## TABLE 2—[Monthly data seasonally adjusted, except as noted]

| Period | Unemployment (thousands) | Duration of unemployment: Percent distribution: Less than 5 weeks | 5–14 weeks | 15–26 weeks | 27 weeks and over | Number of weeks: Average (mean) | Median | Reason for unemployment: percent distribution: Job losers | Job leavers | Reentrants | New entrants | State programs: Insured unemployment | Initial claims | Insured unemployment, all regular programs (unadjusted)[1] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Weekly average, thousands[a] | | |
| 1982 | 10,678 | 36.4 | 31.0 | 16.0 | 16.6 | 15.6 | 8.7 | 58.7 | 7.9 | 22.3 | 11.1 | 4,061 | 583 | 4,594 |

[a]•I22↑•D•x1↑ (11 times) •I40(2)Weekly average, thousands

## TABLE 3

| Period | Index (June 1989 = 100): Total compensation | Wages and salaries | Benefits[1] | Percent change from 3 months earlier: Total compensation | Wages and salaries | Benefits[1] | Percent change from 12 months earlier: Total compensation | Wages and salaries | Benefits[1] |
|---|---|---|---|---|---|---|---|---|---|
| | •s9 •I27Not seasonally adjusted •s0[a] | | | | | | | | |
| 1982: Dec | 75.8 | 77.6 | 71.4 | 1.3 | 1.2 | 1.4 | 6.5 | 6.3 | 7.2 |
| •I22↑ | •I40(5)Seasonally adjusted | | | | | | •I40(2)Not seasonally adjusted | | |
| 1989: Mar | 75.8 | 77.6 | 71.4 | 1.3 | 1.2 | 1.4 | 6.5 | 6.3 | 7.2 |

[a]Could also be: •I22↑•I40(8)Not seasonally adjusted

## TABLE 4

| Period | Total new construction expenditures | Private: Total | Residential: Total[1] | New housing units | Commerical and industrial[2] | Other | Federal, State, and local | Construction contracts[3]: Total value index (1987=100) | Commerical and industrial floor space (millions of square feet) |
|---|---|---|---|---|---|---|---|---|---|
| •I22↑ | •I40(6)Billions of dollars | | | | | | | | |
| 1983 | 294.9 | 231.5 | 125.5 | 94.6 | 57.7 | 48.2 | 63.5 | 75 | 756 |
| •I22↑ | •I40(6)•T3*Annual rates* (followed by •D•x1↑ •D•oi0•T3Annual rates) | | | | | | | | *Annual rates* |
| 1984 | 294.9 | 231.5 | 125.5 | 94.6 | 57.7 | 48.2 | 63.5 | 75 | 756 |

32

# BILLS/DOC SPECIAL CHARACTERS

**[See Standardization Book—Page 192 for Other Special Characters]**

## Parens, Braces, Brackets

| | |
|---|---|
| ❨ | Black Open Paren: Ctrl-Alt 17 |
| ❩ | Black Close Paren: Ctrl-Alt 18 |
| ⟨ | Square Open Paren: Ctrl-Alt 187 |
| ⟩ | Square Close Paren: Ctrl-Alt 186 |
| { | 1-Line Open Brace: Ctrl-Alt 123 |
| } | 1-Line Close Brace: Ctrl-Alt 125 |
| ❲ | Black Open Bracket: Ctrl-Alt 19 |
| ❳ | Black Close Bracket: Ctrl-Alt 20 |

## Miscellaneous

| | |
|---|---|
| ○ | All Mark: Ctrl-Alt 8 |
| ⧫ | Solid Left Arrow: Ctrl-Alt 21 |
| ⧫ | Solid Right Arrow: Ctrl-Alt 22 |
| @ | At Sign: Shift Figure 2 |
| & | Small Cap Ampersand: Ctrl-Alt 224 |
| • | Small Bullet: Ctrl-Alt 1 |
| ¢ | Cent Sign: Ctrl-Alt 11 |
| † | Dagger: Ctrl-Alt 30 |
| ‡ | Double Dagger: Ctrl-Alt 189 |
| ¶ | Paragraph Symbol: Ctrl-Alt 12 |
| ★ | Solid Star: Ctrl-Alt 188 |
| # | Scratch Sign: Shift Figure 3 |
| § | Twist (Section Mark): Ctrl-Alt 6 |

## Math

| | |
|---|---|
| + | Plus Sign: Shift Equal Sign |
| − | Minus Sign: Shift Figure 6 |
| × | Mult Sign: Ctrl-Alt 10 |
| ÷ | Divide Sign: Ctrl-Alt 16 |
| = | Equal Sign: Equal Sign |
| ± | Plus-Minus Sign: Ctrl-Alt 027 |
| < | Less Than Sign: Shift on comma |
| > | Greater Than Sign: Shift on period |
| ≤ | Less Than or Equal to Sign: Ctrl-Alt 190 |
| ≥ | Greater Than or Equal to Sign: Ctrl-Alt 170 |
| ° | Degree Sign: Ctrl-Alt 171 |
| ′ | Single Prime: Ctrl-Alt 172 |
| ″ | Double Prime: Ctrl-Alt 34 |

## Greek

| | |
|---|---|
| φ | Lowercase Phi: Ctrl-Alt 161 |
| θ | Lowercase Theta: Ctrl-Alt 162 |
| λ | Lowercase Lambda: Ctrl-Alt 163 |
| β | Lowercase Beta: Ctrl-Alt 165 |
| γ | Lowercase Gamma: Ctrl-Alt 166 |
| δ | Lowercase Delta: Ctrl-Alt 167 |
| ε | Lowercase Epsilon: Ctrl-Alt 168 |
| μ | Lowercase Mu: Ctrl-Alt 160 |

# FORMAT OF •gs LINE STRUCTURE

EXAMPLES:

Left **•gs,il???,w???,d???,r1**
**•I95illustration** *filename*

Center **•gs,ic,w???,d???,r1**
**•I95illustration** *filename*

Right **•gs,ir,w???,d???,r1**
**•I95illustration** *filename*

s = Strip PostScript Encapsulated File

i = Indent, followed by lowercase l, c, r, left, center, or right respectively also may be followed by digits to represent indention of graphic by that number of points

w = Width of line draw area in points.

d = Depth, in points — ☞ MANDATORY

r = Rotation, digits 1 thru 4

All the above are optional EXCEPT the d (Depth)

NOTE — As of today 11-9-90 the •gs line structure will not pass DDEDIT or MCEDIT but will typset OK.

12

New Cont S.B

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| ☺ | 1 | 4 | 52 | g | 103 | Ü | 15 | ═ | 205 |
| ☻ | 2 | 5 | 53 | h | 104 | ç | 155 | ╬ | 206 |
| ♥ | 3 | 6 | 54 | i | 105 | £ | 156 | ╧ | 207 |
| ♦ | 4 | 7 | 55 | j | 106 | ¥ | 157 | ╨ | 208 |
| ♣ | 5 | 8 | 56 | k | 107 | ₧ | 158 | ╤ | 209 |
| ♠ | 6 | 9 | 57 | l | 108 | ƒ | 159 | ╥ | 210 |
| • | 7 | : | 58 | m | 109 | á | 160 | ╙ | 211 |
| ◘ | 8 | ; | 59 | n | 110 | í | 161 | ╘ | 212 |
| ○ | 9 | < | 60 | o | 111 | ó | 162 | τ | 213 |
| ◙ | 10 | = | 61 | p | 112 | ú | 163 | ╒ | 214 |
| ♂ | 11 | > | 62 | q | 113 | ñ | 164 | ╓ | 215 |
| ♀ | 12 | ? | 63 | r | 114 | Ñ | 165 | ╫ | 216 |
| ♪ | 13 | @ | 64 | s | 115 | ª | 166 | ╪ | 217 |
| ☼ | 14 | A | 65 | t | 116 | º | 167 | ┘ | 218 |
| ♫ | 15 | B | 66 | u | 117 | ¿ | 168 | ┌ | 219 |
| ► | 16 | C | 67 | v | 118 | ⌐ | 169 | │ | 220 |
| ◄ | 17 | D | 68 | w | 119 | ¬ | 170 | ▌ | 221 |
| ↕ | 18 | E | 69 | x | 120 | ½ | 171 | ▐ | 222 |
| ‼ | 19 | F | 70 | y | 121 | ¼ | 172 | ▀ | 223 |
| ¶ | 20 | G | 71 | z | 122 | ¡ | 173 | α | 224 |
| § | 21 | H | 72 | { | 123 | « | 174 | ß | 225 |
| ▬ | 22 | I | 73 | \| | 124 | » | 175 | Γ | 226 |
| ↨ | 23 | J | 74 | } | 125 | ░ | 176 | π | 227 |
| ↑ | 24 | K | 75 | ~ | 126 | ▒ | 177 | Σ | 228 |
| ↓ | 25 | L | 76 | ⌂ | 127 | ▓ | 178 | σ | 229 |
| → | 26 | M | 77 | Ç | 128 | │ | 179 | µ | 230 |
| ← | 27 | N | 78 | ü | 129 | ┤ | 180 | τ | 231 |
| ∟ | 28 | O | 79 | é | 130 | ╡ | 181 | Φ | 232 |
| ↔ | 29 | P | 80 | â | 131 | ╢ | 182 | Θ | 233 |
| ▲ | 30 | Q | 81 | ä | 132 | ╖ | 183 | Ω | 234 |
| ▼ | 31 | R | 82 | à | 133 | ╕ | 184 | δ | 235 |
| | 32 | S | 83 | å | 134 | ╣ | 185 | ∞ | 236 |
| ! | 33 | T | 84 | ç | 135 | ║ | 186 | φ | 237 |
| " | 34 | U | 85 | ê | 136 | ╗ | 187 | ε | 238 |
| # | 35 | V | 86 | ë | 137 | ╝ | 188 | ∩ | 239 |
| $ | 36 | W | 87 | è | 138 | ╜ | 189 | ≡ | 240 |
| % | 37 | X | 88 | ï | 139 | ╛ | 190 | ± | 241 |
| & | 38 | Y | 89 | î | 140 | ┐ | 191 | ≥ | 242 |
| ' | 39 | Z | 90 | ì | 141 | └ | 192 | ≤ | 243 |
| ( | 40 | [ | 91 | Ä | 142 | ┴ | 193 | ⌠ | 244 |
| ) | 41 | \ | 92 | Å | 143 | ┬ | 194 | ⌡ | 245 |
| * | 42 | ] | 93 | É | 144 | ├ | 195 | ÷ | 246 |
| + | 43 | ^ | 94 | æ | 145 | ─ | 196 | ≈ | 247 |
| , | 44 | _ | 95 | Æ | 146 | ┼ | 197 | ° | 248 |
| - | 45 | ` | 96 | ô | 147 | ╞ | 198 | ∙ | 249 |
| . | 46 | a | 97 | ö | 148 | ╟ | 199 | · | 250 |
| / | 47 | b | 98 | ò | 149 | ╚ | 200 | √ | 251 |
| 0 | 48 | c | 99 | û | 150 | ╔ | 201 | ⁿ | 252 |
| 1 | 49 | d | 100 | ù | 151 | ╩ | 202 | ² | 253 |
| 2 | 50 | e | 101 | ij | 152 | ╦ | 203 | ■ | 254 |
| 3 | 51 | f | 102 | Ö | 153 | ╠ | 204 | 255 | |

35

# XyWrite Commands

| Command | Description of Command |
|---|---|
| AB | Clear data from screen & memory |
| APPEND | Add text of one file to the end of another file |
| BB | BB allows paragraph to break to next page; (cancels NB) |
| CA | Call file to the screen |
| CD | Change directory |
| CH | Change a string with no verify |
| CHA | Change an absolute string with no verify |
| CI | Change/invisible a string |
| CIA | Change/invisible an absolute string |
| CV | Change/verify a string |
| CVA | Change/verify an absolute string |
| COPY | Copy files from one drive to another |
| DEL | Delete file from the disc |
| DIR | List files on the specified drive |
| DIRL | List files & also the first few lines of text in each file |
| DSORT F | Sort files by filename |
| EDITOR | Load XyWrite program |
| FIND | Search disk for specified file |
| FC | Flush center |
| FL | Flush left |
| FR | Flush right |
| GO | Go to specified page/line number |
| HY on | Turn hyphenation on (must '[F5] load diction' first) |
| HY off | Turn hyphenation off (must '[F5] load diction' first) |
| IP | Indent paragraph (ip 10,5) (ip 0,0) |
| JU | Turn justification on; (toggle, NJ) |
| KT | Stop file from printing |
| LOAD | Load custom files (gold.kbd, diction) to the XyWrite program |
| ME | Copies data into displayed file at point of cursor |
| NB | NB prevents paragraph from breaking to next page; (toggle, BB) |
| NE | Create a new file with specified name |
| NJ | Turn justification off; (cancels JU) |
| QUIT | Terminate the XyWrite program |
| REN | Change the name of a file |
| SA | Save displayed file to specified disc, but retains display |
| SAD | Save defined block of text to its own filename |
| SE | Search forward a document for specified string |
| SEA | Search forward a document for absolute string |
| SEB | Search backward a document for specified string |
| SEBA | Search backward a document for absolute string |
| SORT | Rearrange file into alphabetical order |
| SPELL | Check for correct spelling within displayed file |
| ST | Store displayed file to specified disc, and clears display |
| TREE | Display list of directories on the hard disc (c:) |
| TY | Send file to the printer |
| WC | Count the number of words in a file |
| Ctrl A | Check spelling during data entry (toggle) |
| Ctrl S | Check spelling of an individual word |
| Ctrl T | Activate thesaurus dictionary |

0190 ..... 105*n*
0191 ..... 101
0192 ..... 105*n*

0480 ..... 86
0481 ..... 86
0483 ..... 86
0484 ..... 86
0485 ..... 86
0486 ..... 86

0581 ..... 86

0624 ..... 10
0625 ..... 10
0626 ..... 10
0627 ..... 27
0634 ..... 10
0635 ..... 10
0636 ..... 10
0637 ..... 10
0638 ..... 27*n*
0642 ..... 27
0655 ..... 15
0664 ..... 27
0666 ..... 10
0667 ..... 34
0668 ..... 27*n*
0669 ..... 27*n*
0670 ..... 27*n*

0974 ..... 142
0975 ..... 142

4601 ..... 110
4602 ..... 110
4624 ..... 10
4627 ..... 27
4634 ..... 10
4636 ..... 10
4637 ..... 10
4642 ..... 27
4643 ..... 27
4666 ..... 10

4700 ..... 161
4701 ..... 161
4702 ..... 161
4703 ..... 161
4717 ..... 162A
4718 ..... 161
4734 ..... 161
4748 ..... 162B

5005 ..... 66
5006 ..... 76
5007 ..... 76*n*
5008 ..... 70
5009 ..... 72
5011 ..... 57
5012 ..... 62
5013 ..... 62
5020 ..... 94
5024 ..... 78
5025 ..... 80
5026 ..... 83
5036 ..... 83
5046 ..... 83

5333 ..... 38

5440 ..... 57
5441 ..... 57
5442 ..... 86
5443 ..... 101
5444 ..... 105

5503 ..... 101

5601 ..... 91
5602 ..... 91
5624 ..... 36
5627 ..... 27
5634 ..... 36
5666 ..... 14

5701 ..... 97
5702 ..... 97

5901 ..... 148
5904 ..... 86
5905 ..... 86
5911 ..... 152
5912 ..... 154
5921 ..... 150

6001 ..... 112
6004 ..... 112
6011 ..... 57
6012 ..... 62
6013 ..... 62
6015 ..... 66
6019 ..... 58A
6041 ..... 112
6044 ..... 112

6101 ..... 148
6111 ..... 152
6121 ..... 150

6200 ..... 171
6201 ..... 178
6202 ..... 178
6203 ..... 178
6204 ..... 178
6211 ..... 181
6212 ..... 181
6213 ..... 181
6214 ..... 181
6221 ..... 183
6222 ..... 183
6223 ..... 183
6224 ..... 183
6231 ..... 184
6232 ..... 184
6233 ..... 184
6234 ..... 184

6300 ..... 179
6301 ..... 180
6302 ..... 183
6303 ..... 180
6311 ..... 181
6312 ..... 184
6313 ..... 181
6333 ..... 12
6343 ..... 17

6401 ..... 178
6402 ..... 178
6403 ..... 178
6404 ..... 178
6411 ..... 181
6412 ..... 181
6413 ..... 181
6414 ..... 181
6421 ..... 183
6422 ..... 183
6423 ..... 183
6424 ..... 183
6431 ..... 184
6432 ..... 184
6433 ..... 184
6434 ..... 184

6501 ..... 187
6511 ..... 188
6530 ..... 187
6531 ..... 187
6536 ..... 187
6540 ..... 188
6541 ..... 188
6546 ..... 188
6598 ..... 89

6601 ..... 101
6602 ..... 101
6603 ..... 103
6604 ..... 101
6605 ..... 46
6606 ..... 47
6607 ..... 51
6610 ..... 139
6611 ..... 116
6613 ..... 118
6614 ..... 84*n*
6617 ..... 52
6620 ..... 134
6621 ..... 105
6622 ..... 84*n*
6623 ..... 140
6628 ..... 84
6630 ..... 141
6631 ..... 120
6633 ..... 101
6641 ..... 175
6642 ..... 176
6645 ..... 185
6646 ..... 86
6651 ..... 175
6652 ..... 176
6653 ..... 182
6654 ..... 177
6655 ..... 185
6656 ..... 186
6659 ..... 89
6661 ..... 144
6662 ..... 146
6664 ..... 116
6665 ..... 11*n*
6666 ..... 101

6701 ..... 101
6702 ..... 101
6703 ..... 103
6704 ..... 101
6705 ..... 102*n*
6711 ..... 116
6713 ..... 118
6721 ..... 105
6731 ..... 120

6969 ..... 101

7600 ..... 107
7601 ..... 108
7602 ..... 108
7633 ..... 101
7634 ..... 10
7666 ..... 14

7979 ..... 116

8001 ..... 112
8004 ..... 112

8633 ..... 12
8634 ..... 10

9001 ..... 112
9004 ..... 112

9600 ..... 44
9624 ..... 36
9634 ..... 36
9637 ..... 27*n*

9801 ..... 10
9820 ..... 62
9821 ..... 62

9919 ..... 16*n*
9920 ..... 10

Subformat Generation . 163
Grids 5–8 ..... 192


*n* = This number referenced in a footnote on that page.

# Standardization Flow Chart



# CONTENTS

## STANDARDIZATION plus NIGHTLY WORK

Page

**Standardization Flow Chart** ..... 1
**Contents** ..... 2
**Page and Bell Commands, Format Conversion Table** ..... 4
**Standardization Locator Chart** ..... 5
**Symbol Definitions** ..... 6
**Special Characters, Record and Journals** ..... 7
**Special Characters, Bills and Doc** ..... 8
**VDT Graphics Display** ..... 9
**Congressional Record:**
Text:
Roman (1st Sess.: 0624, 7634, 0636, 0637, 0666) (2d Sess.: 4624, 4634, 4636, 4637, 4666) (0625, 0626, 0634, 0635, 9920, 9801, 8634) ..... 10
Italic (6333,8633) ..... 12
Extensions of Remarks — Separates (1st Session, 5666) (2d Session, 7666) ..... 14
Leaderwork:
Roman (0655) ..... 15
Italic (6343) ..... 17
Text and Leaderwork Samples (Nomination sample, page 26) ..... 19
Digest (0627, 4627, 5627, 0642, 0664, 4642, 4643) ..... 27
Résumé of Congressional Activity (0667) ..... 34
**Journals:** Senate (1st Sess., 9624; 2d Sess., 5624). House (1st Sess., 9634; 2d Sess., 5634). Leaderwork (0655, 6343, same as Record):
Roman (5624, 5634, 9624, 9634) ..... 36
Italic (5333) ..... 38
Samples ..... 40
Miscellaneous Format for Record and Journals and Braces for Journals (9600) ..... 44
**Nominations:**
7 point (6605) ..... 46
10 point (6606) ..... 47
**Executive Journal of the Senate:**
10 point, Text (6607) ..... 51
8 point, Leaderwork (6617) ..... 52
**Covers and Title Pages for Hearings** (5011 with imprint) (6011 no imprint) X498 PTS: 5440 - 5-71 ..... 57
**Covers and Title Pages for Reports** (5012 with imprint) (6012 no imprint) (Scotch rule—5013, imprint; 6013, no imprint) ..... 62
**Covers and Back Titles — 39½ x 55** (5005 with imprint) (6015 no imprint) ..... 66
**Cover for Committee Print; Committee on Foreign Affairs** (5008) ..... 70
**Cover for Senate Appropriations and American Legion** (5009) ..... 72
**Back page Index Tabs (10 pt. tabs)** (5006) ..... 76
**Cover for Veterans of Foreign Wars National Convention** (5024) ..... 78
**Cover for Committee Print; House Foreign Affairs and Senate Foreign Relations (joint)** (5025) ..... 80
**Back page Index Tabs (24 pt. tabs)** (5026, 7 bars; 5046, 9 bars; 5036, 10 bars) ..... 83
**Cover for Comparative — 39½ picas** (6628) ..... 84
**Back Titles and Contents for most Doc work** (0480, 0481, 0483, 0484, 0485, 0486, 6646, 5904, 5905) (5442 X 498 PTS.) ..... 86
**Title Page for Reports** (6659) 6598 ..... 89
**Special Doc Format for "Court Proceedings of Vital Interest to Congress"** (5601, 5602) ..... 91
**Cover Page for Court Briefs** (5020) ..... 94
**Special Format for Court Briefs** (5701) ..... 97
**Doc Measure** (Hearings, Reports, Committee Prints, etc.):
Text:
10 point—Roman (26½ picas: 6601, 6602, 6604, 6633, 6666, 6969) (30 picas: 6701, 6702, 6704) (19 picas: 5503) 5443 (2-00-) ..... 101
10 point—Italic (26½ picas: 6603) (30 picas: 6703) ..... 103

0191 = 10/12

BACKSTRIP (6019) - 58A

9820 - 9821 X 498 PTS. WIDE.

STANDARDIZATION plus NIGHTLY WORK—Continued

Page

**Doc Measure** (Hearings, Reports, Committee Prints, etc.)—Continued:
Text—Continued:
8 point (26½ picas: 6621) (30 picas: 6721) ..... 105
Preliminary pages for Mutual Security Act—also has Garamond type (7600) ..... 107
Special 10 point Doc format with small cap running heads and outside top folios (7601, 7602) ..... 108
Special 10 point Doc format with small cap running heads and ears with bottom centered folios (4601, 4602) ..... 110
Special 10 point Doc formats with running heads and rules and top folios (9001, 9004; 6001, 6004; 8001, 8004) ..... 112
12 point (26½ picas: 6661) ..... 144
Leaderwork:
8 point—Roman (26½ picas: 6611) (30 picas: 6711) (10 point: 6664) ..... 116
8 point—Italic (26½ picas: 6613) (30 picas: 6713) ..... 118
6 point—Roman (6631) For leaderwork and Contents to 8 pt. Bill language in Reports ..... 120
12 point—Roman (6662) ..... 146
Text and Leaderwork Samples ..... 122
Tariff Tables for Reports (6620) ..... 134
2-Column double up leaderwork, No rules (6610) ..... 139
2-Column double up leaderwork, With rules (6623) ..... 140
2-Column double up leaderwork, With rules (6630) ..... 144
Special Formats for "Architect of the Capitol" (0974, 0975) ..... 142
**Special Formats with Sidenotes:**
10 point text (26½ picas: 5901) (22 picas: 6101) ..... 148
8 point text (26½ picas: 5921) (22 picas: 6121) ..... 150
8 point leaderwork (26½ picas: 5911) (22 picas: 6111) ..... 152
10 point leaderwork (26½ picas: 5912) ..... 154
**Federal Register (4700, 4701, 4702, 4703)** ..... 161
**Subformat Generation** ..... 163
**Tariff Tables for Bills (Samples)** (6200) (6501) ..... 171
**Bills**—Grid List ..... 173
Endorsement (6651) (6641, for up to 24 pages) ..... 175
Title (6652) (6642, for up to 24 pages) ..... 176
Title for Amendments (6654) ..... 177
Text:
Line Numbers (6201, 6202, 6203, 6204, 6401, 6402, 6403, 6404) ..... 178
No Line Numbers:
30 picas (6300) ..... 179
28 picas (6301, 6303) ..... 180
Leaderwork:
Line Numbers—28 picas (6211, 6212, 6213, 6214, 6411, 6412, 6413, 6414) ..... 181
No Line Numbers—28 picas (6311, 6313) ..... 181
**Code**—Title (6653) ..... 182
Text:
Line Numbers 10/16 (6221, 6222, 6223, 6224, 6421, 6422, 6423, 6424) ..... 183
No Line Numbers (6302) ..... 183
Leaderwork:
Line Numbers (6231, 6232, 6233, 6234, 6431, 6432, 6433, 6434) ..... 184
No Line Numbers (6312) ..... 184
**Enrolled Bills:**
Title (6655) ..... 185
Title—Senate (6656) ..... 186
Text (6501, 6530, 6531, 6536) ..... 187
Leaderwork (6511, 6540, 6541, 6546) ..... 188
Locator changes for proper runover indention on heads (in Enrolled Bills ONLY) ..... 190
**Grids Wired In Program**—ΔG5 (805), ΔG6 (806), ΔG7 (807), and ΔG8 (808) ..... 192

# Page and Bell Commands

S Will Start a column or page, and will not end (usually a head or top of letter locator).

E Will End a column or page, and will not start (usually a center dash or bottom of letter).

N Will Neither start nor end a column or page.

B Will Both start or end a column or page (will make up in either place, usually in leaderwork).

W Widow logic (mostly on text and paragraph locators).

SC Subcolumn locator, means this locator will either double up or triple up, whichever the locator is designated for.

xs SFG function, freezes column to measure requested; is not used with a Δ code.

### BELL COMMANDS

Δa—Skip pages.

ΔA—Terminates current page, causes a new page to start.

ΔB—End extract, Budget (OVLPNF).

Δc—SFG function, start table.

ΔD—Tab in table, brings in next locator.

Δe—SFG function, ends table.

ΔE—End exclude.

Δf—SFG function, footnote.

ΔF—Format call, causes a new page to start.

Δg—Graphics.

ΔG—Grid change.

Δh—SFG function, boxhead locator.

Δi—SFG function, indention increments.

ΔI—Locator call, must precede all locators.

Δj—SFG function, ends boxhead.

ΔK—Automatic return to grid and typeface of locator.

Δl—SFG function, designates locator to leader from bottom.

ΔL—Leaders, when allowed.

ΔN—Footnote move.

Δoi—SFG function, override indent.

ΔP—Repeats previous locator.

ΔQ—Vertical space.

Δr—Rule in SFG.

ΔR—End extract, Workbook.

Δs—SFG function, expands stub.

ΔS—Subformat call, does not cause a new page to start.

ΔT—Typeface change.

ΔU1—Start unit, holds data together.

ΔU0—End unit, holds data together.

ΔV—Begin extract, Budget (OVLPNF).

ΔW—Start extract, Workbook.

Δxl—SFG function, cancels leaders.

ΔX—Start exclude.

ΔY1—Start revision flags.

ΔY0—End revision flags.

ΔZ—Operator guideline.

Δ —01 through 99, horizontal spacing.

### NOTES

Variable locators—center when data makes 1 or 2 lines; will flush and hang 1 em when data makes 3 lines or more.

When a variable locator is followed by the same locator, the space between is generated by the program, it recognizes the paragraph leading which is usually the same as the top leading. DO NOT use ΔQ space.

DO NOT use ΔN function on a variable locator. Put the superior reference where it is indicated, put the ΔN after the first word in the next paragraph, and key the footnote at the end of the paragraph. To be absolutely safe, DO NOT use a ΔN on any head.

NEVER interrupt the ΔN function: Key the footnote immediately following the paragraph that contains the reference; not even ΔQ space can be keyed in between.

DO NOT use the ΔN function in leaderwork.

DO NOT use the ΔN in a ΔP, subcolumn routine.

DO NOT end an extension with a head locator.

Relative locator can only be used on full measure text.

DO NOT use relative locator in the middle of a word.

**CAPTURED DATA CAN CONVERT FROM ONE PUBLICATION TO ANOTHER BY A SIMPLE FORMAT CHANGE, WHEN KEYED WITH THE FOLLOWING FORMATS**

| | BILLS | | | | | Record | Journals | Nominations/ Sen. Exec. Jour. | 10 pt. Doc | 8pt. Doc |
|---|---|---|---|---|---|---|---|---|---|---|
| | With Line Numbers | U.S. Code | No Line Numbers | Enrolled (H) | Enrolled (S) | | | | | |
| TEXT: | | | | | | 0624 (Senate) | 5624 (Senate) | 6605, 6606 | | |
| 6201 (Roman) | 6221 | 6300, 6301 | 6501, 6536 | 6530 | | 0634 (House) | 5634 (House) | 6607, 6617 | 6601, 6602, 6604* | 6621* |
| 6202 (Bold) | 6222 | | | | | | | | | |
| 6203 (Italic) | 6223 | 6302, 6303 | | | | 6333 | 5333 (Both) | | 6603* | |
| 6204 (Bold Italic) | 6224 | | | | | | | | | |
| 6401 (Roman Canceled) | 6421 | | | | | | | | | |
| 6402 (Bold Canceled) | 6422 | | | | | | | | | |
| 6403 (Italic Canceled) | 6423 | | | | | | | | | |
| 6404 (Bold Italic Canceled) | 6424 | | | | | | | | | |
| LEADERWORK: | | | | | | | | | | |
| 6211 (Roman) | 6231 | 6311 | 6511, 6546 | 6540 | | 0655 | 0655 (Both) | | 6611* | 6631 (6 pt.)* |
| 6212 (Bold) | 6232 | | | | | | | | | |
| 6213 (Italic) | 6233 | 6312, 6313 | | | | 6343 | 6343 (Both) | | 6613* | |
| 6214 (Bold Italic) | 6234 | | | | | | | | | |
| 6411 (Roman Canceled) | 6431 | | | | | | | | | |
| 6412 (Bold Canceled) | 6432 | | | | | | | | | |
| 6413 (Italic Canceled) | 6433 | | | | | | | | | |
| 6414 (Bold Italic Canceled) | 6434 | | | | | | | | | |

NOTES:
6601—New odd, with sink, bottom folio. 6602—New page, no sink, top folio, use for skip page for offset folios. 6604—New page, with sink, bottom folio. 6603—new odd, ALL ITALIC, used only as a subformat, usually for Conference Reports that print italic.
6621—New page, all 8 point, for hearings and Conference Reports that print 8 point.
*These formats are duplicated for 30 picas with the first 2 numbers being 67, the second 2 numbers remain the same.
ENROLLED BILLS—once data is Enrolled—the data cannot convert back to another format because of the special locator changes to accommodate the style, see p. 170 for instructions.

# STANDARDIZATION CHART

## CONGRESSIONAL WORK

| | RECORD (7 pt.) | DOC (10 pt.) | DOC (8 pt.) | BILLS (14 pt.) | JOURNALS (8 pt.) |
|---|---|---|---|---|---|
| 01 | Format | Bold, center 12 pt | | | |
| 02 | | 5 em dash, center | | | |
| 03 | Format | Bold, center 9 pt | | | Sc, relative with locator 45 |
| 04 | Format | C&sc, 7 ems from right | | | |
| 05 | Format | C&sc, 5 ems from right | | | |
| 06 | Format | C&sc, 3 ems from right | | | |
| 07 | Format | Italic, 1 em from right | | | |
| 08 | Format | C&sc, 2 ems, & 3 ems, & 3 ems | | | |
| 09 | Format | Bold, center 9 pt. (V) | | | |
| 10 | Flush ¶ 8 pt., full measure | Flush ¶ 8 pt., full measure | Flush ¶ 8 pt., full measure | | Flush ¶ full measure. |
| 11 | 1 em ¶ 8 pt., full measure | 1 em ¶ 8 pt., full measure | 1 em ¶ 8 pt., full measure | | 1 em ¶ full measure. |
| 12 | Flush & 2 ems 8 pt | | | Amend Title | Flush & 2 ems. |
| 13 | Flush & 3 ems 8 pt | Flush & 1 em | Flush & 1 em | Attest | Flush & 3 ems. |
| 14 | Flush & 2 ems | Flush & 2 ems | Flush & 2 ems | Clerk, Flush right | Flush & 2 ems 7 pt. |
| 15 | Flush & 3 ems | Flush & 3 ems | Flush & 3 ems | On Line with Attest | Flush & 3 ems. |
| 16 | 3 ems & 4 ems (1 line) | | | | 3 ems & 4 ems (1 line). |
| 17 | 3 ems & 4 ems (2 lines +) | | | | 3 ems & 4 ems (2 lines +). |
| 18 | 3 ems & 4 ems 8 pt | | | | 3 ems & 4 ems. |
| 19 | | | | | |
| 20 | Flush ¶, full measure | Flush ¶, full measure | Flush ¶, full measure | Flush ¶, full measure | Flush ¶, full measure. |
| 21 | 1 em ¶, full measure | 1 em ¶, full measure | 1 em ¶, full measure | 2 em ¶, full measure | 1 em ¶, full measure. |
| 22 | Flush ¶, full measure | Flush ¶, 2 em indent | Flush ¶, 2 em indent | Flush ¶, 2 em indent | Flush ¶, 1 em indent. |
| 23 | Flush ¶, full measure | Flush ¶, 2 em squeeze | Flush ¶, 2 em squeeze | | Flush ¶, 1 em squeeze. |
| 24 | Flush ¶, full measure | Flush ¶, 4 em indent | Flush ¶, 4 em indent | Flush ¶, 4 em indent | Flush ¶, 2 em indent. |
| 25 | Sincerely | Sincerely | Sincerely | Relative * | Sincerely. |
| 26 | Flush ¶, full measure | Flush ¶, 6 em indent | Flush ¶, 6 em indent | Flush ¶, 6 em indent | Flush ¶, 3 em indent. |
| 27 | 1 em ¶, full measure | | | Flush & 2 picas (Whereas). Relative * + | 1 em ¶. |
| 28 | Flush ¶, full measure | Flush ¶, 8 em indent | Flush ¶, 8 em indent | Flush ¶, 8 em indent | Flush ¶, 4 em indent. |
| 29 | 1 em ¶, full measure | | | Indent 4 picas (Whereas) + | 1 em ¶. |
| 30 | Flush ¶, full measure | Flush ¶, 10 em indent | Flush ¶, 10 em indent | Flush ¶, 10 em indent | Flush ¶, 5 em indent. |
| 31 | Dateline (overlay) | Flush ¶, 12 em indent | Flush ¶, 12 em indent | Flush ¶, 12 em indent | Dateline (overlay). |
| 32 | Dateline (overlay) | | | | Dateline (overlay). |
| 33 | Dateline (overlay) | | | | Dateline (overlay). |
| 34 | Flush left on 9 picas | Flush left on 13 picas | Flush left on 13 picas | | Flush left on 5 picas. |
| 35 | 1 em on 9 picas | 1 em on 13 picas | 1 em on 13 picas | | 1 em on 5 picas. |
| 36 | 2 ems & 3 ems | 5 ems & 7 ems | 5 ems & 7 ems | | 2 ems & 3 ems. |
| 37 | | | | | |
| 38 | | | | | Blank locator. |
| 39 | Blank locator | Blank locator | | | |
| 40 | Meetings, center | | | | |
| 41 | Meetings, flush left | YEAS 8 pt | YEAS | Replaces locator 72 ‡ | |
| 42 | Meetings, 1 em & 3 ems | NAYS 8 pt | NAYS | Replaces locator 72 ‡ | |
| 43 | Meetings, 2 ems & 3 ems | Names | Names | Replaces locator 72 ‡ | |
| 44 | Meetings, flush right | Names | Names | Replaces locator 72 ‡ | |
| 45 | | Flush & 3 ems, bold, Senate Appro | Flush & 3 ems, bold, Senate Appro | Replaces locator 72 ‡ | Bold, flush left (¶ ears). |
| 46 | | Flush & 3 ems, bold, Senate Appro | Flush & 3 ems, bold, Senate Appro | Replaces locator 72 ‡ | Relative (with locator 45). |
| 47 | | 2 ems & 3 ems, bold, Senate Appro | 2 ems & 3 ems, bold, Senate Appro | | |
| 48 | | Flush & 3 ems, bold, House Appro | Flush & 3 ems, bold, House Appro | | |
| 49 | | Flush & 3 ems, bold, House Appro | Flush & 3 ems, bold, House Appro | | |
| 50 | | Flush & 1 em, bold, House Appro | Flush & 1 em, bold, House Appro | | |
| 51 | C&sc, 5 ems from right (top) | C&sc, 5 ems from right (top) | C&sc, 5 ems from right (top) | | C&sc, 5 ems from right (top). |
| 52 | C&sc, 3 ems from right (top) | C&sc, 3 ems from right (top) | C&sc, 3 ems from right (top) | | C&sc, 3 ems from right (top) |
| 53 | Italic, 1 em from right | Italic, 1 em from right (top) | Italic, 1 em from right (top) | | Italic, 1 em from right (top). |
| 54 | Flush & 1 em | Flush & 1 em | Flush & 1 em | Replaces locator 74 (10 on 12) ‡ | Flush & 1 em. |
| 55 | Flush & 2 ems, italic | Flush & 2 ems, italic | Flush & 2 ems, italic | | Flush & 2 ems, italic. |
| 56 | C&sc, 5 ems from right (bottom) | C&sc, 5 ems from right (bottom) | C&sc, 5 ems from right (bottom) | | C&sc, 5 ems from right (bottom). |
| 57 | C&sc, 3 ems from right (bottom) | C&sc, 3 ems from right (bottom) | C&sc, 3 ems from right (bottom) | | C&sc, 3 ems from right (bottom). |
| 58 | Italic, 1 em from right (bottom) | Italic, 1 em from right (bottom) | Italic, 1 em from right (bottom) | | Italic, 1 em from right (bottom). |
| 59 | Italic, flush right (bottom) | Flush right (bottom) | Flush right (bottom) | | Italic, flush right (bottom). |
| 60 | C&sc, flush right 8 pt | | | | C&sc, flush right (bottom). |
| 61 | C&sc, 2 ems, & 3 ems, & 3 ems (top) | C&sc, 2 ems, & 3 ems, & 3 ems (top) | C&sc, 2 ems, & 3 ems, & 3 ems (top) | Replaces locator 75 ‡ | C&sc, 2 ems, & 3 ems, & 3 ems (top). |
| 62 | 2 em dash | | | Replaces locator 75 ‡ | 2 em dash. |
| 63 | 3 em dash | 3 em dash | 3 em dash | Replaces locator 75 ‡ | 3 em dash. |
| 64 | 7 em dash | 5 em dash | 5 em dash | Replaces locator 75 ‡ | 7 em dash. |
| 65 | 5 stars | 7 stars | 7 stars | Replaces locator 75 ‡ | 5 stars. |
| 66 | F dash (1 col.) | 5 stars | 5 stars | Replaces locator 75 ‡ | F dash (1 col.). |
| 67 | H dash (3 col.) | | | | H dash (3 col.). |
| 68 | Δ N footnote 6 pt | Δ N footnote 7 pt | Δ N footnote 7 pt | Δ N footnote 10 pt | Δ N footnote 6 pt |
| 69 | No Δ N footnote 6 pt | No Δ N footnote 7 pt | No Δ N footnote 7 pt | No Δ N footnote 8 pt | No Δ N footnote 6 pt. |
| 70 | Relative locator | Relative locator | Relative locator | | Relative locator. |
| 71 | C&lc, center (V) | C&lc, center 6 pt. (V) | C&lc, center 6 pt. (V) | | C&lc, center 7 pt. (V). |
| 72 | Flush & 42 pts 6 pt | Bold, flush & 54 pts. 8 pt | Bold, flush & 54 pts. 6 pt | Bold, flush & 6 pi 10 pt | Flush & 42 pts. 7 pt |
| 73 | Italic, center (V) | Bold, center 12 pt. (V) | Bold, center 10 pt. (V) | Bold, center 12 pt. (V) | Italic, center 7 pt (V). |
| 74 | C&sc, center (V) | C&sc, center (V) | C&sc, center (V) | C&sc, center (V) | C&sc, center (V). |
| 75 | Flush & 1 em | Bold, flush & 4 pi | Bold, flush & 4 pi | Bold, flush & 6 pi 12 pt | Flush & 1 em. |
| 76 | C&sc, center (V) | C&sc, center 2 ems & 2 ems (V) | C&sc, center 2 ems & 2 ems (V) | | C&sc, center (V). |
| 77 | Italic, flush & 2 ems | Italic, flush & 2 ems | Italic, flush & 2 ems | | Italic, flush & 2 ems. |
| 78 | C&sc, center (V) | Bold, center 14 pt. (V) | Bold, center 12 pt. (V) | Bold, center 18 pt. (V) | C&sc, center (V). |
| 79 | Format | | | | |
| 80 | Relative locator 8 pt | | | | Relative locator. |
| 81 | C&lc, center 8 pt (V) | | | | C&lc, center (V). |
| 82 | Cheltenham bold, center 12 pt | Goes to locators 85 & 86 (F6601) | | | Bold, center (dateline). |
| 83 | Italic, center 8 pt (V) | Bold (overlay first page) 8 pt | | | Italic, center (V). |
| 84 | C&sc, center 8 pt. (V) | SC (goes to locators 85 & 86, F6601) | | Replaces locator 89 ‡ (no top lead) | C&sc, center (V). |
| 85 | C&lc, flush & 1 em 8 pt. | Running head | | | C&lc, flush & 1 em. |
| 86 | Cap Center 8 pt. (V) in Remarks | Running head | | | |
| 87 | Italic, 1 em & 3 ems | Italic, 3 ems & 5 ems | Italic, 3 ems & 5 ems | | Italic, 1 em & 3 ems |
| 88 | | C&sc, center 8 pt. (V) | C&sc, center 8 pt. (V) | | |
| 89 | Small Caps 7 pt. (V) ■ | Small Caps 10 pt. (V) ■ | Small Caps 8 pt. (V) ■ | Small Caps ■ | Small Caps ■ |
| 90 | Program, index | Single rule (26½ pi.) | Single rule (26½ pi.) | | |
| 91 | Program, index | Double rule (26½ pi.) | Double rule (26½ pi.) | | |
| 92 | 2-col. double-up | 2-col. double-up 8 pt | 2-col. double-up | | 2-col. double-up 7 pt |
| 93 | 3-col. triple-up 6 pt | 3-col. triple-up 8 pt | 3-col. triple-up | | 3-col. triple-up 6 pt |
| 94 | Format | Graphics 12 pt | Graphics 12 pt | Replaces locator 74 ‡ (no top lead) | |
| 95 | Format | Graphics | Graphics | | |
| 96 | Format | Graphics 8 pt | Graphics | | |
| 97 | Folios | Folios | Folios | Folios | Folios |
| 98 | Folios | Folios | Folios | Folios | Folios |
| 99 | Folios | Folios | Folios | Folios | Folios |

* U.S. Code formats only + F6300 only ‡ Enrolled Bills only ■ Prints small caps regardless of how keyed.

## WHAT DO THOSE SYMBOLS MEAN?

| Symbol | Description |
|---|---|
| PTSZ | Point size. |
| LDING | Leading between lines—measured in points. |
| LNLG | Line length—measured in points. |
| TPLD | Top leading—measured in points. |
| BTLD | Bottom leading—measured in points. |
| Y1LN | Y first line—measured in points. Provides for top alinement of the first line of type in each column. |
| PRIND | Primary indent—measured in points. Indention of the first line of a locator. |
| SCIND | Secondary indent—measured in points. Indention of the second and all succeeding lines of a locator. |
| FRSLN PRIOR | First line priority—expressed as 0 through 4. Specifies the relative amount of carding that can be inserted, or removed, between the first line of a locator and the last line of the previous locator in order to justify the column. |
| NEXT PRIOR | Next priority—expressed as 0 through 4. Specifies the relative amount of carding that can be inserted, or removed, between all the lines of a locator in order to justify the column. |
| MINSP | Minimum word space—measured in relative units. |
| MAXSP | Maximum word space—measured in relative units. |
| RHOD | Running head, odd pages. |
| RHDE | Running head, even pages. |
| STORHD | Storage head—storage area number. |
| SETSZ | The set size for the type in this locator in tenths of a point. |
| NOSC | Number of subcolumns the locator should be divided into. |
| GPLD | Group leading. |
| PARLD | Paragraph leading. Leading between paragraphs, or locators—measured in points. |
| FOTP | Format type. |
| LDTP | Type of leadering—T (top); B (bottom). |
| GRNO | Grid number—1 through 4. |
| TFNO | Type face number—1 through 4. |
| LNTP | Line type—R (flush right); L (flush left); J (justify); C (center); V (variable). |
| TSFD | Typeset field—N (nontypeset); C (caps); L (small caps). |
| RUIDX | R—Line rule locator; I—Indexed locator. |
| LDCH | Leader character—decimal equivalent of leader character code. |
| LDRBLK | Leader blank—Y in this column will cause leaders if there is no data in it, but no leaders if data is present. |
| LDTF | Type face of leader character. |
| MCLN | Multicolumn text line 2 through 9. |
| HDTP | Heading type. |
| HIERY | Hierarchy of running head 1 through 6. |
| SEHD | Set head—N (first page); E (even page); O (odd page); B (both, odd and even); A (all); R (first and odd). |
| SPCL | Split column—S (start); E (end); B (both start and end); N (neither start nor end); W (widow logic); U (unit, will hold locator together). |
| SNPG | Start new page—Gets page start from the specifying number which follows:<br>If there is no chapterization:<br>0 Gets starting page number from TYPSET.FIL.<br>1 Gets starting page number from the format.<br>2 Continues folio count.<br>3 Continues folio count, next odd.<br>4 Continues folio count, next even.<br>If there is chapterization:<br>5 Gets starting page number from TYPSET.FIL.<br>6 Gets starting page number from the format.<br>7 Continues folio count.<br>8 Continues folio count, next odd.<br>9 Continues folio count, next even. |
| X-ST | X-Start. R for relative locators. |
| FTNOTE | Footnote. |
| SEPCH | Separator character. Decimal equivalent of the separator character code for relative locators. |
| SCTF | Separator character type face. |
| LNNBR | Line number. Figures here will cause the locator to get line numbers. Figures indicate size, as follows:<br>5 (5 point) 0 (10 point)<br>6 (6 point) 1 (11 point)<br>7 (7 point) 2 (12 point)<br>8 (8 point) 3 (13 point)<br>9 (9 point) 4 (14 point) |
| CNCS | Constant continued. |
| LOC POR TION | Portion of locator to be continued. |

## SPECIAL CHARACTERS FOR RECORD AND JOURNAL— EXCEPT THE ITALIC CONVERSION FORMATS

THESE CHARACTERS ARE AVAILABLE WITHOUT USING GRID CALLS

[USE GRIDS 5, 6, 7 or 8 WHEN NECESSARY]

| Character | Keyboard Position |
|---|---|
| | **MISCELLANEOUS CHARACTERS** |
| ○ | All Mark: Key Shift, Super-Shift Over Save-Get 1 |
| @ | At Sign: Key Shift Figure 2 |
| & | Small Cap Ampersand: Key Super-Shift Over Save-Get 7 |
| □ | Ballot Box: Key Shift, Super-Shift Over Save-Get 9 |
| £ | British Pound: Key Shift, Super-Shift Over Save-Get 7 |
| ● | Small Bullet: Key Shift Over Save-Get 1 |
| ¢ | Cent Sign: Key Shift Figure 6 |
| † | Dagger: Key Shift, Super-Shift Over Save-Get 6 |
| ‡ | Double Dagger: Key Shift Over Save-Get 9 |
| | F Dash: Key a cap F |
| | H Dash: Key a cap H |
| ¶ | Paragraph Symbol: Key Shift Over Save-Get 4 |
| ★ | Solid Star: Key Unshift Over Save-Get 9 |
| # | Scratch Sign: Key Shift Figure 3 |
| § | Twist (Section Mark): Key Shift Over Save-Get 3 |
| | **GREEK CHARACTERS** |
| δ | Lowercase Delta: Key Shift, Super-Shift Figure 7 |
| ϵ | Lowercase Epsilon: Key Shift, Super-Shift Figure 8 |
| μ | Lowercase Mu: Key Shift, Super-Shift Figure 0 |
| ϕ | Lowercase Phi: Key Shift, Super-Shift Figure 1 |
| | **MATH SIGNS** |
| + | Plus Sign: Key Unshift Over Save-Get 14 |
| − | Minus Sign: Key Shift, Super-Shift Over Save-Get 3 |
| × | Mult Sign: Key Shift, Super-Shift Over Save-Get 5 |
| ÷ | Divide Sign: Key Super-Shift Over Save-Get 2 |
| ± | Plus-Minus Sign: Key Super-Shift Over Save-Get 3 |
| = | Equal Sign: Key Shift Over Save-Get 14 |
| < | Less Than: Key Super-Shift Open Bracket |
| > | Greater Than: Key Shift, Super-Shift Close Bracket |
| ≤ | Less Than or Equal to: Key Super-Shift Over Save-Get 9 |
| ≥ | Greater Than or Equal to: Key Shift, Super-Shift Over Save-Get 10 |
| ° | Degree: Key Super-Shift Over Save-Get 8 |
| ′ | Single Prime: Key Shift, Super-Shift Over Save-Get 8 |
| ″ | Double Prime: Key Shift Over Save-Get 7 |
| | **PARENS, BRACES, BRACKETS** |
| ❨ | Black Open Paren: Key Unshift Over Save-Get 1 |
| ❩ | Black Close Paren: Key Unshift Over Save-Get 2 |
| ⟨ | Square Open Paren: Key Unshift Over Save-Get 10 |
| ⟩ | Square Close Paren: Key Shift Over Save-Get 10 |
| { | 1-Line Open Brace: Key Super-Shift Over Save-Get 4 |
| } | 1-Line Close Brace: Key Shift, Super-Shift Over Save-Get 4 |
| { | 3-Line Open Brace: Key Unshift Over Save-Get 5 |
| } | 3-Line Close Brace: Key Unshift Over Save-Get 6 |
| ❲ | Black Open Bracket: Key Unshift Over Save-Get 3 |
| ❳ | Black Close Bracket: Key Unshift Over Save-Get 4 |

# SPECIAL CHARACTERS FOR BILLS AND DOC INCLUDING THE ITALIC FORMATS

THESE CHARACTERS ARE AVAILABLE WITHOUT USING GRID CALLS

[USE GRIDS 5, 6, 7 or 8 WHEN NECESSARY]

| Character | Keyboard Position |
|---|---|
| | **MISCELLANEOUS CHARACTERS** |
| ○ | All Mark: Key Shift, Super-Shift Over Save-Get 1 |
| ⬅ | Solid Left Arrow: Key Unshift Over Save-Get 5 |
| ➡ | Solid Right Arrow: Key Unshift Over Save-Get 6 |
| @ | At Sign: Key Shift Figure 2 |
| ﹠ | Small Cap Ampersand: Key Super-Shift Over Save-Get 7 |
| ● | Small Bullet: Key Shift Over Save-Get 1 |
| ¢ | Cent Sign: Key Shift Figure 6 |
| † | Dagger: Key Shift, Super-Shift Over Save-Get 6 |
| ‡ | Double Dagger: Key Shift Over Save-Get 9 |
| ¶ | Paragraph Symbol: Key Shift Over Save-Get 4 |
| ★ | Solid Star: Key Unshift Over Save-Get 9 |
| # | Scratch Sign: Key Shift Figure 3 |
| § | Twist (Section Mark): Key Shift Over Save-Get 3 |
| | **GREEK CHARACTERS** |
| $\phi$ | Lowercase Phi: Key Shift, Super-Shift Figure 1 |
| $\theta$ | Lowercase Theta: Key Shift, Super-Shift Figure 2 |
| $\lambda$ | Lowercase Lambda: Key Shift, Super-Shift Figure 3 |
| $\beta$ | Lowercase Beta: Key Shift, Super-Shift Figure 5 |
| $\gamma$ | Lowercase Gamma: Key Shift, Super-Shift Figure 6 |
| $\delta$ | Lowercase Delta: Key Shift, Super-Shift Figure 7 |
| $\epsilon$ | Lowercase Epsilon: Key Shift, Super-Shift Figure 8 |
| $\mu$ | Lowercase Mu: Key Shift, Super-Shift Figure 0 |
| | **MATH SIGNS** |
| + | Plus Sign: Key Unshift Over Save-Get 14 |
| − | Minus Sign: Key Shift, Super-Shift Over Save-Get 3 |
| × | Mult Sign: Key Shift, Super-Shift Over Save-Get 5 |
| ÷ | Divide Sign: Key Super-Shift Over Save-Get 2 |
| ± | Plus-Minus Sign: Key Super-Shift Over Save-Get 3 |
| = | Equal Sign: Key Shift Over Save-Get 14 |
| < | Less Than: Key Super-Shift Open Bracket |
| > | Greater Than: Key Shift, Super-Shift Close Bracket |
| ≤ | Less Than or Equal to: Key Super-Shift Over Save-Get 9 |
| ≥ | Greater Than or Equal to: Key Shift, Super-Shift Over Save-Get 10 |
| ° | Degree: Key Super-Shift Over Save-Get 8 |
| ′ | Single Prime: Key Shift, Super-Shift Over Save-Get 8 |
| ″ | Double Prime: Key Shift Over Save-Get 7 |
| | **PARENS, BRACES, BRACKETS** |
| ❨ | Black Open Paren: Key Unshift Over Save-Get 1 |
| ❩ | Black Close Paren: Key Unshift Over Save-Get 2 |
| ⟨ | Square Open Paren: Key Unshift Over Save-Get 10 |
| ⟩ | Square Close Paren: Key Shift Over Save-Get 10 |
| { | 1-Line Open Brace: Key Super-Shift Over Save-Get 4 |
| } | 1-Line Close Brace: Key Shift, Super-Shift Over Save-Get 4 |
| ❲ | Black Open Bracket: Key Unshift Over Save-Get 3 |
| ❳ | Black Close Bracket: Key Unshift Over Save-Get 4 |

# VDT GRAPHICS DISPLAY

| | | | | | |
|---|---|---|---|---|---|
| \⅜\ | \⅞\ | \⅛\ | | \⅝\ | |
| \⅛\ | \⅝\ | \¼\ | \¾\ | \⅛\ | |
| | | EN | | EM | |
| | | EN | | EM | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ● | ¨ | ■ | \ | ‡ | ↑ | ¶ | } | ▒ | √ | ↓ | ¦ | ° | £ | © | ' | ‡ | □ | ˣ | ˢ | NUT | | EN | | ↑ | ⊳ | = | | ... | ... | ‖ | THIN SPACE | START COMMAND |
| ⅛ | e | ¼ | Ñ | ⅜ | ||| | ½ | { | ⅝ | \| | ¾ | © | ⅞ | & | ® | ° | ★ | ○ | ˇ | / | DASH | | EN | | ↑ | ⊳ | + | | .. | .. | ‖ | | |
| G-1 | Δ101 | G-2 | Δ102 | G-3 | Δ103 | G-4 | Δ104 | G-5 | Δ105 | G-6 | Δ106 | G-7 | Δ107 | G-8 | Δ108 | G-9 | Δ109 | G-10 | Δ110 | G-11 | Δ111 | G-12 | Δ112 | G-13 | Δ113 | G-14 | Δ114 | G-15 | Δ115 | G-16 | Δ116 | END COMMAND |
| G-1 | S-1 | G-2 | S-2 | G-3 | S-3 | G-4 | S-4 | G-5 | S-5 | G-6 | S-6 | G-7 | S-7 | G-8 | S-8 | G-9 | S-9 | G-10 | S-10 | G-11 | S-11 | G-12 | S-12 | G-13 | S-13 | G-14 | S-14 | G-15 | S-15 | G-16 | S-16 | |

| | |
|---|---|
| BEGIN TEXT | END TEXT |

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| H & J | 4 MODE 0 | 5 MODE 1 | 6 MODE 2 | 7 MODE 3 | READ | GET | STORE | NOT IN USE | DIREC-TORY | SIGN OFF | CANCEL EXECUTE | EXECUTE |

| | | |
|---|---|---|
| GO TO HEAD | ↑ | TOP SCREEN |
| GO TO TEXT | | BOTTOM SCREEN |
| ← | | → |
| TEXT DOWN | ↓ | TEXT UP |
| SUPER SHIFT | | REPEAT |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EM | EN | ! | ' | @ | ² | # | ³ | $ | ⁴ | % | ⁵ | ¢ | ⁶ | & | ⁷ | * | ⁸ | ( | ⁹ | ) | ° | — | - | ] | > | RUB OUT |
| , | EN | 1 | \1\ | 2 | \2\ | 3 | \3\ | 4 | \4\ | 5 | \5\ | 6 | \6\ | 7 | \7\ | 8 | \8\ | 9 | \9\ | ø | \ø\ | ⊙ | - | [ | < | |
| Δ | QM | Q | | W | | E | | R | | T | | Y | | U | | I | | O | | P | | QR | ▒ | QC | | |
| Δ | QM | q | ΔQ | w | ΔW | e | ΔE | r | ΔR | t | ΔT | y | ΔY | u | ΔU | i | ΔI | o | ΔO | p | ΔP | – | ▒ | QC | ▒ | |
| LOCK | | | A | | S | | D | | F | | G | | H | | J | | K | | L | | : | | ' | ▒ | | QUAD LEFT |
| | | | a | ΔA | s | ΔS | d | ΔD | f | ΔF | g | ΔG | h | ΔH | j | ΔJ | k | ΔK | l | ΔL | ; | ▼ | ' | ▒ | | |
| SHIFT | | | | Z | | X | | C | | V | | B | | N | | M | | , | ▒ | ⊙ | ¡ | . | ¿ | SHIFT | | |
| | | | | z | ΔZ | x | ΔX | c | ΔC | v | ΔV | b | ΔB | n | ΔN | m | ΔM | , | ? | ⊙ | ▒ | / | ▒ | | | |
| | | | | | | SPACE BAR | | | | | | | | | | | | | | | | | | | | |

| | |
|---|---|
| BEGIN/END BLOCK | COPY |
| DEFINE PARAGRAPH | MOVE |
| DEFINE SENTENCE | DELETE DEFINE |
| DEFINE LINE | DELETE LINE |
| DEFINE WORD | DELETE WORD |
| RESTORE DEFINE | DELETE CHARACTER |
| INSERT | INSERT LOCK |

APRIL 20, 1995

(Revised ~~August 1, 1990~~)



# Locator and Grid List

## CONGRESSIONAL RECORD TEXT

FORMATS (1st session) with masthead: 0624, 7634, 0636, 0637, 0666,

FORMATS (2d session) with masthead: 4624, 4634, 4636, 4637, 4666

(1st and 2d session) no masthead: 0634, 0625, 0626, 0635, 9920,[1] 9801,[2] 8634[3]

GRID 1—738

T1—Ionic Roman, Caps and lowercase (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 2—072

T1—Helvetica Roman, Caps and lowercase (71)
T2—**Helvetica Bold, Caps and lowercase** (72)
T3—*Helvetica Italic, Caps and lowercase* (73)
T4—HELVETICA ROMAN, CAPS AND SMALL CAPS (74)

GRID 3—739

T1—**Cheltenham Bold Condensed** (97)
T2—Garamond Bold, Caps and lowercase (182)
T3—Goudy Text, Size Range 4 (87)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 POINT—HEADS | | | | | | | | | | | |
| 81 | Roman, CAPS or Caps and lowercase, center | 8/9 | *1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 83 | Italic, CAPS or Caps and lowercase, center | 8/9 | *1 | 3 | V | 12 | 12 | 0 | 0 | 0 | S |
| 84 | CAPS, Caps and small caps, small caps, center | 8/9 | *1 | 4 | V | 10 | 12 | 0 | 0 | 0 | S |
| 85 | Roman, Caps and lowercase, flush and hang 1 em | 8/9 | *1 | 1 | J | 14 | 12 | 0 | 1 | 0 | S |
| 86 | Roman, CAPS or Caps and lowercase, center, has bottom lead of 6, for Extensions of Remarks only | 8/9 | *1 | 1 | V | 14 | 6 | 0 | 0 | 0 | S |
| 8 POINT—TEXT | | | | | | | | | | | |
| 10 | Flush paragraph | 8/9 | *1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (main paragraph) | 8/9 | *1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 12 | Flush and hang 2 ems | 8/9 | *1 | 1 | J | 9 | 0 | 0 | 2 | 0 | W |
| 13 | Flush and hang 3 ems | 8/9 | *1 | 1 | J | 9 | 0 | 0 | 3 | 0 | W |
| 18 | 3 em indent, overs 4 ems (introduced bills) | 8/9 | *1 | 1 | J | 9 | 0 | 3 | 4 | 0 | W |
| 80 | Relative locator (do not use in middle of a word) (use only in full measure text, locators 10 and 11) | 8/9 | *1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 7 POINT—HEADS | | | | | | | | | | | |
| 71 | Roman, CAPS or Caps and lowercase, center | 7/8 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 72 | 6 point bold roman, Caps, flush and hang 42 points (for report conversion, for bold Sec. line) | 6/7 | 1 | 2 | J | 9 | 9 | 0 | 7 | 0 | S |
| 73 | Italic, center | 7/8 | 1 | 3 | V | 10 | 10 | 0 | 0 | 0 | S |
| 74 | CAPS, Caps and small caps, small caps, center | 7/8 | *1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 75 | Bold roman, Caps and lowercase, flush and hang 1 em (for report conversion, for bold twist line) | 7/8 | 1 | 2 | J | 10 | 10 | 0 | 1 | 0 | S |
| 76 | CAPS, Caps and small caps, small caps, center (for report conversion) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 77 | Italic, flush and hang 2 ems (for report conversion) | 7/8 | 1 | 3 | J | 10 | 10 | 0 | 2 | 0 | S |
| 78 | Caps and small caps, center (for conversion from bills) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 87 | Italic, 1 em indent, overs 3 ems (for report conversion) | 7/8 | 1 | 3 | J | 10 | 10 | 1 | 3 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 7/8 | *1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 7 POINT—TEXT | | | | | | | | | | | |
| 14 | Flush and hang 2 ems | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems (for poetry) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 3 | 0 | W |
| 16 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—1 line entries) | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 0 | S |
| 17 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—2 lines or more) | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 0 | W |
| 20 | Flush paragraph | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) † | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 22 | Flush paragraph (will indent 2 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 23 | Flush paragraph (will squeeze 2 ems on left and right in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 24 | Flush paragraph (will indent 4 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 25 | Roman, indented 3 ems, use for "Sincerely" | 7/8 | 1 | 1 | L | 8 | 0 | 3 | 0 | 0 | N |
| 26 | Flush paragraph (will indent 6 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 27 | 1 em paragraph (for Bill conversion, Whereas clause) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 28 | Flush paragraph (will indent 8 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 29 | 1 em paragraph (for Bill conversion, indent under Whereas clause) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 30 | Flush paragraph (will indent 10 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure text, locators 20 and 21) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SIGNATURES—7 POINT | | | | | | | | | | | |
| 34 | Caps and small caps, flush left on 9 picas (for alining signatures) | 7/8 | 1 | 4 | L | 8 | 0 | — | — | — | B |
| 35 | Caps and lowercase, indented 1 em on 9 picas (to use with 34) | 7/8 | 1 | 1 | J | 8 | 0 | — | — | — | W |
| 36 | Caps and lowercase, 2 em indent, overs 3 ems, for 8 signatures or more to letters | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | W |
| MEETINGS, in Extension of Remarks—7 POINT | | | | | | | | | | | |
| 40 | Date, center | 7/8 | 1 | 1 | C | 10 | 10 | 0 | 0 | 0 | S |
| 41 | Time, flush left | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | S |
| 42 | Committee, 1 em indent, overs 3 ems | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 0 | S |
| 43 | What meeting is about, 2 em indent, overs 3 ems | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | W |
| 44 | Where, flush right | 7/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | E |
| LETTERS—7 POINT | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 7/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 7/8 | 1 | 3 | J | 8 | 0 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 7/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 1 | E |
| 59 | Italic, flush right, use when bullet required | 7/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | E |
| 60 | 8 point, Caps and small caps, flush right, use for President's sig. to letter to Congress, key 1 em on right | 8/9 | *1 | 4 | R | 9 | 0 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 7/8 | 1 | 4 | J | 8 | 0 | 2 | 3 | 3 | S |
| INDEXING | | | | | | | | | | | |
| 19 | Roman, CAPS or Caps and lowercase, center, USED FOR DIGEST INDEXED HEADS ONLY | 8/9 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 86 | CAPS, Caps and small caps, small caps, center, USED FOR DIGEST INDEXED HEADS ONLY | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 50 | Flush and hang 1 em, sets caps regardless of how its keyed, is in 9801 only | 5/6 | 1 | 1 | J | 6 | 0 | 0 | 5 | 0 | B |
| 62 | 2 em dash | — | — | — | — | — | — | — | — | — | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | N |
| 64 | 7 em dash | — | — | — | — | — | — | — | — | — | N |
| 65 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | F dash, 1 col, key a cap F | — | 7 | 2 | — | — | — | — | — | — | E |
| 67 | H dash, 3 col, key a cap H | — | 7 | 2 | — | — | — | — | — | — | E |
| 82 | 12 point Cheltenham Bold, for Congressman's name in Extensions of Remarks | 12/12 | 3 | 1 | C | 14 | 10 | 0 | 0 | 0 | S |
| 92 | For 2 col, double up, use with ΔP † | 7/8 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with ΔP | 6/7 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with ΔN, will make up at bottom of column | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |

[1] In subformat 9920, locators tagged with an (*) are in grid 2, Helvetica.

SPECIAL INSTRUCTIONS FOR GRAPHICS IN THE RECORD, USE SUBFORMAT 9600. LOCATORS Δ104, Δ105, Δ106 FOR 1-COL. GRAPHICS. Δ194, Δ195, Δ196 FOR 3-COL. GRAPHICS; THERE ARE NO 2-COL. GRAPHICS.

FOR RECORD PICKUP SPEECHES TO PRINT WITH A MASTHEAD, SEE PAGE 14 (F5666 and F7666).

FOR RECORD PICKUP SPEECHES TO PRINT WITHOUT A MASTHEAD, F6665, 6-PICA SINK, BOTTOM FOLIO.

[2] Subformat 9801 is for Nominations only. All locators are the same as 0634, except for 21, 50, and 92. These are 5 point and are all caps regardless of how they are keyed. Locator 50 is not in 0634.

[3] Subformat 8634 is the same as 0634, BUT ALL locators are 3-col spanners.

# Locator and Grid List

## *ITALIC CONGRESSIONAL RECORD TEXT*

## *FORMATS 6333, 8633**

GRID 1—741

T1—*Ionic Italic, Caps and lowercase* (143)
T2—*Century Bold Italic, Caps and lowercase* (248)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—739

T1—**Cheltenham Bold Condensed** (97)
T2—Garamond Bold, Caps and lowercase (182)
T3—Goudy Text, Size Range 1 (87)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

### FOR CONFERENCE REPORTS IN RECORD, TO BE CONVERTED TO REPORT STYLE

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 POINT—HEADS | | | | | | | | | | | |
| 81 | CAPS or Caps and lowercase, center | 8/9 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 83 | CAPS or Caps and lowercase, center | 8/9 | 1 | 3 | V | 12 | 12 | 0 | 0 | 0 | S |
| 84 | CAPS, Caps and small caps, small caps, center | 8/9 | 1 | 4 | V | 10 | 12 | 0 | 0 | 0 | S |
| 85 | Caps and lowercase, flush and hang 1 em | 8/9 | 1 | 1 | J | 14 | 12 | 0 | 1 | 0 | S |
| 86 | CAPS or Caps and lowercase, center, has bottom lead of 6 | 8/9 | 1 | 1 | V | 14 | 6 | 0 | 0 | 0 | S |
| 8 POINT—TEXT | | | | | | | | | | | |
| 10 | Flush paragraph | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (main paragraph) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 12 | Flush and hang 2 ems | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 2 | 0 | W |
| 13 | Flush and hang 3 ems | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 3 | 0 | W |
| 18 | 3 em indent, overs 4 ems (introduced bills) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | W |
| 80 | Relative locator (do not use in middle of a word) (use only in full measure text, locators 10 and 11) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 7 POINT—HEADS | | | | | | | | | | | |
| 71 | CAPS or Caps and lowercase, center | 7/8 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 72 | 6 point bold italic, Caps, flush and hang 42 points (for report conversion, for bold Sec. line) | 6/7 | 1 | 2 | J | 9 | 9 | 0 | 7 | 0 | S |
| 73 | Center | 7/8 | 1 | 3 | V | 10 | 10 | 0 | 0 | 0 | S |
| 74 | CAPS, Caps and small caps, small caps, center | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 75 | Caps and lowercase, flush and hang 1 em (for report conversion, for bold twist line) | 7/8 | 1 | 2 | J | 10 | 10 | 0 | 1 | 0 | S |
| 76 | CAPS, Caps and small caps, small caps, center (for report conversion) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 77 | Flush and hang 2 ems (for report conversion) | 7/8 | 1 | 3 | J | 10 | 10 | 0 | 2 | 0 | S |
| 78 | Caps and small caps, center (for conversion from bills) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 87 | 1 em indent, overs 3 ems (for report conversion) | 7/8 | 1 | 3 | J | 10 | 10 | 1 | 3 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 7 POINT—TEXT | | | | | | | | | | | |
| 14 | Flush and hang 2 ems (for Section of Contents in bill language) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems (for poetry) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 3 | 0 | W |
| 16 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—1 line entries) | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 0 | S |
| 17 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—2 lines or more) | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 0 | W |
| 20 | Flush paragraph | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 22 | Flush paragraph (will indent 2 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 23 | Flush paragraph (will squeeze 2 ems on left and right in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 24 | Flush paragraph (will indent 4 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 25 | Indented 3 ems, use for "Sincerely" | 7/8 | 1 | 1 | L | 8 | 0 | 3 | 0 | 0 | N |
| 26 | Flush paragraph (will indent 6 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 27 | 1 em paragraph (for Bill conversion, Whereas clause) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 28 | Flush paragraph (will indent 8 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 29 | 1 em paragraph (for Bill conversion, indent under Whereas clause) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 30 | Flush paragraph (will indent 10 ems on left in reports, must prep and key first line indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure text, locators 20 and 21) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |

FOR CONFERENCE REPORTS IN RECORD, TO BE CONVERTED TO REPORT STYLE—Continued

| Locator No. | Description | Point Size | Gnc No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page Enc |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SIGNATURES—7 POINT | | | | | | | | | | | |
| 34 | Caps and small caps, flush left on 9 picas (for alining signatures) | 7/8 | 1 | 4 | L | 8 | 0 | — | — | — | B |
| 35 | Caps and lowercase, indented 1 em on 9 picas (to use with 34) | 7/8 | 1 | 1 | J | 8 | 0 | — | — | — | W |
| 36 | Caps and lowercase, 2 em indent, overs 3 ems, for 8 signatures or more to letters | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | W |
| MEETINGS, in Extension of Remarks | | | | | | | | | | | |
| 40 | Date, center | 7/8 | 1 | 1 | C | 10 | 10 | 0 | 0 | 0 | S |
| 41 | Time, flush left | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | S |
| 42 | Committee, 1 em indent, overs 3 ems | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 0 | S |
| 43 | What meeting is about, 2 em indent, overs 3 ems | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | W |
| 44 | Where, flush right | 7/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | E |
| LETTERS—7 POINT | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | S |
| 53 | 1 em from right (TOP) | 7/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | S |
| 55 | Flush and hang 2 ems, second line of introduction | 7/8 | 1 | 3 | J | 8 | 0 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 7/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | E |
| 58 | 1 em from right (BOTTOM) | 7/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 1 | E |
| 59 | Flush right, use when bullet required | 7/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | E |
| 60 | 8 point, Caps and small caps, flush right, use for President's sig. to letter to Congress, key 1 em on right | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 7/8 | 1 | 4 | J | 8 | 0 | 2 | 3 | 3 | S |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 62 | 2 em dash | — | — | — | — | — | — | — | — | — | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | N |
| 64 | 7 em dash | — | — | — | — | — | — | — | — | — | N |
| 65 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | F dash, 1 col, key a cap F | — | 7 | 2 | — | — | — | — | — | — | E |
| 67 | H dash, 3 col, key a cap H | — | 7 | 2 | — | — | — | — | — | — | E |
| 82 | 12 point Cheltenham Bold, for Congressman's name in Extensions of Remarks | 12/12 | 3 | 1 | C | 14 | 10 | 0 | 0 | 0 | S |
| 92 | For 2 col, double up, use with Δ P | 7/8 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 6/7 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |

*Subformat 8633 is the same as 6333, BUT ALL locators are 3-col spanners.

# Locator and Grid List

## EXTENSIONS OF REMARKS — SEPARATES

FORMAT (1st session) with masthead: 5666

FORMAT (2d session) with masthead: 7666

| GRID 1—738 | GRID 3—739 |
|---|---|
| T1—Ionic Roman, Caps and lowercase (141) | T1—**Cheltenham Bold Condensed** (97) |
| T2—**Century Bold, Caps and lowercase** (242) | T2—**Garamond Bold, Caps and lowercase** (182) |
| T3—*Ionic Italic, Caps and lowercase* (143) | T3—**Goudy Text, Size Range 4** (87) |
| T4—IONIC ROMAN, CAPS AND SMALL CAPS (144) | T4—*Century Italic, Caps and lowercase* (243) |
| **GRID 2—242** | **GRID 4—740** |
| T1—~~**Century Bold Cancelled, Caps and lowercase (252)**~~ | T1—Gothic No. 17 (Subformat Generation) (17) |
| T2—***Century Bold Italic, Caps and lowercase (248)*** | T2—Greek Math Light (31) |
| T3—*CONGRESSIONAL ITALIC, CAPS AND SMALL CAPS (47)* | T3—*Garamond Bold Italic, Size Range 4* (189) |
| T4—OPEN | T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150) |

Note—Locators 01, 18, 24, 31, 32, 33, and 79 are in skeleton: REMARK.SEP[26,26] — use as applicable. Subformat Δ S0634 follows for text picked-up from the Congressional Record Extensions of Remarks.

# Locator and Grid List

## CONGRESSIONAL RECORD AND JOURNALS LEADERWORK

## FORMAT 0655

GRID 1—738

T1—Ionic Roman, Caps and lowercase (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—739

T1—**Cheltenham Bold Condensed** (97)
T2—Garamond Bold, Caps and lowercase (182)
T3—Gothic Text, Size Range 4 (87)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 7 point, italic, centered, head locator, will continue when table runs over to next column | 7/8 | 1 | 3 | V | 12 | 10 | 0 | 0 | 0 | S |
| 05 | 6 point italic, indented 4 ems, over stub, FOTP of 1 | 6/8 | 1 | 3 | J | 8 | 0 | 4 | 5 | 0 | S |
| 06 | 6 point Italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | S |
| 07 | 7 point, flush right, for all figures, FOTP of 3 | 7/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | B |
| ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 2 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 4 | S |
| 12 | 1 em indent, overs 3 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 4 | S |
| 13 | 2 em indent, overs 4 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 4 | S |
| 14 | Flush and hang 1 em—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 4 | B |
| 15 | 1 em indent, overs 2 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 4 | B |
| 16 | 2 em indent, overs 3 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 4 | B |
| 17 | 3 em indent, overs 4 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 4 | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 2 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 6 | S |
| 22 | 1 em indent, overs 3 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 6 | S |
| 23 | 2 em indent, overs 4 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 6 | S |
| 24 | Flush and hang 1 em—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 6 | B |
| 25 | 1 em indent, overs 2 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 6 | B |
| 26 | 2 em indent, overs 3 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 6 | B |
| 27 | 3 em indent, overs 4 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 6 | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 66 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 2 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | — | S |
| 32 | 1 em indent, overs 3 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | — | S |
| 33 | 2 em indent, overs 4 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | — | S |
| 34 | Flush and hang 1 em—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 35 | 1 em indent, overs 2 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 36 | 2 em indent, overs 3 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 37 | 3 em indent, overs 4 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Flush and flush, bold, key 1 em for ¶ (Cross Reference) | 7/8 | 1 | 2 | J | 8 | 0 | 0 | 0 | 0 | B |
| 42 | Table of Contents, flush and hang 49 points | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 7 | 0 | B |
| 43 | Table of Contents, indented 14 points, overs 49 points | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 7 | 0 | B |
| 44 | Same as locator 42 | 7/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, flush and hang 1 em | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 1 | 0 | B |
| 48 | Right column, reading column, flush and hang 1 em | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 1 | 0 | B |
| 49 | Left column boxhead, flush and hang 1 em | 7/8 | 1 | 1 | J | 8 | 0 | 1 | — | — | S |
| 50 | Right column boxhead, flush right over figures | 7/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leaders to 28 points | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures, FOTP of 3 | 7/8 | 1 | 1 | R | 8 | 0 | — | — | 0 | B |
| 53 | Left column boxhead for tax table—see sample | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 5 | — | S |
| 54 | Right column boxhead for tax table—see sample | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 0 | 0 | S |
| 55 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | S |
| 56 | See sample | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | B |
| 57 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | B |
| 58 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | S |
| 59 | See sample | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | S |
| 60 | Leaders to 28 points, flush and hang 2 ems, use loc. 52 for figures | 7/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 61 | Flush right on 12 points, to align points on right, like in Roman numerals, FOTP of 1 | 6/7 | 1 | 1 | R | 7 | 0 | — | — | — | B |
| 62 | Comes in after loc. 61, leaders to 28 points, FOTP of 2 | 6/7 | 1 | 1 | J | 7 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 6/7 | 1 | 1 | R | 7 | 0 | — | — | — | B |
| TELEPHONE LEADERING | | | | | | | | | | | |
| 80 | Flush and hang 1 em (key Δ L for flush right figs) (for clear, don't use Δ L) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 82 | 1 em indent, overs 2 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 84 | 2 em indent, overs 3 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 86 | 3 em indent, overs 4 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 64 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no Δ N function | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| HEADS | | | | | | | | | | | |
| 71 | 6 point center | 6/7 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 73 | 7 point, bold center | 7/8 | 1 | 2 | V | 10 | 10 | 0 | 0 | 0 | S |
| 74 | 7 point, CAPS, Caps and small caps, small caps, centered | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 78 | 7 point, bold center | 7/8 | 1 | 2 | V | 10 | 10 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |

Subformat 9919, Helvetica leaderwork, to go with 9920, same as 0655. Seldom, if ever, used.

# Locator and Grid List

## *ALL ITALIC CONGRESSIONAL RECORD AND JOURNALS LEADERWORK*

## *FORMAT 6343*

GRID 1—741

T1—*Ionic Italic, Caps and lowercase* (143)
T2—*Century Bold Italic, Caps and lowercase* (248)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—*CENTURY ITALIC, CAPS AND LOWERCASE* (243)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—739

T1—**Cheltenham Bold Condensed** (97)
T2—**Garamond Bold, Caps and lowercase** (182)
T3—Goudy Text, Size Range 4 (87)
T4—*Ionic Italic, Caps and small caps* (150)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

### ALL ITALIC TO BE USED WITH TEXT SUBFORMAT 6333—FOR ITALIC CONFERENCE REPORTS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 7 point, italic, centered, head locator, will continue when table runs over to next column | 7/8 | 1 | 3 | V | 12 | 10 | 0 | 0 | 0 | S |
| 05 | 6 point italic, indented 4 ems over stub, FOTP of 1 | 6/8 | 1 | 3 | J | 8 | 0 | 4 | 5 | 0 | S |
| 06 | 6 point Italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | S |
| 07 | 7 point, flush right, for all figures, FOTP of 3 | 7/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | B |
| ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 2 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 4 | S |
| 12 | 1 em indent, overs 3 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 4 | S |
| 13 | 2 em indent, overs 4 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 4 | S |
| 14 | Flush and hang 1 em—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 4 | B |
| 15 | 1 em indent, overs 2 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 4 | B |
| 16 | 2 em indent, overs 3 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 4 | B |
| 17 | 3 em indent, overs 4 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 4 | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 2 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 6 | S |
| 22 | 1 em indent, overs 3 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 6 | S |
| 23 | 2 em indent, overs 4 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 6 | S |
| 24 | Flush and hang 1 em—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 6 | B |
| 25 | 1 em indent, overs 2 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 6 | B |
| 26 | 2 em indent, overs 3 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 6 | B |
| 27 | 3 em indent, overs 4 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 6 | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 66 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 2 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | — | S |
| 32 | 1 em indent, overs 3 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | — | S |
| 33 | 2 em indent, overs 4 ems—Clear | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | — | S |
| 34 | Flush and hang 1 em—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 35 | 1 em indent, overs 2 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 36 | 2 em indent, overs 3 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 37 | 3 em indent, overs 4 ems—Leader | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |

10-014 0 - 90 - 2/10002

ALL ITALIC TO BE USED WITH TEXT SUBFORMAT 6333—FOR ITALIC CONFERENCE REPORTS—Continued

| Locator No. | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pr | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Flush and flush, bold, key 1 em for ¶ (Cross Reference) | 7/8 | 1 | 2 | J | 8 | 0 | 0 | 0 | 0 | B |
| 42 | Table of Contents, flush and hang 49 points | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 7 | 0 | B |
| 43 | Table of Contents, indented 14 points, overs 49 points | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 7 | 0 | B |
| 44 | Same as locator 42 | 7/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, flush and hang 1 em | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 1 | 0 | B |
| 48 | Right column, reading column, flush and hang 1 em | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 1 | 0 | B |
| 49 | Left column boxhead, flush and hang 1 em | 7/8 | 1 | 1 | J | 8 | 0 | 1 | — | — | S |
| 50 | Right column boxhead, flush right over figures | 7/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leaders to 28 points | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures, FOTP of 3 | 7/8 | 1 | 1 | R | 8 | 0 | — | — | 0 | B |
| 53 | Left column boxhead for tax table—see sample | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 5 | — | S |
| 54 | Right column boxhead for tax table—see sample | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 0 | 0 | S |
| 55 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | S |
| 56 | See sample | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | B |
| 57 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | B |
| 58 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | S |
| 59 | See sample | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | S |
| 60 | Leaders to 28 points, flush and hang 2 ems, use loc. 52 for figures | 7/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 61 | Flush right on 12 points, to align points on right, like in Roman numerals, FOTP of 1 | 6/7 | 1 | 1 | R | 7 | 0 | — | — | — | B |
| 62 | Comes in after loc. 61, leaders to 28 points, FOTP of 2 | 6/7 | 1 | 1 | J | 7 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 6/7 | 1 | 1 | R | 7 | 0 | — | — | — | B |
| TELEPHONE LEADERING | | | | | | | | | | | |
| 80 | Flush and hang 1 em (key ΔL for flush right figs) (for clear, don't use ΔL) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 82 | 1 em indent, overs 2 ems (key ΔL for flush right figs) (for clear, don't use ΔL) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 84 | 2 em indent, overs 3 ems (key ΔL for flush right figs) (for clear, don't use ΔL) | 7/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 86 | 3 em indent, overs 4 ems (key ΔL for flush right figs) (for clear, don't use ΔL) | 7/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 64 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no ΔN function | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| HEADS | | | | | | | | | | | |
| 71 | 6 point center | 6/7 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 73 | 7 point, bold center | 7/8 | 1 | 2 | V | 10 | 10 | 0 | 0 | 0 | S |
| 74 | 7 point, CAPS, Caps and small caps, small caps, centered | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 78 | 7 point, bold center | 7/8 | 1 | 2 | V | 10 | 10 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |

United States of America

# Congressional Record

PROCEEDINGS AND DEBATES OF THE 100th CONGRESS, SECOND SESSION

Vol. 134 WASHINGTON, WEDNESDAY, JANUARY 6, 1988 No. 001

# House of Representatives

(10) Locator 10, 8 point, flush paragraph locator, full measure. To be used in the main text portion of the record. Locator 10. Locator 10, 8 point, flush paragraph locator. To be used in the main text portion of the record. Locator 10. Locator 10, 8 point, flush paragraph locator. To be used in the main text portion of the record. Locator 10.

(11) Locator 11, 8 point, full measure paragraph locator, first line has 1-em indent built in. This is the main paragraph locator for the big type, which is the proceedings. Locator 11, 8 point, full measure paragraph locator, first line has 1-em indent built in. This is the main paragraph locator for the big type, which is the proceedings. Locator 11, 8 point, full measure paragraph locator, first line has 1-em indent built in. This is the main paragraph locator for the big type, which is the proceedings.

(12) Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems.

(12) □ 1-m —Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Must key the 1-em indent in front of the dash.

—Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Must key the 1-em indent in front of the dash.

—Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Must key the 1-em indent in front of the dash.

(13) Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems.

(14) Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems.

(15) Locator 15, 7 point, flush and hang 3 ems. To be used for poetry, etc. Same as old locator 61. Locator 15, 7 point, flush and hang 3 ems. To be used for poetry, etc. Same as old locator 61. Locator 15, 7 point, flush and hang 3 ems. To be used for poetry, etc. Same as old locator 61. Locator 15, 7 point, flush and hang 3 ems. To be used for poetry, etc. Same as old locator 61.

(16) Locator 16, 7 point, 3-em indent, overs 4 ems. To be used in the briefs, for 1-line entries. Old locator 47. Locator 16, 7 point, 3-em indent, overs 4 ems. To be used in the briefs, for 1-line entries. Locator 16, 7 point, 3-em indent, overs 4 ems. To be used in the briefs, for 1-line entries.

(17) Locator 17, 7 point, 3-em indent, overs 4 ems. To be used in the briefs, for entries of more than 1 line. Same locator as before. Locator 17, 7 point, 3-em indent, overs 4 ems. To be used in the briefs, for entries of more than 1 line. Same locator as before.

(18) Locator 18, 8 point, 3-em indent, overs 4 ems. For Senate introduction of bills. Locator 18, 8 point, 3-em indent, overs 4 ems. For Senate introduction of bills. Locator 18, 8 point, 3-em indent, overs 4 ems. For Senate introduction of bills.

(20) Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure.

(21) Locator 21, 7 point, full measure main paragraph locator. The first line has the 1-em indent built in. Locator 21, 7 point, full measure main paragraph locator. The first line has the 1-em indent built in. Locator 21, 7 point, full measure main paragraph locator. The first line has the 1-em indent built in.

(22) Locator 22, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 2 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

(23) Locator 23, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report, the data will then be squeezed 2 ems on the left and right, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

(24) Locator 24, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 4 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

(25) Locator 25, 7 point, indented 3 ems on left. To be used for "Sincerely" etc., in letters.

(26) Locator 26, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 6 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

(28) Locator 28, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 8 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

□ This symbol represents the time of day during the House proceedings, e.g., □ 1407 is 2:07 p.m.

Matter set in this typeface indicates words inserted or appended, rather than spoken, by a Member of the House on the floor.

(30) Locator 30, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 10 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

Locators 31, 32, 33, are for the running datelines, and are not to be prepped at any time.

Following is locators 34, 35, 36, which are 7 point locators for signatures.

(34) LOCATOR 34,
CAPS AND SM CAPS,
FLUSH LEFT ON 9 PICAS.

(35) Locator 35,
Caps and lc,
1 em under 34.

(36) Locator 36, for signatures to letters, with 8 or more names. Caps and lc, indented 2 ems, overs 3 ems.

(b) CROSS REFERENCE.—

**Locator 41 in format S0655, bold flush paragraph, key 1-em for paragraph, used in conversion program.**

(20) Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure.

A test of a rollcall follows:

(71) [Roll No. 292]

(71) ANSWERED "PRESENT"—363

(93) (P)

Addabbo
Akaka
Alexander
Anderson
Andrews
Annunzio
Anthony
Ashbrook
Aspin
Atkinson
Aucoin
Badham
Bafalis
Bailey (MO)
Bailey (PA)
Bedell
Beilenson
Benedict
Benjamin
Bennett
Bereuter
Bethune
Bevill
Biaggi
Bingham
Blanchard
Bliley
Boland
Boner
Bonior
Bonker
Bouquard
Bowen
Breaux
Brinkley
Brooks
Broomfield
Brown (CA)
Brown (CO)
Broyhill
Burgener
Burton, Phillip
Butler
Byron
Campbell
Carman
Carney
Chappell
Chappie
Cheney
Clausen
Clinger
Coats
Coelho
Coleman
Collins (IL)
Collins (TX)
Conable
Conte
Conyers
Corcoran
Coughlin
Courter
Coyne, James
Coyne, William
Craig
Crane, Daniel
Crane, Philip
Daniel, R.W.
Danielson
Dannemeyer
Daschle
Daub
Davis
De La Garza
Deckard
Derrick
Derwinski
Dicks
Dixon
Donnelly
Dorgan
Dornan
Dougherty
Dowdy
Downey
Dreier
Duncan
Dunn
Dwyer
Dymally
Dyson
Early
Edwards (AL)
Edwards (CA)
Edwards (OK)
Emerson
Emery
English
Erdahl
Erlenborn
Ertel
Evans (DE)
Evans (GA)
Evans (IA)
Evans (IN)
Fary
Fenwick
Ferraro
Fiedler
Fields
Findley
Fish
Fithian
Flippo
Foglietta
Foley
Ford (TN)
Forsythe
Fountain
Fowler
Frank
Frost
Fuqua
Garcia
Gaydos
Gejdenson
Gephardt
Gilman
Gingrich
Ginn
Glickman
Gonzalez
Goodling
Gore
Gradison
Gramm
Gray
Green
Gregg
Grisham
Guarini
Gunderson
Hagedorn
Hall (OH)
Hall, Ralph
Hall, Sam
Hamilton
Hammerschmidt
Hance
Hansen (ID)
Hansen (UT)
Harkin
Hartnett
Hatcher
Heckler
Hefner
Heftel
Hendon
Hertel
Hightower
Hiler
Hillis
Hollenbeck
Holt
Howard
Hubbard
Hughes
Hunter
Hutto
Jacobs
Jeffords
Jeffries
Jenkins
Johnston
Jones (OK)
Jones (TN)
Kastenmeier
Kazen
Kemp
Kildee
Kindness
Kogovsek
Kramer
LaFalce
Lagomarsino
Lantos
Latta
Leach
Leath
LeBoutillier
Leland
Lent
Levitas
Lewis
Livingston
Loeffler
Long (LA)
Long (MD)
Lott
Lowery (CA)
Lowry (WA)
Lujan
Luken
Lundine
Lungren
Madigan
Markey
Marks
Marlenee
Marriott
Martin (IL)
Mattox
Mazzoli
McClory
McCloskey
McCollum
McCurdy
McDade
McDonald
McEwen
McGrath
McHugh
Mica
Mikulski
Miller (CA)
Miller (OH)
Mineta
Minish
Mitchell (NY)
Moakley
Moffett
Molinari
Montgomery
Moore
Moorhead
Morrison
Mottl
Murphy
Murtha
Myers
Napier
Natcher
Neal
Nelligan
Nelson
Nichols
Nowak
O'Brien
Oberstar
Obey
Ottinger
Oxley
Panetta
Parris
Patman
Patterson
Paul
Pease
Petri
Peyser
Pickle
Porter
Price
Pritchard
Pursell
Rahall
Railsback
Rangel
Ratchford
Regula
Reuss
Rhodes
Richmond
Rinaldo
Ritter
Roberts (KS)
Roberts (SD)
Robinson
Rodino
Roemer
Rogers
Rose
Rosenthal
Rostenkowski
Roth
Roukema
Rousselot
Roybal
Rudd
Russo
Sabo
Sawyer
Schneider
Schroeder
Schulze
Schumer
Seiberling
Sensenbrenner
Shamansky
Shannon
Sharp
Shaw
Shelby
Shumway
Simon
Skeen
Skelton
Smith (AL)
Smith (NE)
Smith (NJ)
Smith (PA)
Snowe
Snyder
Solarz
Solomon
Spence
St Germain
Stangeland
Stanton
Staton
Stenholm
Stokes
Stratton
Studds
Stump
Swift
Synar
Tauke
Tauzin
Thomas
Traxler
Trible
Udall
Vander Jagt
Vento
Volkmer
Walgren
Walker
Wampler
Washington
Watkins
Weaver
Weber (MN)
Weber (OH)
Whitehurst
Whitley
Whittaker
Whitten
Williams (MT)
Wilson
Winn
Wirth
Wolf
Wortley
Wyden
Wylie
Yates
Yatron
Young (AK)
Young (FL)
Young (MO)
Zeferetti

Following is a sample of locators 40, 41, 42, 43, and 44. These locators are 7 point locators to be used for the meetings, the same as before.

JANUARY 1 (40)

8:30 a.m. (41)
Energy and Natural Resources (42)
To resume closed hearings to assess the political, military, economic, and social factors affecting world oil production. (43)
S-407, Capitol (44)

(40) Date, centered

(41) Time, Flush left

(42) Committee, 1-em indent, overs 3 ems.

(43) What meeting is about, 2-em indent, overs 3 ems.

(44) Where, flush right.

[Roll No. 293]

AYES—90

Addabbo
Anderson
Aucoin
Barnes
Bedell
Beilenson
Benjamin
Bingham
Bonior
Bonker
Brodhead
Burton, John
Burton, Phillip
Clay
Collins (IL)
Conyers
Crockett
Deckard
Dellums
Donnelly
Dorgan
Downey
Early
Edwards (CA)
Edwards (OK)
Erdahl
Evans (IN)
Fish
Fithian
Ford (TN)
Frank
Gejdenson
Glickman
Gonzalez
Gore
Gray
Guarini
Harkin
Hertel
Jacobs
Jeffords
Kastenmeier
Kildee
Leach
Leland
Long (MD)
Lowry (WA)
Markey
Mattox
Mavroules
Mikulski
Miller (CA)
Minish
Mitchell (MD)
Moakley
Moffett
Molinari
Mottl
Oakar
Oberstar
Panetta
Patterson
Rangel
Ratchford
Reuss
Richmond
Rodino
Rosenthal
Roybal
Sabo
Schneider
Schroeder
Schumer
Seiberling
Shannon
Simon
Solarz
St Germain
Stark
Stokes
Studds
Synar
Walgren
Washington
Waxman
Weaver
Weber (MN)
Weiss
Wyden
Yates

NOES—304

Akaka
Albosta
Alexander
Andrews
Annunzio
Anthony
Applegate
Ashbrook
Aspin
Atkinson
Badham
Bafalis
Bailey (MO)
Bailey (PA)
Beard
Benedict
Bennett
Bereuter
Bethune
Bevill
Biaggi
Blanchard
Bliley
Boggs
Boland
Boner
Bouquard
Bowen
Breaux
Brinkley
Brooks
Broomfield
Brown (CA)
Brown (CO)
Broyhill
Burgener
Butler
Byron
Campbell
Carman
Carney
Chappell
Chappie
Cheney
Clausen
Clinger
Coats
Coelho
Coleman
Collins (TX)
Conable
Conte
Corcoran
Coughlin
Courter
Coyne, James
Coyne, William
Craig
Crane, Daniel
Crane, Philip
D'Amours
Daniel, Dan
Daniel, R.W.
Dannemeyer
Daschle
Daub
Davis
De La Garza
DeNardis
Derrick
Derwinski
Dicks
Dingell
Dixon
Dornan
Dougherty
Dowdy
Dreier
Duncan
Dunn
Dwyer
Dymally
Dyson
Edwards (AL)
Emerson
Emery
English
Erlenborn
Ertel
Evans (DE)
Evans (GA)
Evans (IA)
Fary
Fascell
Fazio
Fenwick
Ferraro
Fiedler
Fields
Findley
Flippo
Foglietta
Foley
Forsythe
Fountain
Fowler
Frost
Fuqua
Gaydos
Gephardt
Gibbons
Gilman
Gingrich
Ginn
Goodling
Gradison
Gramm
Green
Gregg
Grisham
Gunderson
Hagedorn
Hall (OH)
Hall, Ralph
Hall, Sam
Hamilton
Hammerschmidt
Hance
Hansen (ID)
Hansen (UT)
Hartnett
Hatcher
Heckler
Hefner
Heftel
Hendon
Hightower
Hiler
Hillis
Hollenbeck
Holt
Howard
Hoyer
Hubbard
Hughes
Hunter
Hutto
Ireland
Jeffries
Jenkins
Jones (OK)
Jones (TN)
Kazen
Kemp
Kindness
Kogovsek
Kramer
LaFalce
Lagomarsino
Lantos
Latta
Leath
LeBoutillier
Lent
Levitas
Lewis
Livingston
Loeffler
Long (LA)
Lott
Lowery (CA)
Lujan
Luken
Lundine
Lungren
Marks
Marlenee
Marriott
Martin (IL)
Martin (NC)
Mazzoli
McClory
McCloskey
McCollum
McCurdy
McDade
McDonald
McEwen
McGrath
McHugh
McKinney
Mica
Michel
Miller (OH)
Mineta
Mitchell (NY)
Mollohan
Montgomery
Moore
Moorhead
Morrison
Murphy
Murtha
Myers
Napier
Natcher
Neal
Nelligan
Nelson
Nichols
Nowak
O'Brien
Obey
Ottinger
Oxley
Parris
Patman
Paul
Pease
Pepper
Petri
Peyser
Pickle
Porter
Price
Pritchard
Pursell
Rahall

| | | |
|---|---|---|
| Railsback | Shelby | Vander Jagt |
| Regula | Shumway | Vento |
| Rhodes | Shuster | Volkmer |
| Rinaldo | Skeen | Walker |
| Ritter | Skelton | Wampler |
| Roberts (KS) | Smith (AL) | Watkins |
| Roberts (SD) | Smith (NE) | Weber (OH) |
| Robinson | Smith (NJ) | White |
| Roe | Smith (PA) | Whitehurst |
| Roemer | Snowe | Whitley |
| Rogers | Snyder | Whittaker |
| Rose | Solomon | Whitten |
| Rostenkowski | Spence | Wilson |
| Roth | Stangeland | Winn |
| Roukema | Stanton | Wirth |
| Rousselot | Staton | Wolf |
| Rudd | Stenholm | Wortley |
| Russo | Stratton | Wright |
| Santini | Stump | Wylie |
| Sawyer | Swift | Yatron |
| Scheuer | Tauke | Young (AK) |
| Schulze | Tauzin | Young (FL) |
| Sensenbrenner | Thomas | Young (MO) |
| Shamansky | Traxler | Zeferetti |
| Sharp | Trible | |
| Shaw | Udall | |

ANSWERED PRESENT—1

St Germain

NOT VOTING—39

| | | |
|---|---|---|
| Archer | Goldwater | Matsui |
| Barnard | Hawkins | Pashayan |
| Bolling | Holland | Perkins |
| Brown (OH) | Hopkins | Quillen |
| Chisholm | Horton | Savage |
| Danielson | Huckaby | Siljander |
| Dickinson | Hyde | Smith (IA) |
| Eckart | Johnston | Smith (OR) |
| Edgar | Jones (NC) | Taylor |
| Florio | Lee | Williams (MT) |
| Ford (MI) | Lehman | Williams (OH) |
| Frenzel | Madigan | Wolpe |
| Garcia | Martin (NY) | Zablocki |

Following are letter locators, which are all 7 point locators.

51, Caps and small caps, 5 ems from right (Top); 52, Caps and small caps, 3 ems from right (Top); 53, Italic, 1 em from right (Top); 54, Caps and small caps, flush left (name of person to whom letter is addressed); 55, Italic, flush and hang 2 ems (address of person to whom letter is addressed); 56, Caps and small caps, 5 ems from left (Bottom); 57, Caps and small caps, 3 ems from right (Bottom); 58, Italic, 1 em from right (Bottom); 59, Italic, flush right (Bottom), for use when bullet is required.

FIRST LINE, TOP (51)
SECOND LINE, TOP (52)
*Third line, top* (53)

Hon. ΔT4 CHARLES E. BENNETT, (54)
*House of Representatives, (55)*
*Chairman, Subcommittee on Seapower and Strategic and Critical Materials, Washington, D.C. (55)*

21 Locator 21 will be used as the paragraph locator for letters, just as it is used in all other places where small type is required.

Sincerely, 25

FIRST LINE, BOTTOM 56
SECOND LINE, BOTTOM 57
*Third line, bottom* 58
*Third line, bottom* 59 •

The President often sends letters to the Senate, therefore locator 60 is used for his signature. The letter prints in 8 point, so also does his signature.

FLUSH RIGHT 60

In case there are too many lines at the top of the letter to fit into locators 51, 52, and 53, use locator 61, which is indented 2 ems, overs 3 ems, with 3 ems on the right, a sample follows:

61 LOCATOR 61, 7 POINT LOCATOR FOR USE AT THE TOP OF A LETTER IF THERE IS TOO MUCH DATA TO FIT IN THE THREE LOCATORS PREVIOUSLY MENTIONED, THIS SHOULD NOT BE USED TOO OFTEN, SHORTEN THE DATA.

Following is a test of locator 62, a 2-em dash:

62 —

Following is a test of locator 63, a 3-em dash:

63 ——

Following is a test of locator 64, a 7-em dash:

———————

Following is a test of locator 65, 5 stars:

65 • * • * • * • * •

Following is a test of locator 66, an F dash. Key ΔI66 F:

66 F ————————

This is a test of locator 68, which is the ΔN footnote function locator.[1]

Following is a test of locator 69, which is the footnote locator without the ΔN function.

Locator 69 is actually only a 6 point paragraph locator that will print where it is keyed, unlike 68 which will print at the bottom of the column.

Locator 70 is still the 7 point relative locator.

Locator 71, 7 Point, Caps & lowercase centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows (71)

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 71 (71)

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

66 F ————————

86 CLEAN AIR ACT REAUTHORIZATION

63 ——

74 SPEECH OF ) le

82 HON. FORTNEY H. (PETE) STARK

74 OF CALIFORNIA ) le

84 IN THE HOUSE OF REPRESENTATIVES

83 *Tuesday, December 2, 1981*

• Locator 10 Testing for Extension of Remarks Extenhead and centered locators.

Locator 72, 6 point bold, usually caps, flush and hang 42 points, and is utilized for bill conversion, should only be used when preparing a report for the RECORD that will be picked up and converted for use in a report.

SEC. 72. LOCATOR 72 6 POINT BOLD HEAD, FLUSH AND HANG 42 POINTS. KEY NUT SPACES AROUND FIGURES. USE FOR THE CONVERSION PROGRAM (72)

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

[1] The footnote must be prepped and keyed immediately following the paragraph where the ΔN appears. Also a ΔN cannot be used on a variable locator, which would be any center locator, to be safe, do not use a ΔN on any head locator.(68)

*Locator 73, 7 Point, Caps & lowercase Italic centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows* 73

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

*Italic centered (73)*

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 74, 7 Point, Caps & lowercase Italic centered locator, but a variable, will flush and hang 1 EM IF DATA MAKES MORE THAN 2 LINES, AS THIS DATA SHOWS 74

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 74 (74)

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

8||75. Locator 75, 7 point bold, Caps and lowercase, flush and hang 1 em. Key nut spaces after figures. Head locator with special use. 75

Locator 75 is used as a bold head in reports, and it prints bold when converted to the RECORD.

LOCATOR 76, 7 POINT, CAPS AND SMALL CAPS CENTER. HEAD LOCATOR WITH SPECIAL USE. 76

Locator 76, when converted to a report, will be Caps and small caps centered for squeeze matter.

*Locator 77, 7 point, Italic, flush and hang 2 ems. Head locator with special use.* 77

Locator 77 is to be used mainly when preparing a report that will print in the RECORD and be picked up and converted for use in a report.

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

Locator 78, 7 point, caps and small caps. Head locator with special use. 78

Locator 78 is to be used mainly when preparing a report that will print in the RECORD and be picked up and converted for use in a report.

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

Locator 80 is still the relative locator for 8 point text.

Locator 81, 8 Point, Caps & lowercase centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows (81)

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

□ 1840 81

This is a test of locator 11 the main text locator, it is used here to test the

top and bottom leading of the head locators, and to separate the heads so the pages will make up.

[Roll No. 294]

YEAS—100

Addabbo
Akaka
Aucoin
Bedell
Bellenson
Benjamin
Bennett
Blanchard
Bonior
Bonker
Brodhead
Burton, John
Burton, Phillip
Collins (IL)
Conte
Conyers
Coyne, William
Daschle
Dellums
Dixon
Donnelly
Dorgan
Downey
Early
Edwards (CA)
Evans (IN)
Fazio
Ferraro
Fish
Foglietta
Ford (MI)
Frank
Gejdenson
Gonzalez
Gray
Hall (OH)
Heckler
Hertel
Hughes
Jacobs
Jeffords
Kastenmeier
Kildee
Lantos
Leland
Long (MD)
Lowry (WA)
Markey
Mavroules
McCloskey
McDade
McHugh
Mikulski
Miller (CA)
Minish
Mitchell (MD)
Mitchell (NY)
Moakley
Moffett
Mottl
Nelligan
Nowak
Oakar
Oberstar
Obey
Ottinger
Panetta
Patterson
Pursell
Rangel
Ratchford
Reuss
Richmond
Rinaldo
Rodino
Rosenthal
Sabo
Schneider
Schroeder
Schumer
Seiberling
Shannon
Smith (NJ)
Snowe
St Germain
Stark
Stokes
Studds
Synar
Vento
Walgren
Washington
Waxman
Weaver
Weber (MN)
Weiss
Wirth
Wolpe
Wyden
Yates

NAYS—293

Albosta
Alexander
Andrews
Annunzio
Anthony
Applegate
Archer
Ashbrook
Aspin
Atkinson
Badham
Bafalis
Bailey (MO)
Bailey (PA)
Barnes
Beard
Benedict
Bereuter
Bethune
Bevill
Biaggi
Bingham
Bliley
Boggs
Boland
Boner
Bouquard
Bowen
Breaux
Brinkley
Brooks
Broomfield
Brown (CA)
Brown (CO)
Broyhill
Burgener
Butler
Byron
Campbell
Carman
Carney
Chappell
Chappie
Cheney
Clausen
Clinger
Coats
Coelho
Coleman
Collins (TX)
Conable
Corcoran
Coughlin
Courter
Coyne, James
Craig
Crane, Daniel
Crane, Philip
D'Amours
Daniel, Dan
Daniel, R.W.
Danielson
Dannemeyer
Daub
Davis
De La Garza
DeNardis
Derrick
Derwinski
Dingell
Dornan
Dougherty
Dowdy
Dreier
Duncan
Dunn
Dwyer
Dymally
Dyson
Edwards (AL)
Edwards (OK)
Emerson
Emery
English
Erdahl
Erlenborn
Ertel
Evans (DE)
Evans (GA)
Evans (IA)
Fary
Fascell
Fenwick
Fiedler
Fields
Findley
Fithian
Flippo
Foley
Ford (TN)
Forsythe
Fountain
Fowler
Frost
Gaydos
Gephardt
Gibbons
Gilman
Gingrich
Glickman
Goodling
Gore
Gradison
Gramm
Green
Gregg
Grisham
Guarini
Gunderson
Hagedorn
Hall, Ralph
Hall, Sam
Hamilton
Hammerschmidt
Hance
Hansen (ID)
Hansen (UT)
Harkin
Hartnett
Hatcher
Hefner
Heftel
Hendon
Hightower
Hiler
Hillis
Holland
Hollenbeck
Holt
Howard
Hoyer
Hubbard
Hunter
Hutto
Hyde
Ireland
Jeffries
Jenkins
Jones (OK)
Jones (TN)
Kazen
Kemp
Kindness
Kogovsek
Kramer
LaFalce
Lagomarsino
Latta
Leach
Leath
LeBoutillier
Lent
Levitas
Lewis
Livingston
Loeffler
Long (LA)
Lott
Lowery (CA)
Lujan
Luken
Lundine
Lungren
Madigan
Marks
Marlenee
Marriott
Martin (IL)
Martin (NC)
Mattox
Mazzoli
McClory
McCollum
McCurdy
McDonald
McEwen
McGrath
McKinney
Mica
Michel
Miller (OH)
Mineta
Molinari
Mollohan
Montgomery
Moore
Moorhead
Morrison
Murphy
Murtha
Myers
Napier
Natcher
Neal
Nelson
Nichols
O'Brien
Oxley
Parris
Patman
Paul
Pease
Pepper
Petri
Peyser
Pickle
Porter
Price
Pritchard
Rahall
Railsback
Regula
Rhodes
Ritter
Roberts (KS)
Roberts (SD)
Robinson
Roe
Roemer
Rogers
Rose
Rostenkowski
Roth
Rousselot
Roybal
Rudd
Russo
Santini
Sawyer
Scheuer
Schulze
Sensenbrenner
Shamansky
Sharp
Shaw
Shelby
Shumway
Shuster
Simon
Skeen
Skelton
Smith (AL)
Smith (NE)
Smith (PA)
Snyder
Solarz
Solomon
Spence
Stangeland
Stanton
Staton
Stenholm
Stratton
Stump
Swift

NOT VOTING—40

Anderson
Barnard
Bolling
Brown (OH)
Chisholm
Clay
Crockett
Deckard
Dickinson
Dicks
Eckart
Edgar
Florio
Frenzel
Fuqua
Garcia
Ginn
Goldwater
Hawkins
Hopkins
Horton
Huckaby
Johnston
Jones (NC)
Lee
Lehman
Martin (NY)
Matsui
Pashayan
Perkins
Quillen
Roukema
Savage
Siljander
Smith (IA)
Smith (OR)

Following is a test of locator 89:

(89) CONGRESSMAN

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

A test of locator 67, an H dash, over 3 columns. Key Δ167 H:

(67) H

*Locator 83, 8 Point, Caps & lowercase Italic centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows* (83)

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

*Italic, centered (83)*

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 84, 8 POINT, CAPS & SMALL CAPS CENTERED LOCATOR, BUT A VARIABLE, WILL FLUSH AND HANG 1 EM IF DATA MAKES MORE THAN 2 LINES, AS THIS DATA SHOWS (84)

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 84 (84)

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

Locator (85) 8 point caps and lowercase, flush and hang 1 em. Locator 85, 8 point caps and lowercase, flush and hang 1 em. Locator 85, 8 point caps and lowercase, flush and hang 1 em.

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

*Locator (87) 7 point, indent 1 em, overs 3 ems. Head locator with special use.*

Locator 87 should only be used when preparing a report for the RECORD that will be picked up and converted for use in a report.

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

Following is a test of locator 92, the subcolumn locator that will double up 2 cols in the 14-pica measure, as in nominations:

NOMINATIONS (71)

(92) Ace Adams
(P) Budget Brains
Chuckie Champ
Dunk Doogood
Eddie Ekam
Frankie Fine
Gary Goright
Harry Hipple
Ignacius Ingot
Jack Jones
Kookie Klondike
Lanky Larry
Mickey Mouse
Nannoo Nannoo

Following is a test of locator 93, the subcolmn locator that will triple up 3 cols in the 14-pica measure, as in rollcalls:

| | | |
|---|---|---|
| Ace Adams | Nannoo Nannoo | Mickey Mouse |
| Budget Brains | Ace Adams | Nannoo Nannoo |
| Chuckie Champ | Budget Brains | Ace Adams |
| Dunk Doogood | Chuckie Champ | Budget Brains |
| Eddie Ekam | Dunk Doogood | Chuckie Champ |
| Frankie Fine | Eddie Ekam | Dunk Doogood |
| Gary Goright | Frankie Fine | Eddie Ekam |
| Harry Hipple | Gary Goright | Frankie Fine |
| Ignacius Ingot | Harry Hipple | Gary Goright |
| Jack Jones | Ignacius Ingot | Harry Hipple |
| Kookie Klondike | Jack Jones | Ignacius Ingot |
| Lanky Larry | Kookie Klondike | Jack Jones |
| Mickey Mouse | Lanky Larry | Kookie Klondike |

Previous to this point, this is a test and explanation of all the locators in the RECORD formats.

## CONFERENCE REPORT ON S. 2248

Mr. PRICE submitted the following conference report and statement on the bill (S. 2248) to authorize appropriations for fiscal year 1983 for the Armed Forces.

CONFERENCE REPORT (H. REPT. No. 97-749)

The committee of conference on the disagreeing votes of the two Houses on the amendments of the House to the bill (S. 2248) to authorize appropriations for fiscal year 1983 for the Armed Forces, to authorize supplemental appropriations for fiscal year 1982, to provide additional authorizations for fiscal year 1982, and for other purposes, having met, after full and free conference, have agreed to recommend and do recommend to their respective Houses as follows:

That the Senate recede from its disagreement to the amendment of the House to the text of the bill and agree to the same with an amendment as follows:

In lieu of the matter proposed to be inserted by the House amendment insert the following: AS6333

*That this Act may be cited as the "Department of Defense Authorization Act, 1983".*

*TITLE I—PROCUREMENT*

99 *AUTHORIZATION OF APPROPRIATIONS, ARMY*

99 *AUTHORIZATION OF APPROPRIATIONS, NAVY AND MARINE CORPS*

*SEC. 102. (a) AIRCRAFT.—Funds are hereby authorized to be appropriated for fiscal year 1983 for procurement of aircraft for the Navy in the amount of $11,304,600,000.*

*(b) WEAPONS.—Funds are hereby authorized to be appropriated for fiscal year 1983 for procurement of weapons (including missiles and torpedoes) for the Navy as follows:*

*(b) CROSS REFERENCE.—*

***Locator 41 in format S6343, bold flush paragraph, key 1-em for paragraph, used in conversion program.***

*SEC. 101. Funds are hereby authorized to be appropriated for fiscal year 1983 for procurement of aircraft, missiles, weapons and tracked combat vehicles, and ammunition and for other procurement for the Army as follows:*

*For aircraft, $2,541,600,000.*

*For missiles, $2,846,600,000.*

*For weapons and tracked combat vehicles, $4,707,600,000.*

*For ammunition, $2,486,400,000.*

*For other procurement, $4,391,100,000.* AS0634

And the House agree to the same.

34 MELVIN PRICE,
CHARLES E. BENNETT,
SAMUEL STRATTON,
RICHARD C. WHITE,
BILL NICHOLS,
JACK BRINKLEY,
ROBERT H. MOLLOHAN,
DAN DANIEL,
WM. L. DICKINSON,
G. WILLIAM WHITEHURST,
FLOYD SPENCE,
ROBIN BEARD,
MAJORIE S. HOLT,

24 When difference regarding intelligence-related activities are under consideration:

EDWARD P. BOLAND,
NORMAN Y. MINETA,
J. K. ROBINSON,

24 Solely for consideration of section 1011 of the House amendment and modifications committed to conference:

JACK BROOKS,
L. H. FOUNTAIN,
DANTE B. FASCELL,
FRANK HORTON,
JOHN N. ERLENBORN,

*Managers on the Part of the House.*

JOHN TOWER,
STROM THURMOND,
BARRY GOLDWATER,
J. WARNER,
GORDON J. HUMPHREY,
BILL COHEN,
ROGER W. JEPSEN,
DAN QUAYLE,
JEREMIAH DENTON,
NICHOLAS F. BRADY,
JOHN C. STENNIS,
HENRY M. JACKSON,
HOWARD W. CANNON,
HARRY F. BYRD, JR.,
SAM NUNN,

For consideration of section 1122 pertaining to the Inspector General section of the bill:

BILL ROTH,
TOM EAGLETON,

*Managers on the Part of the Senate.*

JOINT EXPLANATORY STATEMENT OF THE COMMITTEE OF CONFERENCE

The managers on the part of the House and the Senate at the conference on the disagreeing votes of the two Houses on the amendments of the House to the bill (S. 2248) to authorize appropriations for fiscal year 1983 for the Armed Forces.

The House amendment to the text of the bill struck out all of the Senate bill after the enacting clause and inserted a substitute text.

The Senate recedes from its disagreement to the amendment of the House with an amendment which is a substitute for the Senate bill and the House amendment.

SUMMARY STATEMENT OF CONFERENCE ACTION

The conferees have agreed to authorizations in Titles I, II, III and VIII for procurement, research, development, test, and evaluation, operation and maintenance, and civil defense that total $177.9 billion. This figure is $5.6 billion below the President's budget request, comparable to the figures recommended in the Senate bill and $0.8 billion above the comparable figures in the House amendment. Both the Senate bill and House amendment contained general provisions that would have had the effect of altering the above figures, but these provisions were not agreed to by the conferees.

MELVIN PRICE,
CHARLES E. BENNETT,
SAMUEL STRATTON,
RICHARD C. WHITE,
BILL NICHOLS,
JACK BRINKLEY,
ROBERT H. MOLLOHAN,
DAN DANIEL,
WM. L. DICKINSON,
G. WILLIAM WHITEHURST,
FLOYD SPENCE,
ROBIN BEARD,
MAJORIE S. HOLT,

When difference regarding intelligence-related activities are under consideration:

EDWARD P. BOLAND,
NORMAN Y. MINETA,
J. K. ROBINSON,

Solely for consideration of section 1011 of the House amendment and modifications committed to conference:

JACK BROOKS,
L. H. FOUNTAIN,
DANTE B. FASCELL,
FRANK HORTON,
JOHN N. ERLENBORN,

*Managers on the Part of the House.*

JOHN TOWER,
STROM THURMOND,
BARRY GOLDWATER,
J. WARNER,
GORDON J. HUMPHREY,
BILL COHEN,
ROGER W. JEPSEN,
DAN QUAYLE,
JEREMIAH DENTON,
NICHOLAS F. BRADY,
JOHN C. STENNIS,
HENRY M. JACKSON,
HOWARD W. CANNON,
HARRY F. BYRD, JR.,
SAM NUNN,

For consideration of section 1122 pertaining to the Inspector General section of the bill:

BILL ROTH,
TOM EAGLETON,

*Managers on the Part of the Senate.*

AS9600 4q,w168,d200

THIS IS A TEST OF FORMAT F9600 WITH GRAPHIC LOCATORS 04, 05, and 06

06 This a test of legend locator 06

6333 *Test of format 6333, the italic record format, for conversion of italic bills to print italic in the RECORD.*

*(20) Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure. Locator 20, 7 point, flush paragraph, full measure.*

*(21) Locator 21, 7 point, full measure main paragraph locator. The first line has the 1-em indent built in. Locator 21, 7 point, full measure main paragraph locator. The first line has the 1-em indent built in. Locator 21, 7 point, full measure main paragraph locator. The first line has the 1-em indent built in.*

*(22) Locator 22, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 2 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.*

*(24) Locator 24, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 4 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.*

*(26) Locator 26, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 6 ems on the left, the 1-em paragraph indent must be prepped in and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.*

AS9600

THIS IS A TEST OF FORMAT F9600 WITH GRAPHIC LOCATORS 94, 95, and 96

AS6333

*(28) Locator 28, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 8 ems on the left, the 1-em paragraph indent must be prepped and keyed in. (30) Locator 30, 7 point (same as 20 in the RECORD). BUT when this is converted to or from a report or bill, the data will then be indented 10 ems on the left, the 1-em paragraph indent must be prepped and keyed in.*

| Year | Percent | Date | Amount |
|---|---|---|---|
| Locator 01 | 9999 | November | 9999 |
| Locator 01 | 9999 | ΔDΔxl, to cancel leaders | 9999 |
| Locator 01 | 9999 | November | 9999 |
| Locator 01 | 9999 | November | 9999 |
| Locator 01 | 9999 | November | 9999 |
| Locator 02 | 8888 | Override feature 0, for variable locator test | 8888 |
| Locator 03 | 7777 | Override feature 1, for paragraph style, primary indent being 1 em, and the runovers being full measure of the column | 7777 |
| Locator 04 | 6666 | Override feature 2, for primary indent of 1 em, and the overs 2 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 2 ems, and the overs 3 ems | 6666 |
| Locator 05 | 5555 | Override feature 3, for primary indent of 2 ems, and the overs 3 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 4 ems, and the runovers 5 ems | 5555 |

*SEC. 72. LOCATOR 72, 6 POINT BOLD HEAD, FLUSH AND HANG 42 POINTS. KEY NUT SPACES AROUND FIGURES. TO BE USED MAINLY FOR THE CONVERSION PROGRAM (72).*

*(21) This is locator 21, which is the main text locator, to be used as a paragraph locator in all cases.*

*Locator 73, 7 pt. Century Bold center*

*(21) This is locator 21, which is the main text locator, to be used as a paragraph locator in all cases.*

*LOCATOR 74, 7 PT. CAP AND SMALL CAP CENTER*

*(21) This is locator 21, which is the main text locator, to be used as a paragraph locator in all cases.*

*§ 75. Locator 75, 7 point bold, Caps and lowercase, flush and hang 1 em. Head locator with special use. (75)*

*(21) This is locator 21, which is the main text locator, to be used as a paragraph locator in all cases.*

This a test of legend locator 96

*(6343 from 6613)(74)CONTENTS*

*Sec. 1. This is the main locator for contents which is a flush and hang. Key a nut space around figure. (42)*

*Sec. 2. This is the main locator for contents which is a flush and hang. Key a nut space around figure.*

(0655 from 6611)(74) Subtitle A—Upper and Lowercase, Key a ΔT1

Sec. 3. This is the main locator for contents which is a flush and hang. Key a nut space around figure.(42)

Sec. 4. This is the main locator for contents which is a flush and hang. Key a nut space around figure.

**This is a test of leaderwork format 6611, which is a doc measure leaderwork format, converted to record format 0655.**

Locator 11 flush & hang 2 ems (clear) with 28 points allowed for figures, usually used as a colon line:

Locator 12 primary indent of 1 em, runovers are 3 ems (clear) with 28 points allowed for figures, usually used as a colon line:

Locator 13 primary indent of 2 ems, runovers are 4 ems (clear) with 28 points allowed for figures, usually used as a colon line:

*Locator 05* *(06)Figures*
*(06)Figures*
*(06)Figures*

Locator 14 ..... 0000

Locator 14 ..... 0000

Locator 14, flush and hang 1 em, (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

Locator 15 primary indent of 1 em, runovers are 2 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

Locator 16 primary indent of 2 ems, runovers are 3 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed. $9,999

*Locator 05* *(06)Figures*
*(06)Figures*
*(06)Figures*

Locator 17 primary indent of 3 ems, runovers are 4 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999 18

(14) with 1 em keyed—Total ..... $9,999 19

The single total rule locator is 18. The double rule locator is 19.

Locator 21 flush & hang 2 ems (clear) with 42 points allowed for figures, usually used as a colon line:

Locator 22 primary indent of 1 em, runovers are 3 ems (clear) with 42 points allowed for figures, usually used as a colon line:

Locator 23 primary indent of 2 ems, runovers are 4 ems (clear) with 42 points allowed for figures, usually used as a colon line:

*Figures*

Locator 24 flush and hang 1 em, (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed. $9,999,999

Locator 25 primary indent of 1 em, runovers are 2 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... $9,999,999

Locator 26 primary indent of 2 ems, runovers are 3 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... $9,999,999

Locator 27 primary indent of 3 ems, runovers are 4 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... $9,999,999 28

(24) with 1 em keyed—Total ..... $9,999,999 29

The single total rule locator is 28. The double rule locator is 29.

Locator 31 flush & hang 2 ems (clear) with 64 points allowed for figures, usually used as a colon line:

Locator 32 primary indent of 1 em, runovers are 3 ems (clear) with 64 points allowed for figures, usually used as a colon line:

Locator 33 primary indent of 2 ems, runovers are 4 ems (clear) with 64 points allowed for figures, usually used as a colon line:

*Figures*

Locator 34 flush and hang 1 em, (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ..... $999,999,999,999

Locator 35 primary indent of 1 em, runovers are 2 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ... $999,999,999,999

Locator 36 primary indent of 2 ems, runovers are 3 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ..... $999,999,999,999

Locator 37 primary indent of 3 ems, runovers are 4 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ..... $999,999,999,999

(34) with 1 em keyed—Total ..... $999,999,999,999

The single total rule locator is 38. The double rule locator is 39.

The following locators are from old BILL leaderwork format 0210. The numbers have been changed. The have been bumped ahead by 10.

CONTENTS

Sec. 1. This is the main locator for contents, which is flush and hang 7 ems. Key a nut space around the figures (42).

Sec. 1. This is the secondary locator for contents, which is indented 2 ems and hang 7 ems. Key a nut space around the figures.

This is a test of locator 44. I dont know what this is for but it is here so we may as well test it out.

Locator 45, ~~old 35~~
Locator 47, ~~old 37~~ .....
This locator (45) is the head locator for the left half of half-column leaderwork
This locator (47) is the leader locator for the left half of half-column leaderwork.

Locator 46, ~~old 36~~
Locator 48, ~~old 38~~
This locator (46) is the head locator for the right half of half-column leaderwork
This locator (48) is the reading column locator for the right half of half-column leaderwork.

Locator 49 ~~old 39~~
Locator 51, ~~old 41~~ ..... Locator 50 ~~old 40~~ 52, old 42
1969 ..... 1969

Test of locator 80 with ΔL ..... 1234
Test of locator 82 with ΔL ..... 1234
Test of locator 84 with ΔL ..... 1234
Test of locator 86 with ΔL ..... 1234

Test of locator 80 without ΔL
Test of locator 82 without ΔL
Test of locator 84 without ΔL
Test of locator 86 without ΔL

This is a test of locator 53 ~~which is old locator 43 in old format 0210~~, it flush and hangs, and is a head locator for the left column:

| | | |
|---|---|---|
| 55 | 56 57 ..... | 58 |
| (55) | (56X57) ..... | (58) |
| (55) | (56X57) ..... | (58) |
| (55) | (56) ..... | (58) |
| (55) | ..... | (58) |
| (55) | (56) ..... | (58) |
| (55) | ..... | (58) |

This is a test of locator 54 ~~which is old locator 43 in old format 0210~~, it flush and hangs, and is a head locator for the right column:

| |
|---|
| 59 |
| (59) |
| (59) |
| (59) |
| (59) |
| (59) |
| (59) |

Locator 60 ~~(old 50)~~. This is a leader locator, it is flush and hang 2 ems, leaders to 28 points. Use locator 52 or 07 for figures ..... 52

Locator 60 ~~(old 50)~~. This is a leader locator, it is flush and hang 2 ems, leaders to 28 points. Use locator 52 or 07 for figures ..... 52

Locator 60 ~~(old 50)~~. This is a leader locator, it is flush and hang 2 ems, leaders to 28 points. Use locator 52 or 07 for figures ..... 52

Locator 61 is the first locator keyed. The data here is keyed after locator 62 ..... 63

I. Locator 62 ..... 63

II. Locator 62 ..... 63

III. Locator 62 ..... 63

IV. Locator 62 ..... 63

End of test for leaderwork.

459801

89 IN THE NAVY

21 THE FOLLOWING NAMED COMMANDERS OF THE RESERVE OF THE U. S NAVY FOR PERMANENT PROMOTION TO THE GRADE OF CAPTAIN IN THE STAFF CORPS. AS INDICATED PURSUANT TO THE PROVISIONS OF TITLE 10. UNITED STATES CODE. SECTION 5912

89 MEDICAL CORPS OFFICERS (210X)

73 *To be captain*

92 PHILIP B. BAILEY
P EUGENE FRED BARTLETT
P BRUCE M. BISSONNETTE
GOTTSKALK TH BJORNSSON
LUCAS J. BLANCO
WILLIAM A. BLOCK
WILLIAM POSEY BOSWORTH
ROBERT HENRY BOWDEN. JR
WILLARD BRUCE BUCKLEW
WALTER EDWARD BUNDY. II
CLIFFORD FRANK BURNETT
GLENN RAY CARWELL. JR
GUNDABHAETHA CHIKKAPPA
PAUL EDMOND CIANCI
DAVID BRUCE CRAWLEY
PAUL M. DAINER
ANTHONY JAMES DEE
JAMES H. DEWEERD. JR
MACARIO DELE DOMAGUING
SHERMAN DON
MICHAEL COMERFORD EGAN
GEORGE EDWARD CB EVANS
JOHN FREMONT FISHER
JOHN WATKINS FOSTER
REMEDIOS NAVARR GALANG
JON KENT GARMAN
FRANCESCO GIACOBBE
GARY PETER GROSS
STEPHEN LLOYD BANSON
RUFUS WOMACK HEAD
HERBERT BOLLIS HICKS
ERWIN FEDERICO HIRSCH
DAVID R. HOLMES. JR
WILLIAM F. HOLMES
LUTHER GALE HUDDLE. JR
JAMES JO IRELANDPETERS
MARK JACOBS
JAMES CARPER JAMISON
CHRISTIAN EDWAR JENSEN
CHARLES M. JOHNSON. III
P PAUL RICHARD JULSRUD
ANNE ROBERTS KAMBIC
GARY PAUL KEARNEY
LYLE DORSEY KOEN
ROBERT JOSEPH KULL
KENNETH JOHN KURTZ
SURYARAO KURUMETY
ELMAR KURZBACH
GREGORY RUDOLPH KUSIC
EDWARD CHARLES LARKIN
MARK MANG HO LAU
WILLIAM ARDEN LEMMERT
JESSE ROYAL LISCOMB. JR
PAUL ISHEN LIU
THOMAS L. LUNETTI
TIMOTHY LEE MCLEOD
HAROLD GORDON MCNEIL
MALCOLM KENT MEWHA
GERALD JOSEPH J. MORROW
KENNETH H. MUELLER
IRISH CRISANTO PARAS
SYLVIA NEGRON PAYNE
SIDNEY GRAYDON J. RANCE
MARILYN LOPEZ REGIS
TERRENCE LEE RILEY
WALLACE ANTHON ROLNIAK
MICHAEL LOUIS SAFER
GIL RADER SANTOS
GERALD LANE SCHNEIDER
ROBERT WALTE SCHROEDER
THOMAS MURPHY SCRUGGS
NORMAN ROBER SILVERMAN
GEORGE GRISWO STEBBINS
WILLIAM R. STRAUGHN. III
BENBRIGIDO M. SUPNET
NORMAN WAYNE TAYLOR
FRANK ADKINS THOMAS
STANLEY BURKLE YOUNG
JOHN ARTHUR YOUNGBERG

89 DENTAL CORPS OFFICERS (220X)

73 *To be captain*

92 ANTHONY PAUL ANTOLINI
JOHN C. ARGUELLES
P EARL JAY COLBERT
HAROLD ROLF EBERHARDT
WILLIAM LAWREN FARRELL
STEVEN ALLEN FERTIG
JAMES FRANCIS FULP. JR
RICHARD RAY GARTNER. JR
MARK CHRISTIAN HERLSON
STEPHEN RICH HERTZBERG
JAMES JACK. JR
JOSEPH R. JEDRYCHOWSKI
JAMES CALLOWAY KELLY
DENNIS DARELD KOMMER
RICHARD LAWREN KRONZER
JOHN PAUL LADAS
EDWARD THOMAS LALLY
JEFFREY FRANK LARSON
PATRICK J. LOUGHLIN
LOUIS JOSEPH MARCONYAK
KENNETH THEODORE MEYER
JAMES REGINALD MUSSER
JOHN HENRY PREY
THOMAS PATRICK RIORDAN
ROBERT KENNE ROSENBERG
JOHN THOMAS RUSSELL. II
HERMAN DALE SCOTT
JAMES CRAIG SERLES
RANDOLPH MOOER STEVENS
ANDREW CHARLES STUTZ
BUFORD JOSEP SUFFRIDGE
GEZA TIBOR TEREZHALMY
MARTIN THOMAS TYLER
DAN LEROY WATT
JAMES HOUSTON WOHLWEND
LEONIDAS D WORD. JR
ALLAN STEPHEN ZENO

MEDICAL SERVICE CORPS OFFICERS (230X)

*To be captain*

GARLAND RONALD COTHRAN
ARNOLD POCK
ROBERT PAUL STAGGS
DAVID NORVIN STEHLY
DENNIS WAYNE WRIGHT
LOUIS ANTHONY ZURCHER

JUDGE ADVOCATE GENERAL'S CORPS OFFICERS (250X)

*To be captain*

EARL MIDDLETON BARKER
THOMAS QUENTIN BENSON
MARCUS BERNARD J. BERGH
CORNELIUS J. COLLINS. JR
DOUGLAS VANZAN COONRAD
THOMAS M. CRYAN
JAMES BARNETTE CUNEO
DONALD GEORGE DAUS
MYLES ERIC EASTWOOD
MARC GREGORY HYNES
WILLIAM THOMAS LAWRIE
JOSEPH EDW/.R LOTTERHOS
JOHN MONCURE
JOHN ELMER POWERS. JR
MARTIN A. RADER. JR
WILLIAM FIELDING SECOR
ROBERT WAYNE STRAUSER
JAMES BURNS TUCKER
STEVEN ERIC WERMCRANTZ
ALEXANDER H. I. WILLIAMS
RICHARD DOBBE WURDEMAN

NURSE CORPS OFFICERS (290X)

*To be captain*

JEAN RUTH FISHER
DORIS BEYER FITZGERALD
DONNA LYNNE MUNRO
FLORENCE JANICE STUTZ

SUPPLY CORPS OFFICERS (310X)

*To be captain*

EDWARD ALBERT ADAMS. II
RICHARD BURL BAKER
ROGER BEEKMAN BARON
JOHN JOSEPH BARRY
RICHARD HUNT BURN
JOHN WILLIAM CONWELL. JR
JERRY LEE CRANFILL
DAVID LOREN DELONG
PETER EDWARD DINGELDEY
HARRY GARDINER DITTMANN
DONALD DENNIS DUFF
ROBERT PHILLIP EASTERLY
HARLAN HERBERT EDMONDS
LLOYD BERTIS EMBRY
ERNEST LEWIS EUSTIS. III
VERNON MICHAEL EVERETT
GARY CHARLES FREIBERG
EDWARD MARVIN GLENN
EARL LEROY GROUT. III
WILLIAM FRANCIS HIGGINS. JR
JOEL JEFFREY HOFFMAN
MURRAY JAMES INGRAHAM
CHRISTIAN ROBERT ISELY. IV
JOHN RICHARD JACKSON. JR
JAY FOSTER JACOT
LARRY EDWARD JOHNSON
RUSS ELMER KAEGEBEIN
ROBERT ALLEN KEIL
EDWARD ROBERT KNOWLES
DENNIS CHARLES MAKARAINEN
BRIAN NELSON MCCARTHY
WILLIAM DOOGUE MCCARTHY
DAVID WILLIAM MCREAKEN
ROGER DEAN MOORE
GARY EDWARD MURPHY
PAUL RUSSELL NORTHUP
SCOTT ELLIOTT NUNNS
DOMINIC EAMON PUZZO
RICHARD GEORGE RAMSDELL
CLARENCE DAVID ROBERTS. JR
TERRY LEE ROBINSON
HUGH BENNETT RUCKMAN. III
CHARLIE STEPHEN RUSSELL
JAMES MICHAEL SEFF
DAVID MATTHEW SIEFKEN
HAROLD SHERWOOD TIERNAN
WILLIAM PHILIP TORNGREN
BENJAMIN AUSTIN TROVATEN
EINAR AMUND WETLESEN
DAVID ANTHONY WLASCHIN

SUPPLY CORPS OFFICERS TARS

*To be captain*

JAMES GEORGE CALLAGHAN

CHAPLAIN CORPS OFFICERS (410X)

*To be captain*

EDWIN LYMAN BISHOP
JEROME WARREN BROCK
GEORGE EDWIN JACOBSON
PAUL COLEMAN LAWSON
RAYMOND GEORGE MCPHERSON
GEORGE FONDA OYLER
GENO G. RIVI
JOHN PATRICK SPELLMAN

CIVIL ENGINEER CORPS OFFICERS (510X)

*To be captain*

JAMES LEE ALTSTAETTER
DALE PATRICK BODINE
BURT JEFFERSON BOGARD. III
FREDERICK STANLEY BOSSARD
HAROLD GEORGE DEVOE
LYNN MURRAY GORR
WILBURT HARTLEY HINTON. II
RAYMOND WILLIAM KANE
PETER JOHN KUDLESS
WILLIAM C. OCONNOR
CHARLES SCOTT PRAHL
RICHARD DALE SHEPARD

*To be scientist director*

WILLIAM G. SORENSON

73 *To be major*

50 PHILIP C. KNAPIK. 189-42-3736
P SHELTON K. SMITH. 242-84-1916

73 *To be captain*

50 LEROY R. ALBRIGHT. 577-86-0189
JOSEPH A. ALEXANDER JR. 248-98-2944
P BRUCE J. ANICH. 508-62-2734
INGRID E. BERGMAN. 121-46-3469
JOHN J. CANHAM JR. 036-38-9513
THOMAS C. CARTY. 242-04-2769
LESLIE S. COOPER. 520-72-2717
RICHARD C. DANIELS. 079-42-4853
JEAN C. DERESCHUK. 555-94-8294
JOHN K. DODGE. 384-62-4878
JAMES H. DRESCHER. 325-54-5580
JAMES C. DUNCAN. 413-98-0182
MARK W. EVANS. 287-50-5035
JAMES M. FOSTER. 498-68-1210
STEVEN L. GAUDREAU. 234-02-9840
ROBERT M. HANSON. 421-76-6211
NANCY J. HATFIELD. 284-50-2860
RANDOLPH L. HILL. 519-68-4490
RICHARD A. HOBBS JR. 361-46-0483
LLOYD C. HOLBERT. 440-64-2939
PAUL D. HUGHES. 029-44-2247
BRIAN J. JAMES. 213-76-8990
RONALD J. JOHNSON. 020-48-9335
JOHN D. KUNTZ. 462-04-2365
JAMES S. MARTINSON. 469-68-5963
DANIEL E. MCGUINNESS. 108-54-1777
CAVIN R. MOHRHARDT. 367-64-9745
TIMOTHY L. PHILLIPS. 545-90-0485
RANDALL A. PLUM. 535-48-6750
WILLIAM F. PRATT. 544-64-7891
LAWRENCE B. ROBSON. 247-13-0478
ROY E. ROE. 422-86-4620
NICK A. SCHUBERT. 535-64-2503
CHRISTOPHE P. SCHUCHARDT. 494-66-0392
DANIEL L. SICKINGER. 327-46-5023
FRANK W. SLOGIC. 329-40-4458
BRUCE S. SMART. 570-92-6543
JOSEPH L. STAGNONE. 020-48-4621
ROBERT S. STREET. 402-68-9798
JOSEPH J. TESTA. 150-54-2252
JAMES M. THOMAS. 527-06-4857
FRED WENGER III. 316-64-2439
JAMES H. WILSON. 246-90-2225
GARY L. WUNDERLICH. 326-54-6583

# Locator and Grid List

## CONGRESSIONAL RECORD DIGEST

### FORMATS 0627, 4627, 5627, 0664, 0642, 4642,** 4643 **

**GRID 1—181**

T1—Garamond Roman, Caps and lowercase (181)
T2—**Garamond Bold, Caps and lowercase** (182)
T3—*Garamond Italic, Caps and lowercase* (183)
T4—GARAMOND ROMAN, CAPS AND SMALL CAPS (184)

**GRID 2—320**

T1—**Spartan Bold, Caps and lowercase** (132)
T2—***Garamond Bold Italic, Caps and lowercase*** (188)
T3—***Century Italic, Caps and lowercase*** (143)
T4—*Garamond Bold Italic, Size Range 4* (144)

**GRID 3—551**

T1—**Spartan Book, Medium Condensed, Caps and lowercase** (136)
T2—**Spartan Heavy Condensed, Caps and lowercase** (138)
T3—**Spartan Heavy, Caps and lowercase** (132)
T4—OPEN

**GRID 4—141**

T1—Ionic Roman, Caps and lowercase (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—***Ionic Italic, Caps and lowercase*** (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

**0627—Main Text 0664—Last Page Only 0642, 4642**, 4643**—Same as 0664 but 1 Size Smaller**

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| RUNNING HEADS | | | | | | | | | | | |
| 32 | Dateline for even pages | — | — | — | — | — | — | — | — | — | — |
| 33 | Dateline for odd pages | — | — | — | — | — | — | — | — | — | — |
| HEADS | | | | | | | | | | | |
| 01 | 18 point Garamond Bold Italic, dateline on first page, flush right, used when Digest starts on an odd page | 18/18 | 2 | 2 | R | 18 | 0 | 0 | 0 | 0 | S |
| 06 | 18 point Garamond Bold Italic, dateline on first page, flush left, used when Digest starts on an even page | 18/18 | 2 | 2 | L | 18 | 0 | 0 | 0 | 0 | S |
| 02 | 36 point Garamond Bold Italic, *Daily Digest* | 36/36 | 2 | 4 | C | 60 | 0 | 0 | 0 | 0 | S |
| 03 | 12 point Garamond Bold, flush left over 2 columns, **HIGHLIGHTS** | 12/14 | 1 | 2 | L | 42 | 0 | 0 | 2 | 0 | S |
| 04 | 11 point Garamond Bold, indented 6 picas, use under **HIGHLIGHTS** heading | 11/13 | 1 | 2 | J | 16 | 0 | — | — | — | S |
| 05 | 28 point Garamond Bold, centered over 2 columns, use for **SENATE or HOUSE** | 28/36 | 1 | 2 | C | 34 | 18 | 0 | 0 | 0 | S |
| 20* | 10 point Garamond Italic, flush left *(Committees not listed did not meet)* | 10/11 | 1 | 3 | J | 22 | 20 | 0 | 0 | 0 | S |
| 22* | 10 point Garamond Italic, centered *(Committee meetings are open unless otherwise indicated)* | 10/11 | 1 | 3 | C | 16 | 14 | 0 | 0 | 0 | S |
| 23* | 10 point Garamond Bold Italic, center, starts new col., *Next Meeting of the * * ** | 10/11 | 2 | 2 | C | 16 | 14 | 0 | 0 | 0 | S |
| 50 | 18 point Garamond Bold Italic, flush left ***Chamber Action or Committee Meetings*** | 18/22 | 2 | 2 | L | 28 | 0 | 0 | 0 | 0 | S |
| 51* | 11 point Garamond Bold, flush left | 11/12 | 1 | 2 | L | 18 | 0 | 0 | 0 | 0 | S |
| 52* | 11 point Garamond Bold, centered | 11/12 | 1 | 2 | C | 18 | 16 | 0 | 0 | 0 | S |
| 70 | 12 point Garamond Bold, center full measure, **Extensions of Remarks, as inserted in this issue** | 12/13 | 1 | 2 | C | 36 | 16 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 10* | 11 point Garamond Bold, flush paragraph, no top leading | 11/12 | 1 | 2 | J | 12 | 0 | 0 | 0 | 0 | W |
| 11* | 11 point Garamond, 1 em paragraph, no top leading | 11/12 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |
| 12* | 11 point Garamond, 1 em paragraph, no top leading (same as 11, only a Start) | 11/12 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | S |
| 21* | 10 point Garamond, 1 em paragraph, no top leading | 10/11 | 1 | 1 | J | 11 | 0 | 1 | 0 | 0 | W |
| 30* | 11 point Garamond Bold, flush paragraph, 6 points top leading | 11/12 | 1 | 2 | J | 16 | 0 | 0 | 0 | 0 | W |
| 31* | 11 point Garamond Bold, 1 em paragraph, 6 points top leading | 11/12 | 1 | 2 | J | 16 | 0 | 1 | 0 | 0 | W |
| 40* | 11 point Garamond Italic, flush paragraph, 6 points top leading | 11/12 | 1 | 3 | J | 16 | 0 | 0 | 0 | 0 | W |
| 41* | 11 point Garamond Bold Italic, 1 em paragraph, 6 points top leading | 11/12 | 2 | 2 | J | 16 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 71 | 6 point Ionic, use on last page for index of Congressmen that submitted remarks, use with Δ P | 6/7 | 4 | 1 | L | 14 | 0 | 0 | 1 | 0 | B |
| 77 | Rule spanning whole page, used on last page | — | — | — | — | — | — | — | — | — | — |
| 78 | 1 column Bodoni dash | — | — | — | — | — | — | — | — | — | — |
| 79 | 4-pica rule centered in 1 column, used on last page | — | — | — | — | — | — | — | — | — | — |
| 81 | 8 point Spartan Bold, flush right, no top leading will print on the last line of the paragraph | 8/9 | 2 | 1 | R | 0 | 0 | 0 | 0 | 0 | E |
| 82 | 8 point Spartan Bold, flush right, top leading | 8/9 | 2 | 1 | R | 10 | 0 | 0 | 0 | 0 | E |
| 88 | 2 column Bodoni dash | — | — | — | — | — | — | — | — | — | — |

*These locators are 1 size smaller in format 0664, and 2 sizes smaller in format 0642. Both of these formats are used for the last page only. Format 0642 is used only when last page makes 2 pages.
**4-column subcolumn routine for names

Note—Breakdown of Digest formats: 0627, main text, 0664, last page, 0642, last page, 1 size smaller than 0664, use when data makes 2 pages, 4642, same as 0642, with 4-col subcolumn routine, 4642 same as 4642, use when data makes 2 pages, 5627, main text, same as 0627 with less spacing, 4627, main text, same as 0627 with more spacing, 0667, Resume of Congressional Activity, 0638 Horses, 0668 half title—History of Bills Enacted Into Public Law (final run), 0669, 5-column table—History of Bills Enacted Into Public Law (final run), 0670, 14-column table—History of Bills Enacted Into Public Law (final run), 9637, Masthead for final run

4F0627 32 Date
33 Date

01 *Thursday, January 6, 1988*

# 02 *Daily Digest*

use 012 here when Highlights do not print

03 HIGHLIGHTS

04 Senate Cleared Economic Recovery Tax Act of 1984.
See Congressional Program Ahead.

# 05 Senate

## 50 *Chamber Action*

30 **Bills Introduced:** Three bills and four resolutions were introduced, as follows: S. 2835–2837, and S. Res. 445–448. Page S10513

30 **Bills Reported:** Reports were made as follows:

11 S. Res. 445, urging the U.S. Government to seek certain assurances from the Government of Romania concerning facilitation of emigration procedures and freedom from religious and cultural persecution. (S. Rept. No. 97–522)

11 H. Con. Res. 385, expressing the sense of the Congress that the Soviet Union should allow Yuri Balovlenkov to emigrate.

S. Res. 448, waiving section 402(a) of the Congressional Budget Act of 1974 with respect to the consideration of H.R. 6409, listed above. Referred to the Committee on the Budget. 82 Page S10513

30 **Measure Passed:** G1 T1

41 *Congressional Cemetery:* Senate passed H.R. 6033, authorizing the Secretary of the Interior to enter into an agreement with the Association for the Preservation of Historic Congressional Cemetery, Washington, D.C., to assist in the preservation of Congressional Cemetery. 81 Page S10507

30 **Immigration Reform and Control Act of 1982:** Senate continued consideration of S. 2222, revising and reforming U.S. immigration laws, with a committee amendment in the nature of a substitute, taking action of additional amendments proposed thereto as follows: Page S10426

Adopted:

(1) Bentsen unprinted amendment No. 1228, requiring that the Attorney General, after consultation with the Committees on the Judiciary of the House and the Senate and with qualified voluntary agencies, shall prescribe regulations establishing a definition of the term "resided continuously," and for establishing the requirements necessary to prove eligibility for immigration benefits. 82 Page S10427

**Nominations:** Senate received the following nominations:

James L. Buckley, of Connecticut, to be Counselor of the Department of State.

William A. Webb, of Pennsylvania, to be a Member of the Equal Employment Opportunity Commission.

Three Army nominations in the rank of General.

One Navy nomination in the rank of Admiral. 82 Page S10545

30 **Messages From the President:** 81 Page S10512

**Message From the House** Page S10512

**Measures Referred** Page S10513

**Measures Ordered Placed on the Calendar** Page S10513

**Statements on Introduced Bills** Page S10513

**Amendments Submitted for Printing** Page S10537

**Notices of Hearings** Page S10537

**Additional Statements** Page S10537

**Record Votes:** Four record votes were taken today. (Total—322)] Page S10436

**Adjournment:** Senate convened at 10 a.m., and adjourned at 7:35 p.m., until 12 noon, on Monday, August 16, 1982.

67 H — MUST START A NEW EXTENSION

# 05 House of Representatives

## 50 Chamber Action

30 Bills Introduced: 3 public bills, H.R. 6989–6991; 1 private bill, H.R. 6992; and 3 resolutions, H.J. Res. 576–578 were introduced. 91 Page H5930

30 Bills Reported: Reports were filed as follows:

11 H. Con. Res. 204, expressing the sense of Congress that to encourage educational programs in science and technology, a National Science Center for Communications and Electronics should be established (H. Rept. 97–745);

S. 1894, to permit Indian tribes to enter into certain agreements for the disposition of tribal mineral resources, amended (H. Rept. 97–746);

Conference report on H.R. 6863, making supplemental appropriations for the fiscal year ending September 30, 1982 (H. Rept. 97–747); and

Conference report on H.R. 6530, to establish the Mount St. Helens National Volcanic Area (H. Rept. 97–748). Page H5930

Journal: By a yea-and-nay vote of 312 yeas to 28 nays with 1 voting "present", Roll No. 276, the House approved the Journal of Thursday, August 12. Page H5891

Quorum Calls—Votes: Three yea-and-nay votes and one recorded vote developed during the proceedings of the House today. There were no quorum calls. Page H5891

Adjournment: Met at 10 a.m. and adjourned at 1:39 p.m.

## 50 Committee Meetings

51 CLEAN AIR ACT AMENDMENTS

40 *Committee on Energy and Commerce:* Continued markup of H.R. 5252, Clean Air Act Amendments of 1982. Will continue August 16.

51 FEDERAL POWER ACT AMENDMENTS

40 *Committee on Energy and Commerce:* Subcommittee on Energy Conservation and Power held a hearing on H.R. 5755, to amend section 205 of the Federal Power Act to limit the recovery by public utilities of certain costs of construction work in progress through rate increases. Testimony was heard from Repesentatives Harkin and Gejdenson and public witnesses.

66 F

52 CONGRESSIONAL PROGRAM AHEAD 405

52 Week of August 16 through 21, 1982 407

52 Senate Chamber

On Monday, Senate will begin consideration of H.J. Res. 520, Temporary Debt Limit Increase.

On Tuesday, Senate will conclude action on S. 2222, Immigration Reform and Control Act of 1982, and continue consideration of H.J. Res. 520.

52 Senate Committees

22 *(Committee meetings are open unless otherwise indicated)*

21 13 *Committee on Agriculture, Nutrition, and Forestry:* 71 August 17, to hold hearings on the nominations of Wilmer D. Mizell, Sr., of North Carolina, to be Assistant Secretary for Governmental and Public Affairs, Department of Agriculture, Tom H. Carothers, of Texas, and Leonard R. Fouts, of Indiana, each to be a Member of the Federal Farm Credit Board of the Farm Credit Administration, 10 a.m., 324 Russell Building.

*Committee on Appropriations:* August 16, Subcommittee on HUD-Independent Agencies, business meeting, to mark up the substance of H.R. 6956, appropriating funds for fiscal year 1983 for the Department of Housing and Urban Development and certain independent agencies (pending on House calendar), 2 p.m., 1223 Dirksen Building.

52 House Chamber

11 73 71 *Monday:* Call of the Consent Calendar;

11 Consideration of the following 2 suspensions:

1. H.R. 6188, Platte River Water Resource Studies; and

2. H.R. 5536, Feasibility Studies, Central Platte Valley, Nebraska.

52 House Committees

21 13 71 *Committee on Agriculture:* August 17, Subcommittee on Forests, Family Farms, and Energy, hearing on H.R. 6913, to provide for the orderly termination, extension, or modification of certain contracts for the sale of Federal timber, 10 a.m., and 2 p.m., 1302 Longworth.

4F0664 (32) Date
(33) Date

Must Start a New Extension

(77)

(23) *Next Meeting of the* SENATE

(22) (T2) 12 noon, Monday, January 28

(79) _____

(22) (T2) Senate Chamber

(30) Program for Monday: After the transaction of any routine morning business, Senate will begin consideration of H.J. Res. 520, Temporary Debt Limit Increase.

(11) Conclude consideration of H.R. 4034, making appropriations for the Department of Housing and Urban Development for fiscal year 1982.

(23) *Next Meeting of the* HOUSE OF REPRESENTATIVES

(22) (T2) 12 noon, Monday, January 28

(79) _____

(22) (T2) House Chamber

(30) Program for Monday: Call of the Consent Calendar;

(11) Consideration of the following 2 Suspensions:

1. H.R. 6188, Platte River Water Resource Studies; and
2. H.R. 5536, Feasibility Studies, Central Platte Valley, Nebraska.

(11) (T3) *(Recorded votes will be postponed until Tuesday, January 19).*

(77)

## (70) Extensions of Remarks, as inserted in this issue

(71) (6) HOUSE (P)

(P)

AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Clinger, William F., Jr., Pa., E3875, E3877
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878

Format Prints

**Congressional Record** The public proceedings of each House of Congress, as reported by the Official Reporters thereof, are printed pursuant to directions of the Joint Committee on Printing as authorized by appropriate provisions of Title 44, United States Code, and published for each day that one or both Houses are in session, excepting very infrequent instances when two or more unusually small consecutive issues are printed at one time. ¶ The Congressional Record will be furnished by mail to subscribers, free of postage, for $109 for six months, $218 per year, or purchased for $1 per copy, payable in advance. The semimonthly Congressional Record Index may be purchased for $1 per copy, payable in advance. Remit check or money order, made payable to the Superintendent of Documents, directly to the Government Printing Office, Washington, D.C. 20402. ¶ Following each session of Congress, the daily Congressional Record is revised, printed, permanently bound and sold by the Superintendent of Documents in individual parts or by sets. ¶ With the exception of copyrighted articles, there are no restrictions on the republication of material from the Congressional Record.

77

23 *Next Meeting of the* SENATE

22 72 12 noon, Monday, January 28

79

22 72 Senate Chamber

30 Program for Monday: After the transaction of any routine morning business, program is uncertain.

23 *Next Meeting of the* HOUSE OF REPRESENTATIVES

22 72 12 noon, Monday, January 28

79

22 72 House Chamber

30 Program for Monday: Legislative program will be announced later.

77

## 70 Extensions of Remarks, as inserted in this issue

71 6 HOUSE P

P AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Clinger, William F., Jr., Pa., E3875, E3877
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Clinger, William F., Jr., Pa., E3875, E3877
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Clinger, William F., Jr., Pa., E3875, E3877
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Clinger, William F., Jr., Pa., E3875, E3877
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Clinger, William F., Jr., Pa., E3875, E3877
Coelho, Tony, Calif., E3874

196 Lines
+2
198 Lines Max
(3 Cols)

262 Lines
+2
264 Lines Max.
(4 Cols)

**Congressional Record** The public proceedings of each House of Congress, as reported by the Official Reporters thereof, are printed pursuant to directions of the Joint Committee on Printing as authorized by appropriate provisions of Title 44, United States Code, and published for each day that one or both Houses are in session, excepting very infrequent instances when two or more unusually small consecutive issues are printed at one time. ¶ The Congressional Record will be furnished by mail to subscribers, free of postage, at the following prices: paper edition, $112.50 for six months, $225 per year, or purchased for $1.50 per issue, payable in advance; microfiche edition, $118 per year, or purchased for $1.50 per issue payable in advance. The semimonthly Congressional Record Index may be purchased for the same per issue prices. Remit check or money order, made payable to the Superintendent of Documents, directly to the Government Printing Office, Washington, D.C. 20402. ¶ Following each session of Congress, the daily Congressional Record is revised, printed, permanently bound and sold by the Superintendent of Documents in individual parts or by sets. ¶ With the exception of copyrighted articles, there are no restrictions on the republication of material from the Congressional Record.

## (70) Extensions of Remarks, as inserted in this issue

(71) [6] HOUSE (P)

(P) AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876

(P) Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885

(A)

Make a page run to determine where the page breaks.

77 23 *Next Meeting of the* SENATE

22 12 noon, Monday, January 28

79

22 Senate Chamber

30 Program for Monday: After the transaction of any routine morning business, program is uncertain.

23 *Next Meeting of the* HOUSE OF REPRESENTATIVES

22 12 noon, Monday, January 28

79

22 House Chamber

30 Program for Monday: Legislative program will be announced later.

77

## 70 Extensions of Remarks, as inserted in this issue—Continue

71 P

Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875

P

Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884
Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888

P

Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878
AuCoin, Les, Oreg., E3875
Bingham, Jonathan B., N.Y., E3890
Broomfield, Wm. S., Mich., E3875
Burton, Phillip, Calif., E3876
Coelho, Tony, Calif., E3874
Davis, Robert W., Mich., E3880
Dymally, Mervyn M., Calif., E3877
Evans, Thomas B., Jr., Del., E3885
Ferraro, Geraldine A., N.Y., E3884

P

Fish, Hamilton, Jr., N.Y., E3882
Gaydos, Joseph M., Pa., E3873
Kildee, Dale E., Mich., E3883
Lungren, Dan, Calif., E3886
McDonald, Larry, Ga., E3881
Mitchell, Parren J., Md., E3877
Nelligan, James L., Pa., E3885
Ottinger, Richard L., N.Y., E3884
Porter, John Edward, Ill., E3888
Rinaldo, Matthew J., N.J., E3879
Russo, Marty, Ill., E3876
St Germain, Fernand J., R.I., E3873
Synar, Mike, Okla., E3882
Weiss, Ted, N.Y., E3883, E3888
Williams, Pat, Mont., E3880, E3889
Wyden, Ron, Oreg., E3874
Zablocki, Clement J., Wis., E3878

**Congressional Record** The public proceedings of each House of Congress, as reported by the Official Reporters thereof, are printed pursuant to directions of the Joint Committee on Printing as authorized by appropriate provisions of Title 44, United States Code, and published for each day that one or both Houses are in session, excepting very infrequent instances when two or more unusually small consecutive issues are printed at one time. ¶ The Congressional Record will be furnished by mail to subscribers, free of postage, at the following prices: paper edition, $112.50 for six months, $225 per year, or purchased for $1.50 per issue, payable in advance; microfiche edition, $118 per year, or purchased for $1.50 per issue payable in advance. The semimonthly Congressional Record Index may be purchased for the same per issue prices. Remit check or money order, made payable to the Superintendent of Documents, directly to the Government Printing Office, Washington, D.C. 20402. ¶ Following each session of Congress, the daily Congressional Record is revised, printed, permanently bound and sold by the Superintendent of Documents in individual parts or by sets. ¶ With the exception of copyrighted articles, there are no restrictions on the republication of material from the Congressional Record.

10-014 0 - 90 - 3/10002

# Locator and Grid List

## RÉSUMÉ OF CONGRESSIONAL ACTIVITY

## FORMAT 0667

GRID 1—181

T1—Garamond Roman, Caps and lowercase (181)
T2—**Garamond Bold, Caps and lowercase** (182)
T3—*Garamond Italic, Caps and lowercase* (183)
T4—GARAMOND ROMAN, CAPS AND SMALL CAPS (184)

GRID 2—186

T1—*Century Italic, Caps and lowercase* (243)
T2—Open
T3—*Garamond Bold Italic* (188)
T4—IONIC BOLD, CAPS AND SMALL CAPS (140)

GRID 3

GRID 4—141

T1—**Ionic Roman, Caps and lowercase** (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| HEADS | | | | | | | | | | | |
| 01 | 24 point, caps and lowercase, center full measure | 24/24 | 1 | 2 | C | 24 | 28 | 0 | 0 | 0 | S |
| 02 | 9 point, caps, center full measure | 9/9 | 1 | 2 | C | 9 | 19 | 0 | 0 | 0 | B |
| 03 | 10/12 caps and lowercase, 2-em paragraph, full measure | 10/12 | 1 | 1 | L | 12 | 0 | 0 | 0 | 0 | B |
| 04 | 9 point, caps, center on 21 picas | 9/9 | 1 | 2 | C | 14 | 0 | 0 | 0 | 0 | S |
| 05 | 9 point, caps and lowercase, center on 21 picas | 9/9 | 1 | 1 | C | 16 | 0 | 0 | 0 | 0 | B |
| 06 | 8 point italic, center over figure column 1 in column 1, FOTP of 1 | 8/8 | 1 | 3 | R | 16 | 0 | — | — | — | S |
| 07 | 8 point italic, center over figure column 2 in column 1, FOTP of 2 | 8/8 | 1 | 3 | R | 16 | 0 | 0 | 0 | 0 | S |
| 08 | 8 point italic, center over figure column 3 in column 1, FOTP of 3 | 8/8 | 1 | 3 | R | 16 | 0 | 0 | 0 | 0 | S |
| COLUMN 1 LOCATORS | | | | | | | | | | | |
| 10 | Flush and hang 1 em, clear, FOTP of 1 | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | B |
| 11 | Flush and hang 1 em, leaders, FOTP of 1 | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | B |
| 12 | Figure column 1 in column 1, FOTP of 2 | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | B |
| 13 | Figure column 2 in column 1, FOTP of 3 | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | B |
| 14 | Figure column 3 in column 1, FOTP of 4 | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | E |
| 15 | 2-em indent, overs 3 ems, leaders, FOTP of 1 | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | 0 | B |
| 16 | 1-em paragraph, 21 picas (overlay for footnote, column 1) | 8/10 | 1 | 1 | J | 22 | 0 | 1 | 0 | 0 | B |
| 17 | 2-em paragraph, 43½ picas (overlay for footnote, columns 1 and 2) | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 0 | 0 | B |
| COLUMN 2 LOCATORS | | | | | | | | | | | |
| 18 | 2-em paragraph, 43½ picas (footnote locator, Not overlay) | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 0 | 0 | B |
| 20 | Flush and hang 1 em, no top lead (first entry in column 2) FOTP of 1 | 8/10 | 1 | 1 | J | 16 | 0 | 0 | 1 | 0 | B |
| 21 | Flush and hang 1 em, 16 points top leading, FOTP of 1 | 8/10 | 1 | 1 | J | 16 | 0 | 0 | 1 | 0 | B |
| 22 | 2-em indent, overs 3 ems, FOTP of 1 | 8/10 | 1 | 1 | J | 14 | 0 | 2 | 3 | 0 | B |
| 23 | Figure column, FOTP of 2 | 8/10 | 1 | 1 | R | 14 | 0 | — | — | — | E |
| 24 | Italic center head | 8/9 | 1 | 3 | C | 26 | 18 | 0 | 0 | 0 | S |
| 25 | Flush and hang 1 em, leaders, FOTP of 1 | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | B |
| 26 | 1-em paragraph, 21 picas (overlay for footnote, column 2) | 8/10 | 1 | 1 | J | 10 | 0 | — | — | — | B |
| RUNNING HEADS | | | | | | | | | | | |
| 31 | Folio, first page | 11/12 | 2 | 1 | L | 11 | 0 | 0 | 0 | 0 | B |
| 32 | Folio, even page | 11/12 | 2 | 1 | R | 11 | 0 | 0 | 0 | 0 | B |
| 33 | Folio, odd page | 11/12 | 2 | 1 | L | 11 | 0 | 0 | 0 | 0 | B |

4F0667

# 01 Résumé of Congressional Activity

## 02 FIRST SESSION OF THE NINETY-SEVENTH CONGRESS

03 The first table gives a comprehensive résumé of all legislative business transacted by the Senate and House. The second table accounts for all nominations submitted to the Senate by the President for Senate confirmation.

### 04 DATA ON LEGISLATIVE ACTIVITY

05 January 5 through February 28, 1981

| | 06 Senate | 07 House | 08 Total |
|---|---|---|---|
| 11 Days in session | 12 24 | 13 25 | 14 .. |
| Time in session | 71 hrs., 18' | 32 hrs., 39' | .. |
| Congressional Record: | | | |
| 15 Pages of proceedings | 1,668 | 716 | 2,384 |
| Extension of Remarks | .. | .. | 757 |
| Public bills enacted into law | 3 | 1 | 4 |
| Private bills enacted into law | .. | .. | .. |
| Bills in conference | .. | .. | .. |
| Bills through conference | .. | .. | .. |
| Measures passed, total | 50 | 32 | 82 |
| Senate bills | 3 | 2 | .. |
| House bills | 1 | 2 | .. |
| Senate joint resolutions | 1 | 1 | .. |
| House joint resolutions | 0 | .. | .. |
| Senate concurrent resolutions | 2 | 2 | .. |
| House concurrent resolutions | 2 | 2 | .. |
| Simple resolutions | 41 | 23 | .. |
| Measures reported, total | *46 | *3 | 49 |
| Senate bills | 3 | .. | .. |
| House bills | .. | 1 | .. |
| Senate joint resolutions | .. | .. | .. |
| House joint resolutions | .. | .. | .. |
| Senate concurrent resolutions | .. | .. | .. |
| House concurrent resolutions | .. | .. | .. |
| Simple resolutions | 42 | 2 | .. |
| Special reports | 1 | 1 | .. |
| Conference reports | .. | .. | .. |
| Measures pending on calendar | 21 | .. | .. |
| Measures introduced, total | 737 | 2,591 | 3,328 |
| Bills | 600 | 2,225 | .. |
| Joint resolutions | 41 | 194 | .. |
| Concurrent resolutions | 12 | 81 | .. |
| Simple resolutions | 84 | 91 | .. |
| Quorum calls | 4 | 4 | .. |
| Yea-and-nay votes | 25 | 9 | .. |
| Recorded votes | .. | .. | .. |
| Bills vetoed | .. | .. | .. |
| Vetoes overridden | .. | .. | .. |

Key O/O this #

16 * These figures include all measures reported, even if there was no accompanying report. A total of 23 reports have been filed in the Senate, a total of 4 reports have been filed in the House.

17 - Sets 2-col footnotes.

### DISPOSITION OF EXECUTIVE NOMINATIONS

January 5 through February 28, 1981

20 Army nominations, totaling 1,387, disposed of as follows:

| | |
|---|---|
| 22 Confirmed | 23 1,351 |
| Unconfirmed | 36 |

Q28

Navy nominations, totaling 3,408, disposed of as follows:

| | |
|---|---|
| Confirmed | 765 |
| Unconfirmed | 2,643 |

Q28

Air Force nominations, totaling 2,017, disposed of as follows:

| | |
|---|---|
| Confirmed | 346 |
| Unconfirmed | 1,671 |

Q28

Marine Corps nominations, totaling 831, disposed of as follows:

| | |
|---|---|
| Confirmed | 810 |
| Unconfirmed | 21 |

Q28

Civilian nominations, totaling 1,559, disposed of as follows:

| | |
|---|---|
| Confirmed | 94 |
| Unconfirmed | 1,137 |
| Withdrawn | 28 |

Q28

24 *Summary*

| | |
|---|---|
| 25 Total nominations received | 9,202 |
| Total confirmed | 3,664 |
| Total unconfirmed | 5,510 |
| Total withdrawn | 28 |

Q spacing to be added or reduced if number of lines change: 18 lines = Q28, 20 lines = Q24

# Locator and Grid List

## SENATE AND HOUSE JOURNALS

## FORMATS 9624 * and 9634 †—First Session

## FORMATS 5624 * and 5634 †—Second Session

GRID 1—738

T1—**Ionic Roman, Caps and lowercase** (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

**5624 and 9624—Senate Journal** **5634 and 9634—House Journal**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 10 point full-measure paragraph (Senate Journal only) | 10/12 | 1 | 1 | J | 12 | 0 | 20 | 0 | 0 | W |
| 8 POINT—HEADS | | | | | | | | | | | |
| 74 | CAPS, Caps and small caps, small caps, center | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 75 | Bold, Caps and lowercase, flush and hang 1 em (for report conversion, for bold twist line) | 8/9 | 1 | 2 | J | 14 | 12 | 0 | 1 | 0 | S |
| 76 | CAPS, Caps and small caps, small caps, center (for report conversion) | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 77 | Italic, flush and hang 2 ems (for report conversion) | 8/9 | 1 | 3 | J | 14 | 12 | 0 | 2 | 0 | S |
| 78 | Caps and small caps, center (for conversion from bills) | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 81 | CAPS or Caps and lowercase, center | 8/9 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 82 | 8 point Century Bold, centered, for dateline | 8/9 | 1 | 2 | C | 22 | 14 | 0 | 0 | 0 | S |
| 83 | Italic, center | 8/9 | 1 | 3 | V | 14 | 12 | 0 | 0 | 0 | S |
| 84 | Small caps | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 85 | Caps and lowercase, flush and hang 1 em | 8/9 | 1 | 1 | J | 14 | 12 | 0 | 1 | 0 | S |
| 86 | CAPS or Caps and lowercase, center, has bottom lead of 6 | 8/9 | 1 | 1 | V | 14 | 6 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 45 | Bold, flush left, will print the ears | 8/9 | 1 | 2 | L | 15 | 0 | — | — | — | S |
| 04 | Small cap, relative locator, to be used following locator 45 only, TSFD "L" | 8/9 | 1 | 4 | J | 15 | 12 | — | — | — | S |
| 87 | Italic, 1 em indent, overs 3 ems (for report conversion) | 8/9 | 1 | 3 | J | 14 | 12 | 1 | 3 | 0 | S |
| 7 POINT—HEADS | | | | | | | | | | | |
| 71 | CAPS or Caps and lowercase, center | 7/8 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 72 | 7 point bold, CAPS, flush and hang 49 points (for report conversion, for bold Sec. line) | 7/8 | 1 | 2 | J | 10 | 10 | 0 | 7 | 0 | S |
| 73 | Italic, center | 7/8 | 1 | 3 | V | 10 | 10 | 0 | 0 | 0 | S |
| 91 | CAPS or Caps and lowercase, center, (use following locator 45, House Journal only) | 7/8 | 1 | 1 | V | 0 | 10 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 14 | Flush and hang 2 ems (7 point) | 7/8 | 1 | 1 | J | 9 | 0 | 0 | 2 | 0 | W |
| 10 | Flush paragraph | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (main paragraph) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 12 | Flush and hang 2 ems | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 2 | 0 | W |
| 13 | Flush and hang 3 ems | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 3 | 0 | W |
| 15 | Flush and hang 3 ems (for poetry) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 3 | 0 | W |
| 16 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—1 line entries) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | S |
| 17 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—2 lines or more) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | W |
| 18 | 3 em indent, overs 4 ems (introduced bills) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | W |
| 20 | Flush paragraph | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 22 | Flush paragraph (will indent 1 em on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 1 | 0 | W |
| 23 | Flush paragraph (must prep and key first line indent when needed) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 1 | 1 | W |
| 24 | Flush paragraph (will indent 2 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 2 | 2 | 0 | W |
| 25 | Indented 3 ems, use for "Sincerely" | 8/9 | 1 | 1 | L | 9 | 0 | 3 | 0 | 0 | N |
| 26 | Flush paragraph (will indent 3 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 3 | 0 | W |
| 27 | 1 em paragraph (for Bill conversion, Whereas clause) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 28 | Flush paragraph (will indent 4 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 4 | 4 | 0 | W |

## 5624 and 9624—Senate Journal 5634 and 9634—House Journal—Continued

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 29 | 1 em paragraph (for Bill conversion, indent under Whereas clause) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 1 | 0 | W |
| 30 | Flush paragraph (will indent 5 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 5 | 5 | 0 | W |
| 46 | Relative locator (to be prepped following locator 45 only) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (for Record conversion only) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 80 | Relative locator (do not use in middle of a word) (for Record conversion only) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| SIGNATURES—8 POINT | | | | | | | | | | | |
| 34 | Caps and small caps, flush left on 5 picas (for alining signatures) | 8/9 | 1 | 4 | L | 9 | 0 | — | — | — | B |
| 35 | Caps and lowercase, indented 1 em on 5 picas (to use with 34) | 8/9 | 1 | 1 | J | 9 | 0 | — | — | — | W |
| 36 | Caps and lowercase, 2 em indent, overs 3 ems, for 8 signatures or more to letters | 8/9 | 1 | 1 | J | 9 | 0 | 2 | 3 | 0 | W |
| LETTERS—8 POINT | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 8/9 | 1 | 3 | R | 9 | 0 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 8/9 | 1 | 3 | J | 9 | 0 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 8/9 | 1 | 3 | R | 9 | 0 | 0 | 0 | 1 | E |
| 59 | Italic, flush right | 8/9 | 1 | 3 | R | 9 | 0 | 0 | 0 | 0 | E |
| 60 | 8 point, Caps and small caps, flush right, use for President's sig. to letter to Congress, key 1 em on right | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 8/9 | 1 | 4 | J | 9 | 0 | 2 | 3 | 3 | S |
| MISCELLANEOUS | | | | | | | | | | | |
| 31 | For running heads | 12/12 | 4 | 4 | — | — | — | — | — | — | — |
| 32 | For running heads | 12/12 | 4 | 4 | — | — | — | — | — | — | — |
| 33 | For running heads | 12/12 | 4 | 4 | — | — | — | — | — | — | — |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 62 | 2 em dash (do not use) | — | — | — | — | — | — | — | — | — | N |
| 63 | 3 em dash (do not use) | — | — | — | — | — | — | — | — | — | N |
| 64 | 7 em dash (do not use) | — | — | — | — | — | — | — | — | — | N |
| 65 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | F dash, 1 col, key a cap F (for Senate use only) | — | 7 | 2 | — | — | — | — | — | — | E |
| 67 | H dash, 3 col, key a cap H (do not use) | — | 7 | 2 | — | — | — | — | — | — | E |
| 92 | For 2 col, double up, use with Δ P | 7/8 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 6/7 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |

SPECIAL INSTRUCTIONS: FOR GRAPHICS IN THE JOURNAL, USE SUBFORMAT 9600. LOCATORS Δ104, Δ105, Δ106 FOR 1-COL. GRAPHICS; Δ194, Δ195, Δ196 FOR 3-COL. GRAPHICS. THERE ARE NO 2-COL. GRAPHICS.

* Senate.
+ House.

# Locator and Grid List

## *ITALIC HOUSE AND SENATE JOURNALS*

## *FORMAT 5333*

GRID 1—741

T1—*Ionic Italic, Caps and lowercase* (143)
T2—*Century Bold Italic, Caps and lowercase* (248)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—738

T1—Ionic Roman, Caps and lowercase (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 POINT—HEADS | | | | | | | | | | | |
| 74 | CAPS, Caps and small caps, small caps, center | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 75 | Bold, Caps and lowercase, flush and hang 1 em (for report conversion, for bold twist line) | 8/9 | 1 | 2 | J | 14 | 12 | 0 | 1 | 0 | S |
| 76 | CAPS, Caps and small caps, small caps, center (for report conversion) | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 77 | Italic, flush and hang 2 ems (for report conversion) | 8/9 | 1 | 3 | J | 14 | 12 | 0 | 2 | 0 | S |
| 78 | Caps and small caps, center (for conversion from bills) | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 81 | CAPS or Caps and lowercase, center | 8/9 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 82 | 8 point Century Bold, centered, for dateline | 8/9 | 1 | 2 | C | 22 | 14 | 0 | 0 | 0 | S |
| 83 | Italic, center | 8/9 | 1 | 3 | V | 14 | 12 | 0 | 0 | 0 | S |
| 84 | Small caps | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 85 | Caps and lowercase, flush and hang 1 em | 8/9 | 1 | 1 | J | 14 | 12 | 0 | 1 | 0 | S |
| 86 | CAPS or Caps and lowercase center, has bottom lead of 6 | 8/9 | 1 | 1 | V | 14 | 6 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 45 | Bold, flush left, will print the ears | 8/9 | 1 | 2 | L | 15 | 0 | — | — | — | S |
| 04 | Small cap, relative locator, to be used following locator 45 only, TSFD "L" | 8/9 | 1 | 4 | J | 15 | 12 | — | — | — | S |
| 87 | Italic, 1 em indent, overs 3 ems (for report conversion) | 8/9 | 1 | 3 | J | 14 | 12 | 1 | 3 | 0 | S |
| 7 POINT—HEADS | | | | | | | | | | | |
| 71 | CAPS or Caps and lowercase, center | 7/8 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 72 | 7 point bold italic, Caps, flush and hang 49 points (for report conversion, for bold Sec. line) | 7/8 | 1 | 2 | J | 10 | 10 | 0 | 7 | 0 | S |
| 73 | Italic, center | 7/8 | 1 | 3 | V | 10 | 10 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 14 | Flush and hang 2 ems (7 point) | 7/8 | 1 | 1 | J | 9 | 0 | 0 | 2 | 0 | W |
| 10 | Flush paragraph | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (ROMAN) (main paragraph) | 8/9 | 3 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 12 | Flush and hang 2 ems | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 2 | 0 | W |
| 13 | Flush and hang 3 ems | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 3 | 0 | W |
| 15 | Flush and hang 3 ems (for poetry) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 3 | 0 | W |
| 16 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—1 line entries) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | S |
| 17 | 3 em indent, overs 4 ems (for Briefs—to introduced bills—2 lines or more) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | W |
| 18 | 3 em indent, overs 4 ems (introduced bills) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 4 | 0 | W |
| 20 | Flush paragraph | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 22 | Flush paragraph (will indent 1 em on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 1 | 0 | W |
| 23 | Flush paragraph (must prep and key first line indent when needed) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 1 | 1 | W |
| 24 | Flush paragraph (will indent 2 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 2 | 2 | 0 | W |
| 25 | Indented 3 ems, use for "Sincerely" | 8/9 | 1 | 1 | L | 9 | 0 | 3 | 0 | 0 | N |
| 26 | Flush paragraph (will indent 3 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 3 | 3 | 0 | W |
| 27 | 1 em paragraph (for Bill conversion, Whereas clause) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 28 | Flush paragraph (will indent 4 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 4 | 4 | 0 | W |
| 29 | 1 em paragraph (for Bill conversion, indent under Whereas clause) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 1 | 0 | W |
| 30 | Flush paragraph (will indent 5 ems on left, must prep and key first line indent) | 8/9 | 1 | 1 | J | 9 | 0 | 5 | 5 | 0 | W |
| 46 | Relative locator (to be prepped following locator 45 only) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (for Record conversion only) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 80 | Relative locator (do not use in middle of a word) (for Record conversion only) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page Enc |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SIGNATURES—8 POINT | | | | | | | | | | | |
| 34 | Caps and small caps, flush left on 5 picas (for alining signatures) | 8/9 | 1 | 4 | L | 9 | 0 | — | — | — | B |
| 35 | Caps and lowercase, indented 1 em on 5 picas (to use with 34) | 8/9 | 1 | 1 | J | 9 | 0 | — | — | — | W |
| 36 | Caps and lowercase, 2 em indent, overs 3 ems, for 8 signatures or more to letters | 8/9 | 1 | 1 | J | 9 | 0 | 2 | 3 | 0 | W |
| LETTERS—8 POINT | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 8/9 | 1 | 3 | R | 9 | 0 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 8/9 | 1 | 3 | J | 9 | 0 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 8/9 | 1 | 3 | R | 9 | 0 | 0 | 0 | 1 | E |
| 59 | Italic, flush right | 8/9 | 1 | 3 | R | 9 | 0 | 0 | 0 | 0 | E |
| 60 | 8 point, Caps and small caps, flush right, use for President's sig. to letter to Congress, key 1 em on right | 8/9 | 1 | 4 | R | 9 | 0 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 8/9 | 1 | 4 | J | 9 | 0 | 2 | 3 | 3 | S |
| MISCELLANEOUS | | | | | | | | | | | |
| 31 | For running heads | 12/12 | 4 | 4 | — | — | — | — | — | — | — |
| 32 | For running heads | 12/12 | 4 | 4 | — | — | — | — | — | — | — |
| 33 | For running heads | 12/12 | 4 | 4 | — | — | — | — | — | — | — |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 62 | 2 em dash (do not use) | — | — | — | — | — | — | — | — | — | N |
| 63 | 3 em dash (do not use) | — | — | — | — | — | — | — | — | — | N |
| 64 | 7 em dash (do not use) | — | — | — | — | — | — | — | — | — | N |
| 65 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | F dash, 1 col, key a cap F (for Senate use only) | — | 7 | 2 | — | — | — | — | — | — | E |
| 67 | H dash, 3 col, key a cap H (do not use) | — | 7 | 2 | — | — | — | — | — | — | E |
| 92 | For 2 col, double up, use with Δ P | 7/8 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 6/7 | 1 | 1 | L | 10 | 12 | 0 | 1 | 0 | B |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes. DO NOT use with Δ N, will make up where keyed | 6/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |

SPECIAL INSTRUCTIONS: FOR GRAPHICS IN THE JOURNAL, USE SUBFORMAT 9600. LOCATORS Δ104, Δ105, Δ106 FOR 1-COL GRAPHICS; Δ194, Δ195, Δ196 FOR 3-COL GRAPHICS; THERE ARE NO 2-COL GRAPHICS.

Pargen

# JOURNAL OF THE SENATE OF THE UNITED STATES OF AMERICA

Ninety-eighth Congress, Second Session : : : Beginning January 23, 1984

01 The SECOND SESSION of the NINETY-EIGHTH CONGRESS commenced this day, conformably to the joint resolution, H.J. Res. 642, fixing the date of the meeting of the second regular session of the NINETY-EIGHTH CONGRESS, approved on December 15, 1983, and the Senate met in its Chamber in the city of Washington.

Balance of locators are the same as the House Journal.

Note!

# JOURNAL
## OF THE
# HOUSE OF REPRESENTATIVES

## CONGRESS OF THE UNITED STATES

Begun and held at the Capitol, in the City of Washington, in the District of Columbia, on Monday, the twenty-fourth day of January, in the year of our Lord nineteen hundred and eighty-three, being the *first session* of the NINETY-EIGHTH CONGRESS, held under the Constitution of the United States, and in the two hundred and seventh year of the independence of the United States.

82 MONDAY, JANUARY 24, 1983

10 Locator 10, 8 point, flush paragraph locator, full measure. To be used in the main text portion of the record.

11 Locator 11, 8 point, full measure paragraph locator, first line has 1-em indent built in. This is the main paragraph locator for the big type, which is the proceedings.

12 Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems. Locator 12, 8 point, flush and hang 2 ems.

—Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers.

13 Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems.

—Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers. Locator 12 can be used like this. For Presidential messages with a 1-em dash lead-in and alining runovers.

(13) Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems. Locator 13, 8 point, flush and hang 3 ems.

14 Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems. Locator 14, 7 point, flush and hang 2 ems.

45 04 ¶99.0 THIS IS A HEAD

15 Locator 15, 8 point, flush and hang 3 ems. To be used for poetry, etc. Locator 15, 8 point, flush and hang 3 ems. To be used for poetry, etc. Locator 15, 8 point, flush and hang 3 ems. To be used for poetry, etc.

16 Locator 16, 8 point, 3-em indent, overs 4 ems. To be used in the briefs, for 1-line entries. Locator 16, 8 point, 3-em indent, overs 4 ems. To be used in the briefs, for 1-line entries.

17 Locator 17, 8 point, 3-em indent, overs 4 ems. To be used in the briefs, for entries of more than 1 line. Locator 17, 8 point, 3-em indent, overs 4 ems. To be used in the briefs, for entries of more than 1 line.

18 Locator 18, 8 point, 3-em indent, overs 4 ems. For Senate introduction of bills. Locator 18, 8 point, 3-em indent, overs 4 ems. For Senate introduction of bills.

20 Locator 20, 8 point, flush paragraph, full measure. Locator 20, 8 point, flush paragraph, full measure. Locator 20, 8 point, flush paragraph, full measure.

21 Locator 21, 8 point, full measure main paragraph locator. The first line has the 1-em indent built in. Locator 21, 8 point, full measure main paragraph locator. The first line has the 1-em indent built in.

22 Locator 22, 8 point, (indented 1 em). BUT when this is converted to or from a report or bill, the data will then be indented 2 ems on the left, the 1-em paragraph indent must be prepped and keyed in. To be used only when a report is being set for the Record and will be picked up and converted to a report.

23 Locator 23, 8 point, (sets full measure). BUT when this is converted to or from a report, the data will then be squeezed 2 ems on the left and right, the 1-em paragraph indent must be prepped and keyed in. To be used only when a report is being set for the Record and will be picked up and converted to a report.

24 Locator 24, 8 point, (indented 2 ems). BUT when this is converted to or from a report or bill, the data will then be indented 4 ems on the left, the 1-em paragraph indent must be prepped and keyed in. To be used only when a report is being set for the Record and will be picked up and converted to a report.

25 Locator 25, 8 point, indented 3 ems on left. To be used for "Sincerely" etc., in letters.

45 04 ¶99.0 THIS IS A HEAD

26 Locator 26, 8 point, (indented 3 ems). BUT when this is converted to or from a report or bill, the data will then be indented 6 ems on the left, the 1-em paragraph indent must be prepped and keyed in. To be used only when a report is being set for the Record and will be picked up and converted to a report.

28 Locator 28, 8 point, (indented 4 ems). BUT when this is converted to or from a report or bill, the data will then be indented 8 ems on the left, the 1-em paragraph indent must be prepped and keyed in. To be used only when a report is being set for the Record and will be picked up and converted to a report.

30 Locator 30, 8 point, (indented 5 ems). BUT when this is converted to or from a report or bill, the data will then be indented 10 ems on the left, the 1-em paragraph

indent must be prepped and keyed in. To be used only when a report is being set for the RECORD and will be picked up and converted to a report.

Locators 31, 32, 33, are for the running datelines, and are not to be prepped at any time.

Following is locators 34, 35, 36, which are 8 point locators for signatures.

34 LOCATOR 34,
CAPS AND SM CAPS,
FLUSH LEFT ON 10½ PICAS.

35 Locator 35,
Caps and lc,
1 em under 34.

Locator 36, for signatures to letters, with 8 or more names. Caps and lc, indented 2 ems, overs 3 ems.

A test of a rollcall follows:

[Roll No. 292]

ANSWERED "PRESENT"—363

| | | |
|---|---|---|
| Addabbo | Crane, Daniel | Gonzalez |
| Akaka | Crane, Philip | Goodling |
| Alexander | Daniel, R.W. | Gore |
| Anderson | Danielson | Gradison |
| Andrews | Dannemeyer | Gramm |
| Annunzio | Daschle | Gray |
| Anthony | Daub | Green |
| Ashbrook | Davis | Gregg |
| Aspin | De La Garza | Grisham |
| Atkinson | Deckard | Guarini |
| Aucoin | Derrick | Gunderson |
| Badham | Derwinski | Hagedorn |
| Bafalis | Dicks | Hall (OH) |
| Bailey (MO) | Dixon | Hall, Ralph |
| Bailey (PA) | Donnelly | Hall, Sam |
| Bedell | Dorgan | Hamilton |
| Bellenson | Dornan | Hammerschmidt |
| Benedict | Dougherty | Hance |
| Benjamin | Dowdy | Hansen (ID) |
| Bennett | Downey | Hansen (UT) |
| Bereuter | Dreier | Harkin |
| Bethune | Duncan | Hartnett |
| Bevill | Dunn | Hatcher |
| Biaggi | Dwyer | Heckler |
| Bingham | Dymally | Hefner |
| Blanchard | Dyson | Heftel |
| Billey | Early | Hendon |
| Boland | Edwards (AL) | Hertel |
| Boner | Edwards (CA) | Hightower |
| Bonior | Edwards (OK) | Hiler |
| Bonker | Emerson | Hillis |
| Bouquard | Emery | Hollenbeck |
| Bowen | English | Holt |
| Breaux | Erdahl | Howard |
| Brinkley | Erlenborn | Hubbard |
| Brooks | Ertel | Hughes |
| Broomfield | Evans (DE) | Hunter |
| Brown (CA) | Evans (GA) | Hutto |
| Brown (CO) | Evans (IA) | Jacobs |
| Broyhill | Evans (IN) | Jeffords |
| Burgener | Fary | Jeffries |
| Burton, Phillip | Fenwick | Jenkins |
| Butler | Ferraro | Johnston |
| Byron | Fiedler | Jones (OK) |
| Campbell | Fields | Jones (TN) |
| Carman | Findley | Kastenmeier |
| Carney | Fish | Kazen |
| Chappell | Fithian | Kemp |
| Chappie | Flippo | Kildee |
| Cheney | Foglietta | Kindness |
| Clausen | Foley | Kogovsek |
| Clinger | Ford (TN) | Kramer |
| Coats | Forsythe | LaFalce |
| Coelho | Fountain | Lagomarsino |
| Coleman | Fowler | Lantos |
| Collins (IL) | Frank | Latta |
| Collins (TX) | Frost | Leach |
| Conable | Fuqua | Leath |
| Conte | Garcia | LeBoutillier |
| Conyers | Gaydos | Leland |
| Corcoran | Gejdenson | Lent |
| Coughlin | Gephardt | Levitas |
| Courter | Gilman | Lewis |
| Coyne, James | Gingrich | Livingston |
| Coyne, William | Ginn | Loeffler |
| Craig | Glickman | Long (LA) |
| Long (MD) | Panetta | Smith (AL) |
| Lott | Parris | Smith (NE) |
| Lowery (CA) | Patman | Smith (NJ) |
| Lowry (WA) | Patterson | Smith (PA) |
| Lujan | Paul | Snowe |
| Luken | Pease | Snyder |
| Lundine | Petri | Solarz |
| Lungren | Peyser | Solomon |
| Madigan | Pickle | Spence |
| Markey | Porter | St Germain |
| Marks | Price | Stangeland |
| Marlenee | Pritchard | Stanton |
| Marriott | Pursell | Staton |
| Martin (IL) | Rahall | Stenholm |
| Mattox | Railsback | Stokes |
| Mazzoli | Rangel | Stratton |
| McClory | Ratchford | Studds |
| McCloskey | Regula | Stump |
| McCollum | Reuss | Swift |
| McCurdy | Rhodes | Synar |
| McDade | Richmond | Tauke |
| McDonald | Rinaldo | Tauzin |
| McEwen | Ritter | Thomas |
| McGrath | Roberts (KS) | Traxler |
| McHugh | Roberts (SD) | Trible |
| Mica | Robinson | Udall |
| Mikulski | Rodino | Vander Jagt |
| Miller (CA) | Roemer | Vento |
| Miller (OH) | Rogers | Volkmer |
| Mineta | Rose | Walgren |
| Minish | Rosenthal | Walker |
| Mitchell (NY) | Rostenkowski | Wampler |
| Moakley | Roth | Washington |
| Moffett | Roukema | Watkins |
| Molinari | Rousselot | Weaver |
| Montgomery | Roybal | Weber (MN) |
| Moore | Rudd | Weber (OH) |
| Moorhead | Russo | Whitehurst |
| Morrison | Sabo | Whitley |
| Motti | Sawyer | Whittaker |
| Murphy | Schneider | Whitten |
| Murtha | Schroeder | Williams (MT) |
| Myers | Schulze | Wilson |
| Napier | Schumer | Winn |
| Natcher | Seiberling | Wirth |
| Neal | Sensenbrenner | Wolf |
| Nelligan | Shamansky | Wortley |
| Nelson | Shannon | Wyden |
| Nichols | Sharp | Wylie |
| Nowak | Shaw | Yates |
| O'Brien | Shelby | Yatron |
| Oberstar | Shumway | Young (AK) |
| Obey | Simon | Young (FL) |
| Ottinger | Skeen | Young (MO) |
| Oxley | Skelton | Zeferetti |

Following are letter locators, which are all 8 point locators.

51, Caps and small caps, 5 ems from right (Top); 52, Caps and small caps, 3 ems from right (Top); 53, Italic, 1 em from right (Top); 54, Caps and small caps, flush left (name of person to whom letter is addressed); 55, Italic, flush and hang 2 ems (address of person to whom letter is addressed); 56, Caps and small caps, 5 ems from left (Bottom); 57, Caps and small caps, 3 ems from right (Bottom); 58, Italic, 1 em from right (Bottom); 59, Italic, flush right (Bottom), for use when bullet is required.

FIRST LINE, TOP 51
SECOND LINE, TOP 52
*Third line, top* 53
Hon. ΔT4 CHARLES E. BENNETT, 54
*House of Representatives,* 55
*Chairman, Subcommittee on Seapower and Strategic and Critical Materials, Washington, D.C. (55)*

21 Locator 21 will be used as the paragraph locator for letters, just as it is used in all other places where small type is required.

Sincerely, 25
FIRST LINE, BOTTOM 56
SECOND LINE, BOTTOM 57
*Third line, bottom* 58
*Third line, bottom* 59

The President often sends letters to the Senate, therefore locator 60 is used for his signature. The letter prints in 8 point, so also does his signature.

FLUSH RIGHT 60

In case there are too many lines at the top of the letter to fit into locators 51, 52, and 53, use locator 61, which is indented 2 ems, overs 3 ems, with 3 ems on the right, a sample follows:

61 LOCATOR 61, 8 POINT LOCATOR FOR USE AT THE TOP OF A LETTER IF THERE IS TOO MUCH DATA TO FIT IN THE THREE LOCATORS PREVIOUSLY MENTIONED, THIS SHOULD NOT BE USED TOO OFTEN, SHORTEN THE DATA.

Following is a test of locator 65, 5 stars:

* * * * *

This is a test of locator 68, which is the ΔN footnote function locator.[1]

Following is a test of locator 69, which is the footnote locator without the ΔN function.

Locator 69 is actually only a 6 point paragraph locator that will print where it is keyed, unlike 68 which will print at the bottom of the column.

Locator 70 is still the 7 point relative locator in the record. BUT it prints 8 point in the Journal.

Locator 71, 7 Point, Caps & lowercase centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows (71)

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 71 (71)

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

SEC. 72. LOCATOR 72, 7 POINT BOLD HEAD, FLUSH AND HANG 49 POINTS, KEY NUT SPACES AROUND FIGURES. USE FOR THE CONVERSION PROGRAM 72

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

*Locator 73, 7 Point, Caps & lowercase Italic centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows* 73

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

65 64

¶99.0 THIS IS A HEAD

*Italic centered* 73

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head lo-

[1] The footnote must be prepped and keyed immediately following the paragraph where the ΔN appears. Also a ΔN cannot be used on a variable locator, which would be any center locator, to be safe, do not use a ΔN on any head locator.(68)

cators, and to separate the heads so the pages will make up.

LOCATOR 74, 8 POINT, CAPS & SMALL CAPS CENTERED LOCATOR, BUT A VARIABLE, WILL FLUSH AND HANG 1 EM IF DATA MAKES MORE THAN 2 LINES, AS THIS DATA SHOWS 74

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 74 74

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

**§||75. Locator 75, 8 point bold, Caps and lowercase, flush and hang 1 em. Key a nut space after figures. Head locator with special use. 75**

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 76, 8 POINT, CAPS AND SMALL CAPS CENTER. HEAD LOCATOR WITH SPECIAL USE. 76

Locator 76, when converted to a report, will be Caps and small caps centered for squeeze matter.

*Locator 77, 8 point, Italic, flush and hang 2 ems. Head locator with special use. 77*

Locator 77 is to be used mainly when preparing a report that will print in the RECORD and be picked up and converted for use in a report.

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 78, 8 POINT, CAPS AND SMALL CAPS. HEAD LOCATOR WITH SPECIAL USE. 78

Locator 78 is to be used mainly when preparing a report that will print in the Record and be picked up and converted for use in a report.

Locator 80 is still the relative locator for 8 point text.

Locator 81, 8 Point, Caps & lowercase centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows 81

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

□ 1840 81

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

[Roll No. 294]

AYES—100

| | | |
|---|---|---|
| Addabbo | Coyne, William | Gejdenson |
| Akaka | Daschle | Gonzalez |
| Aucoin | Dellums | Gray |
| Bedell | Dixon | Hall (OH) |
| Beilenson | Donnelly | Heckler |
| Benjamin | Dorgan | Hertel |
| Bennett | Downey | Hughes |
| Blanchard | Early | Jacobs |
| Bonior | Edwards (CA) | Jeffords |
| Bonker | Evans (IN) | Kastenmeier |
| Brodhead | Fazio | Kildee |
| Burton, John | Ferraro | Lantos |
| Burton, Phillip | Fish | Leland |
| Collins (IL) | Foglietta | Long (MD) |
| Conte | Ford (MI) | Lowry (WA) |
| Conyers | Frank | Markey |

Following is a test of locator 82:

JANUARY 24, 1983

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

A test of locator 67, an H dash, over 3 columns follows. Key super shift over save-get 6:

*Locator 83, 8 Point, Caps & lowercase Italic centered locator, but a variable, will flush and hang 1 em if data makes more than 2 lines, as this data shows 83*

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

*Italic, centered 83*

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 84, 8 POINT, CAPS & SMALL CAPS CENTERED LOCATOR, BUT A VARIABLE, WILL FLUSH AND HANG 1 EM IF DATA MAKES MORE THAN 2 LINES, AS THIS DATA SHOWS 84

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

LOCATOR 84 84

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

Locator 85, 8 point caps and lowercase, flush and hang 1 em. Locator 85, 8 point caps and lowercase, flush and hang 1 em. Locator 85, 8 point caps and lowercase, flush and hang 1 em.

This is a test of locator 11 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

*Locator 87, 7 point, indent 1 em, overs 3 ems. Head locator with special use.*

Locator 87 should only be used when preparing a report for the RECORD that will be picked up and converted for use in a report.

This is a test of locator 21 the main text locator, it is used here to test the top and bottom leading of the head locators, and to separate the heads so the pages will make up.

Following is a test of locator 92, the subcolumn locator that will double up 2 cols in the 14-pica measure, as in nominations:

NOMINATIONS (71)

| | |
|---|---|
| Ace Adams | Harry Hipple |
| Budget Brains | Ignacius Ingot |
| Chuckie Champ | Jack Jones |
| Dunk Doogood | Kookie Klondike |
| Eddie Ekam | Lanky Larry |
| Frankie Fine | Mickey Mouse |
| Gary Goright | Nannoo Nannoo |

Following is a test of locator 93, the subcolmn locator that will triple up 3 cols in the 14-pica measure, as in roll-calls:

| | | |
|---|---|---|
| Ace Adams | Ace Adams | Ace Adams |
| Budget Brains | Budget Brains | Budget Brains |
| Chuckie Champ | Chuckie Champ | Chuckie Champ |
| Dunk Doogood | Dunk Doogood | Dunk Doogood |
| Eddie Ekam | Eddie Ekam | Eddie Ekam |
| Frankie Fine | Frankie Fine | Frankie Fine |
| Gary Goright | Gary Goright | Gary Goright |
| Harry Hipple | Harry Hipple | Harry Hipple |
| Ignacius Ingot | Ignacius Ingot | Ignacius Ingot |
| Jack Jones | Jack Jones | Jack Jones |
| Kookie Klondike | Kookie Klondike | Kookie Klondike |
| Lanky Larry | Lanky Larry | Lanky Larry |
| Mickey Mouse | Mickey Mouse | Mickey Mouse |
| Nannoo Nannoo | Nannoo Nannoo | Nannoo Nannoo |

Previous to this point, this is a test and explanation of all the locators in the RECORD formats.

# Locator and Grid List

## CONGRESSIONAL RECORD, HOUSE AND SENATE JOURNALS

## FORMAT 9600—Miscellaneous

GRID 1—738

T1—Ionic Roman, Caps and lowercase (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 2—072

T1—Helvetica Roman, Caps and lowercase (71)
T2—**Helvetica Bold, Caps and lowercase** (72)
T3—*Helvetica Italic, Caps and lowercase* (73)
T4—HELVETICA ROMAN, CAPS AND SMALL CAPS (74)

GRID 3—739

T1—**Cheltenham Bold Condensed** (97)
T2—**Garamond Bold, Caps and lowercase** (182)
T3—Goudy Text, Size Range 4 (87)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Light (31)
T3—*Garamond Bold Italic, Size Range 4* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

USE FOR BRACE DATA IN THE JOURNALS AND GRAPHICS FOR ALL 3 PUBLICATIONS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 07 | Flush paragraph (7 point), spans 3 columns (Key 2 ems for paragraph indent) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 08 | Flush paragraph (8 point), spans 3 columns (Key 2 ems for paragraph indent) | 8/9 | 1 | 1 | J | 9 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (8 point) | 8/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 17 | Center head (7 point), spans 3 columns | 7/8 | 1 | 4 | V | 10 | 10 | 0 | 0 | 0 | S |
| 18 | Center head (8 point), spans 3 columns | 8/9 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 19 | Center head (11 point), spans 3 columns | 11/12 | 1 | 4 | V | 35 | 20 | 0 | 0 | 0 | S |
| 20 | Flush paragraph (7 point) | 7/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (7 point) | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 90 | Non-print Index locator used by CRI Indexers | — | — | — | — | — | — | — | — | — | — |
| 40 thru 44 | Brace data for Senate Journal | | | | | | | | | | |
| 51 thru 55 61 62 63 70 thru 79 80 thru 84 | Brace data for House Journal | | | | | | | | | | |
| 04 | First locator of 1-column graphics | 8/9 | 1 | 1 | V | 9 | 0 | 0 | 0 | 0 | S |
| 05 | Second locator of 1-column graphics (blows in illustration size called for in Δg line) | 12/12 | 1 | 1 | L | 12 | 0 | 0 | 0 | 0 | B |
| 06 | Caption for illustration, 1-column graphics, 7 point center | 7/8 | 1 | 1 | V | 8 | 17 | 0 | 0 | 0 | E |
| 94 | First loc. of graphics * | 12/12 | 1 | 2 | L | 24 | 0 | 0 | 0 | 0 | S |
| 95 | Second locator of graphics * (95 blows in illustration size called for in Δg line) | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

*SPECIAL INSTRUCTIONS: FOR GRAPHICS IN THE RECORD, USE SUBFORMAT 9600. LOCATORS Δ104, Δ105, Δ106 FOR 1-COL. GRAPHICS; Δ194, Δ195, Δ196 FOR 3-COL. GRAPHICS. THERE ARE NO 2-COL. GRAPHICS.

# Braces Data Samples

The following examples are to be used for BRACES DATA produced from the new Record and Journals format ΔF9600 (prep'd as a subformat only).

The keying sequence and locator assignment MUST be followed in order to maintain alignment.

The following BRACES DATA is used only for the HOUSE JOURNAL:

When there appeared { Yeas ..... 386; Nays ..... 12; Answered present. 1

(74) Yeas

(76) 386

(74) Nays

(76) 12

(73) □When there appeared

(77) ⅝ (KEY: Unshift over save-get 5)

(75) Answered present

(76) 1

ΔQ02

When there appeared { Yeas ..... 321; Nays ..... 74

(74) Yeas

(76) 321

(71) When there appeared

(79) ⅝ (KEY: Unshift over save-get 5)

(75) Nays

(76) 74

ΔQ02

It was decided in the affirmative ..... { Yeas ..... 110; Nays ..... 10; Answered present. 2

(74) Yeas

(76) 110

(72) It was decided in the

(74) Nays

(76) 10

(70) ⅝ (KEY: Unshift over save-get 5)

(78) affirmative

(75) Answered present

(76) 2

ΔQ02

It was decided in the negative ..... { Yeas ..... 48; Nays ..... 100

(72) It was decided in the

(74) Yeas

(76) 48

(79) ⅝ (KEY: Unshift over save-get 5)

(73) negative

(74) Nays

(76) 100

ΔQ02

The following BRACES DATA is used only for the SENATE JOURNAL:

It was determined in the affirmative ..... { Yeas ..... 75; Nays ..... 0

(40) It was determined in

(41) Yeas

(42) 75

(44) {

(43) the affirmative

(41) Nays

(42) 0

ΔQ02

# Locator and Grid List

## 7 POINT NOMINATIONS

## FORMAT 6605

GRID 1—738

T1—Ionic Roman, Caps and lowercase (141)
T2—Century Bold, Caps and lowercase (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 2—731

T1—Century Roman, Caps and lowercase (241)
T2—Century Bold, Caps and lowercase (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 3—BLANK

GRID 4—BLANK

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| SPECIAL HEADS—OVERLAYS | | | | | | | | | | | |
| 82 | 10 point roman, prints flush left at top of first page only, key after format | 10/10 | 2 | 1 | L | 10 | 0 | — | — | — | S |
| 83 | 8 point roman, centered folio prefix at bottom of page, key after locator 82 data | 8/8 | 2 | 1 | R | 8 | 0 | — | — | — | B |
| 7 POINT—HEADS | | | | | | | | | | | |
| 73 | Italic, Caps and lowercase, center—*To be*— | 7/8 | 1 | 3 | V | 14 | 11 | 0 | 0 | 0 | S |
| 74 | CAPS, Caps and small caps, small caps, center—CHAPLAIN— | 7/8 | 1 | 4 | V | 14 | 11 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 11 | 10 point italic, *Ordered*, That—key ΔT1 after the word Ordered | 10/10 | 2 | 3 | J | 10 | 0 | 1 | 0 | 0 | W |
| 20 | 7 point roman, flush left, 2 column subcolumn routine, use with ΔP | 7/8 | 1 | 1 | L | 14 | 0 | 0 | 1 | 0 | B |
| 21 | 7 point, 1 em paragraph | 7/8 | 1 | 1 | J | 14 | 0 | 1 | 0 | 0 | W |
| 92 | 7 point roman flush left, 4 column subcolumn routine, use with ΔP | 7/8 | 1 | 1 | L | 12 | 0 | 0 | 1 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 2 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 2 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point italic, 1 em from right | 10/10 | 2 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 31 | 10 point roman, 1 em from right | 10/30 | 2 | 1 | R | 30 | 0 | 0 | 0 | 1 | E |
| 32 | 10 point roman, 1 em indented, flush left, FOTP of 1 | 10/30 | 2 | 1 | L | 30 | 0 | 1 | 0 | 0 | E |
| 33 | 10 point roman, flush right, FOTP of 2 | 10/30 | 2 | 1 | R | 30 | 0 | 0 | 0 | 0 | E |
| 34 | 10 point roman, flush left | 10/30 | 2 | 1 | L | 30 | 0 | 0 | 0 | 0 | E |
| 66 | F dash, key a cap F, use when subcolumn routine makes more than 800 entries | — | 7 | 2 | — | — | — | — | — | — | N |

# Locator and Grid List

## 10 POINT NOMINATIONS

## FORMAT 6606

GRID 1—738

T1—Ionic Roman, Caps and lowercase (141)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Ionic Italic, Caps and lowercase* (143)
T4—IONIC ROMAN, CAPS AND SMALL CAPS (144)

GRID 2—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 3—BLANK

GRID 4—BLANK

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| SPECIAL HEADS—OVERLAYS | | | | | | | | | | | |
| 82 | 10 point roman, prints flush left at top of first page only, key after format | 10/10 | 2 | 1 | L | 10 | 0 | — | — | — | S |
| 83 | 8 point roman, centered folio prefix at bottom of page, key after locator 82 data | 8/8 | 2 | 1 | R | 8 | 0 | — | — | — | B |
| 10 POINT—HEADS | | | | | | | | | | | |
| 73 | Italic, Caps and lowercase, center—*To be*— | 10/10 | 2 | 3 | V | 18 | 16 | 0 | 0 | 0 | S |
| 74 | CAPS, Caps and small caps, small caps, center | 10/10 | 2 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 11 | 10 point italic, *Ordered*, **That**—key ΔT1 after the word Ordered | 10/10 | 2 | 3 | J | 10 | 0 | 1 | 0 | 0 | W |
| 21 | 10 point, 1 em paragraph | 10/10 | 2 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 2 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 2 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point italic, 1 em from right | 10/10 | 2 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 31 | 10 point roman, 1 em from right | 10/30 | 2 | 1 | R | 30 | 0 | 0 | 0 | 1 | E |
| 32 | 10 point roman, 1 em indented, flush left, FOTP of 1 | 10/30 | 2 | 1 | L | 30 | 0 | 1 | 0 | 0 | E |
| 33 | 10 point roman, flush right, FOTP of 2 | 10/30 | 2 | 1 | R | 30 | 0 | 0 | 0 | 0 | E |
| 34 | 10 point roman, flush left | 10/30 | 2 | 1 | L | 30 | 0 | 0 | 0 | 0 | E |

4F6605 PN915] 83 (PN915

NOMINATION REFERENCE AND REPORT

05 AS IN EXECUTIVE SESSION,
06 SENATE OF THE UNITED STATES,
07 *December 15, 1981.*

11 *Ordered,* That the following nominations be referred to the Committee on Armed Services:

21 The following officers for appointment in the Regular Air Force under the provisions of section 531, title 10, United States Code, with a view to designation under the provisions of section 8067, title 10, United States Code, to perform the duties indicated, and with grades and dates of rank to be determined by the Secretary of the Air Force in accordance with section 533, title 10, United States Code.

74 CHAPLAIN

20 Boyle, James F., 185-24-8176
Cuneo, James J., 524-44-4362
P Curry, James A., 249-48-0525
Gwinn, Andrew O., 248-50-1990
Harris, John V., 524-28-8612
Hawkins, Carl T., 369-22-4437
Heflin, James G., 445-32-5871
Hucabee, Wallace M., 434-42-6744
Laghezza, Bernardine P., 103-24-8590
McAllister, Marvin, 251-46-7610
Miller, James P., 425-58-6709
P Moore, Thermon E., 257-42-1393
Page, William G., 425-46-2832
Robinson, Robert E., 181-26-4741
Ross, Robert J., 033-20-6063
Rutkowski, Edward A., 178-28-6159
Saulnier, Donald F., 031-28-7824
Thomas, Meredith J., 507-28-3783
Tolbert, I. V., 511-26-8660
Watkins, Clarence N., 231-34-7118
Willis, Paul F., 191-30-4562

74 NURSE CORPS

20 Adamczyk, Leonore M., 154-28-2362
Bagley, Alvin E., 531-40-8496
P Betz, Coralie S., 301-34-9251
Bishop, Mary E., 215-28-1900
Black, Joanne M., 325-34-7828
Blaskovitz, Eugenie A., 200-30-1214
Breault, Helen D., 977-32-0661
Borsellega, Johanna E., 102-32-7512
Bullard, Willis G., 506-46-0523
Christensen, Mary A., 401-52-2593
Davidson, Brenda S., 438-58-0744
Drake, Ronald E., 519-46-5049
Eastwood, Walter H., Jr., 199-30-0112
Faust, Ingrid V., 029-24-6016
Fremming, Jackie L., 429-78-7923
Gaughan, Donna L., 046-28-3213
Gillane, Melba M., 461-52-5658
Griffin, Mary E., 252-64-2119
Hewitt, Loretta O., 069-28-5709
Hiet, Janice A., 360-30-6693
Jenkins, Jennie M., 429-62-4336
P Kew, James R., 014-30-4562
Kingham, Sandra K., 287-32-9185
Kulow, David S., 293-30-3797
Lagomarsino, Sarah L., 545-54-3995
Lee, Elvira, 463-56-0578
Leigh, Mary A., 278-34-2624
McGowan, Geraldine B., 126-30-9263
McGuane, Marilyn S., 353-28-0308
Nelson, Margaret P. C., 577-46-4766
Newman, Loren D., 489-42-8412
Pilkington, Louise G., 006-36-1659
Porter, Carolyn S., 308-38-1307
Reinke, Frances F., 502-36-8294
Ricci, Sara E., 242-48-5859
Roe, Jane, 102-38-6222
Ross, Hilda J., 466-54-3517
Seaton, Ottilie A., 159-30-9993
Skiles, Patricia A., 508-52-2236
Sobieski, Ctherine A., 364-38-3924
Ward, Warren R., 464-54-2386
Wilson, Lois R., 465-60-6022

74 DENTAL CORPS

20 Blevins, Cynthia A., 552-90-1231
P Gordner, Wayne H., 200-40-0646
James, Ronald L., 264-84-1628
Nordberg, Rodney C., 531-54-4718
P Saunders, Kip W., 454-74-9222
Shaker, Gregory L., 093-38-3024
Wooton, Randy D., 544-60-5829
P

74 MEDICAL CORPS

20 Blumberg, Andrey I., 504-48-1034
P Dunn, Wiliam J., 527-94-6802
Gauvin, Lloyd D., 520-30-7431
Gilmer, William D., 266-78-2009
P Johnson, Douglas N., 442-34-1462
Stockwell, John R., 408-72-5244
Wolf, Earl G., Jr., 263-82-5898
P

31 , 1981.

32 Reported by Mr. 33 with the

34 recommendation that the nominations be *confirmed.*

PN917]

NOMINATION REFERENCE AND REPORT

AS IN EXECUTIVE SESSION,
SENATE OF THE UNITED STATES,
*December 15, 1981.*

*Ordered*, That the following nominations be referred to the Committee on Armed Services:

The following-named Naval Reserve Officers Training Corps candidates to be appointed permanent ensign in the line or staff corps of the U.S. Navy, subject to qualification therefor as provided by law:

Barge, Thomas H., II
Bird, James F.
Brown, Albert H., II
Butler, Scott R.
Edwards, Michael G.
Hoener, William J.
Jacobs, Herbert G.
Juergens, Jurgen E.
Seerden, James A.
Smith, Roger M.
Spikes, Arnetta
Stanczak, Dennis C.
Taylor David C.
Traaen, Thomas C.

Capt. George W. Evans, Jr., Chaplain Corps, U.S. Naval Reserve, to be appointed a permanent captain in the Chaplain Corps of the U.S. Navy, subject to qualification therefor as provided by law.

The following-named Naval Reserve officers to be appointed permanent commander in the Medical Corps of the U.S. Navy, subject to qualification therefor as provided by law:

Anderson, Daniel S.
Ashamalla, Medhat G.
Barbier, George H.
Bohan, John S.
Bottomy, David P.
Bumagat, Ferdinand M.
Catron, Phillip W.
Chambers, Donald S.
Childs, Kenneth A.
Choi, Ivan C. S.
Faber, Myron M.
Fowler, James T., III
Grady, John L.
Handy, Richard D.
Hardman, Jane M.
Hartman, David S.
Hollingsworth, D. Vertrees
Kerr, James H.
Labouvie, Eric W.
Lee Jonathan O.
Lopez, Virgilio D.
MacDonald Gordon R., Jr.
Maraist, Donald J.
Mazur, David O.
Moyer, David B.
Orejudos, Benjamin C.
Patel, Thakorbhai G.
Patterson, John F.
Pellegrini, Arthur E.
Schneider, James R.
Simmons, Leo B., Jr.
Stokos, James
Supnet, Benbrigido M.
Supnet, Leonora D.
Sweet, Robert M.
Thomas, William J., Jr.
Tidball, John S.
Timmons, Robert W.
Varley-Maneclang, L. Winnie
Veach, Stephen R.
Westbrook, John

The following-named Naval Reserve officers to be appointed permanent lieutenant commander in the Medical Corps of the U.S. Navy, subject to qualification therefor as provided by law:

Aleta, Elenita F.
Alexander, James E., Jr.
Artman, Lee E.
Burckhardt, William A., III
Huftader, Robert D., Jr.
Jamison, James C.
Jung, Byung I.
Leonard, Dale F.
Liu, Renchang
McCamley, Gordon D.
Mottet, Michael D.
Pentzien, Roger J.
Sohn, Steven S.
Stock, Margaret E. O.
Swearingen, David C.
Trace, David A.
Worsham, George F., Jr.
Zekos, Nicholas V.

Lt. Comdr. Thomas R. Gustafson, Dental Corps, U.S. Naval Reserve, to be appointed a permanent lieutenant commander in the Dental Corps of the U.S. Navy, subject to qualification therefor as provided by law.

The following-named chief warrant officers W-2, U.S. Naval Reserve, to be appointed permanent chief warrant officer, W-2, in the U.S. Navy, subject to qualification therefor as provided by law:

Nicholson, James A.
Rial, Robert D.
Thomas, David R.

Lt. James M. Morgan, U.S. Navy, retired, to be reappointed a permanent lieutenant from the temporary disability retired list, subject to qualification therefor as provided by law.

Richard E. Pfeiffer, medical college graduate, to be appointed a permanent captain in the Medical Corps in the Reserve of the U.S. Navy, subject to qualification therefor as provided by law.

The following-named ex-U.S. Navy officers, to be appointed permanent commander in the Medical Corps in the Reserve of the U.S. Navy, subject to qualification therefor as provided by law:

Cilento, Bartley G.
Cooper, John R., Jr.

The following-named ex-Naval Reserve officers, to be appointed permanent commander in the Medical Corps in the Reserve of the U.S. Navy, subject to qualification therefor as provided by law:

Bucayu, Nemesio B., Jr.
Runnels, John B.

, 1981.

Reported by Mr. with the

recommendation that the nominations be *confirmed*.

10-014 O - 90 - 4/10002

AF6606 82 PN848] 83 (PN848

NOMINATION REFERENCE AND REPORT

05 As in Executive Session,
06 Senate of the United States,
07 *November 19, 1981.*

21 *Ordered*, That the following nominations be referred to the Committee on Armed Services:

21 The following-named officers for appointment in the Regular Army of the United States to the grade indicated under the provisions of section 601(a), Public Law 96-513, December 12, 1980, and title 10, United States Code, section 624:

73 *To be major general*

21 Maj. Gen. Ames S. Alboro, Jr., 526-32-4704, Army of the United States (brigadier general, U.S. Army).

21 Maj. Gen. Andrew H. Anderson, 107-20-4558, Army of the United States (brigadier general, U.S. Army).

Brig. Gen. (promotable) Thurman E. Anderson, 255-50-1705, Army of the United States ( U.S. Army).

Maj. Gen. Richard W. Anson, 284-20-5381, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. William S. Augerson, 050-24-6674, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Donald M. Babers, 525-50-5504, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Charles W. Bagnal, 247-44-8391, Army of the United States (colonel, U.S. Army).

Maj. Gen. Floyd W. Baker, 515-18-8923, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Quinn H. Becker, 491-28-4564, Army of the United States (colonel, U.S. Army).

Maj. Gen. Robert L. Bergquist, 034-22-3682, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Raymond H. Bishop, Jr., 297-167-3906, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Richard D. Boyle, 036-20-3100, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Arthur E. Brown, Jr., 424-24-4091, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Edward M. Browne, 454-34-8282, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. John D. Bruen, 359-22-6681, Army of the United States (brigadier general, U.S. Army).

Maj. Gen. Paul P. Burns, 271-28-1915, Army of the United States (brigadier general, U.S. Army).

Brig. Gen. (promotable Andrew P. Chambers, 579-38-2372, Army of the United States (brigadier general, U.S. Army).

31 , 1981.

32 Report by Mr. 33 with the

34 recommendation that the nominations be *confirmed.*

# Locator and Grid List

## EXECUTIVE JOURNAL OF THE SENATE

## FORMATS 6607—10 POINT

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SPECIAL HEAD—OVERLAY | | | | | | | | | | | |
| 84 | 8 point, Caps, centered running head, odd | 8/8 | 1 | 1 | C | 8 | 8 | — | — | — | S |
| HEADS | | | | | | | | | | | |
| 08 | 8 point, Caps and lowercase, center | 8/8 | 1 | 1 | V | 20 | 18 | 0 | 0 | 0 | S |
| 09 | 8 point, italic flush, Caps and lowercase | 8/8 | 1 | 3 | L | 12 | 10 | 0 | 1 | 0 | S |
| 73 | 10 point, italic center, Caps and lowercase | 10/10 | 1 | 3 | V | 20 | 18 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center | 10/10 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| 78 | 14 point, Caps, bold, center (set size 9.5) | 14/15 | 1 | 2 | V | 14 | 0 | 0 | 0 | 0 | S |
| 86 | 8 point, Caps and small caps, center | 8/8 | 1 | 4 | C | 16 | 14 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 11 | 10 point, Caps and lowercase (has top leading, DO NOT USE) | 10/10 | 1 | 1 | J | 20 | 0 | 1 | 0 | 0 | W |
| 21 | 10 point, Caps and lowercase | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 31 | 8 point, Caps and lowercase | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 53 | 10 point, Caps and small caps, 1 em from right | 10/10 | 1 | 4 | R | 20 | 10 | 0 | 0 | 1 | S |
| 54 | 10 point, Caps and lowercase | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | E |
| 55 | 10 point, italic, flush and hang 2 ems, Caps and lowercase | 10/10 | 1 | 3 | J | 12 | 12 | 0 | 2 | 0 | S |
| 58 | 10 point, Caps and small caps, 1 em from right | 10/10 | 1 | 4 | R | 20 | 10 | 0 | 0 | 1 | E |
| 68 | 7 point, footnote, use with ΔN | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| 92 | 10 point, 2-column subcolumn routine, use with ΔP | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 12 | All mark centered | 10/10 | 1 | 1 | C | 18 | 0 | 0 | 0 | 0 | E |
| 82 | 0 point size, does not print, used for indexing | 0/0 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | S |

# Locator and Grid List

## EXECUTIVE JOURNAL OF THE SENATE—LEADERWORK

## FORMAT 6617—8 POINT

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SPECIAL HEAD—OVERLAY | | | | | | | | | | | |
| 84 | 8 point, Caps, centered running head, odd, key after format call | 8/8 | 1 | 1 | C | 8 | 8 | — | — | — | S |
| HEADS | | | | | | | | | | | |
| 10 | 10 point, Caps and lowercase, center | 10/10 | 1 | 1 | C | 18 | 16 | 0 | 0 | 0 | S |
| 71 | 8 point, Caps and lowercase, center | 8/8 | 1 | 1 | C | 16 | 14 | 0 | 0 | 0 | S |
| 73 | 8 point, Italic, Caps and lowercase, center | 8/8 | 1 | 3 | C | 16 | 14 | 0 | 0 | 0 | S |
| 74 | 8 point, Caps and Small Caps, center | 8/8 | 1 | 4 | C | 16 | 14 | 0 | 0 | 0 | S |
| 78 | 14 point, Caps, Bold, center (set size 9.5) | 14/15 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| TEXT—LEADERWORK | | | | | | | | | | | |
| 06 | 6 point, "Page" sets in text, Boxhead over figure column | 6/8 | 1 | 1 | R | 8 | 8 | 0 | 0 | 0 | S |
| 07 | 8 point, Use for figure column, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 8 | 0 | 0 | 0 | B |
| 12 | 8 point, flush and hang 2 ems, FOTP of 1, key a Δ L nut space for leaders | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 0 | B |
| 16 | 8 point, Report No., flush left, first column, clear, FOTP of 1 | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 0 | 0 | B |
| 17 | 8 point, justify, second column, leaders to 318 points, FOTP of 2, use Δ107 for figures | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | 0 | B |
| 19 | 8 point, justify, spans 1st and 2d columns, leaders to 318 points, FOTP of 1, use Δ107 for figures | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 8 | 0 | B |
| 21 | 8 point, flush and hang 1 em—Clear, FOTP of 1 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 22 | 8 point, 2 em indent, overs 3 ems—Clear, FOTP of 1 | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 24 | 8 point, flush and hang 1 em—Leader, FOTP of 1 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 25 | 8 point, 2 em indent, overs 3 ems, FOTP of 1 | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 81 | 8 point, flush right, use for figure column that exceeds 7 ems, e.g.: Δ181oΔL | 8/8 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 15 | Asterisks line, use space bar | 8/8 | 1 | 1 | C | 12 | 0 | 0 | 0 | 0 | N |
| 50 | 50 point center rule | 4/0 | 1 | 1 | C | 12 | 18 | 0 | 0 | 0 | N |
| 51 | 50 point footnote rule | 4/0 | 1 | 1 | L | 6 | 9 | 0 | 0 | 0 | N |
| 52 | Footnote | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |

AF6607

# JOURNAL OF THE EXECUTIVE PROCEEDINGS OF THE SENATE OF THE UNITED STATES

(Ninety-seventh Congress, second session, commencing January 25, 1982)

MONDAY, JANUARY 25, 1982

MESSAGES REFERRED

As in executive session,

The Presiding Officer laid before the Senate the following message from the President of the United States, transmitting a nomination, which was referred as indicated:

THE WHITE HOUSE, *January 25, 1982.*

*To the Senate of the United States:*

I nominate—

Eugene F. Lynch, of California, to be U.S. district judge for the northern district of California vice Charles B. Renfrew, resigned.

RONALD REAGAN.

To the Committee on the Judiciary.

TUESDAY, JANUARY 26 (LEGISLATIVE DAY OF JANUARY 25), 1982

" " " " " " "

MESSAGES REFERRED

As in executive session,

The Presiding Officer laid before the Senate the following messages from the President of the United States, transmitting nominations, a withdrawal and treaty, and the nominations were referred as indicated:

THE WHITE HOUSE, *January 26, 1982.*

*To the Senate of the United States:*

I nominate—

Leroy J. Contie, Jr., of Ohio, to be U.S. circuit judge for the sixth circuit, vice Anthony J. Celebrezze, retired.

RONALD REAGAN.

To the Committee on the Judiciary.

73 *To be brigadier general*

21 Col. Lawrence P. Flynn, 089-22-4944
Col. Walter H. Grimes, 417-38-3639
Col. Robert J. Irvin, 208-22-9814
Col. William A. Jackson, 416-42-6831

The Army National Guard of the United States officers named herein for appointment as Reserve Commissioned Officers of the Army, under the provisions of title 10, United States Code, sections 593(a) and 3392:

73 *To be major general*

21 Brig. Gen. Charles M. Kiefner, 490-28-7292
Brig. Gen. Robert M. Morgan, 447-30-8580

58 RONALD REAGAN.

54 To the Committee on Armed Services.

53 THE WHITE HOUSE, 73 *January 27, 1982.*

55 *To the Senate of the United States:*

21 I nominate—

4S6605 21 The following-named captains of the line of the Navy for promotion to the permanent grade of commodore, pursuant to title 10, United States Code, section 624, subject to qualification therefor as provided by law:

73 *Unrestricted line officers*

92 Robert E. Klee
P James M. G. Seely
Richard F. Donnelly
Don G. Primeau
Roger O. Simon
Harry K. Fiske
James M. Gleim
Diego E. Hernandez
Fred A. Koznofsky
George R. Nagursky
Bernie Schwepps
Myron B. Jones

4S6607 58 RONALD REAGAN.

54 To the Committee on Armed Services.

THE WHITE HOUSE, *January 28, 1982.*

*To the Senate of the United States:*

I nominate—

4S6605 21 The following-named officers for permanent promotion in the U.S. Air Force, under the appropriate provisions of chapter 36, title 10, United States Code, as amended, with dates of rank to be determined by the Secretary of the Air Force:

74 DENTAL CORPS

73 *To be colonel*

20 Aarestad, Jack C., 130-32-5163
Andres, Carl J., 315-44-7009
P Appledoorn, Ronald E., 476-46-1661
Barad, Leonard R., 352-22-1274
Beidler, Donald B., 373-38-0817
Couture, Paul P., 015-30-6957

AF6607

78 NOMINATIONS WITHDRAWN—100TH CONGRESS, SECOND SESSION

21 The following nominations transmitted by the President to the Senate during the 96th Congress and upon which no final action was had at the time of the sine die adjournment on December 16, 1980, did fail of confirmation under the provisions of paragraph 6 of rule XXXI of the Standing Rules of the Senate:

86 FEDERAL RESERVE SYSTEM

31 Lyle Elden Gramley, of Kansas, to be a member of the Board of Governors of the Federal Reserve System for a term of 14 years from February 1, 1980, which was sent to the Senate on March 18, 1980.

86 DEPARTMENT OF JUSTICE

31 D. Clive Short of Nebraska, to be U.S. Marshal for the district of Nebraska for the term of 4 years, which was sent to the Senate on March 20, 1979.

FEDERAL COUNCIL ON THE AGING

Charles J. Fahey, of New York, to be a member of the Federal Council on the Aging for a term expiring December 19, 1982, which was sent to the Senate on May 2, 1980.

INTER-AMERICAN FOUNDATION

David Bronheim, of Connecticut, to be a member of the Board of Directors of the Inter-American Foundation for the remainder of the term expiring September 20, 1982, which was sent to the Senate on March 20, 1980.

THE JUDICIARY

Charles N. Winberry, Jr., of North Carolina, to be district judge for the eastern district of North Carolina, which was sent to the Senate on March 29, 1979.

Fred D. Grey, of Alabama, to be U.S. district judge for the middle district of Alabama, which was sent to the Senate on January 10, 1980.

INTERNATIONAL ATOMIC ENERGY AGENCY

The following-named persons to be the Representative and an Alternate Representative of the United States of America to the 24th Session of the General Conference of the International Atomic Energy Agency, which were sent to the Senate on August 26, 1980:

09 *Representative:*

31 John C. Sawhill, of the District of Columbia.

09 *Alternate Representative:*

31 Gerald C. Smith, of the District of Columbia.

86 U.S. INTERNATIONAL TRADE COMMISSION

31 Robert E. Baldwin, of Wisconsin, to be a member of the U.S. International Trade Commission for the remainder of the term expiring June 16, 1981, which was sent to the Senate on November 30, 1979.

4F6617

## 10 72 U.S. AIR FORCE NOMINATION LISTS

71 [Other than nominations in the grades of general and individual nominations]

74 *NOMINATION LIST No. 1

73 *(256 nominations)*

06 Page

21 Received by the Senate on December 20, 1979. (*See* Executive Journal of 1979 for complete list.)

22 256 in the grade of colonel. (*See* 1979 Journal.)

24 Reported as received on February 1, 1980 ..... 07 55

25 3 in the grade of colonel ..... 20–21

84 in the grade of lieutenant colonel ..... 81 L ..... 151–153, 155–157, 159–164

51 ———

52 *Carried over from the 96th Congress, first session. Confirmed and Received, 98th Congress, first session, this day of January 24, 1983.

## 78 TREATIES RECEIVED DURING THE 96th CONGRESS

77 73

71 [NOTE.—*Those treaties preceded by a dagger (†) are still pending having received no final action up to and including December 16, 1980*]

06 Page

12 †Executive A (96th Cong., 2d sess.)—Treaty of Friendship ..... L ..... 41–42

## 78 TABLE OF EXECUTIVE REPORTS

06 Page

16 No. 96-28. 17 Protocol, with annex, amending the 1953 Halibut Fishery ..... 07 83

15 • • •

19 Order in respect to waiving rule concerning nominations ..... 07 644

## 78 INDEX TO THE EXECUTIVE JOURNAL

50 ———

## 10 CIVILIAN NOMINATIONS

06 Page

74 A

12 Abel, Elie ..... L ..... 598, 628, 636
Ablard, Charles David ..... 1 ..... 2, 122, 127

APRIL 2, 1998



# Locator and Grid List

## SEPARATE AND SELF COVERS AND TITLE PAGES FOR HEARINGS

FORMAT 5011 prints imprint line
* 5441 " " "

FORMAT 6011 does not print imprint line
* 5440 " " "

### GRID 1—241

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

### GRID 2—397

T1—**Cheltenham Bold Ext.** (95)
T2—**Cheltenham Bold** (96)
T3—**Cheltenham Bold Ext. Cond.** (94)
T4—**Cheltenham Bold Cond.** (97)

### GRID 3—242

T1—~~**Century Bold Canceled**~~ (252)
T2—***Century Bold Italic*** (248)
T3—*CONGRESSIONAL ITALIC S.C.* (47)
T4—OPEN (00)

### GRID 4—041

T1—Congressional Roman caps & l.c. (41)
T2—**Century Bold** (242)
T3—*Congressional Italic* (43)
T4—CONGRESSIONAL CAPS & S.C. (44)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| OVERLAYS | | | | | | | | | | | |
| 27 | Century flush left (Jacket No.). (Non Print in 6011) | 6/6 | 1 | 1 | L | 6 | 0 | 16 | 0 | 0 | B |
| 28 | Centered 30 pt. dash. (Non Print in 6011) | — | — | — | — | — | — | — | — | — | B |
| 29 | The year after Washington at bottom of page. (Non Print in 6011) | 8/8 | 1 | 4 | L | 8 | 0 | 0 | 0 | 0 | B |
| 35 | Flush right on line with Jacket No. at bottom of page. (Non Print in 6011) | 6/6 | 1 | 1 | R | 6 | 0 | 0 | 0 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 06 | Century, flush left | 8/10 | 1 | 1 | L | 10 | 0 | 0 | 0 | 0 | B |
| 08 | Century | 8/10 | 1 | 1 | V | 10 | 0 | 0 | 0 | 0 | B |
| 09 | Century small caps (must key lowercase) | 9/9 | 1 | 4 | V | 9 | 0 | 0 | 0 | 0 | B |
| 10 | Century | 10/10 | 1 | 1 | V | 10 | 0 | 0 | 0 | 0 | B |
| 12 | Century bold | 12/12 | 1 | 2 | V | 12 | 0 | 0 | 0 | 0 | B |
| 14 | Century bold | 14/14 | 1 | 2 | V | 14 | 0 | 0 | 0 | 0 | B |
| 15 | Congressional (Set Size 119) | 14/16 | 4 | 1 | V | 16 | 0 | 0 | 0 | 0 | B |
| 16 | Congressional (Set Size 143) | 16/18 | 4 | 1 | V | 18 | 0 | 0 | 0 | 0 | B |
| 18 | Century | 18/18 | 1 | 1 | V | 18 | 0 | 0 | 0 | 0 | B |
| 19 | Cheltenham Bold Extended | 18/20 | 2 | 1 | V | 20 | 0 | 0 | 0 | 0 | B |
| 20 | Congressional (Set Size 153) | 18/22 | 4 | 1 | V | 22 | 0 | 0 | 0 | 0 | B |
| 25 | Rule of 50 pts, centered | — | — | — | — | — | — | — | — | — | B |
| 26 | Double rule, 318 pts. | — | — | — | — | — | — | — | — | — | B |
| 30 | Century, flush left, 159 pts. long (FOTP 1) | 7/8 | 1 | 1 | L | 8 | 0 | 0 | 0 | 0 | B |
| 31 | Century, flush left on 165 pts., 318 pts. long (FOTP 2) | 7/8 | 1 | 1 | L | 8 | 0 | 0 | 0 | 0 | B |
| 33 | Century, caps & small caps, centered | 7/8 | 1 | 4 | V | 8 | 0 | 0 | 0 | 0 | B |
| 38 | Century, caps and small caps, flush right for ID line | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 0 | B |
| 40 | Century bold, flush and hang 1 em, colon line, 293 pts. | 10/11 | 1 | 2 | J | 10 | 0 | 0 | 1 | 0 | B |
| 41 | Century bold, flush and hang 1 em, leaders, 293 pts. | 10/11 | 1 | 2 | J | 10 | 0 | 0 | 1 | 0 | B |
| 42 | Century bold, indent 2 ems, overs 3, leaders, 293 pts. | 10/11 | 1 | 2 | J | 10 | 0 | 2 | 3 | 0 | B |
| 43 | Century bold, flush right, figure column for locators 41 and 42 | 10/11 | 1 | 2 | R | 10 | 0 | 0 | 0 | 0 | B |
| 45 | Century bold, flush right, for word "Page" | 6/6 | 1 | 2 | R | 6 | 0 | 0 | 0 | 0 | B |
| 46 | Century bold, flush and hang 1 em, colon line, 302 pts. | 8/9 | 1 | 2 | J | 8 | 0 | 0 | 1 | 0 | B |
| 47 | Century bold, flush and hang 1 em, leaders, 302 pts. | 8/9 | 1 | 2 | J | 8 | 0 | 0 | 1 | 0 | B |
| 48 | Century bold, indent 2 ems, overs 3, leaders, 302 pts. | 8/9 | 1 | 2 | J | 8 | 0 | 2 | 3 | 0 | B |
| 49 | Century bold, flush right, figure column for locators 47 and 48 | 8/9 | 1 | 2 | R | 9 | 0 | 0 | 0 | 0 | B |
| 50 | Snowflake, (Key cap S) | 32/32 | 8 | 4 | C | 32 | 0 | 0 | 0 | 0 | B |
| 55 | Century Bold, 318 pts. (use following a colon line) for word "Page" to stay on line | 6/6 | 1 | 2 | R | 0 | 0 | 0 | 0 | 0 | B |
| 60 | Rule above sale line, 318 pts. | — | — | — | — | — | — | — | — | — | B |
| 61 | For sale line | 6/8 | 1 | 1 | V | 8 | 0 | 0 | 0 | 0 | B |
| ~~80~~ | ~~Backstrip of cover, line length of 598 pts. (12 pt.)~~ | ~~12/12~~ | ~~2~~ | ~~3~~ | ~~C~~ | ~~12~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~B~~ |
| 81 | Backstrip of cover, line length of 598 pts. (14 pt.) | 14/14 | 2 | 3 | C | 14 | 0 | 0 | 0 | 0 | B |
| 82 | Backstrip of cover, line length of 598 pts. (18 pt.) | 18/18 | 2 | 3 | C | 18 | 0 | 0 | 0 | 0 | B |
| 83 | Backstrip of cover, line length of 598 pts. (10 pt.) | 10/10 | 2 | 3 | C | 10 | 0 | 0 | 0 | 0 | B |
| ~~84~~ | ~~Backstrip of cover, line length of 598 pts. (8 pt.)~~ | ~~8/10~~ | ~~2~~ | ~~3~~ | ~~C~~ | ~~10~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~B~~ |
| 89 | Eagle (Key unshift figures 9, 8, 7) | 48/48 | 8 | 4 | C | 48 | 0 | 0 | 0 | 0 | B |

SEE P. 58A

* FORMATS 5440 + 5441 ARE 498 PTS WIDE + THE LOCATORS MATCH FORMAT 5011. ALSO USED FOR TITLES. USE WITH 2-COLUMN TEXT FORMATS 5442 – 5444.

57 A

UNITED STATES GOVERNMENT

# memorandum

DATE: February 25 , 1998

REPLY TO ATTN OF: Supervisor, GSDD, Shift 3, 493

SUBJECT: Formats 5011 and 6011

TO: Foremen, Proofroom, All Shifts

Formats for Covers/Title Pages, 5011 and 6011 have been shortened 30 points to accommodate the ISBN number. The write-in and overlay locators have been adjusted.

New locators 72 and 73 have been added.

See sample prep attached.

Jim Payne

Jim Payne, Supervisor, GSDD, Shift 3

.F5011

58

38 S. HRG. 105–264

19 T3 LEGISLATIVE BRANCH APPROPRIATIONS FOR FISCAL YEAR 1998 Q08

26 Q10

ADJUST Q SPACING HERE

18 HEARINGS Q05

09 BEFORE A Q02

15 SUBCOMMITTEE OF THE

20 COMMITTEE ON APPROPRIATIONS

20 UNITED STATES SENATE Q08

10 ONE HUNDRED FIFTH CONGRESS Q08

08 FIRST SESSION Q08

09 ON Q08

14 H.R. 2209/S. 1019 Q04

08 AN ACT MAKING APPROPRIATIONS FOR THE LEGISLATIVE BRANCH FOR THE FISCAL YEAR ENDING SEPTEMBER 30, 1998, AND FOR OTHER PURPOSES Q12

25 _____ 08

NEW LOCATOR 8/9, PARA, LEADING 10 PTS, OR USE 72 7/8, PARA, LEADING 9 PTS.

73 Architect of the Capitol (except House items)
P Capitol Police Board
Congressional Budget Office
General Accounting Office
Government Printing Office
Joint Committee on Printing

P Joint Committee on Taxation
Joint Economic Committee
Library of Congress
Nondepartmental witnesses
Office of Compliance
U.S. Senate 08

25 _____

08 Printed for the use of the Committee on Appropriations

Q24

Q36

ADJUST SPACING HERE

LOCATORS 27, 28, + 29 ARE OVERLAYS

08 Available via the World Wide Web: http://www.access.gpo.gov/congress/senate

WRITE-IN 28 _____

Q52

U.S. GOVERNMENT PRINTING OFFICE

27 39–862 CC WASHINGTON : 1997 29

60

61 For sale by the U.S. Government Printing Office
61 Superintendent of Documents, Congressional Sales Office, Washington, DC 20402
ISBN 0–16–055987–1

61 Q071 T1

ΔF5011 (27)00-000 (28) (29)YEAR (35)

(38) S. HRG. (T1) (NO Q SPACE)

(19) (T3) USE THE FOLLOWING LOCATORS AND SPACING (Q08) (26)

Q SPACE ADJUSTABLE HERE

(18) HEARINGS (Q05)

(09) BEFORE THE (Q02)

(15) SUBCOMMITTEE ON (NO Q SPACE)

(15) PUBLIC LANDS AND NATIONAL PARKS (Q04)

(09) OF THE (NO Q SPACE)

(20) COMMITTEE ON (NO Q SPACE)

(20) INTERIOR AFFAIRS (NO Q SPACE)

(20) UNITED STATES SENATE (Q10)

(10) NINETY-EIGHTH CONGRESS (Q08)

(08) SECOND SESSION (Q08)

(09) ON (Q08)

(14) S. 856 (Q04)

(06) TO PROVIDE FOR NATIONAL PARK SERVICE WILDERNESS DESIGNATION IN THE STATE OF CALIFORNIA (Q12)(25)(Q06)

(06) JUNE 14, 1983 (Q12)(25)(Q06)

(08) Printed for the use of the Committee (Q48)(50)S

Q SPACE ADJUSTABLE HERE

604 pts
50 pi, 4 pts

Q space as nec

Maintain 8 pts space

Q66 is here on this sample

U.S. GOVERNMENT PRINTING OFFICE

(27) 00-000#CC WASHINGTON : (29) (35)

60 61 For sale by the Superintendent of Documents, U.S. Government Printing Office

61 Washington, D.C. 20402

58 A

**Format 6019 locators for a 9⅛-inch trim:**

THIS IS •I17 TO PRINT A 7-POINT BACKSTRIP

THIS IS •I01 TO PRINT AN 8-POINT BACKSTRIP

THIS IS •I02 FOR A 10-POINT BACKSTRIP

THIS IS •I03 FOR A 12-POINT BACKSTRIP

THIS IS •I04 FOR A 14-POINT BACKSTRIP

THIS IS •I05 FOR AN 18-POINT BACKSTRIP

THIS IS •I06 FOR A 24-POINT BACKSTRIP

**Format 6019 locators for a 10⅞-inch trim:**

THIS IS •I07 TO PRINT AN 8-POINT BACKSTRIP

THIS IS •I08 FOR A 10-POINT BACKSTRIP

THIS IS •I09 FOR A 12-POINT BACKSTRIP

THIS IS •I10 FOR A 14-POINT BACKSTRIP

THIS IS •I11 FOR AN 18-POINT BACKSTRIP

THIS IS •I12 FOR A 24-POINT BACKSTRIP

\HILL\BSTRIP.DOC

S. HRG. 98-174, PT. 2

# UNITED STATES–SOVIET RELATIONS

## HEARINGS

BEFORE THE

## COMMITTEE ON FOREIGN RELATIONS
## UNITED STATES SENATE

NINETY-EIGHTH CONGRESS

FIRST SESSION

ON

ARMS CONTROL RESOLUTIONS

(10) (72) **S. Res. 57**

(61) A RESOLUTION EXPRESSING THE SENSE OF THE SENATE THAT THE GOVERNMENT OF THE UNITED STATES AND THE GOVERNMENT OF THE UNION OF SOVIET SOCIALIST REPUBLICS SHOULD ADHERE TO THE PRINCIPLE OF A MUTUAL GUARANTEED BUILD-DOWN OF NUCLEAR FORCES

**S.J. Res. 2**

A JOINT RESOLUTION CALLING FOR A MUTUAL AND VERIFIABLE FREEZE AND REDUCTION IN NUCLEAR WEAPONS

**S.J. Res. 29**

A JOINT RESOLUTION TO PREVENT NUCLEAR TESTING

**S. Res. 83**

A RESOLUTION FOR STRATEGIC TALKS ON PREVENTION (S.T.O.P.)

**S.J. Res. 74**

A JOINT RESLOUTION TO EXPRESS THE SENSE OF THE CONGRESS THAT THE UNITED STATES SHOULD PROMOTE THE GOAL OF STRATEGIC STABILITY AND REDUCE THE RISK OF NUCLEAR WAR THROUGH A BALANCED PROGRAM OF FORCE MODERNIZATION TOGETHER WITH NEGOTIATIONS TO ACHIEVE SUBSTANTIAL, VERIFIABLE, AND MILITARILY SIGNIFICANT REDUCTIONS TO EQUAL LEVELS IN THE NUCLEAR ARSENALS OF BOTH SUPERPOWERS

**S.J. Res. 12**

A JOINT RESOLUTION RELATIVE TO ARMS CONTROL NEGOTIATIONS

**S. Res. 107**

A RESOLUTION RELATING TO NUCLEAR ARMS REDUCTION NEGOTIATIONS

**S. Res. 142**

A RESOLUTION TO LIMIT MULTIPLE WARHEAD ICBM'S

**S. Res. 159**

A RESOLUTION RELATING TO IN-FLIGHT TESTING OF ICBM'S

**S. Con. Res. 46**

A CONCURRENT RESOLUTION EXPRESSING THE SENSE OF THE CONGRESS REGARDING NEGOTATIONS FOR THE REDUCTION AND CONTROL OF NUCLEAR ARMS

JUNE 21, 22, AND 23, 1983

**PART 2**

Printed for the use of the Committee on Foreign relations

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON : 1985

00-000 # CC

SEE P. 55 A

Backstops

(4) (F6 01) (80) (72) UNITED STATES AND SOVIET RELATIONS

(81) (72) UNITED STATES AND SOVIET RELATIONS

(82) (72) UNITED STATES AND SOVIET RELATIONS

(83) (72) UNITED STATES AND SOVIET RELATIONS

(Revised August 1, 1990)

4F5011

# TREASURY, POSTAL SERVICE, AND GENERAL GOVERNMENT APPROPRIATIONS FOR FISCAL YEAR 1982

## HEARINGS

BEFORE A

SUBCOMMITTEE OF THE

COMMITTEE ON APPROPRIATIONS

HOUSE OF REPRESENTATIVES

NINETY-SEVENTH CONGRESS

FIRST SESSION

SUBCOMMITTEE ON THE TREASURY, POSTAL SERVICE, AND GENERAL GOVERNMENT APPROPRIATIONS

EDWARD R. ROYBAL, California, *Chairman*

JOSEPH P. ADDABO, New York
DANIEL K. AKAKA, Hawaii
SIDNEY R. YATES, Illinois
DAVID R. OBEY, Wisconsin

CLARENCE E. MILLER, Ohio
ELDON RUDD, Arizona
CARROLL A CAMPBELL, Jr., South Carolina

AUBREY A. GUNNELS AND C. WILLIAM SMITH, *Staff Assistants*

## PART 3


| | Page |
|---|---|
| Compensation of the President | 155 |
| Council of Economic Advisers | 25 |
| Executive Residence at the White House | 11 |
| National Security Council | 41 |
| Office of Administration | 71 |
| Office of Federal Procurement Policy | 87 |
| Office of Management and Budget | 173 |
| Office of Policy Development | 388 |
| Office Residence of the Vice President | 1 |
| Special Assistance to the President | 61 |
| Testimony of Members of Congress and Interested Individuals and Organizations | 313 |
| White House Office | 141 |


Printed for the use of the Committee on Appropriations

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON : 1985

00-000 # C.C.

FOREIGN ASSISTANCE AND RELATED PROGRAMS APPROPRIATIONS FOR THE FISCAL YEAR

FOREIGN ASSISTANCE AND RELATED PROGRAMS APPROPRIATIONS FOR THE FISCAL YEAR

FOREIGN ASSISTANCE AND RELATED PROGRAMS APPROPRIATIONS FOR THE FISCAL YEAR

FOREIGN ASSISTANCE AND RELATED PROGRAMS APPROPRIATIONS FOR THE FISCAL YEAR

# FOREIGN ASSISTANCE AND RELATED PROGRAMS APPROPRIATIONS FOR 1982

## HEARINGS

BEFORE A

SUBCOMMITTEE OF THE

COMMITTEE ON APPROPRIATIONS
HOUSE OF REPRESENTATIVES

NINETY-SEVENTH CONGRESS

FIRST SESSION

SUBCOMMITTEE ON FOREIGN OPERATONS AND RELATED AGENCIES

CLARENCE D. LONG, Maryland, *Chairman*

DAVID R. OBEY, Wisconsin
SIDNEY, R. YATES, Illinois
MATTHEW F. McHUGH, New York
WILLIAM LEHMAN, Florida
CHARLES WILSON, Texas
JULIAN C. DIXON, California
WILLIAM H. GRAY, III, Pennsylvania

JACK F. KEMP, New York
MICKEY EDWARDS, Oklahoma
BOB LIVINGSTON, Louisiana
JERRY LEWIS, California
JOHN EDWARD PORTER, Illinois

EDWIN F. POWERS AND WILLIAM E. SCHUERCH, *Staff Assistants*

PART 5


| | Page |
|---|---|
| Agency for International Development: | 1 |
| Latin America and the Caribbean | 111 |
| Asia | 225 |
| Near and Middle East | 299 |
| Africa and Sahel | 485 |
| International Organizations | 581 |
| Infant Formular Code | |


Printed for the use of the Committee on Appropriations

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON : 1985

00-000

OCT. 20, 1997



# Locator and Grid List

## SEPARATE, SELF COVER, TITLE PAGES FOR EXEC. REPORTS, HOUSE DOCS., ETC.

FORMAT 5012 prints imprint line FORMAT 6012 does not print imprint line

Scotch rule box, 30 picas—5013 prints imprint line 6013 does not print imprint line

9820 + 9821 *

GRID 1—731
T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732
T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733
T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—736
T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Cheltenham Bold Extra Condensed, Size Range 4** (98)
T3—*Gothic Italic* (19)
T4—1-3-5 Line Display (124)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (points) Pri. | Indentions (points) Sec. | Indentions (points) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| OVERLAYS | | | | | | | | | | | |
| 30 | Roman (Jacket No.). (Non Print in 6012) | 6/6 | 1 | 1 | L | 0 | 0 | 0 | 0 | 0 | B |
| 31 | Caps and small caps, italic caps and lowercase, primary and secondary 4 pts | 8/10 | 1 | 1 | C | 10 | 0 | — | — | 0 | B |
| 32 | Left hand Brace, line length 79 pts (Key an F) | 8/8 | 4 | 4 | R | 0 | 0 | 0 | 0 | 0 | B |
| 33 | Caps, centered between braces | 8/10 | 1 | 1 | C | 0 | 0 | — | — | 0 | B |
| 34 | Right hand Brace, line length 246 pts (Key an E) | 8/8 | 4 | 4 | R | 0 | 0 | 0 | 0 | 0 | B |
| 35 | Caps and small caps, and regular figures, primary and secondary 258 pts | 8/10 | 1 | 4 | C | 10 | 0 | — | — | 0 | B |
| 36 | Rule of 318 pts below braced head | 6/0 | 1 | 1 | L | 0 | 0 | 0 | 0 | 0 | B |
| 37 | The year after Washington (bottom of page). (Non Print in 6012) | 8/8 | 1 | 4 | L | 8 | 0 | 12 | 12 | 0 | B |
| 38 | Roman, Flush right on line with Jacket No. | 6/6 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | B |
| 45 | Follows locator 35 for ID figures | 8/10 | 1 | 1 | C | 10 | 0 | — | — | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 06 | Century, variable | 6/6 | 1 | 1 | V | 6 | 0 | 12 | 12 | 0 | B |
| 08 | Century, variable | 8/10 | 1 | 1 | V | 10 | 0 | 12 | 12 | 0 | B |
| 09 | Century small caps, centered | 9/9 | 1 | 4 | C | 9 | 0 | 12 | 12 | 0 | S |
| 10 | Century, variable | 10/14 | 1 | 1 | V | 14 | 0 | 12 | 12 | 0 | B |
| 12 | Century, variable | 12/16 | 1 | 1 | V | 16 | 0 | 12 | 12 | 0 | B |
| 14 | Century, variable | 14/14 | 1 | 1 | V | 14 | 0 | 12 | 12 | 0 | B |
| 18 | Century Bold, variable, set size 120, **THIS LOCATOR IS CONDENSED**, Use Δ128 for normal 18 pt | 18/18 | 1 | 2 | V | 18 | 0 | — | — | 0 | B |
| 21 | Rule 84 pts FOTP 1 with REPORT locator 22, primary 84 pts | 4/0 | 1 | 1 | L | 0 | 0 | — | 0 | 0 | B |
| 22 | REPORT, FOTP 2 with locator 21, primary 180 pts | 12/12 | 1 | 1 | L | 0 | 0 | — | 0 | 0 | B |
| 25 | Rule, centered 50 pts, primary 134 pts | 4/0 | 1 | 1 | L | 0 | 0 | 0 | 0 | 0 | B |
| 28 | Century, variable | 18/18 | 1 | 1 | V | 18 | 0 | 12 | 12 | 0 | B |
| 29 | Century, variable | 28/28 | 1 | 1 | V | 28 | 0 | 12 | 12 | 0 | B |
| 41 | Century Bold caps and lower case, Calendar No., flush right | 14/14 | 1 | 2 | R | 14 | 0 | 0 | 0 | 0 | B |
| 42 | Century caps and lowercase | 8/8 | 1 | 1 | J | 08 | 0 | 0 | 0 | 0 | B |
| 48 | Century, caps and small caps, flush right for ID line | 8/8 | 1 | 4 | R | 08 | 0 | 0 | 0 | 0 | B |
| 50 | Eagle (Key unshift figures 9, 8, 7) | 48/48 | 8 | 4 | C | 48 | 0 | 12 | 12 | 0 | B |
| 58 | 8/10 Century, flush left (justified) on 22½ picas, overs 24 points | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | B |
| 68 | 10/10 Century, flush left (justified) on 22½ picas, overs 24 points | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | B |
| 61 | For sale line | 6/8 | 1 | 1 | V | 08 | 0 | 12 | 12 | 0 | B |
| 89 | Snowflake (Key cap S) | 32/32 | 8 | 4 | C | 32 | 0 | 0 | 0 | 0 | B |

* 9820 — COVER X 492 PTS. WIDE. USED FOR (BRANCH INDIAN REPORT
9821 — TITLE X 492 PTS WIDE. HOUSE GOVT REFORM COMMITTEE, AUG. 1996)

USE THESE FORMATS WITH 5442-5444.

AF5012
30
37
38

10 □
10 T2 [JOINT COMMITTEE PRINT]
10 T4 APRIL 1, 1981 Q03
41 Union Calendar No. 000 Q05
42 99th Congress, 1st Session #1 □ 1/N □ 1/N □ 1/N □ - - - - - - - #1 House Report 00-000 Q94

B1 T2 99th Congress #
1st Session
32 F
33 T2 SENATE
34 E
35 S. PRT.
45 99-1
36

12 EXPENDITURE REDUCTIONS UNDER
BUDGET RECONCILIATION PROCESS Q30 25 Q22

---

12 REPORT Q12

09 OF THE Q06

12 COMMITTEE ON WAYS AND MEANS
U.S. HOUSE OF REPRESENTATIVES Q14

09 ON Q10

12 H.R. 3850 Q06

10 together with Q06

10 ADDITIONAL VIEWS Q08

08 [Including cost estimate of the Congressional Budget Office] Q39

08 □
.gs, 2050
95 CONGRESS, #13
08 □

~~50~~ 9
~~P~~ 8
~~P~~ 7
Q39

08 T4 T1
JANUARY 3, 1985.—Ordered to be printed

Q66 is here

9 space as nec

U.S. GOVERNMENT PRINTING OFFICE

(30) 00 1/N 000 # CC WASHINGTON : (37) (38)

670 pts
55 pi, 10 pts

61 For sale by the Superintendent of Documents, U.S. Government Printing Office
61 Washington, D.C. 20402

8 pts # here

AF5012 (30) 00-000 (37) 1985 (38) when needed

| | | |
|---|---|---|
| (31) 99TH CONGRESS (72) 1st Session | (33) HOUSE OF REPRESENTATIVES | (35) REPT. 99-1 (45) Part 1 |

(32) F (34) E (36)

(10) ☐ Q99 Q53

(12) EXPENDITURE REDUCTIONS UNDER BUDGET RECONCILIATION PROCESS

---

REPORT

OF THE

COMMITTEE ON WAYS AND MEANS
U.S. HOUSE OF REPRESENTATIVES

ON

H.R. 3850

together with

ADDITIONAL VIEWS

[Including cost estimate of the Congressional Budget Office]

SEE p. 63

JANUARY 3, 1985.—Ordered to be printed

Format Print

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON : 1985

00-000 # CC 00-000

| | | |
|---|---|---|
| 99TH CONGRESS 1st Session | HOUSE OF REPRESENTATIVES | REPORT 99-1 |

100th Congress, 2d Session - - - Senate Report 100-1
100th Congress, 2d Session - - - Senate Report 100-12
100th Congress, 2d Session - - - Senate Report 100-123
100th Congress, 2d Session - - - Senate Report 100-1234
100th Congress, 2d Session - - - Senate Document 100-1
100th Congress, 2d Session - - - Senate Document 100-12
100th Congress, 2d Session - - - Senate Document 100-123
100th Congress, 2d Session - - - Senate Document 100-1234

100th Congress, 2d Session - - - House Report 100-1
100th Congress, 2d Session - - - House Report 100-12
100th Congress, 2d Session - - - House Report 100-123
100th Congress, 2d Session - - - House Report 100-1234
100th Congress, 2d Session - - - House Document 100-1
100th Congress, 2d Session - - - House Document 100-12
100th Congress, 2d Session - - - House Document 100-123
100th Congress, 2d Session - - - House Document 100-1234

100TH CONGRESS
2d Session

COMMMITTEE PRINT

WMCP
100-7

# COMPILATION
OF THE
# SOCIAL SECURITY LAWS

INCLUDING THE SOCIAL SECURITY ACT,
AS AMENDED, AND RELATED ENACTMANTS
THROUGH JANUARY 1, 1987

COMPILED BY

THE SOCIAL SECURITY ADMINISTRATION

DEPARTMENT OF HEALTH AND HUMAN SERVICES

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON : 1988

For sale by the Superintendent of Documents, U.S Government Printing Office
Washington, DC 20402

10-014 0 - 90 - 5-10002

# Locator and Grid List

## SEPARATE, SELF COVER, TITLE PAGES FOR EXEC. REPORTS, HOUSE DOCS., ETC.
## — 39½ x 55 —

FORMAT 5005 prints imprint line

GRID 1—731
T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732
T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

FORMAT 6015 does not print imprint line

GRID 3—733
T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—736
T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Cheltenham Bold Extra Condensed, Size Range 4** (98)
T3—*Gothic Italic* (19)
T4—1-3-5 Line Display (124)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (points) Pri. | Indentions (points) Sec. | Indentions (points) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| OVERLAYS | | | | | | | | | | | |
| 30 | Roman (Jacket No.). (Non Print in 6012) | 6/6 | 1 | 1 | L | 0 | 0 | 0 | 0 | 0 | B |
| 31 | Caps and small caps, italic caps and lowercase, primary and secondary 4 pts | 8/10 | 1 | 1 | C | 10 | 0 | — | — | 0 | B |
| 32 | Left hand Brace, line length 79 pts. (Key an F) | 8/8 | 4 | 4 | R | 0 | 0 | 0 | 0 | 0 | B |
| 33 | Caps, centered between braces | 8/10 | 1 | 1 | C | 0 | 0 | — | — | 0 | B |
| 34 | Right hand Brace, line length 402 pts. (Key an E) | 8/8 | 4 | 4 | R | 0 | 0 | 0 | 0 | 0 | B |
| 35 | Caps and small caps, and regular figures, primary and secondary 414 pts | 8/10 | 1 | 4 | C | 10 | 0 | — | — | 0 | B |
| 36 | Rule of 474 pts., below braced head | 6/0 | 1 | 1 | L | 0 | 0 | 0 | 0 | 0 | B |
| 37 | The year after Washington (bottom of page). (Non Print in 6012) | 8/8 | 1 | 4 | L | 8 | 0 | 12 | 12 | 0 | B |
| 38 | Roman, Flush right on line with Jacket No. | 6/6 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | B |
| 45 | Sets in boxhead, centers under Prt. | 8/10 | 1 | 1 | C | 10 | 0 | 414 | 414 | 0 | B |
| 45 | Follows locator 35 for ID figures | 8/10 | 1 | 1 | C | 10 | 0 | — | — | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 06 | Century, variable | 6/6 | 1 | 1 | V | 6 | 0 | 12 | 12 | 0 | B |
| 08 | Century, variable | 8/10 | 1 | 1 | V | 10 | 0 | 12 | 12 | 0 | B |
| 09 | Century small caps, centered | 9/9 | 1 | 4 | C | 9 | 0 | 12 | 12 | 0 | S |
| 10 | Century, variable | 10/14 | 1 | 1 | V | 14 | 0 | 12 | 12 | 0 | B |
| 11 | Century, centered, line length of 450 | 12/16 | 1 | 1 | C | 16 | 0 | 24 | 24 | 0 | B |
| 12 | Century, variable, line length of 417 | 12/16 | 1 | 1 | V | 16 | 0 | 57 | 57 | 0 | B |
| 13 | Century, justified, line length of 417 | 12/16 | 1 | 1 | J | 16 | 0 | 57 | 57 | 0 | B |
| 14 | Century, variable | 14/14 | 1 | 1 | V | 14 | 0 | 12 | 12 | 0 | B |
| 18 | Century Bold, variable, set size 120, **THIS LOCATOR IS CONDENSED**, Use Δ128 for normal 18 pt | 18/18 | 1 | 2 | V | 18 | 0 | — | — | 0 | B |
| 19 | Parallel rule | — | — | — | — | — | — | — | — | — | B |
| 20 | Cheltenham Bold Extra Condensed | 14/18 | 4 | 2 | C | 18 | 0 | 12 | 12 | 0 | B |
| 21 | Rule 84 pts FOTP 1 with REPORT locator 22, primary 162 pts | 4/0 | 1 | 1 | L | 0 | 0 | — | 0 | 0 | B |
| 22 | REPORT, FOTP 2 with locator 21, primary 258 pts | 12/12 | 1 | 1 | L | 0 | 0 | — | 0 | 0 | B |
| 25 | Rule, centered 50 pts., primary 212 pts | 4/0 | 1 | 1 | L | 0 | 0 | 0 | 0 | 0 | B |
| 28 | Century, variable | 18/18 | 1 | 1 | V | 18 | 0 | 12 | 12 | 0 | B |
| 41 | Century Bold caps and lower case, Calendar No., flush right | 14/14 | 1 | 2 | R | 14 | 0 | 0 | 0 | 0 | B |
| 42 | Century caps and lowercase | 8/8 | 1 | 1 | J | 08 | 0 | 0 | 0 | 0 | B |
| 48 | Century, caps and small caps, flush right for ID line | 8/8 | 1 | 4 | R | 08 | 0 | 0 | 0 | 0 | B |
| 50 | Eagle (Key unshift figures 9, 8, 7) | 48/48 | 8 | 4 | C | 48 | 0 | 12 | 12 | 0 | B |
| 51 | Roman, centered in measure | 8/9 | 1 | 1 | C | 12 | 12 | 0 | 0 | 0 | B |
| 52 | Roman, centers in 228, precedes locator 53, FOTP 1 | 8/9 | 1 | 1 | C | 9 | 12 | 0 | 0 | 0 | N |
| 53 | Roman, centers between 246 & 474, FOTP 2 | 8/9 | 1 | 1 | C | 9 | 12 | 246 | 246 | 0 | N |
| 54 | Roman, flush left, FOTP 1 | 8/9 | 1 | 1 | L | 9 | 0 | 12 | 20 | 0 | N |
| 55 | Roman, flush, FOTP 2 | 8/9 | 1 | 1 | L | 9 | 0 | 246 | 254 | 0 | N |
| 56 | 30 point centered rule | 4/0 | 1 | 1 | L | 12 | 12 | 219 | 0 | 0 | N |
| 58 | Roman, justified | 8/10 | 1 | 1 | J | 10 | 0 | 24 | 48 | 0 | B |
| 61 | For sale line | 6/8 | 1 | 1 | C | 08 | 0 | 12 | 12 | 0 | B |
| 74 | Small cap head | 9/9 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 89 | Snowflake (Key cap S) | 32/32 | 8 | 4 | C | 32 | 0 | 0 | 0 | 0 | B |

NOTE: Back Title locators same as 0486, only sets 8 pt., not 7 pt.

4F5005 30 00½000 37 1984

31 T2 98th Congress
2d Session 32 F 33 T2 COMMITTEE PRINT 34 E 35 T2 CP 00 36

10 □ Q99 Q62

12 Staff Data and Materials on Q18

28 CHILD SUPPORT Q24

25 —— Q18

10 Prepared by the Staff of the Q10

14 COMMITTEE ON FINANCE Q06

14 UNITED STATES SENATE Q04

12 T4 ROBERT J. DOLE, T3 *Chairman* Q84

~~50 9 P 8 P 9~~

SEE P. 63

Q08 08 AUGUST 1984 Q84

08 Printed for the use of the Committee on Finance

U.S. GOVERNMENT PRINTING OFFICE

WASHINGTON : 1984

00-000 # CC

4F6015 10 12 [COMMITTEE PRINT] Q15

10 NOT FOR RELEASE UNTIL AUTHORIZED BY THE COMMITTEE 36

Q90

18 COMMITTEE ON APPROPRIATIONS Q06

18 HOUSE OF REPRESENTATIVES Q06

10 NINETY-EIGHTH CONGRESS Q08

08 SECOND SESSION Q24

25 —— Q18

12 A COMPILATION OF REPORTS FOR Q04

12 THE COMMITTEE ON APPROPRIATIONS Q04

12 U.S. HOUSE OF REPRESENTATIVES Q12

09 ON THE Q10

10 PROCUREMENT PRACTICES OF THE DEPARTMENT Q04

10 OF DEFENSE Q85

$0 9 P 8 P 4 Q83

SEE p. 63

08 SURVEYS AND INVESTIGATIONS STAFF

08 MARCH 1984 Q10

25 —— Q06

08 Printed for the use of the Committee on Appropriations

74 SELECT COMMITTEE ON NARCOTICS ABUSE AND CONTROL

51 CHARLES B. RANGEL, New York, *Chairman*

54 PETER W. RODINO, JR., New Jersey
P FORTNEY H. (PETE) STARK, California
JAMES H. SCHEUER, New York
CARDISS COLLINS, Illinois
DANIEL K. AKAKA, Hawaii
FRANK J. GUARINI, New Jersey
ROBERT T. MATSUI, California
DANTE B. FASCELL, Florida
WALTER E. FAUNTROY, District of Columbia
WILLIAM J. HUGHES, New Jersey
MEL LEVINE, California
SOLOMON P. ORTIZ, Texas
LAWRENCE J. SMITH, Florida
EDOLPHUS "ED" TOWNS, New York

55 BENJAMIN A. GILMAN, New York
LAWRENCE COUGHLIN, Pennsylvania
P E. CLAY SHAW, JR., Florida
MICHAEL G. OXLEY, Ohio
STAN PARRIS, Virginia
DUNCAN HUNTER, California
JOSEPH J. DIOGUARDI, New York
STEWART B. McKINNEY, Connecticut
F. JAMES SENSENBRENNER, JR., Wisconsin
ROBERT K. DORNAN, California

56

74 COMMITTEE STAFF

51 74 EDWARD H. JURITH, 73 *Staff Director*
ELLIOTT A. BROWN, *Minority Staff Director*

74 (II) le

Sample of Back Title to 5005 & 6015
Do Not use 4F in Front — Follow Title
Page with 4A

# Locator and Grid List

## COVER AND TITLE—COMMITTEE PRINT FOREIGN AFFAIRS

## FORMAT 5008

GRID 1—181

T1—Garamond, Caps and lowercase (181)
T2—**Garamond Bold** (182)
T3—*Garamond Italic, Caps and lowercase* (183)
T4—GARAMOND, CAPS AND SMALL CAPS (184)

GRID 2—186

T1—*Century Italic* (243)
T2—OPEN
T3—***Garamond Bold Italic*** (188)
T4—IONIC BOLD, CAPS AND SMALL CAPS (140)

GRID 3—241

T1—Century, caps and lowercase (241)
T2—**Century Bold** (242)
T3—*Century Italic* (243)
T4—CENTURY CAPS AND S.C. AND S.C. NUMERALS (244)

GRID 4—

T1—
T2—
T3—
T4—

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (points) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MISCELLANEOUS | | | | | | | | | | | |
| 09 | Garamond Bold centered | 09/09 | 1 | 2 | V | 09 | 0 | 0 | 0 | 0 | B |
| 11 | Garamond Bold justified | 11/11 | 1 | 2 | J | 11 | 0 | 0 | 0 | 0 | B |
| 12 | Garamond Bold Italic center | 12/12 | 2 | 3 | c | 12 | 0 | 0 | 0 | 0 | B |
| 18 | Garamond Bold Italic flush left | 18/18 | 2 | 3 | L | 18 | 0 | 0 | 0 | 0 | B |
| 19 | Garamond Bold Italic, held in 2 ems overs 1 em more | 18/18 | 2 | 3 | L | 18 | 0 | 36 | 54 | 0 | B |
| 25 | Rule full measure 1 point | — | — | — | — | — | — | — | — | — | B |
| 26 | Rule above "For sale" line, hairline | — | — | — | — | — | — | — | — | — | B |
| 28 | Garamond Bold Italic center | 18/20 | 2 | 3 | c | 20 | 0 | 0 | 0 | 0 | B |
| 36 | Garamond flush left | 36/42 | 1 | 1 | L | 42 | 0 | 0 | 0 | 0 | B |
| 42 | Garamond flush left | 42/48 | 1 | 1 | L | 48 | 0 | 0 | 0 | 0 | B |
| 50 | Eagle | 66/66 | 8 | 4 | C | — | — | — | — | — | B |
| 61 | Garamond centered "For sale" line | 07/08 | 1 | 1 | V | 08 | 0 | 0 | 0 | 0 | E |
| 80 | Backstrip | 12/12 | 1 | 2 | V | 12 | 0 | 0 | 0 | 0 | B |
| 81 | Backstrip | 14/14 | 1 | 2 | V | 14 | 0 | 0 | 0 | 0 | B |
| 82 | Backstrip | 18/18 | 1 | 2 | V | 18 | 0 | 0 | 0 | 0 | B |
| 83 | Backstrip | 24/24 | 1 | 2 | V | 24 | 0 | 0 | 0 | 0 | B |

4F5008

11 COMMITTEE ON FOREIGN AFFAIRS Q06

25 Q58

36 Human Rights Q12

36 Documents Q26

18 *Compilation of Documents Pertaining to Human Rights, Including:* Q06

19 *U.S. Laws on Human Rights* Q06

19 *Basic Human Rights Instruments prepared by the United Nations* Q06

19 *Regional Human Rights Conventions*

19 *International Humanitarian Laws (Laws of Armed Conflict)* Q25

← 569 pints →

Δ150 Unshift over save-get 9
ΔP Super-shift shift
ΔP Unshift over save-get 3
ΔP Unshift over save-get 4
ΔP Unshift over save-get 5
ΔP Unshift over save-get 6

Q34

09 COMMITTEE PRINT Q33

26

61 For sale by the Superintendent of Documents, U.S. Government Printing Office
61 Washington, D.C. 20402 4A

80 Human Rights Documents

81 Human Rights Documents

82 Human Rights Documents

83 Human Rights Documents

# Locator and Grid List

## COVER FOR APPROPRIATION HEARINGS

## FORMAT 5009

GRID 1—181

T1—Garamond, Caps and lowercase (181)
T2—**Garamond Bold, Caps and lowercase** (182)
T3—*Garamond Italic, Caps and lowercase* (183)
T4—GARAMOND, CAPS AND SMALL CAPS (184)

GRID 2—186

T1—*Century Italic* (243)
T2—OPEN
T3—***Garamond Bold Italic (size range 2)*** (188)
T4—IONIC BOLD, CAPS AND SMALL CAPS (140)

GRID 3—136

T1—**Spartan Medium** (135)
T2—**Spartan Heavy Cond.** (138)
T3—***Spartan Heavy Italic*** (134)
T4—Spartan Book Condensed (137)

GRID 4—320

T1—**Spartan Bold** (132)
T2—***Garamond Bold Italic (size range 2)*** (188)
T3—*Century Italic* (243)
T4—***Garamond Bold Italic (size range 4)*** (189)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MISCELLANEOUS | | | | | | | | | | | |
| 01 | One and a half point rule, 318 length | — | — | — | — | — | — | — | — | — | B |
| 02 | Half point rule, 318 length | — | — | — | — | — | — | — | — | — | B |
| 05 | Garamond, centered | 12/14 | 1 | 1 | V | 14 | 0 | 0 | 0 | 0 | B |
| 06 | For Jacket No | 6/8 | 1 | 1 | L | 8 | 0 | 3 | 0 | 0 | E |
| 08 | Garamond, justified | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | S |
| 09 | Bold, flush right "98" (key locator 10 first) "First Session" | 26/26 | 1 | 1 | R | 6 | 0 | 0 | 0 | 0 | B |
| 10 | Bold caps, flush right (key locator 9 second) "First Session | 10/10 | 2 | 3 | R | 10 | 0 | 0 | 0 | 0 | B |
| 11 | Bold italic, single thin spaced | 12/12 | 2 | 3 | R | 12 | 0 | 0 | 0 | 0 | B |
| 12 | Bold, flush right, "1983" | 26/26 | 1 | 1 | R | 6 | 0 | 0 | 0 | 0 | B |
| 14 | Bold, flush right (H.R. No. if used) | 14/14 | 1 | 2 | R | 14 | 0 | 0 | 0 | 0 | B |
| 16 | Bold italic, flush right | 14/14 | 2 | 3 | R | 14 | 0 | 0 | 0 | 0 | B |
| 18 | Garamond, 2 lines centered | 8/10 | 1 | 1 | V | 10 | 0 | 0 | 0 | 0 | B |
| 19 | Bold, flush right "98" (key locator 20 first) "Second Session" | 26/26 | 1 | 1 | R | 6 | 0 | 0 | 0 | 0 | B |
| 20 | Bold caps, flush right (key locator 19 second) "Second Session" | 10/10 | 2 | 3 | R | 10 | 0 | 0 | 0 | 0 | B |
| 21 | Garamond, flush left | 26/26 | 1 | 1 | L | 26 | 0 | 0 | 0 | 0 | B |
| 22 | Garamond, flush left, primary 42 points, secondary 84 points | 26/26 | 1 | 1 | L | 26 | 0 | 0 | 0 | 0 | B |
| 23 | Garamond, flush right, 22 point | 22/22 | 1 | 1 | R | 22 | 0 | 0 | 0 | 0 | B |
| 25 | Full measure rule | — | — | — | — | — | — | — | — | — | B |
| 26 | Flush right | 26/30 | 1 | 1 | R | 30 | 0 | 0 | 0 | 0 | B |
| 32 | Flush right, italic | 32/32 | 1 | 3 | R | 32 | 0 | 0 | 0 | 0 | S |
| 38 | Garamond, caps and small caps, flush right for ID line | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 0 | B |
| 39 | Blank locator | — | — | — | — | — | — | — | — | — | N |
| 51 | Bold, flush left (FOTP with locator 52) | 12/12 | 3 | 2 | L | 12 | 14 | 0 | 0 | 0 | B |
| 52 | Bold flush left, 47 point primary (FOTP with locator 51) | 10/10 | 3 | 2 | L | 10 | 0 | 0 | 0 | 0 | E |
| 53 | Flush left with 2 em indent | 8/10 | 3 | 2 | L | 10 | 0 | 2 | 3 | 0 | B |
| 70 | Flush left on 318 | 22/24 | 1 | 1 | L | 24 | 0 | 0 | 0 | 0 | B |
| 71 | Flush left on 318 with primary 42 points and secondary 66 points | 32/32 | 1 | 1 | L | 42 | 0 | 0 | 0 | 0 | B |
| 74 | Flush left "64" (key locator 75 first) | 34/34 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 75 | Flush left (key locator 74 second), primary 36 points | 22/24 | 1 | 1 | L | 24 | 0 | 36 | 0 | 0 | B |
| 80 | Backstrip | 12/14 | 1 | 2 | V | 14 | 0 | 0 | 0 | 0 | B |
| 81 | Backstrip | 14/16 | 1 | 2 | V | 16 | 0 | 0 | 0 | 0 | B |
| 82 | Backstrip | 18/20 | 1 | 2 | V | 20 | 0 | 0 | 0 | 0 | B |

4F5009 38 S. HRG. 100-000 T1 Q10

32 *Senate Hearings* Q16

16 *Before the Committee on Appropriations* Q16

25

Q50

26 Agriculture, Rural Q06

26 Development, and Related Q06

26 Agencies Appropriations Q58

1 down arrow space

12

11 *Fiscal Year* 1987 Q42

10 G1 T2

09 100th CONGRESS, FIRST SESSION

Q64

51 PART 1—52 (Pages 0–000)

53 DEPARTMENT OF AGRICULTURE
GENERAL ACCOUNTING OFFICE 4A

09 & 10 - First Session

19 & 20 - Second Session

81 Agriculture, Rural Development, and Related Agencies Appropriations, 1983—Part 1

AF5009 38 S. HRG. 100–000 Q10

32 *Senate Hearings* Q16

25

Q30

21 Departments of:

22 —Labor

22 —Health and Human Services

22 —Education

22 —and Related Agencies Appropriations Q58

(1 down arrow space)

12

11 *Fiscal Year* 1988 Q42

20

G1 T2

19 100th CONGRESS, SECOND SESSION

Q64

51 PART 1—(Pages 0–000) 52

53 DEPARTMENT OF AGRICULTURE

GENERAL ACCOUNTING OFFICE

AA

09 & 10 - First Session

19 & 20 - Second Session

AF5009

99th Congress, 1st Session - - - - - - - - - - - House Document 99-10

# PROCEEDINGS OF

# 64th NATIONAL CONVENTION of the

# AMERICAN LEGION

Chicago, Illinois

August 24–26, 1982

JANUARY 25, 1983.—Referred to the Committee on Veterans' Affairs and ordered to be printed, with illustrations

00-000

(Revised August 1, 1990)

# Locator and Grid List

## BACK COVER "THUMB INDEX" FOR COMMITTEEE PRINTS, etc.

## FORMAT 5006

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| | 10 point rule, 42 points long, flush left (allows ⅛ inch for bleed) | — | — | — | — | 15 | 0 | 0 | 0 | 0 | S |
| 19 | 10 point, Century Bold, Caps and lowercase (line length 230) | 10/11 | 1 | 2 | J | 11 | 0 | 5 | 6 | 0 | B |
| 20 | 10 point, Century Bold, Caps and lowercase (line length 230) | 10/11 | 1 | 2 | J | 15 | 0 | 7 | 8 | 0 | B |
| 22 | 10 point, Century Bold, Caps and lowercase (line length 230) | 10/11 | 1 | 2 | J | 15 | 0 | 9 | 10 | 0 | B |
| 24 | 10 point, Century Bold, Caps and lowercase (line length 230) | | | | | | | | | | |

See also format 5007, has longer lines and goes to News Gothic Bold.

4F5006

19 [redacted] 20 Regional Rail Reorganization Act of 1973

19 [redacted] 20 Railroad Revitalization and Regulatory Reform Act of 1976

[redacted] Subtitle IV of title 49, United States Code

[redacted] Staggers Rail Act of 1980

[redacted] Rail Passenger Service Act

[redacted] Federal Railroad Safety Act of 1970

[redacted] Railway Labor Act

[redacted] Milwaukee Railroad Restructuring Act

[redacted] Rock Island Railroad Transition and Employee Assistance Act

[redacted] Railroad Retirement Act of 1974

[redacted] Railroad Unemployment Insurance Act

[redacted] Department of Transportation Act

[redacted] Emergency Rail Services Act of 1970

[redacted] Hours of Service Act

[redacted] Federal Employers' Liability Act

19 [redacted] 20 Related Materials:

22 Excerpts from title 11, United States Code

22 Excerpts from title 45, United States Code showing:

19 [redacted] → 24 Safety Appliances Acts

[redacted] Ash Pan Act

[redacted] Locomotive Inspection Act

[redacted] Block Signal Systems

[redacted] Inspection and Testing of Railroad Cars and Appliances

[redacted] Accident Reports Act

19 [redacted] 22 Hazardous Masterials Transportation Act

[redacted] Independent Safety Board Act of 1974

[redacted] Act of March 12, 1914 (Alaska Railroad Act)

Format Prints

To use this index, bend the publication over and locate the desired section by following the black markers.

Q space as nec after first run. Space to fill page. Spacing will depend on number of bars and removers.

# Locator and Grid List

## COVER FOR NATIONAL CONVENTION OF THE VFW

## FORMAT 5024

GRID 1—061

T1—Bodoni, Caps and lowercase (61)
T2—**Bodoni Bold, Caps and lowercase** (62)
T3—*Bodoni Italic, Caps and lowercase* (63)
T4—BODONI ROMAN, CAPS AND SMALL CAPS (64)

GRID 2—241

T1—Century, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 3—807

T1—"Special Grid" (See Wall Chart)
T2—"Special Grid" (See Wall Chart)
T3—"Special Grid" (See Wall Chart)
T4—"Special Grid" (See Wall Chart)

GRID 4—241

T1—Century, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (pts.) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| 42 | Century, centered top of page (00th Congress, etc.) | 8/8 | 2 | 1 | C | 10 | 90 | 0 | 0 | 0 | S |
| 06 | Bodoni bold (centered in box, bottom of page) | 12/12 | 1 | 2 | C | 542 | 0 | 32 | 32 | 0 | B |

NOTE: All other data and rules are Format generated. (Convention No. has to be changed in Format).

(Revised August 1, 1990)

AF5024

42 100 Congress, 2d Session - - - - - - - - - - - - - - House Document 100-201

# PROCEEDINGS OF THE 87TH NATIONAL CONVENTION OF THE VETERANS OF FOREIGN WARS OF THE UNITED STATES

[SUMMARY OF MINUTES]

Format prints everything else.

Planners to fix when Numbers change - 84 etc.

Send to GSDD before sending to Keyboard.

66 New Orleans, Louisiana : : : August 12-19, 1983

87TH NATIONAL CONVENTION OF THE VETERANS OF FOREIGN WARS

(Revised August 1, 1990)

# Locator and Grid List

## COVER AND TITLE — JOINT COMMITTEE PRINT: HOUSE, FOREIGN AFFAIRS; SENATE, FOREIGN RELATIONS

## FORMAT 5025

GRID 1—181

T1—Garamond, Caps and lowercase (181)
T2—**Garamond Bold, Caps and lowercase** (182)
T3—*Garamond Italic, Caps and lowercase* (183)
T4—GARAMOND ROMAN, CAPS AND SMALL CAPS (184)

GRID 2—186

T1—*Century Italic, Caps and lowercase* (243)
T2—OPEN
T3—*Garamond Bold Italic, Caps and lowercase* (188)
T4—IONIC BOLD, CAPS AND SMALL CAPS (140)

GRID 3—241

T1—Century, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 4—081

T1—Caslon Old Style, Caps and lowercase (081)
T2—Caslon Old Style (SR4), Caps and lowercase (085)
T3—OPEN
T4—CASLON OLD STYLE, CAPS AND SMALL CAPS (084)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (points) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| 07 | Garamond, centered | 8/10 | 1 | 1 | V | 10 | 0 | 0 | 0 | 0 | B |
| 08 | Garamond, centered | 8/8 | 1 | 1 | V | 8 | 0 | 0 | 0 | 0 | B |
| 09 | Century, small caps centered | 8/8 | 3 | 4 | V | 8 | 0 | 0 | 0 | 0 | B |
| 10 | Garamond, centered | 10/10 | 1 | 1 | V | 10 | 0 | 0 | 0 | 0 | B |
| 11 | Garamond bold, centered | 12/12 | 1 | 2 | V | 12 | 0 | 0 | 0 | 0 | B |
| 12 | Garamond, centered caps and small caps | 12/12 | 1 | 4 | V | 12 | 0 | 0 | 0 | 0 | B |
| 20 | Garamond, flush left (primary of 76 points) | 10/12 | 1 | 1 | J | 12 | 0 | 76 | 0 | 0 | B |
| 21 | Garamond bold | 11/12 | 1 | 2 | R | 7 | 0 | 0 | 0 | 0 | B |
| 22 | Garamond, flush left (primary of 76 points) | 10/12 | 1 | 1 | J | 5 | 0 | 76 | 0 | 0 | B |
| 25 | Parallel rule full measure, 1 point | — | — | — | — | — | — | — | — | — | B |
| 26 | Rule above "For Sale" line, hairline | — | — | — | — | — | — | — | — | — | B |
| 30 | Top and bottom rule to create box | — | — | — | — | — | — | — | — | — | B |
| 42 | Caslon Old Style (SR4), flush left | 42/42 | 4 | 2 | L | 42 | 0 | 0 | 0 | 0 | B |
| 50 | Eagle | 72/72 | 8 | 4 | C | 72 | — | — | — | — | B |
| 61 | Garamond, centered (For sale, etc.) | 7/8 | 1 | 1 | V | 8 | 0 | 0 | 0 | 0 | E |
| 80 | Backstrip | 12/12 | 1 | 1 | V | 12 | 0 | 0 | 0 | 0 | B |
| 81 | Backstrip | 14/14 | 1 | 1 | V | 14 | 0 | 0 | 0 | 0 | B |
| 82 | Backstrip | 18/18 | 1 | 1 | V | 18 | 0 | 0 | 0 | 0 | B |
| 83 | Backstrip | 24/24 | 1 | 1 | V | 24 | 0 | 0 | 0 | 0 | B |

(Revised August 1, 1990)

AF5025

COMMITTEE ON FOREIGN AFFAIRS
COMMITTEE ON FOREIGN RELATIONS

# Legislation on Foreign Relations Through 1983

Δ I50 Unshift over save-get 9
Δ P Super-shift shift
Δ P Unshift over save-get 3
Δ P Unshift over save-get 4
Δ P Unshift over save-get 5
Δ P Unshift over save-get 6

JANUARY 1984

CURRENT LEGISLATION AND RELATED EXECUTIVE ORDERS

VOLUME I

U.S. HOUSE OF REPRESENTATIVES

U.S. SENATE

Printed for the use of the Committee on Foreign Affairs and Foreign Relations of the Senate and the House of Representatives respectively

U.S.GOVERNMENT PRINTING OFFICE
WASHINGTON : 1984

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, DC 20402

10-014 0 - 90 - 6/10002

(Revised August 1, 1990)

AF5025

COMMITTEE ON FOREIGN AFFAIRS

COMMITTEE ON FOREIGN RELATIONS

# Legislation on Foreign Relations Through 1983

Δ150 Unshift over save-get 9
ΔP Super-shift shift
ΔP Unshift over save-get 3
ΔP Unshift over save-get 4
ΔP Unshift over save-get 5
ΔP Unshift over save-get 6

JOINT COMMITTEE PRINT

JANUARY 1984

CURRENT LEGISLATION AND RELATED EXECUTIVE ORDERS

VOLUME I

U.S. HOUSE OF REPRESENTATIVES

U.S. SENATE

Legislation on Foreign Relations Through 1983—Volume I

# Locator and Grid List

## COVER 4 (THUMB INDEX) — TO ACCOMPANY 5025

FORMATS 5026—7 Bars 5046—9 Bars 5036—10 Bars

GRID 1—580

T1—**Spartan Heavy, Caps and lowercase** (132)
T2—Gothic No. 17, Caps and lowercase (017)
T3—**Gothic Bold Cond., Caps and lowercase** (025)
T4—TIMES ROMAN, CAPS AND SMALL CAPS (004)

GRID 2—161

T1—Eterna Regular, Caps and lowercase (161)
T2—**Eterna Bold, Caps and lowercase** (162)
T3—*Eterna Italic, Caps and lowercase* (163)
T4—ETERNA ROMAN, CAPS AND SMALL CAPS (164)

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (points) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot | Pri | Sec. | Right | |
| 25 | Gothic bold condensed, line length 342, flush left | 10/12 | 1 | 3 | L | 12 | 0 | 66 | 66 | 0 | B |

See folder for samples of 5046 and 5036

EDGE INDEX

To use the index on the left, bend the publication over and locate the desired section by following the black markers.

Format Print to Everything Else.

25 FOREIGN ASSISTANT (p. 0) Q60

25 AGRICULTURAL COMMODITIES (p. 000) Q63

25 THE PEACE CORP (p. 000) Q63

25 ARMS CONTROL AND DISARMAMENT (p. 000) Q63

25 DEPARTMENT OF STATE (p. 000) Q56

25 INFORMATION AND EDUCATIONAL AND CULTURAL EXCHANGE PROGRAMS (p. 000) Q55

25 INDEX (p. 000)

(Revised August 1, 1990)

# Locator and Grid List

## COVER PAGE — COMPARATIVE 39½ PICAS

## FORMAT 6628

GRID 1—241

T1—Century, Caps and lowercase (151)
T2—**Century Bold, Caps and lowercase** (152)
T3—*Century Italic, Caps and lowercase* (153)
T4—CENTURY, CAPS AND SMALL CAPS (154)

GRID 2—OPEN

T1—
T2—
T3—
T4—

GRID 3—OPEN

T1—
T2—
T3—
T4—

GRID 4—161

T1—Eterna, Caps and lowercase (161)
T2—**Eterna Bold, Caps and lowercase** (162)
T3—*Eterna Italic, Caps and lowercase* (163)
T4—ETERNA, CAPS AND SMALL CAPS (164)

| Locator No. | Description | FOTP | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (points) Pri. | Indentions (points) Sec. | Indentions (points) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 2 | S |
| 02 | 8 point, flush right on 18 points, above parallel rule | 01 | 6/6 | 1 | 1 | L | 18 | 0 | 3 | 3 | 0 | E |
| 03 | 6 point, flush left | 02 | 6/6 | 4 | 1 | R | 18 | 0 | 0 | 0 | 3 | E |
| 04 | 6 point, flush right | | 8/8 | 1 | 2 | C | 8 | 0 | 0 | 0 | 0 | B |
| 08 | 8 point bold, center | | 10/10 | 1 | 2 | C | 10 | 0 | 0 | 0 | 0 | B |
| 10 | 10 point bold, center | | 12/12 | 1 | 2 | C | 12 | 0 | 0 | 0 | 0 | B |
| 12 | 12 point bold, center | | 14/14 | 1 | 2 | C | 14 | 0 | 0 | 0 | 0 | B |
| 14 | 14 point bold, center | | 18/18 | 1 | 2 | C | 18 | 0 | 0 | 0 | 0 | B |
| 18 | 18 point bold, center | | 24/24 | 1 | 2 | C | 24 | 0 | 0 | 0 | 0 | B |
| 24 | 24 point bold, center | | 25/25 | 1 | 2 | C | 25 | 0 | 0 | 0 | 0 | B |
| 25 | 25 point bold, center | | 30/30 | 1 | 2 | C | 30 | 0 | 0 | 0 | 0 | B |
| 30 | 30 point bold, center | | | | | | | | | | | B |
| 32 | 3 point parallel rule, full measure | 01 | 12/13 | 1 | 1 | L | 13 | 0 | 7 | 8 | 0 | B |
| 41 | On behalf of the House | 02 | 12/13 | 1 | 1 | L | 13 | 0 | 26 | 27 | 0 | B |
| 42 | On behalf of the Senate | 01 | 12/13 | 1 | 1 | L | 13 | 0 | 9 | 10 | 0 | B |
| 43 | House members | 02 | 12/13 | 1 | 1 | L | 13 | 0 | 28 | 29 | 0 | B |
| 44 | Senate members | | 10/0 | 1 | 1 | C | 10 | 10 | 21 | 21 | 0 | B |
| 50 | 50 point Rule | | | | | | | | | | | |

See folder for 6622—48-pica cover and 6614—60-pica cover.

4F6628

02 WMCP:98-38 Q04

32 → Q60

# 24 CONFERENCE COMPARISON OF Q18

# 24 H.R. 3398 Q30

# 24 AS PASSED BY Q10

# 24 THE HOUSE AND THE SENATE Q20

— 50 Q24

## 18 OCTOBER 2, 1984 Q18

## 18 Prepared for the use of the Conferees Q10

41 On behalf of the House: → 42 On behalf of the Senate:

43 Mr. Rostenkowski → 44 Mr. Dole
43 Mr. Gibbons → 44 Mr. Packwood
Mr. Jones of Oklahoma — Mr. Roth
Mr. Jenkins — Mr. Danforth
Mr. Downey of New York — Mr. Long
Mr. Pease — Mr. Bentsen
Mr. Hance — Mr. Matsunaga
Mr. Conable
Mr. Vander Jagt
Mr. Archer
Mr. Frenzel

43 □
43 □ 43 □

32

03 38-918 O

04 U.S. GOVERNMENT PRINTING OFFICE 1984

8 AM May 24, 1996

The following contents page formats have been modified with LOC 4 (telephone leadering): 0480.pcf, 0481.pcf, 0483.pcf, 0484.pcf, 0485.pcf, 0486.pcf, 5904.pcf, 5905.pcf, 6646.pcf, 8486.pcf.

This means that •I81 # •L en space is no longer valid.

The •I60 is still to be used as per normal.

When figures exceed the •I60 length, use •L only. No space needed front or back. It is built in.

The •I81 # •L en space CANNOT BE USED ANYMORE.

## TELEPHONE LEADERING TEST


Page

This is locator 21, followed by •L..... 1, 12, 123, 1234, 1235, 123456
This is locator 21, followed by •I60 ..... 123

This is locator 23, followed by •L ..... 1, 12, 123, 1234, 1235, 123456
This is locator 23, followed by •I60 ..... 123

This is locator 25, followed by •L ..... 1, 12, 123, 1234, 1235, 123456
This is locator 25, followed by •I60 ..... 123

ETC., ETC., ETC., ETC., ETC.


Jim Payne

OCT. 28 1977

(Revised ~~August 1, 1990~~)



# Locator and Grid List

## BACK TITLES AND CONTENTS

0486—8/8 0483—8/10 0484—10/10[1] 0485, 0581[2]—10/12 (for BRIEFS)

0480—8/10 by 30 picas 0481—10/10 by 30 picas 6646[3] 5904, 5905[4] 8476

5472

GRID 1—241

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—011

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | **BACK TITLE LOCATORS** | | | | | | | | | | |
| 74 | 8 point, Caps and small caps center | 8/8 | 1 | 4 | V | 16 | 14 | 0 | 0 | 0 | S |
| 51 | 7 point, Caps and lowercase center | 7/8 | 1 | 1 | C | 10 | 10 | 0 | 0 | 0 | S |
| 52 | 7 point, Caps and lowercase, center over column 1, FOTP of 1 | 7/8 | 1 | 1 | C | 8 | 10 | 0 | 0 | 0 | N |
| 53 | 7 point, Caps and lowercase, center over column 2, FOTP of 2 | 7/8 | 1 | 1 | C | 8 | 10 | 0 | 0 | 0 | N |
| 54 | 7 point, Caps and lowercase, flush left, column 1, use ΔP for second and subsequent lines, FOTP of 1 | 7/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | N |
| 55 | 7 point, Caps and lowercase, flush left, column 2, use ΔP for second and subsequent lines, FOTP of 2 | 7/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | N |
| 56 | 30 point center dash | — | — | — | — | — | — | — | — | — | N |
| | **CONTENTS LOCATORS** | | | | | | | | | | |
| 49 | 12 point locator used for the jacket number only | 12/12 | 1 | 2 | — | 12 | 0 | 0 | 0 | 0 | S |
| 75 | 12 point center, "CONTENTS" | 12/12 | 1 | 1 | V | 12 | 0 | 0 | 0 | 0 | S |
| 83 | 50 point center dash | — | — | — | — | — | — | — | — | — | N |
| 79 | 6 point, flush right "page", use when not alining on a line in the stub | 6/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | S |
| 80 | 6 point, flush right "page", use when alining on a line in the stub | 6/8 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | S |
| 60 | 8 point flush right, use for figure column | 8/8 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | ~~S~~ E |
| ~~81~~ | ~~8 point flush right, use for figure column with more than 5 figures, e.g. #, ΔIL, ΔL en #~~ | ~~8/8~~ | ~~1~~ | ~~1~~ | ~~R~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~0~~ | ~~S~~ |
| 74 | 8 point, Caps and small caps center on whole measure | 8/8 | 1 | 4 | V | 16 | 14 | 0 | 0 | 0 | S |
| 84 | 8 point, Caps and small caps center in stub only, clears figure column | 8/8 | 1 | 4 | V | 16 | 14 | 0 | 0 | 0 | S |
| 90 | 50 point footnote rule flush left on 26½ picas | — | — | — | — | — | — | — | — | — | N |
| 96 | 7 point paragraph, footnote locator, DO NOT use ΔN, key at end of all data | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | E |
| | **CLEAR LOCATORS—Will Continue** | | | | | | | | | | |
| 01 | 8 point, flush and hang 1 em | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 3 | S |
| 02 | 8 point, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 3 | S |
| 03 | 8 point, 2 em indent, overs 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 3 | S |
| 04 | 8 point, 3 em indent, overs 4 ems | 8/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 3 | S |
| 05 | 8 point, 4 em indent, overs 5 ems | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | 3 | S |
| 06 | 8 point, 5 em indent, overs 6 ems | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 6 | 3 | S |
| 07 | 8 point, 6 em indent, overs 7 ems | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | 3 | S |
| 08 | 8 point, 7 em indent, overs 8 ems | 8/8 | 1 | 1 | J | 8 | 0 | 7 | 8 | 3 | S |
| 09 | 8 point, 8 em indent, overs 9 ems | 8/8 | 1 | 1 | J | 8 | 0 | 8 | 9 | 3 | S |
| 10 | 8 point, 9 em indent, overs 10 ems | 8/8 | 1 | 1 | J | 8 | 0 | 9 | 10 | 3 | S |
| 11 | 8 point, flush and hang 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 3 | S |
| 12 | 8 point, 1 em indent, overs 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 3 | S |
| 13 | 8 point, 2 em indent, overs 4 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 3 | S |
| 14 | 8 point, 3 em indent, overs 5 ems | 8/8 | 1 | 1 | J | 8 | 0 | 3 | 5 | 3 | S |
| 15 | 8 point, 4 em indent, overs 6 ems | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 6 | 3 | S |
| 16 | 8 point, 5 em indent, overs 7 ems | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 7 | 3 | S |
| 17 | 8 point, 6 em indent, overs 8 ems | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 8 | 3 | S |
| 18 | 8 point, 7 em indent, overs 9 ems | 8/8 | 1 | 1 | J | 8 | 0 | 7 | 9 | 3 | S |
| 19 | 8 point, 8 em indent, overs 10 ems | 8/8 | 1 | 1 | J | 8 | 0 | 8 | 10 | 3 | S |
| 20 | 8 point, 9 em indent, overs 11 ems | 8/8 | 1 | 1 | J | 8 | 0 | 9 | 11 | 3 | S |

— IF [illegible] 5 [illegible] 4L [illegible] ANY [illegible] DO NOT USE EN #.

OCT 28, 1997

**(Revised ~~August 1, 1990~~)**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | LEADER LOCATORS—Will Continue—Use When Data Is Less Than 250 Characters | | | | | | | | | | |
| 21 | 8 point, flush and hang 1 em | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 3 | U |
| 22 | 8 point, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 3 | U |
| 23 | 8 point, 2 em indent, overs 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 3 | U |
| 24 | 8 point, 3 em indent, overs 4 ems | 8/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 3 | U |
| 25 | 8 point, 4 em indent, overs 5 ems | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | 3 | U |
| 26 | 8 point, 5 em indent, overs 6 ems | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 6 | 3 | U |
| 27 | 8 point, 6 em indent, overs 7 ems | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | 3 | U |
| 28 | 8 point, 7 em indent, overs 8 ems | 8/8 | 1 | 1 | J | 8 | 0 | 7 | 8 | 3 | U |
| 31 | 8 point, flush and hang 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 3 | U |
| 32 | 8 point, 1 em indent, overs 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 3 | U |
| 33 | 8 point, 2 em indent, overs 4 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 3 | U |
| 34 | 8 point, 3 em indent, overs 5 ems | 8/8 | 1 | 1 | J | 8 | 0 | 3 | 5 | 3 | U |
| 35 | 8 point, 4 em indent, overs 6 ems | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 6 | 3 | U |
| 36 | 8 point, 5 em indent, overs 7 ems | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 7 | 3 | U |
| 37 | 8 point, 6 em indent, overs 8 ems | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 8 | 3 | U |
| 38 | 8 point, 7 em indent, overs 9 ems | 8/8 | 1 | 1 | J | 8 | 0 | 7 | 9 | 3 | U |
| | LEADER LOCATORS—Will NOT Continue—Use When Data Is More Than 250 Characters | | | | | | | | | | |
| 48 | 8 point, flush and hang 1 em | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 3 | U |
| 57 | 8 point, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 3 | U |
| 58 | 8 point, 2 em indent, overs 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 3 | U |
| 59 | 8 point, 3 em indent, overs 4 ems | 8/8 | 1 | 1 | J | 8 | 0 | 3 | 4 | 3 | U |
| 67 | 8 point, 4 em indent, overs 5 ems | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | 3 | U |
| 68 | 8 point, 5 em indent, overs 6 ems | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 6 | 3 | U |
| 69 | 8 point, 6 em indent, overs 7 ems | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | 3 | U |
| 70 | 8 point, 7 em indent, overs 8 ems | 8/8 | 1 | 1 | J | 8 | 0 | 7 | 8 | 3 | U |
| 29 | 8 point, 8 em indent, overs 9 ems | 8/8 | 1 | 1 | J | 8 | 0 | 8 | 9 | 3 | U |
| 30 | 8 point, 9 em indent, overs 10 ems | 8/8 | 1 | 1 | J | 8 | 0 | 9 | 10 | 3 | U |
| 77 | 8 point, flush and hang 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 3 | U |
| 78 | 8 point, 1 em indent, overs 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 3 | 3 | U |
| 76 | 8 point, 2 em indent, overs 4 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 4 | 3 | U |
| 85 | 8 point, 3 em indent, overs 5 ems | 8/8 | 1 | 1 | J | 8 | 0 | 3 | 5 | 3 | U |
| 86 | 8 point, 4 em indent, overs 6 ems | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 6 | 3 | U |
| 87 | 8 point, 5 em indent, overs 7 ems | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 7 | 3 | U |
| 88 | 8 point, 6 em indent, overs 8 ems | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 8 | 3 | U |
| 89 | 8 point, 7 em indent, overs 9 ems | 8/8 | 1 | 1 | J | 8 | 0 | 7 | 9 | 3 | U |
| 39 | 8 point, 8 em indent, overs 10 ems | 8/8 | 1 | 1 | J | 8 | 0 | 8 | 10 | 3 | U |
| 40 | 8 point, 9 em indent, overs 11 ems | 8/8 | 1 | 1 | J | 8 | 0 | 9 | 11 | 3 | U |
| | LOCATORS FOR ALIGNING ROMAN NUMERALS | | | | | | | | | | |
| 61 | 8 point, flush right on 12 points, to aline periods on I. thru VI. (10 pt. = 15 points) | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 62 | 8 point, flush right on 18 points, to aline periods on VII. thru XVI. (10 pt. = 23 points) | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 63 | 8 point, flush right on 24 points, to aline periods on XVII. thru XXVI. (10 pt. = 30 points) | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 64 | 8 point, follows locator 61. clear, starts 16 points from left | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 3 | U |
| 65 | 8 point, follows locator 62, clear, starts 22 points from left | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 3 | U |
| 66 | 8 point, follows locator 63, clear, starts 28 points from left | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 3 | U |
| 71 | 8 point, fols 61, ldrs, starts 16 points from left (10 pt. = 20 points) use 25 or 35 for indent under 71 | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 3 | U |
| 72 | 8 point, fols 62, ldrs, starts 22 points from left (10 pt. = 28 points) use 26 or 36 for indent under 72 | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 3 | U |
| 73 | 8 point, fols 63, ldrs, starts 28 points from left (10 pt. = 35 points) use 26 or 36 for indent under 73 | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 3 | U |

[1] F0484 — None of the locators "Will Continue" and locator 51 is 8/9.
[2] F0485 is 25 picas; 0581 is 26½ picas
[3] F6646 — Same as F0486 (No continue lines).
[4] NOTE: 5904 has cap roman numeral folios. 5905 has lowercase roman numeral folios. MUST use fifth digit: 7 continues folio count; 8 continues folio count, next odd.

*8-[illegible] LIKE [illegible] EXCEPT NO 5 [illegible] NO "PAGE" WRITTEN.

** 5442 LIKE 0486 EXCEPT X498 PTS. WIDE — ONE COLUMN. USE WITH 5440-41, 5443-44. (CONTINUED)

4F0486 49 00 1/2 000

## ΔI74 JOINT COMMITTEE ON PRINTING

ΔI51 [Created by act of Aug. 3, 1846 (9 Stat. 114)]

ΔI52 SENATE

ΔI54 Charles McC. Mathias, Jr., of
ΔP □Maryland, ΔT3 *Chairman*
ΔP John W. Warner, of Virginia
ΔP Mark O. Hatfield, of Oregon
ΔP Howard W. Cannon, of Nevada
ΔP Wendell H. Ford, of Kentucky

ΔI53 HOUSE

ΔI55 Augustus F. Hawkins, of California
ΔP □ΔT3 *Vice Chairman*
ΔP Joseph M. Gaydos, of Pennsylvania
ΔP Ed Jones, of Tennessee
ΔP Newt Gingrich, of Georgia
ΔP Lynn Martin, of Illinois

4F0486 → ΔI75 CONTENTS

ΔI80 Page

ΔI01 Standing committees and subcommittees:
ΔI23 Agriculture, Nutrition, and Forestry ..... ΔI60
ΔI25 Appropriations ..... ΔI60
ΔI01 Select committees:
ΔI23 Ethics ..... ΔI60
ΔI25 Indian Affairs ○ ΔI81 ○ ΔL ..... 20, 23, 25, 27
XVII. First locator is ΔI63, followed by ΔI73 ..... ΔI60

MAY 10, 1996
(Revised ~~August 1, 1990~~)



# Locator and Grid List

## TITLE PAGE FOR REPORTS

## FORMAT 6659—Starts page 1 + 6598 *

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—736

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Cheltenham Bold Extra Condensed** (94)
T3—*Gothic Italic* (19)
T4—1-3-5 Line Display (124)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | LOCATORS TO BE PREPPED AND KEYED IN THIS ORDER—SKELETON **REPORT[26,26]**, IS TO BE PICKED UP AND GT'D IN, AND NEW COPY SET | | | | | | | | | | |
| 90 | Jacket No., key only if no preliminary pages, prints at the bottom of the page so Offset will not have to strip it in (overlay). | 7/7 | 1 | 1 | L | 7 | 0 | 2 | 0 | 0 | E |
| 46 | Bold center for **[COMMITTEE PRINT]**, when applicable (also use for date line; must prep in ΔT4 after locator). | 10/12 | 1 | 2 | V | — | — | — | — | — | S |
| 18 | 2 point rule, goes above NOTICE line, when applicable | — | — | — | — | — | — | — | — | — | S |
| 19 | 9 point bold, indented 2 ems, overs 3 ems, with 2 ems on the right, to set **NOTICE** line, when applicable | 9/10 | 1 | 2 | J | 10 | 0 | 2 | 3 | 2 | W |
| 20 | 2 point rule, goes under NOTICE line, when applicable | — | — | — | — | — | — | — | — | — | S |
| 40 | 14 point Century Bold, for **Calendar No.**, when applicable | 14/14 | 1 | 2 | R | — | — | — | — | — | S |
| 01 | Flush left 99TH CONGRESS or whatever Congress is applicable | 9/11 | 1 | 1 | L | — | — | — | — | — | S |
| 03 | Flush right REPORT | 9/11 | 1 | 4 | R | — | — | — | — | — | S |
| 34 | For right facing brace, Cap F | — | 4 | 4 | R | — | — | — | — | — | N |
| 35 | For left facing brace, Cap E | — | 4 | 4 | — | — | — | — | — | — | N |
| 02 | HOUSE OF REPRESENTATIVES or SENATE, whichever is applicable | 9/11 | 1 | 1 | C | — | — | — | — | — | S |
| 04 | *2d Session* or whatever Session is applicable | 9/11 | 1 | 3 | C | — | — | — | — | — | S |
| 05 | 99–000 actual Report number | 9/11 | 1 | 1 | R | — | — | — | — | — | S |
| 06 | Double rule (has a Q36 following) | — | — | — | — | — | — | — | — | — | S |
| 07 | Title of Report, sets in all caps, up to 3 lines (10 point) | 10/12 | 1 | 1 | V | 22 | 20 | 0 | 0 | 0 | S |
| 33 | Title of Report, sets in all caps (8 point) use if 10 point makes 4 lines or more | 8/9 | 1 | 1 | J | 8 | 0 | 0 | 8 | 0 | S |
| 08 | 9 em dash | — | — | — | — | — | — | — | — | — | S |
| 09 | DATE.—Ordered to be printed | 8/10 | 1 | 4 | V | 19 | 17 | 0 | 0 | 0 | S |
| 10 | 9 em dash | — | — | — | — | — | — | — | — | — | S |
| 11 | Sponsor and committee | 10/12 | 1 | 1 | V | 22 | 20 | 0 | 0 | 0 | S |
| 12 | REPORT or CONFERENCE REPORT, as applicable | 12/12 | 1 | 1 | C | 30 | 22 | 0 | 0 | 0 | S |
| 13 | [To accompany .....] | 8/10 | 1 | 1 | V | 19 | 17 | 0 | 0 | 0 | S |
| 21 | Center, used to set cap center head "INDEX TO BILL AND REPORT" | 7/7 | 1 | 1 | C | 18 | 0 | 0 | 0 | 0 | S |
| 22 | 30 point dash | — | — | — | — | — | — | — | — | — | S |
| 23 | Boxhead, "Page number" over 2 figure columns | 6/6 | 1 | 3 | C | — | — | — | — | — | S |
| 24 | Boxhead, "Bill" over first figure column | 6/6 | 1 | 3 | R | 8 | 6 | — | — | — | S |
| 25 | Boxhead, "Report" over second figure column | 6/6 | 1 | 3 | R | 8 | 6 | — | — | — | S |
| 26 | Flush and hang 1 em, leaders to 4½ picas | 8/9 | 1 | 1 | J | 8 | 0 | 0 | 1 | 7 | B |
| 27 | Flush and hang 1 em, clear | 8/9 | 1 | 1 | J | 8 | 0 | 0 | 1 | 7 | B |
| 28 | Indent 2 ems, overs 3 ems, leader | 8/9 | 1 | 1 | J | 8 | 0 | 2 | 3 | 7 | B |
| 29 | Indent 2 ems, overs 3 ems, clear | 8/9 | 1 | 1 | J | 8 | 0 | 2 | 3 | 7 | B |
| 30 | Indent 4 ems, overs 5 ems, leader | 8/9 | 1 | 1 | J | 8 | 0 | 4 | 5 | 7 | B |
| 31 | Flush and hang 52 points | 8/9 | 1 | 1 | J | 8 | 0 | 0 | 6 | 0 | B |
| 41 | Flush right locator for first figure column | 8/9 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 42 | Flush right locator for second figure column | 8/9 | 1 | 1 | R | 8 | 0 | — | — | — | B |

TITLE PAGES DO NOT HAVE TO BE PREPPED, AS THEY ARE PICKED UP FROM A SKELETON AND CORRECTED BY THE OPERATOR. THE LOCATORS AND BLANK DATA ARE IN PLACE. THE OPERATOR WILL CORRECT AS NECESSARY, AND DELETE ANY DATA NOT APPEARING ON THE COPY.

* 6598 IS USED AS A SUBFORMAT ONLY. SEE P. 89A

89 A

4F 5011 27 82-190 28 29 1994 39

This subformat (S6598) MUST be used for all TITLES to accommodate WAIS.

4S 6598 85 HAITIAN ASYLUM-SEEKERS Q08

MUST go back to 4S 5011 26 Q44

18 HEARING Q05

09 BEFORE THE Q02

15 SUBCOMMITTEE ON INTERNATIONAL LAW,

15 IMMIGRATION, AND REFUGEES Q04

09 OF THE

20 COMMITTEE ON THE JUDICIARY

20 HOUSE OF REPRESENTATIVES Q10

10 ONE HUNDRED THIRD CONGRESS Q08

08 SECOND SESSION Q08

09 ON Q08

14 **H.R. 3663, H.R. 4114, and H.R. 4264** Q12 25 Q08

08 JUNE 15, 1994 Q12 25 Q08

10 T2 **Serial No. 43** Q50

50 S

08 Printed for the use of the Committee on the Judiciary

U.S. GOVERNMENT PRINTING OFFICE

82-190 WASHINGTON : 1994

(Revised August 1, 1990)

AF6659 (90) 00½000

Δ146 [COMMITTEE PRINT]

Δ T4 NOVEMBER Δ T1 9, 1982

(18)

Δ119 NOTICE: This is a test of Δ119 which is Century Bold, flush and hang, held in 2 ems left and right, with a rule top and bottom. The top rule is Δ118, and the bottom rule is Δ120.

(20) (Q06)

**Locator No. 40**

(01) 99TH CONGRESS (04) *1st Session* | (02) HOUSE OF REPRESENTATIVES | (03) REPORT (05) 99-001 (06)

(Q36)

DO NOT PREP

GT Report [26,26]

Δ107 TEST FOR TITLE

Δ133 TEST FOR TITLE IF THE DATA MAKES MORE THAN 3 LINES OF 10 POINT. USE Δ133 WHICH WILL FLUSH AND HANG. TEST FOR TITLE IF THE DATA MAKES MORE THAN 3 LINES OF 10 POINT.

(08)

Δ109 NOVEMBER Δ T1 9, 1982.—Ordered to be printed

(10)

Δ111 Mr. Δ T4 DYSON, Δ T1 from the committee of conference, submitted the following

## Δ112 CONFERENCE REPORT

Δ113 [To accompany H.R. 13]

Δ S6601 Δ I21 The committee of conference, to whom was referred the bill (H.R. 13) to amend the standardization of formats and locators, having considered the same, recommend that the bill do pass.

Δ S6659 Δ I21 CENTER HEAD FOR INDEX FOLLOWED BY Δ I22

(22)

| | Δ123 Δ124 | Δ125 |
|---|---|---|
| Δ126 | Δ141 | Δ142 |
| Δ127: | | |
| Δ128 | Δ141 | Δ142 |
| Δ129: | | |
| Δ130 | | |
| Δ126 | Δ141 | Δ142 |

Δ190 51-006

# Locator and Grid List

## SPECIAL DOC FORMAT — FOR "COURT PROCEEDINGS OF VITAL INTEREST TO CONGRESS" (Same as 6601 except for locators 37, 45, 46, 47, 48, 49, 50, 60, 62, 67, 79, 80, and 81)*

### FORMATS 5601 and 5602

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**5601—New Odd, With Sink, Bottom Folio 5602—New Page, No Sink, Top Folio**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | REPORTS WITH EARS—SPECIAL HEAD LOCATORS—**DO NOT USE UNLESS INSTRUCTED TO** | | | | | | | | | | |
| 82 | Nonprint in text, goes to locs. 85 and 86, prints 8 point bold ears | 8/8 | 1 | 2 | R | — | — | 0 | 0 | 0 | N |
| 83 | 8 point bold (overlay), key after Format call, will print flush right at top of page | 8/8 | 1 | 2 | R | — | — | 0 | 0 | 0 | S |
| 84 | 10 point, small caps, center, key with initial cap, goes to locs. 85 and 86, prints 8 point bold ears | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| | THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | | | | | | | | | | |
| 01 | 12 point bold, center (title of hearing) | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center (dateline) | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point, Italic, 1 em from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| | HEADS | | | | | | | | | | |
| 09 | 9 point bold, head, center (Statement line in hearings) | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| | 10 POINT TEXT | | | | | | | | | | |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 11 | 8 point, 1 em paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |

**5601—New Odd, With Sink, Bottom Folio 5602—New Page, No Sink, Top Folio—Continued**

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 14 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | W |
| VOTES (REPORTS) | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| **SPECIAL LOCATORS IN THIS FORMAT, DIFFERENT FROM 6601, SEE ALSO "FOOTNOTES"** | | | | | | | | | | | |
| 37 | 7 point, squeezed 40 points on each side, use with locator 47 | 7/7 | 1 | 1 | J | 7 | 0 | — | — | — | W |
| 45 | 10 point, squeezed 40 points on each side | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 4 | W |
| 46 | 50 point rule, held in 20 points, use with locator 47, for use in text | — | — | — | — | — | — | — | — | — | — |
| 47 | 7 point, squeezed 20 points on each side | 7/7 | 1 | 1 | J | 7 | 0 | — | — | — | W |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES—48 through 67 and 79, 80, and 81 are different from 6601 | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 48 | 7 point footnote locator, squeezed 14 points on each side, use in footnotes only | 7/7 | 1 | 1 | J | 7 | 0 | 2 | 2 | 2 | W |
| 49 | Line of 7 stars, held in 28 points on each side, use in footnotes only | — | — | — | — | — | — | — | — | — | — |
| 50 | 7 point footnote locator, full measure, first line flush, use in footnotes only | 7/7 | 1 | 1 | J | 7 | 0 | 0 | 0 | 0 | W |
| 60 | 7 point bold, flush and hang 2 ems, head for footnotes, first line flush, use in footnotes only | 7/7 | 1 | 2 | J | 12 | 10 | 0 | 2 | 0 | S |
| 62 | Footnotes, indented 6 ems on left, use in footnotes only, key em quad for paragraph indent | 7/7 | 1 | 1 | J | 7 | 0 | 6 | 6 | 0 | W |
| 79 | Caps and small caps, center, head for footnotes, use in footnotes only | 7/7 | 1 | 4 | V | 12 | 10 | 0 | 0 | 0 | S |
| 80 | Footnotes, indented 2 ems on left, use in footnotes only, key em quad for paragraph indent | 7/7 | 1 | 1 | J | 7 | 0 | 2 | 2 | 0 | W |
| 81 | Footnotes, indented 4 ems on left, use in footnotes only, key em quad for paragraph indent | 7/7 | 1 | 1 | J | 7 | 0 | 4 | 4 | 0 | W |
| 67 | 50 point rule, flush left on 26½ picas, use with locator 69, for footnote in text | — | — | — | — | — | — | — | — | — | — |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first ** | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* This subformat can be used in hearings and reports as needed.
** Graphic line keyed as follows: Δ g,w318,d . . . Δ195 Strip offset folio . . . here.

21 Test of the locators in 5601 and 5602 that are different from 6601 and 6602. These locators are 37, 45, 46, 47, 48, 49, 50, 60, 62, 67, 68, 80, and 81.

23 This locator is a 2-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent.

45 This locator is a 4-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent. It is a locator that is different in this format. This locator is a 4-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent.

23 This locator is a 2-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent. Following is a test of locator 46, which is a 50-point rule held in 20 points on the left. This locator is to be followed by locator 47, which is a 7-point locator, squeezed 20 points on each side.

46

47 This is a 7-point locator, squeezed 20 points on each side, flush and flush, an em-quad must be prepped and keyed to get a paragraph indent. This data will appear within the text as a footnote to the preceding data. If there is type subordinate to this data it will be squeezed 20 points more on each side, and locator 37 will be used to set it. A test of locaator 37 follows:

37 This is a 7-point locator, squeezed 40 points on each side, flush and flush, an em-quad must be prepped and keyed to get a paragraph indent. This data will appear within the text as a footnote to the preceding data. It is a secondary indent subordinate to locator 47.

The footnote locators are tested below, the use of the ΔN function is imperative.[1] N

Following is a test of locator 67, which is a 50-point rule flush left on 26½ picas. It is to be used when a footnote is to remain in the text. Locator 69 will be used for the text.

67

69 This is locator 69, a 7-point locator that does not utilize the footnote, or ΔN, function.

68 N

[1] 68 Locator 68 is the 7-point footnote locator, full measure, with the indent built into the locator. Locator 48 is used when squeezed material is required to accompany this data. Locator 48 follows:

48 This is a test of locator 48, which is squeezed 14 points on each side, flush and flush, an em-quad must be prepped and keyed to get a paragraph indent. It is to be used following locator 68. Following is a test of locator 49, which is a line of 7 stars cut in 28 points on each side. To get the stars to fill the area merely key a space between each star.

49 . # . # . # . # . # . # .

50 Locator 50 is also a footnote locator. It is the same as locator 68 except that the first line is flush, the paragraph indent is not built into the locator. This locator is used following locator 48, when going back to flush from indented matter.

79 TEST OF LOCATOR 79 A 7-POINT, CAP AND SMALL CAP, CENTER LOCATOR FOR FOOTNOTES

68 Locator 68 without a ΔN just to show an example of the following locators:

60 Locator 60 a bold, flush and hang, head locator for footnotes.

68 Locator 68 without a ΔN just to show an example of the following locators:

80 Testing locator 80, a footnote locator, indented 2-ems on the left, an em has to be prepped and keyed to get the paragraph indent on the first line:

81 Testing locator 81, a footnote locator, indented 4-ems on the left, an em has to be prepped and keyed to get the paragraph indent on the first line.

62 Testing locator 62, a footnote locator, indented 6-ems on the left, an em has to be prepped and keyed to get the paragraph indent on the first line.

# Locator and Grid List

## COVER FOR BRIEFS

## FORMAT 5020

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—739

T1—**Cheltenham Bold Condensed, Caps and Lowercase** (97)
T2—Garamond Bold, Caps and Lowercase (182)
T3—Goudy Text, Size Range 4 (87)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MISCELLANEOUS | | | | | | | | | | | |
| 08 | Bold Condensed flush left, primary 120 points | 08/10 | 3 | 1 | L | 10 | 0 | — | 0 | 0 | B |
| 09 | Flush right italic (key indentions from right) | 08/09 | 1 | 3 | R | 9 | 0 | 0 | 0 | 0 | B |
| 10 | Bold Condensed caps centered | 10/12 | 3 | 1 | V | 12 | 0 | 0 | 0 | 0 | B |
| 11 | Caps and small caps centered | 11/13 | 1 | 4 | V | 13 | 0 | 0 | 0 | 0 | B |
| 12 | Italic small caps centered | 11/12 | 4 | 4 | V | 12 | 0 | 0 | 0 | 0 | B |
| 14 | Caps and lowercase centered | 14/14 | 1 | 1 | V | 14 | 0 | 0 | 0 | 0 | B |
| 15 | Caps and small caps, flush left | 11/13 | 1 | 4 | L | 13 | 0 | 0 | 0 | 0 | B |
| 16 | Italic, Caps and lowercase, 1-em indent, overs 2 ems | 11/13 | 1 | 3 | L | 13 | 0 | 1 | 2 | 0 | B |
| 18 | Caps and small caps, flush left, primary of 121 points | 11/13 | 1 | 4 | L | 13 | 0 | 11 | 13 | 0 | B |
| 19 | Italic, Caps and lowercase, primary of 132, overs 143 | 11/13 | 1 | 3 | L | 13 | 0 | 12 | 13 | 0 | B |
| 20 | Goudy Text centered | 19/19 | 3 | 3 | C | 19 | 0 | 0 | 0 | 0 | B |
| 25 | Centered dash | — | — | — | — | — | — | — | — | — | B |
| 28 | Caps and small caps, flush left, primary of 154 points | 11/13 | 1 | 4 | L | 13 | 0 | 14 | 16 | 0 | B |
| 29 | Italic, Caps and lowercase, primary of 176 points | 11/13 | 1 | 3 | L | 13 | 0 | 15 | 16 | 0 | B |
| 30 | Full measure rule, heavy | — | — | — | — | — | — | — | — | — | B |
| 31 | Full Measure rule, light | — | — | — | — | — | — | — | — | — | B |
| 38 | Flush left (key indentions from left) | 8/10 | 3 | 1 | L | 10 | 0 | 0 | 0 | 0 | B |
| 39 | Flush left (key indentions from left) | 8/9 | 1 | 3 | L | 9 | 0 | 0 | 0 | 0 | B |
| 58 | Cheltenham Bold, flush left, full measure, fotp 01 | 8/10 | 3 | 1 | L | 10 | 0 | 0 | 2 | 0 | B |
| 59 | Cheltenham Bold, flush left, primary of 144 points, fotp 02 | 8/10 | 3 | 1 | L | 10 | 0 | 18 | 20 | 0 | B |
| 60 | Garamond Italic, 1-em indent, full measure, fotp 01 | 8/10 | 1 | 3 | L | 10 | 0 | 0 | 2 | 0 | B |
| 61 | Garamond Italic, flush left, primary of 152 points, fotp 02 | 8/10 | 1 | 3 | L | 10 | 0 | 19 | 20 | 0 | B |
| 80 | Backstrip | 12/12 | 1 | 1 | C | 12 | 0 | 0 | 0 | 0 | B |
| 81 | Backstrip | 14/14 | 1 | 1 | C | 14 | 0 | 0 | 0 | 0 | B |
| 82 | Backstrip | 18/18 | 1 | 1 | C | 18 | 0 | 0 | 0 | 0 | B |

4F5020

(14) Nos. 80-1832, 80-2170, and 80-2171 (Q08)

(30) (31)

(Q10) (20) In the Supreme Court of the United States (Q10)

(11) OCTOBER TERM, 1982 (Q12)

(25) ——— (Q06)

(11) IMMIGRATION AND NATURALIZATION SERVICE, APPELLANT (Q06)

(11) (T3) v. (Q06)

(11) JAGDISH RAI CHADHA, ET AL (Q12)

(25) ——— (Q06)

(11) UNITED STATES HOUSE OF REPRESENTATIVES, PETITIONER (Q06)

(11) (T3) v. (Q06)

(11) IMMIGRATION AND NATURALIZATION SERVICE, ET AL. (Q12)

(25) ——— (Q06)

(11) UNITED STATES SENATE, PETITION (Q06)

(11) (T3) v. (Q06)

(11) IMMIGRATION AND NATURALIZATION SERVICE, ET AL. (Q12)

(25) ——— (Q06)

(12) *ON APPEAL FROM AND WRITS OF CERTIORARI TO THE UNITED STATES COURT OF APPEALS FOR THE NINTH CIRCUIT* (Q12) Key lc

(25) ——— (Q06)

(10) **SUPPLEMENTAL BRIEF ON REARGUMENT OF THE UNITED STATES SENATE APPELLEE-PETITIONER** (Q12)

(25) ——— (Q10)

(08) **MICHAEL DAVIDSON,**
(09) *Senate Legal Counsel,* [5 same]
(08) **M. ELIZABETH CULBRETH,**
(09) *Deputy Senate Legal Counsel,* [5 same]
(08) **CHARLES TIEFER,**
**MORGAN J. FRANKEL,**
(09) *Assistant Senate Legal Counsels,* [5 same]
*1413 Dirksen Senate Office Building.*
*Washington, D.C. 20510.*
*(202)224—4435*

Must Be Keyed

(39) (T1) Of Counsel:
(38) **STANLEY M. BRAND,**
(39) *General Counsel to the Clerk,*
(39) [6 same] *U.S. House of Representatives,*
*Washington, D.C. 20515.*
(39) [9 same] *(202) 225-7000* (Q20)

(31) (30)

REX E. LEE,
*Solicitor General*
STEPHEN S. TROTT,
*Assistant Attorney General*
ANDREW L. FREY,
*Attorney*
*Department of Justice*
*Washington, D.C. 20530*
*(202) 633-2217*

REX E. LEE
*Solicitor General*
*Department of Justice*
*Washington, D.C. 20530*
*(202) 633-2217*

FRANCIS X. LILLY
*Solicitor of Labor*
*Department of Labor*
*Washington, D.C. 20210*

ALAN B. MORRISON,
*Counsel for Mike Synar, et al.,*
*2000 P St., N.W., Suite 700*
*Washington, D.C. 22036.*
*(202) 785-3704*

LLOYD N. CUTLER,
*Counsel for Comptroller General,*
*1666 K St., N.W.,*
*Washington, D.C. 20006.*
*(202) 872-6100*

CHARLES FRIED,
*Counsel for the United States,*
*Solicitor General,*
*Department of Justice,*
*Washington, D.C. 20530.*
*(202) 633-2201*

MICHAEL DAVIDSON,
*Counsel for the United States Senate,*
*642 Hart Senate Office Building,*
*Washington, D.C. 20510.*
*(202) 224-4435*

# Locator and Grid List

## BRIEF FORMAT 11 POINT ON 13 POINT, 25 PICAS

## FORMATS 5701 and 5702*

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—739

T1—**Cheltenham Bold Condensed, Caps and Lowercase** (97)
T2—Garamond Bold, Caps and Lowercase (182)
T3—Goudy Text, Size Range 1 (87)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**5701—New Odd, No Sink, Bottom Folio—Key Δ!80□ 3 Times For Sink**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| MISCELLANEOUS LOCATORS (01 thru 08) | | | | | | | | | | | |
| 01 | 12 point bold, center | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center | 9/11 | 1 | 2 | V | 12 | 19 | 0 | 0 | 0 | S |
| 04 | 11 point, Caps and small caps, 7 ems from right | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 7 | S |
| 05 | 11 point, Caps and small caps, 5 ems from right | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 5 | S |
| 06 | 11 point, Caps and small caps, 3 ems from right | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 3 | S |
| 07 | 11 point, Italic, 1 em from right | 11/13 | 1 | 3 | R | 13 | 0 | 0 | 0 | 1 | S |
| 08 | 11 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 11/13 | 1 | 4 | J | 13 | 0 | 2 | 3 | 3 | S |
| HEADS | | | | | | | | | | | |
| 09 | 9 point bold, head, center | 9/11 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 71 | 7 point, center | 7/9 | 1 | 1 | V | 13 | 11 | 0 | 0 | 0 | S |
| 72 | 9 point bold, flush and hang 60 points | 9/11 | 1 | 2 | J | 14 | 12 | 0 | — | 0 | S |
| 73 | 13 point bold, center | 13/15 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 11 point, Caps and small caps, center (main head locator) | 11/13 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 75 | 11 point bold, flush and hang 55 points | 11/13 | 1 | 2 | J | 18 | 16 | 0 | 5 | 0 | S |
| 76 | 11 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 11/13 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 11 point italic, flush and hang 2 ems | 11/13 | 1 | 3 | J | 18 | 16 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 80 | 20 point Goudy Text, center, USE ONLY FOR: In the Supreme Court of the United States | 20/20 | 3 | 3 | V | 20 | 22 | 0 | 0 | 0 | S |
| 82 | 8 point Cheltenham Bold Condensed, center | 8/10 | 3 | 1 | V | 18 | 16 | 0 | 0 | 0 | S |
| 84 | 10 point Cheltenham Bold Condensed, center | 10/12 | 3 | 1 | V | 18 | 16 | 0 | 0 | 0 | S |
| 87 | 11 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 11/13 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center | 8/9 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 11 POINT TEXT | | | | | | | | | | | |
| 10 | 9 point, Flush paragraph locator | 9/11 | 1 | 1 | J | 11 | 0 | 0 | 0 | 0 | W |
| 11 | 9 point, 1 em paragraph locator | 9/11 | 1 | 1 | J | 11 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 11/13 | 1 | 1 | J | 13 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 11/13 | 1 | 1 | J | 13 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 11/13 | 1 | 1 | J | 13 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 11/13 | 1 | 1 | J | 13 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 11/13 | 1 | 1 | J | 13 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 11/13 | 1 | 1 | L | 13 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 11/13 | 1 | 1 | J | 13 | 0 | 12 | 12 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 11/13 | 1 | 1 | J | 13 | 0 | 0 | 0 | 0 | W |
| 81 | 11 point solid, cut in 3 ems on left | 11/11 | 1 | 1 | J | 11 | 0 | 3 | 3 | 0 | W |

10-014 0 - 90 - 7/10002

**5701—New Odd. No Sink. Bottom Folio—Key Δ180□ 3 Times For Sink—Continued**

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 9 picas (for alignment on left) | 11/13 | 1 | 4 | L | 13 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 9 picas (use with locator 34) | 11/13 | 1 | 1 | J | 13 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 11/13 | 1 | 1 | J | 13 | 0 | 5 | 7 | 0 | W |
| VOTES | | | | | | | | | | | |
| 41 | 9 point, centered in column 1—YEAS—(FOTP 1) | 9/11 | 1 | 1 | L | 16 | 14 | — | — | — | S |
| 42 | 9 point, centered in column 2—NAYS—(FOTP 2) | 9/11 | 1 | 1 | L | 16 | 14 | 2 | 3 | — | S |
| 43 | 11 point, flush left in column 1—Names—(FOTP 1) | 11/13 | 1 | 1 | L | 13 | 0 | 0 | 1 | — | B |
| 44 | 11 point, flush left in column 2—Names—(FOTP 2) | 11/13 | 1 | 1 | L | 13 | 0 | 0 | 1 | — | B |
| **SPECIAL LOCATORS** | | | | | | | | | | | |
| 37 | 9 point, squeezed 44 points on each side, use with locator 47 | 9/11 | 1 | 1 | J | 11 | 0 | — | — | — | W |
| 45 | 11 point, squeezed 44 points on each side | 11/13 | 1 | 1 | J | 13 | 0 | 4 | 4 | 4 | W |
| 46 | 50 point rule, held in 22 points, use with locator 47, for use in text | — | — | — | — | — | — | — | — | — | — |
| 47 | 9 point, squeezed 22 points on each side | 9/11 | 1 | 1 | J | 11 | 0 | — | — | — | W |
| 48 | 9 point footnote locator, squeezed 18 points on each side, use with locator 68 | 9/11 | 1 | 1 | J | 11 | 0 | 2 | 2 | 2 | W |
| 49 | Line of 7 stars, held in 36 points on each side, use in footnote only, with locators 68 and 48 | — | — | — | — | — | — | — | — | — | — |
| 50 | 9 point footnote locator, full measure, first line flush, use with locators 68 and 48 | 9/11 | 1 | 1 | J | 11 | 0 | 0 | 0 | 0 | W |
| 67 | 50 point rule, flush left on 25 picas, use with locator 69, for footnote in text | — | — | — | — | — | — | — | — | — | — |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 11/13 | 1 | 3 | R | 13 | 14 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 11/13 | 1 | 1 | J | 13 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 11/13 | 1 | 3 | J | 13 | 14 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 11/13 | 1 | 4 | R | 13 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 11/13 | 1 | 3 | R | 13 | 14 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 11/13 | 1 | 1 | R | 13 | 14 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 11/13 | 1 | 4 | J | 13 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with ΔN, will make up at bottom of column | 9/11 | 1 | 1 | J | 11 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 9/11 | 1 | 1 | J | 11 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 25 picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 25 picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with ΔP | 9/11 | 1 | 1 | L | 11 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with ΔP | 9/11 | 1 | 1 | L | 11 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δg,w318,d... is always keyed first † | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* 5702 is 26½ picas and 12 on 14.
† * Graphic line keyed as follows: Δg,w300,d . . . Δ195 Strip offset folio . . . here.

4F5701

80 In the Supreme Court of the United States

Δ174 OCTOBER TERM, 1982

02 ———

No. 82-4321

UNITED STATES OF AMERICA, APPELLANT

74 T3 v.

NATIONAL ASSOCIATION OF SECURITIES DEALERS, INC.

———

Δ188Δ T3 *ON APPEAL FROM THE UNITED STATES DISTRICT COURT FOR THE DISTRICT OF COLUMBIA*

———

Δ182 BRIEF FOR THE SECURITIES AND EXCHANGE COMMISSION AS AMICUS CURIAE

———

Δ184 BRIEF FOR THE SECURITIES AND EXCHANGE COMMISSION AS AMICUS CURIAE

This is a test of the format for Briefs, format 5701. The format is the same as format 5601, except for the type size and measure. locators 80, 81, 82, and 84 are also different.

Δ181 81 Locator 81, 11 point solid, cut in 3 ems, flush and flush, an em must be prepped and keyed to get a paragraph indent.

This is a test of the format for Briefs, format 5701. The format is the same as format 5601, except for the type size and measure. locators 80, 81, 82, and 84 are also different.

(21) Test of the locators in 5701 that are different from 6601. These locators are 37, 45, 46, 47, 48, 49, 50, 67, 80, 81, 82, and 84.

(81)Locator 81, 11 point solid, cut in 3 ems, flush and flush, an em must be prepped and keyed to get a paragraph indent.

(23)This locator is a 2-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent. It is not a locator that is different in this format, it merely leads into locator 45 which follows:

(45)This locator is a 4-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent. It is a locator that is different in this format. This locator is a 4-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent. It is a locator that is different in this format.

(23)This locator is a 2-em squeeze locator, flush and flush, an em quad must be prepped and keyed to get a paragraph indent. It is not a locator that is different in this format. Following is a test of locator 46, which is a 50-point rule held in 20 points on the left. This locator is to be followed by locator 47, which is a 9-point locator, squeezed 20 points on each side.

---

(47) This is a 9-point locator, squeezed 20 points on each side, flush and flush, an em-quad must be prepped and keyed to get a paragraph indent. This data will appear within the text as a footnote to the preceding data. If there is type subordinate to this data it will be squeezed 20 points more on each side, and locator 37 will be used to set it. A test of locaator 37 follows:

(37) This is a 9-point locator, squeezed 40 points on each side, flush and flush, an em-quad must be

OCT. 28, 1991
~~JULY 14, 1995~~
(Revised ~~August 1, 1990~~)

(7633 (SAME AS 6633 EXCEPT SM. CAP ROM. NUM. FOLIOS)



# Locator and Grid List

## HEARINGS AND REPORTS FORMATS—10 POINT

FORMATS 6601, 6602, 6604, 6633 (Format starts page 1), 6666*, 6969 (Squeeze format)
5503 (19 picas for galleys only), 0191** 5443 (10 PT. X 498 P.S.)

LOCATORS FROM 6601. USE WT. + 5441, 42, + 44

GRID 1—731
T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732
T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733
T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734
T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**6601 & 6633—New Odd, With Sink, Bottom Folio; 6602—New Page, No Sink, Top Folio; 6604—New Page, With Sink, Bottom Folio**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | REPORTS WITH EARS—SPECIAL HEAD LOCATORS—DO NOT USE UNLESS INSTRUCTED TO | | | | | | | | | | |
| 82 | Nonprint in text, goes to locs. 85 and 86, prints 8 point bold ears | 8/8 | 1 | 2 | R | — | — | 0 | 0 | 0 | N |
| 83 | 8 point bold (overlay), key after Format call, will print flush right at top of page | 8/8 | 1 | 2 | R | — | — | 0 | 0 | 0 | S |
| | THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | | | | | | | | | | |
| 01 | 12 point bold, center (title of hearing) | 12/14 | L | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center (dateline) | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point, Italic, 1 em from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| | HEADS | | | | | | | | | | |
| 09 | 9 point bold, head, center (Statement line in hearings) | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 84 | 10 point, small caps, center, same as 89 except has no extra top leading | 10/10 | 1 | 4 | V | 10 | 16 | 0 | 0 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| | 10 POINT TEXT | | | | | | | | | | |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 11 | 8 point, 1 em paragraph locator + (See footnote for 6969) | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |
| 67 | 8 point, Flush paragraph locator, 4 points extra top lead, End | 8/8 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | E |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |

(Revised August 1, 1990)

**6601 & 6633—New Odd, With Sink, Bottom Folio; 6602—New Page, No Sink, Top Folio; 6604—New Page, With Sink, Bottom Folio—Continued**

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | SIGNATURES | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 10 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | W |
| | VOTES (REPORTS) | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| | STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | U |
| | STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 16 | 0 | 1 | 0 | U |
| | LETTERS | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| | FOOTNOTES | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| | MISCELLANEOUS | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first*** | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

*** Graphic line keyed as follows: Δ g,w318,d . . . Δ 195 Strip offset folio . . . here

+ Format 6969 is a squeeze subformat, use mainly for Reports when the Bill language squeezes. In this format locator 11 is 10 point, full measure paragraph. Locator 10 is 8 point, squeezed 20 points.

** 0191 is exactly like 6601 only 10/12.

## *FORMAT 6666

GRID 1—731

T1—Century Roman. Caps and lowercase (241)
T2—Century Bold. Caps and lowercase (242)
T3—*Century Italic. Caps and lowercase* (243)
T4—CENTURY ROMAN. CAPS AND SMALL CAPS (244)

GRID 2—746

T1—CENTURY BOLD ROMAN, CAPS AND SMALL CAPS (240)
T2—*Century Bold Italic, Caps and lowercase* (248)
T3—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

GRID 3—712

T1—~~Congressional Roman Canceled. Caps and lowercase~~ (51)
T2—~~Century Bold Canceled. Caps and lowercase~~ (252)
T3—~~CENTURY BOLD CANCELED, CAPS AND SMALL CAPS~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, CAPS AND SMALL CAPS~~ (54)

GRID 4—713

T1—~~*Congressional Italic, Canceled. Caps and lowercase*~~ (53)
T2—~~*Century Bold Italic Canceled, Caps and lowercase*~~ (255)
T3—~~*CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (57)

# *Locator and Grid List*

## *ITALIC FORMAT FOR CONFERENCE REPORTS—10 POINT*

## *FORMATS 6603—6703* *

### GRID 1—729

T1—*Century Italic, Caps and lowercase* (243)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—*Century Italic, Caps and lowercase* (243)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

### GRID 2—712

T1—~~Congressional Roman Canceled, Caps and lowercase~~ (51)
T2—~~Century Bold Canceled, Caps and lowercase~~ (252)
T3—~~CENTURY BOLD CANCELED, CAPS AND SMALL CAPS~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, CAPS AND SMALL CAPS~~ (54)

### GRID 3—713

T1—~~*Congressional Italic Canceled, Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~*CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (57)

### GRID 4—730

T1—Gothic No. 17 (Subformat Generation) (17)
T2—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)
T3—*Gothic No. 19, Italic, Caps and lowercase* (19)
T4—**CENTURY BOLD ROMAN, CAPS AND SMALL CAPS** (240)

### USE AS A SUBFORMAT TO 6659 OR 6601 ONLY

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 01 | 12 point bold, center (title of hearing) | — | — | — | — | — | — | — | — | — | — |
| 02 | 5 em dash, center | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | S |
| 03 | 9 point bold, center (dateline) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | S |
| 07 | 10 point, Italic, 1 em from right | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | | | | | | | | | | |
| | HEADS | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 71 | 6 point, center | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 77 | 10 point italic, flush and hang 2 ems | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | | | | | | | | | | |
| | TEXT LOCATORS | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 09 | 9 point bold, head, center (Statement line in hearings) | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 11 | 8 point, 1 em paragraph locator | | | | | | | | | | |
| | 10 POINT TEXT | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | N |
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | E |
| 67 | 8 point, Flush paragraph locator, 4 points extra top lead, End | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 70 | Relative locator (do not use in middle of 3 word) (use only in full measure, locators 20 and 21) | | | | | | | | | | |

USE AS A SUBFORMAT TO 6659 OR 6601 ONLY—Continued

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 10 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | W |
| VOTES (REPORTS) | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| STATEMENT LINES FOR SENATE APPROS (LOCATORS 45 thru 47 NOT IN THIS FORMAT) | | | | | | | | | | | |
| STATEMENT LINES FOR HOUSE APPROS (LOCATORS 48 thru 50 NOT IN THIS FORMAT) | | | | | | | | | | | |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first ** | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* Format 6703 is the same as 6603, except it is 30 picas wide.
** Graphic line keyed as follows: Δ g,w318,d . . . Δ195 Strip offset folio . . . here.

# Locator and Grid List

## HEARINGS AND REPORTS FORMATS—8 POINT

### FORMATS 6621—6721 * **0192, 0190

5444 - 8 PT, LIKE 0192, BUT 2 COLS X 498 PTS. USE WITH 5443

**GRID 1—731**

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

**GRID 2—732**

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

**GRID 3—733**

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

**GRID 4—734**

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| LOCATORS 01 thru 08 ARE NOT IN THIS FORMAT | | | | | | | | | | | |
| HEADS | | | | | | | | | | | |
| 71 | 6 point, center (credit line) | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 6 point bold, flush and hang 36 points (for Sec. line in Reports) | 6/7 | 1 | 2 | J | 11 | 10 | 0 | 6 | 0 | S |
| 73 | 10 point bold, center (mostly used for reports) | 10/10 | 1 | 2 | V | 20 | 18 | 0 | 0 | 0 | S |
| 74 | 8 point, Caps and small caps, center (main head locator) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 75 | 8 point bold, flush and hang 3 picas (for twist line in reports) | 8/8 | 1 | 2 | J | 12 | 10 | 0 | — | 0 | S |
| 76 | 8 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 8/8 | 1 | 4 | V | 16 | 13 | 2 | 3 | 2 | S |
| 77 | 8 point italic, flush and hang 2 ems | 8/8 | 1 | 3 | J | 12 | 10 | 0 | 2 | 0 | S |
| 78 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 87 | 8 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 8/8 | 1 | 3 | J | 12 | 10 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (main head locator) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 8 POINT TEXT | | | | | | | | | | | |
| 10 | Flush paragraph | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (main paragraph) | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 8/8 | 1 | 1 | L | 8 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 12 | 12 | 0 | W |
| 67 | 8 point, Flush paragraph locator, 4 points extra top lead, End | 8/8 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | E |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 8/8 | 1 | 4 | L | 8 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 7 | 0 | W |
| VOTES (REPORTS) | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 8 point, flush left in column 1—Names—(FOTP 1) | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | — | B |
| 44 | 8 point, flush left in column 2—Names—(FOTP 2) | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | — | B |

OCT. 15, 1992

(Revised ~~August 1, 1990~~)

| Locator No. | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | U |
| | STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 0 | 1 | 0 | U |
| | LETTERS | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 8/8 | 1 | 3 | R | 8 | 10 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 8/8 | 1 | 3 | J | 8 | 10 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 8/8 | 1 | 3 | R | 8 | 10 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 8/8 | 1 | 1 | R | 8 | 10 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 8/8 | 1 | 4 | J | 8 | 0 | 2 | 3 | 3 | S |
| | FOOTNOTES | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| | MISCELLANEOUS | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first ** | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* Format 6721 is exactly the same as 6621, except it is 30 picas wide.
** Graphic line keyed as follows: Δ g,w318,d . . . Δ 195 Stop offset folio . . . here.

***0192 IS DUPE OF 6621 EXC. LEADED 2 PTS.
0190 IS DUPE OF 6621 EXC. LEADED 1 PT.

# LOCATOR AND GRID LIST

## PRELIMINARY PAGES — MUTUAL SECURITY ACT (Use with F7601 and F7602)

## FORMAT 7600

GRID 1—181

T1—Garamond Roman, Caps and lowercase
T2—**Garamond Bold, Caps and lowercase**
T3—*Garamond Italic, Caps and lowercase*
T4—GARAMOND ROMAN, CAPS AND SMALL CAPS

GRID 2—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| BACK TITLE (Committee List) | | | | | | | | | | | |
| 51 | 8 point, center | 8/10 | 1 | 1 | C | 12 | 12 | 0 | 0 | 0 | S |
| 54 | 8 point, flush left, names 1st column (FOTP 1) | 8/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | 0 | B |
| 55 | 8 point, flush left, names 2d column (FOTP 2) | 8/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | 0 | B |
| 74 | 10 point, center | 10 | 1 | 1 | V | 20 | 16 | 0 | 0 | 0 | S |
| HEADS | | | | | | | | | | | |
| 71 | 12 point, center | 12/14 | 2 | 1 | V | 24 | 22 | 0 | 0 | 0 | S |
| 72 | 20 point, center (Half Title Page) | 20 | 1 | 1 | V | 20 | 0 | 0 | 0 | 0 | S |
| 73 | 16 point, center | 16 | 1 | 1 | V | 32 | 0 | 0 | 0 | 0 | S |
| 75 | 14 point, Caps and small caps, center | 14 | 1 | 4 | V | 14 | 20 | 0 | 0 | 0 | S |
| 76 | 10 point bold, center | 10/12 | 1 | 2 | V | 12 | 0 | 0 | 0 | 0 | S |
| 77 | 10 point, Caps and small caps, center | 10/12 | 1 | 4 | V | 12 | 0 | 0 | 0 | 0 | S |
| 78 | 12 point, Caps and small caps, center | 12 | 1 | 4 | V | 24 | 22 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 09 | 1 em paragraph (Century) | 10/12 | 2 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |
| 10 | Flush paragraph (Century) | 12/14 | 2 | 1 | J | 14 | 0 | 0 | 0 | 0 | W |
| 11 | 1 em paragraph (Century) | 12/14 | 2 | 1 | J | 14 | 0 | 1 | 0 | 0 | W |
| 12 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) (Century) | 12/14 | 2 | 1 | J | 14 | 0 | 2 | 2 | 0 | W |
| 17 | 3 ems from right (Century) | 12/14 | 2 | 4 | R | 14 | 0 | 0 | 0 | 3 | E |
| 18 | 1 em from right (Century) | 12/14 | 2 | 3 | R | 14 | 0 | 0 | 0 | 1 | E |
| 19 | 1 em paragraph (Garamond) | 10/12 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |
| 20 | Flush paragraph (Garamond) | 12/14 | 1 | 1 | J | 14 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (Garamond) | 12/14 | 1 | 1 | J | 14 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) (Garamond) | 12/14 | 1 | 1 | J | 14 | 0 | 2 | 2 | 0 | W |
| 31 | Flush, leaders to 282 points (Garanond) (Special Contents) | 12/14 | 1 | 4 | J | 20 | 0 | 0 | 1 | 0 | U |
| 33 | 2 em indent, leaders to 282 points (Garanond) (Special Contents) | 12/14 | 1 | 1 | J | 16 | 0 | 2 | 3 | 0 | U |
| 35 | Flush right on 32 points, FOTP 1 (Garanond) | 10 | 1 | 2 | R | 20 | 0 | 0 | 0 | 0 | B |
| 36 | Flush left, follows locator 35, FOTP 2 (Garanond) | 10 | 1 | 2 | L | 20 | 0 | — | — | — | B |
| 37 | 2 em indent under locator 36 (Garanond) | 10 | 1 | 3 | L | 14 | 0 | 7 | 8 | 0 | E |
| 38 | 1 em indent under locator 37 (Garanond) | 10 | 1 | 3 | L | 12 | 0 | 8 | 9 | 0 | E |
| 57 | 3 ems from right (Garanond) | 12/14 | 1 | 4 | R | 14 | 0 | 0 | 0 | 3 | E |
| 58 | 1 em from right (Garamond) | 12/14 | 1 | 3 | R | 14 | 0 | 0 | 0 | 1 | E |
| 60 | Flush right (Page Nos.) (Garamond) | 12 | 1 | 1 | R | 0 | 0 | 0 | 0 | 0 | E |
| 79 | flush right (Garamond) (Special Contents) | 6 | 1 | 1 | R | 6 | 0 | — | — | — | E |
| FOOTNOTES | | | | | | | | | | | |
| 08 | For Century footnotes, use with bell N, will make up at bottom of column | 7/8 | 2 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 68 | For Garamond footnotes, use with bell N, will make up at bottom of column | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 56 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Hairline rule 26½ picas (Half Title) | — | — | — | — | — | — | — | — | — | S |
| 91 | 3 point rule 26½ picas (Half Title) | — | — | — | — | — | — | — | — | — | N |
| 92 | Hairline rule 26½ picas (Half Title) | — | — | — | — | — | — | — | — | — | E |

# Locator and Grid List

## SPECIAL FORMATS WITH RUNNING HEADS AND TOP OUTSIDE FOLIOS

## FORMATS 7601 and 7602

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**7601—New Odd, With Sink, Bottom Folio 7602—New Page, No Sink, Top Folio**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SPECIAL RUNNING HEAD LOCATORS | | | | | | | | | | | |
| 82 | 10 point, small cap, center, first page running head, must be keyed after Δ F7602 | 10/10 | 1 | 4 | C | — | — | 0 | 0 | 0 | S |
| 83 | 10 point, small cap, center, odd page running head, must be keyed after every Δ F | 10/10 | 1 | 4 | C | — | — | 0 | 0 | 0 | S |
| 84 | 10 point, small cap, center, even page running head, must be keyed after every Δ F | 10/10 | 1 | 4 | C | — | — | 0 | 0 | 0 | S |
| THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | | | | | | | | | | | |
| 01 | 12 point bold, center (title of hearing) | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center (dateline) | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point, Italic, 1 em from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| HEADS | | | | | | | | | | | |
| 09 | 9 point bold, head, center (Statement line in hearings) | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 10 POINT TEXT | | | | | | | | | | | |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 11 | 8 point, 1 em paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |

**7601—New Odd, With Sink, Bottom Folio 7602—New Page, No Sink, Top Folio—Continued**

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 10 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | W |
| VOTES (REPORTS) | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | U |
| STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 16 | 0 | 1 | 0 | U |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first * | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* Graphic line keyed as follows: Δ g,w318,d . . . Δ f95 Strip offset folio . . . here.

7601, same as 6601. 7602, same as 6602. These formats have centered small cap running heads, with top outside folios.

# Locator and Grid List

## SPECIAL FORMAT WITH RUNNING HEADS AND BOTTOM FOLIOS

## FORMATS 4601 and 4602

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**4601—New Odd, With Sink 4602—New Page, No Sink**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| SPECIAL RUNNING HEAD LOCATORS | | | | | | | | | | | |
| 79 | 10 point, small cap, center, first page running head, must be keyed after Δ F4602 | 10/10 | 1 | 4 | C | — | — | 0 | 0 | 0 | S |
| 80 | 10 point, small cap, center, even page running head, must be keyed after every Δ F | 10/10 | 1 | 4 | C | — | — | 0 | 0 | 0 | S |
| 81 | 10 point, small cap, center, odd page running head, must be keyed after every Δ F | 10/10 | 1 | 4 | C | — | — | 0 | 0 | 0 | S |
| 82 | Nonprint in text, goes to 85 and 86, prints first/last 10 point bold ears, key after paragraph | 0/0 | 1 | 1 | R | — | — | 0 | 0 | 0 | N |
| 83 | 10 point bold (1st page overlay) key after Δ F4602, prints flush right ear | 10/10 | 1 | 2 | R | — | — | 0 | 0 | 0 | S |
| 84 | 10 point small cap, center, key with initial cap, goes to 85 and 86, prints 10 point bold ears | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | | | | | | | | | | | |
| 01 | 12 point bold, center (title of hearing) | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center (dateline) | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point, italic, 1 em from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| HEADS | | | | | | | | | | | |
| 09 | 9 point bold, head, center (Statement line in hearings) | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 10 POINT TEXT | | | | | | | | | | | |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 11 | 8 point, 1 em paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |

**4601—New Odd, With Sink 4602—New Page, No Sink—Continued**

| Locator No | Description | Point Size | Gnd No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 10 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | W |
| VOTES (REPORTS) | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | U |
| STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 16 | 0 | 1 | 0 | U |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g.w318,d... is always keyed first * | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* Graphic line keyed as follows: Δ g.w318,d . . . Δ f95 Strip offset folio . . . here.

4601, same as 6601; 4602, same as 6602. These formats have centered small cap running heads and ears, with bottom centered folios.

# Locator and Grid List

## HEARINGS AND REPORTS FORMATS—10 POINT

FORMATS 9001, 9004; 8001, 8004; 6001, 6004; 6041, 6044

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**These formats have running heads with ears and rules**

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| REPORTS WITH EARS—SPECIAL HEAD LOCATORS—**DO NOT USE UNLESS INSTRUCTED TO** | | | | | | | | | | | |
| 80 | Running heads for even pages † | 10/10 | — | — | — | — | — | — | — | — | — |
| 81 | Running heads for odd pages † | 10/10 | — | — | — | — | — | — | — | — | — |
| 82 | Nonprint in text, goes to locs. 85 and 86, prints 8 point bold ears | 8/8 | 1 | 2 | R | — | — | 0 | 0 | 0 | N |
| 83 | 8 point bold (overlay), key after Format call, will print flush right at top of page | 8/8 | 1 | 2 | R | — | — | 0 | 0 | 0 | S |
| 84 | 10 point small cap, center, key with initial cap, goes to 85 and 86, prints 10 point bold ears | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | | | | | | | | | | | |
| 01 | 12 point bold, center (title of hearing) | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center (dateline) | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 07 | 10 point, Italic, 1 em from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| HEADS | | | | | | | | | | | |
| 09 | 9 point bold, head, center (Statement line in hearings) | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | S |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 10 POINT TEXT | | | | | | | | | | | |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 11 | 8 point, 1 em paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |
| 67 | 8 point, Flush paragraph locator, 4 points extra top lead, End | 8/8 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | E |

**These formats have running heads with ears and rules—Continued**

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions Items Pri | Indentions Items Sec | Indentions Items Right | Page Enc |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| SIGNATURES | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 10 | 0 | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | W |
| VOTES (REPORTS) | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | B |
| STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | U |
| STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 16 | 0 | 1 | 0 | U |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | W |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 67 | 8 point, Flush text locator (has extra 4 pts top lead, for U.S.C. reference nos.) | 8/8 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first * | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* Graphic line keyed as follows: Δ g,w318,d... Δ 195 Strip offset folio ... here.

+ Formats 9001 and 9004 have News Gothic Condensed Bold running heads, folios are inside or to the gutter. Formats 6001 and 6004 are the same as 9001 and 9004 only the folios are outside or to the trim. Formats 8001 and 8004 have Century small cap running heads, folios are inside or to the gutter. Formats 9001, 8001, and 6001 are New Odd Pages with sink ~~with bottom center folios~~. Formats 9004, 8004, and 6004 are New Pages with sink ~~with bottom center folios~~

6041 + 6044 - DUPE OF 6001 + 6004 EXCEPT BOTTOM FOLIOS CENTER IN PARENS.

6001 + 6004 — BOTTOM FOLIOS ARE OUTSIDE

8001 + 8004 — BOTTOM FOLIOS CENTER

9001 + 9004 — BOTTOM FOLIOS ARE INSIDE.

10-014 0 - 90 - 8/10002

4F9001 (80) running head - even pages (81) running head - odd pages

(74)(72) PUBLIC HEALTH SERVICE ACT

(88)(72) (Reference in Brackets [ ] are to title 42, United States Code)

(74) TITLE I—SHORT TITLE AND DEFINITIONS

(88) SHORT TITLE

(21) SECTION 1. [201n] This Act may be cited as the "Public Health Service Act".

(82) Sec. 2

(89) DEFINITIONS

(21) SEC. 2. [201] When used in this Act—

(a) The term "Service" means the Public Health Service;

(b) The term "Surgeon General" means the Surgeon General of the Public Health Service;

(c) Unless the context otherwise requires, the term "Secretary" means the Secretary of Health, Education, and Welfare;

(d) The term "regulations", except when otherwise specified, means rules and regulations made by the Surgeon General with the approval of the Secretary;

(e) The term "executive department" means any executive department, agency, or independent establishment of the United States or any corporation wholly owned by the United States;

(f) Except as provided in sections 314(g)(4)(B), 318(c)(1), 331(h)(3), 335(5), 361(d), 701(9), 1002(c), 1401(13), 1531(1), and 1633(1), the term "State" includes, in addition to the several States, only the District of Columbia, Guam, the Commonwealth of Puerto Rico, the Northern Mariana Islands, the Virgin Islands, American Samoa, and the Trust Territory of the Pacific Islands.

(g) The term "possession" includes, among other possessions, Puerto Rico and the Virgin Islands;

(h) [Repealed.]

(i) The term "vessel" includes every description of watercraft or other aritificial contrivance used, or capable of being used, as a means of transportation on water, exclusive of aircraft and amphibious contrivances;

(j) The term "habit-forming narcotic drug" or "narcotic" means opium and coca leaves and the several alkaloids derived therefrom, the best known of these alkaloids being morphia, heroin, and codeine, obtained from opium, and cocaine derived from the coca plant" all compounds, salts, preparations, or other derivatives obtained either from the raw material or from the various alkaloids; Indian hemp and its various derivatives, compounds, and preparations, and peyote in its various forms; isonipecaine and its derivatives, compounds, salts and preparations; opiates (as defined in section 3228(f) of the Internal Revenue Code);

1



(k) The term "addict" means any person who habitually uses any habit-forming narcotic drugs so as to endanger the public morals, health, safety, or welfare, or who is or has been so far addicted to the use of such habit-forming narcotic drugs as to have lost the power of self-control with reference to his addiction;

(l) The term "psychiatric disorders" includes diseases of the nervous system which affect mental health;

Folios for 9001, 9004

4F8001 80 81

# PUBLIC HEALTH SERVICE ACT

(Reference in Bracks [ ] are to title 42, United States Code)

## TITLE I—SHORT TITLE AND DEFINITIONS

SHORT TITLE

SECTION 1. [201n] This Act may be cited as the "Public Health Service Act". 82

DEFINITIONS

SEC. 2. [201] When used in this Act—

(a) The term "Service" means the Public Health Service;

(b) The term "Surgeon General" means the Surgeon General of the Public Health Service;

(c) Unless the context otherwise requires, the term "Secretary" means the Secretary of Health, Education, and Welfare;

(d) The term "regulations", except when otherwise specified, means rules and regulations made by the Surgeon General with the approval of the Secretary;

(e) The term "executive department" means any executive department, agency, or independent establishment of the United States or any corporation wholly owned by the United States;

(f) Except as provided in sections 314(g)(4)(B), 318(c)(1), 331(h)(3), 335(5), 361(d), 701(9), 1002(c), 1401(13), 1531(1), and 1633(1), the term "State" includes, in addition to the several States, only the District of Columbia, Guam, the Commonwealth of Puerto Rico, the Northern Mariana Islands, the Virgin Islands, American Samoa, and the Trust Territory of the Pacific Islands.

(g) The term "possession" includes, among other possessions, Puerto Rico and the Virgin Islands;

(h) [Repealed.]

(i) The term "vessel" includes every description of watercraft or other aritificial contrivance used, or capable of being used, as a means of transportation on water, exclusive of aircraft and amphibious contrivances;

(j) The term "habit-forming narcotic drug" or "narcotic" means opium and coca leaves and the several alkaloids derived therefrom, the best known of these alkaloids being morphia, heroin, and codeine, obtained from opium, and cocaine derived from the coca plant" all compounds, salts, preparations, or other derivatives obtained either from the raw material or from the various alkaloids; Indian hemp and its various derivatives, compounds, and preparations, and peyote in its various forms; isonipecaine and its derivatives, compounds, salts and preparations; opiates (as defined in section 3228(f) of the Internal Revenue Code);





(k) The term "addict" means any person who habitually uses any habit-forming narcotic drugs so as to endanger the public morals, health, safety, or welfare, or who is or has been so far addicted to the use of such habit-forming narcotic drugs as to have lost the power of self-control with reference to his addiction;

(l) The term "psychiatric disorders" includes diseases of the nervous system which affect mental health;

Folios for 8001, 8004

# Locator and Grid List

## DOC MEASURE LEADERWORK

## FORMAT 6611, 6711*, 7979†—8 POINT

## FORMAT 6664—10 POINT**

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

USE AS A SUBFORMAT TO 6601, 6602, 6604

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 8 point, italic, centered, head locator, will continue when table runs over to next page | 8/8 | 1 | 3 | V | 16 | 12 | 0 | 0 | 0 | S |
| 05 | 6 point italic, indented 4 ems, over stub, FOTP of 1 | 6/8 | 1 | 3 | J | 8 | 0 | 4 | 5 | 0 | S |
| 06 | 6 point italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | S |
| 07 | 8 point, flush right, for all figures, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | B |
| ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) **Key 13 periods for leaders** | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 12 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 13 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 14 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 15 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 16 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 17 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) **Key 20 periods for leaders** | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 26 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 27 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 64 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) **Key 31 periods for leaders** | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 32 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 33 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 34 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |

USE AS A SUBFORMAT TO 6601, 6602, 6604—Continued

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary (Cross Reference) | 8/8 | 1 | 2 | J | 8 | 0 | 4 | 4 | — | B |
| 42 | Table of Contents | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 6 | 0 | B |
| 43 | Same as locator 42 only indented 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 8 | 0 | B |
| 44 | Indent 7 picas for Table of Sections | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 49 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | S |
| 50 | Right column boxhead, flush right over figures | 8/8 | 1 | 2 | R | 8 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures (for locators 51 and 60), FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 53 | Left column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 54 | Right column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 55 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | S |
| 56 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 57 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | B |
| 58 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | S |
| 59 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use loc. 52 for figures | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals, FOTP of 1 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 62 | Comes in after loc. 61, allows 28 points on right, FOTP of 2 | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| TELEPHONE LEADERING | | | | | | | | | | | |
| 80 | Flush and hang 1 em (key ΔL for flush right figs) (for clear, don't use ΔL) | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 82 | 2 em indent, overs 3 ems (key ΔL for flush right figs) (for clear, don't use ΔL) | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 84 | 4 em indent, overs 5 ems (key ΔL for flush right figs) (for clear, don't use ΔL) | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | 0 | B |
| 86 | 6 em indent, overs 7 ems (key ΔL for flush right figs) (for clear, don't use ΔL) | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no ΔN function | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| HEADS | | | | | | | | | | | |
| 71 | 6 point center | 6/6 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 73 | 10 point, bold center | 10/10 | 1 | 2 | V | 18 | 16 | 0 | 0 | 0 | S |
| 74 | 8 point, CAPS, Caps and small caps, small caps, centered | 8/8 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 78 | 12 point, bold center | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/8 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |

* Format 6711 is exactly the same as 6611, except it is 30 picas wide.
+ Format 7979 is squeezed 20 points on both sides, to be used with text format 6969.
** Format 6664. Locator 73 is 12 point and locator 78 is 14 point.

76 END ONLY
(USE FOR ALL MARK) 6611 ONLY

40 END ONLY – ALL MARK – 6611 ONLY

# *Locator and Grid List*

## *ITALIC LEADERWORK FORMAT FOR CONFERENCE REPORTS*

## *FORMAT 6613—6713* *

GRID 1—729

T1—*Century Italic, Caps and lowercase* (243)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—*Century Italic, Caps and lowercase* (243)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

GRID 2—712

T1—~~Congressional Roman Canceled, Caps and lowercase~~ (51)
T2—~~Century Bold Canceled, Caps and lowercase~~ (252)
T3—~~CENTURY BOLD CANCELED, CAPS AND SMALL CAPS~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, CAPS AND SMALL CAPS~~ (54)

GRID 3—713

T1—~~*Congressional Italic Canceled, Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~*CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (57)

GRID 4—730

T1—Gothic No. 17 (Subformat Generation) (17)
T2—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)
T3—*Gothic No. 19, Italic, Caps and lowercase* (19)
T4—CENTURY BOLD ROMAN, CAPS AND SMALL CAPS (240)

USE AS A SUBFORMAT TO 6603

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 8 point, italic, centered, head locator, will continue when table runs over to next page | 8/8 | 1 | 3 | V | 16 | 12 | 0 | 0 | 0 | S |
| 05 | 6 point italic, indented 4 ems, over stub, FOTP of 1 | 6/8 | 1 | 3 | J | 8 | 0 | 4 | 5 | 0 | S |
| 06 | 6 point Italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | S |
| 07 | 8 point, flush right, for all figures, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | B |
| ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 12 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 13 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 14 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 15 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 16 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 17 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 26 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 27 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 64 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 32 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 33 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 34 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |

USE AS A SUBFORMAT TO 6603—Continued

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pr | Indentions (ems) Sec | Indentions (ems) Right | Page Enc |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary (Cross Reference) | 8/8 | 1 | 2 | J | 8 | 0 | 4 | 4 | — | B |
| 42 | Table of Contents | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 6 | 0 | B |
| 43 | Same as locator 42 only indented 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 8 | 0 | B |
| 44 | Indent 7 picas for Table of Sections | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, flush and hang 1 em | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 49 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | S |
| 50 | Right column boxhead, flush right over figures | 8/8 | 1 | 2 | R | 8 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 53 | Left column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 54 | Right column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 55 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | S |
| 56 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 57 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | B |
| 58 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | S |
| 59 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use loc. 52 for figures | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals, FOTP of 1 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 62 | Comes in after loc. 61, allows 28 points on right, FOTP of 2 | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| | TELEPHONE LEADERING | | | | | | | | | | |
| 80 | Flush and hang 1 em (key Δ L for flush right figs) (for clear, don't use Δ L) | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 82 | 2 em indent, overs 3 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 84 | 4 em indent, overs 5 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | 0 | B |
| 86 | 6 em indent, overs 7 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | 0 | B |
| | MISCELLANEOUS | | | | | | | | | | |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| | FOOTNOTE | | | | | | | | | | |
| 69 | Footnote, no Δ N function | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| | HEADS | | | | | | | | | | |
| 71 | 6 point center | 6/6 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 73 | 10 point, bold center | 10/10 | 1 | 2 | V | 18 | 16 | 0 | 0 | 0 | S |
| 74 | 8 point, CAPS, Caps and small caps, small caps, centered | 8/8 | 1 | 4 | V | 16 | 12 | 0 | 0 | 0 | S |
| 78 | 12 point, bold center | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/8 | 1 | 4 | V | 16 | 12 | 0 | 0 | 0 | S |

* Format 6713 is exactly the same as 6613, except it is 30 picas wide.

# Locator and Grid List

## DOC MEASURE LEADERWORK—6 POINT

## FORMATS 6631—6731 *

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

USE AS A SUBFORMAT TO 6621

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 6 point, italic, centered, head locator, will continue when table runs over to next page | 6/6 | 1 | 3 | V | 14 | 10 | 0 | 0 | 0 | S |
| 05 | 6 point italic, indented 4 ems, over stub, FOTP of 1 | 6/8 | 1 | 3 | J | 8 | 0 | 4 | 5 | 0 | S |
| 06 | 6 point italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | S |
| 07 | 6 point, flush right, for all figures, FOTP of 3 | 6/6 | 1 | 1 | R | 6 | 0 | 0 | 0 | 0 | B |
| ALLOWS 22 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | — | S |
| 12 | 2 em indent, overs 3 ems—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | — | S |
| 13 | 4 em indent, overs 5 ems—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | — | S |
| 14 | Flush and hang 1 em—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | — | B |
| 15 | 2 em indent, overs 3 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | — | B |
| 16 | 4 em indent, overs 5 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | — | B |
| 17 | 6 em indent, overs 7 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 6 | 7 | — | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 32 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | — | B |
| 26 | 4 em indent, overs 5 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | — | B |
| 27 | 6 em indent, overs 7 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 6 | 7 | — | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 50 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | — | S |
| 32 | 2 em indent, overs 3 ems—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | — | S |
| 33 | 4 em indent, overs 5 ems—Clear | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | — | S |
| 34 | Flush and hang 1 em—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 6/6 | 1 | 1 | J | 6 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |

USE AS A SUBFORMAT TO 6621—Continued

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Toc | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary (Cross Reference) | 8/8 | 1 | 2 | J | 8 | 0 | 4 | 4 | — | B |
| 42 | Table of Contents | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 5 | 0 | B |
| 43 | Same as locator 42 only indented 2 ems | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 7 | 0 | B |
| 44 | Indent 7 picas for Table of Sections | 6/6 | 1 | 1 | J | 6 | 0 | 10 | 20 | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 6/6 | 1 | 2 | J | 6 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 6/6 | 1 | 2 | J | 6 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, 1 em indent, overs 2 ems | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 2 | 0 | B |
| 49 | Left column boxhead, flush and hang 3 ems | 6/6 | 1 | 2 | J | 6 | 0 | 0 | 3 | — | S |
| 50 | Right column boxhead, flush right over figures | 6/6 | 1 | 2 | R | 6 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures, FOTP of 3 | 6/6 | 1 | 1 | R | 6 | 0 | — | — | 0 | B |
| 53 | Left column boxhead for tax table—see sample | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 5 | — | S |
| 54 | Right column boxhead for tax table—see sample | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 0 | 0 | S |
| 55 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | S |
| 56 | See sample | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | B |
| 57 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | B |
| 58 | See sample | 6/6 | 1 | 1 | L | 6 | 0 | — | — | — | S |
| 59 | See sample | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use loc. 52 for figures | 6/6 | 1 | 1 | J | 6 | 0 | — | — | — | B |
| 61 | Flush right on 12 points, to align points on right, like in Roman numerals, FOTP of 1 | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | B |
| 62 | Comes in after loc. 61, allows 22 points on right, FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 6/6 | 1 | 1 | R | 6 | 0 | — | — | — | B |
| TELEPHONE LEADERING | | | | | | | | | | | |
| 80 | Flush and hang 1 em (key Δ L for flush right figs) (for clear, don't use Δ L) | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | 0 | B |
| 82 | 2 em indent, overs 3 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | 0 | B |
| 84 | 4 em indent, overs 5 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | 0 | B |
| 86 | 6 em indent, overs 7 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 6/6 | 1 | 1 | J | 6 | 0 | 6 | 7 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no Δ N function | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 0 | 0 | E |
| HEADS | | | | | | | | | | | |
| 71 | 6 point center | 6/6 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 73 | 8 point, bold center | 8/8 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | S |
| 74 | 6 point, CAPS, Caps and small caps, small caps, centered | 6/6 | 1 | 4 | V | 12 | 10 | 0 | 0 | 0 | S |
| 78 | 10 point, bold center | 10/10 | 1 | 2 | V | 18 | 14 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 6/6 | 1 | 4 | V | 12 | 10 | 0 | 0 | 0 | S |

*Format 6731 is exactly the same as 6631, except it is 30 picas wide.

## TEST ΔF6601 — New Odd

ΔI01, 12 pt. Bold, Variable, TITLE LINE OF HEARING, One or two lines

ΔI01, 12 pt. Bold, Variable, TITLE LINE OF HEARING, TITLE LINE OF HEARING, TITLE LINE OF HEARING, TITLE LINE OF HEARING, Three or more lines

02 _____

ΔI03, 9 pt. Bold, center (dateline)

ΔI04, 10 PT. C&SC, 7 EMS FROM RIGHT
ΔI05, 10 PT. C&SC, 5 EMS FROM RIGHT
ΔI06, 10 PT. C&SC, 3 EMS FROM RIGHT
ΔI07, *10 pt. italic, 1 em From Right*

ΔI08, 10 PT. C&SC, 2 EMS, OVERS 3 EMS, 3 EMS ON RIGHT (FOR LONG COMMITTEE TITLE) 10 PT. C&SC, 2 EMS, OVERS 3 EMS, 3 EMS ON RIGHT (FOR LONG COMMITTEE TITLE) 10 PT. C&SC, 2 EMS, OVERS 3 EMS, 3 EMS ON RIGHT (FOR LONG COMMITTEE TITLE)

ΔI09, 9 pt. BOLD, VARIABLE, (STATEMENT LINE), (STATEMENT LINE), One or two lines

ΔI09, 9 pt. BOLD, VARIABLE, (STATEMENT LINE), (STATEMENT LINE), (STATEMENT LINE), (STATEMENT LINE), (STATEMENT LINE), (STATEMENT LINE), (STATEMENT LINE), (STATEMENT LINE), three or more lines

11 Locator 11, 8 pt., 1 em paragraph. Now is the time for all the "SWAT" team members to see if this project is going to fly. Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 13 10 pt., flush, overs 1 em. Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 14 10 pt., flush, overs 2 ems. Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 15 10 pt., flush, overs 3 ems. Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 20 10 pt., flush paragraph. Now is the time for all the "SWAT" team members to see if this project is going to fly. Now is the time for all the "SWAT" team members to see if this project is going to fly.

2

Locator 21 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 22 10 pt., paragraph indented 2 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 23 10 pt., squeeze 2 ems on left and right (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 24 10 pt., paragraph indented 4 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 25 10 pt., 3 ems from left. Sincerely,

Locator 26 10 pt., paragraph indented 6 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 28 10 pt., paragraph indented 8 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

| Year | Percent | Date | Amount |
|---|---|---|---|
| Locator 01 | 9999 | November | 9999 |
| Locator 01 | 9999 | ΔDΔxl, to cancel leaders | 9999 |
| Locator 01 | 9999 | November | 9999 |
| Locator 01 | 9999 | November | 9999 |
| Locator 01 | 9999 | November | 9999 |
| Locator 02 | 8888 | Override feature 0, for variable locator test | 8888 |
| Locator 03 | 7777 | Override feature 1, for paragraph style, primary indent being 1 em, and the runovers being full measure of the column. | 7777 |
| Locator 04 | 6666 | Override feature 2, for primary indent of 1 em, and the overs 2 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 2 ems, and the overs 3 ems. | 6666 |
| Locator 05 | 5555 | Override feature 3, for primary indent of 2 ems, and the overs 3 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 3 ems and the overs 4 ems. | 5555 |

Locator 30 10 pt., paragraph indented 10 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 31 10 pt., paragraph indented 12 ems on left (key paragraph indent).

3

Now is the time for all the "SWAT" team members to see if this project is going to fly.

(34)LOCATOR 34, C&SC
(34)DONALD W. PEED,
(34)WILLIAM C. KRAKAT,
(34)KENNETH R. KIDD,
(35)Locator 35, C & lc
Δ*I58, Members of the SWAT Team.*

ΔI36, C & lc, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd, Donald W. Peed, William C. Krakat, Kenneth R. Kidd.

Locators 41, 42, 43, and 44 follow:

| ΔI41 YEAS | ΔI42 NAYS |
|---|---|
| ΔI43 D. W. Peed | ΔI44 K. R. Kidd |
| ΔI43 W. C. Krakat | ΔI44 Kilroy |
| ΔI43 D. W. Peed | ΔI44 K. R. Kidd |
| ΔI43 W. C. Krakat | ΔI44 Kilroy |
| ΔI43 D. W. Peed | ΔI44 K. R. Kidd |
| ΔI43 W. C. Krakat | ΔI44 Kilroy |

4

Locators 45 (8 pt. bold, flush and 3 ems) Statement line; 46 (8 pt. bold, flush and 3 ems) Accompanied by; and 47 (8 pt. bold, 2 ems indent, overs 3 ems) Witness List; for Senate Appro, follow:

**Δ145 STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" (45)**

**Δ146 ACCOMPANIED BY: (46)**

**Δ147 KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" (47)**

**Δ147 WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" (47)**

Locators 48 (8 pt. bold, flush and 3 ems) Statement line; 49 (8 pt. bold, flush and 3 ems) Accompanied by; and 50 (8 pt. bold, flush and 1 em) Witness List; for House Appro, follow:

**Δ148 STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" STATEMENT OF DONALD W. PEED, CHIEF OF SWAT TEAM AND "PLANNER" (48)**

**Δ149 ACCOMPANIED BY: (49)**

**Δ150 KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" KENNETH R. KIDD, MEMBER OF SWAT TEAM AND "GRID MAN" (50)**

**Δ150 WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" WILLIAM C. KRAKAT, MEMBER OF SWAT TEAM AND "PREP MAN" (50)**

This is a test to see if the bottom leading is working on locator 50 which is above.

5

Following is a test of the letter locators:

ΔI61, 10 PT. ROMAN, 2 EMS, OVERS 3 EMS, 3 EMS ON RIGHT (LONG INTRODUCTION AT TOP OF LETTER) LOCATOR 61, 10 PT. ROMAN, 2 EMS, OVERS 3 EMS, 3 EMS ON RIGHT (LONG INTRODUCTION AT TOP OF LETTER)

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

ΔI51, 10 PT. C & SC, 5 EMS FROM RIGHT (TOP OF LETTER)

ΔI52, 10 PT. C & SC, 3 EMS FROM RIGHT (TOP OF LETTER)

*ΔI53, 10 pt. Italic, 1 em from right (top of letter)*

ΔI54, 10 pt. c&lc, flush left, overs 1 em (1st line of introduction)

*ΔI55, 10 pt. italic, flush left, overs 2 ems (2d & 3d lines of introduction)*

*ΔI55, 10 pt. italic, flush left, overs 2 ems (2d & 3d lines of introduction)*

(21) This is locator 21, which is the main text locator, to be used as a paragraph locator in all cases. Below is a test of the signature locators:

ΔI56, 10 PT. C&SC 5 EMS FROM RIGHT (BOTTOM OF LETTER)

ΔI57, 10 PT. C&SC 3 EMS FROM RIGHT (BOTTOM OF LETTER)

*ΔI58, 10 pt. Italic 1 em from right (bottom of letter)*

ΔI59, 10 pt. roman, flush right

Locator 63 (30 pt. dash) follows:

63 ———

Locator 64 (50 pt. dash) follows:

64 ————

Locator 65 (line of 7 stars) follows:

65 • # • # • # • # • # • # •

Locator 66 (line of 5 stars) follows:

66 • # • # • # • # •

Locator 68, 7 pt. footnote, using ΔN function.[1] See below.

Locator 69, 7 pt. footnote, no ΔN function.

[Locator 71, 6 pt., Credit Line]

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

SEC. 72. LOCATOR 72, 8 POINT BOLD HEAD, FLUSH AND HANG 54 POINTS. KEY NUT SPACES AROUND FIGURES. USE FOR THE CONVERSION PROGRAM. 72

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

[1] ||Locator 68, 7 pt. footnote.

6

## Locator 73 12 pt. Century Bold center

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

LOCATOR 74 10 PT. CAP AND SMALL CAP CENTER

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

§||75. **Locator 75 10 point bold, Caps and lowercase, flush and hang 4 picas. Key nut space after figures. Head locator with special use. (75)**

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

LOCATOR 76 10 PT. CAP AND SMALL CAP CENTER (FOR SQUEEZE MATTER) LOCATOR 76, 10 PT. CAP AND SMALL CAP CENTER (FOR SQUEEZE MATTER)

Locator 23 10 pt., flush paragraph (squeeze paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

*Locator 77 10 pt. italic, flush and hang 2 ems. Now is the time for all the "SWAT" team members to see if this project is going to fly.*

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

## Locator 78 14 pt. bold center

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

*Locator 87 italic, 3 ems indent, overs 5 ems (NEW). Now is the time for all the "SWAT" team members to see if this project is going to fly.*

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

LOCATOR 88, 8 POINT CAPS AND MALL CAPS, CENTER

(11) Following is a sample of locator 89, which will come out small caps regardless of how it is keyed, is used mainly for Bill conversion:

LOCATOR 89, SMALL CAPS CENTER

7

Locator 90, single rule, follows: (ΔQ08) (ΔI90) (ΔQ08) ←

90

ΔI23 is used for data inside of locators 90 and 91. Locator 23 is used for data inside of locators 90 and 91. Locator 23 is used for data inside of locators 90 and 91. Locator 23 is used for data inside of locators 90 and 91. (ΔQ08) (ΔI90) ← (ΔQ08)

90

Locator 91, double rule, follows: (ΔQ08) (ΔI91) (ΔQ08) ←

91

ΔI23 is used for data inside of locators 90 and 91. Locator 23 is used for data inside of locators 90 and 91. Locator 23 is used for data inside of locators 90 and 91. Locator 23 is used for data inside of locators 90 and 91. (ΔQ08) (ΔI91) ← (ΔQ08)

91

Locator 92, 8 pt, 2 column (subcolumn) follows: ΔQ04

ΔI92 D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed

ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP Dutch ΔQ04

Locator 93, 8 pt, 3 column (subcolumn) follows: ΔQ04

ΔI93 D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed

ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP D. W. Peed

ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP K. R. Kidd
ΔP W. C. Krakat
ΔP D. W. Peed
ΔP Dutch

8

Test of Graphic function follows: Δg,w318,d168

Δ195 Insert Illustration 1—A Here

168 points
plus the
6-point line.

Δ196 Pictured above is Chief of SWAT Team, Donald W. Peed, flanked by Assistants William C. Krakat and Kenneth R. Kidd. Auxiliary SWAT member, "Dutch" is taking the picture.

This is the end of TEST FILE. If it has run the "SWAT" Team should be given a well deserved *"pat on the back"*, and whatever else they may deserve for a job well done.

O

This is a test of leaderwork format 6611 which is a doc measure leaderwork format.

Locator 05 06 Figures

Locator 11 flush & hang 1 em (clear) with 28 points allowed for figures, usually used as a colon line:

Locator 12 primary indent of 2 ems, runovers are 3 ems (clear) with 28 points allowed for figures, usually used as a colon line:

Locator 13 primary indent of 4 ems, runovers are 5 ems (clear) with 28 points allowed for figures, usually used as a colon line: Figures

Locator 14 flush and hang 1 em, (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... 07 $9,999

Locator 15 primary indent of 2 ems, runovers are 3 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

Locator 16 primary indent of 4 ems, runovers are 5 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

Locator 17 primary indent of 6 ems, runovers are 7 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999 18

(14) with 1 em keyed—Total ..... $9,999 19

The single total rule locator is 18. The double rule locator is 19.

Locator 21 flush & hang 1 em (clear) with 42 points allowed for figures, usually used as a colon line:

Locator 22 primary indent of 2 ems, runovers are 3 ems (clear) with 42 points allowed for figures, usually used as a colon line:

Locator 23 primary indent of 4 ems, runovers are 5 ems (clear) with 42 points allowed for figures, usually used as a colon line: 06 Figures

Locator 24 flush and hang 1 em, (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... 07 $9,999,999

Locator 25 primary indent of 2 ems, runovers are 3 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... $9,999,999

Locator 26 primary indent of 4 ems, runovers are 5 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... $9,999,999

Locator 27 primary indent of 6 ems, runovers are 7 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed ..... $9,999,999 28

(24) with 1 em keyed—Total ..... $9,999,999 29

The single total rule locator is 28. The double rule locator is 29.

Locator 31 flush & hang 1 em (clear) with 64 points allowed for figures, usually used as a colon line:

Locator 32 primary indent of 2 ems, runovers are 3 ems (clear) with 64 points allowed for figures, usually used as a colon line:

Locator 33 primary indent of 4 ems, runovers are 5 ems (clear) with 64 points allowed for figures, usually used as a colon line: Figures

Locator 34 flush and hang 1 em, (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ..... 07 $999,999,999,999

Locator 35 primary indent of 2 ems, runovers are 3 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed. $999,999,999,999

Locator 36 primary indent of 4 ems, runovers are 5 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ..... $999,999,999,999

Locator 37 primary indent of 6 ems, runovers are 7 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed ..... $999,999,999,999 38

(34) with 1 em keyed—Total ..... $999,999,999,999 39

The single total rule locator is 38. The double rule locator is 39.

Below is a test of locator 41 in format 6611 used in CROSS REFERENCE.

(b) CROSS REFERENCE.—

**Locator 41 in format S6611. This locator is a conversion locator, used for cross reference data, the same as it is in Bill formats. It is a bold format, indented 4 ems.**

The following locators are from old BILL leaderwork format 0210. The numbers have been changed. They have been bumped ahead by 10.

CONTENTS

Sec. 1. This is the main locator for contents, which is flush and hang. Key a nut space around the figures 42

Sec. 1. This is the main locator for contents, which is flush and hang. Key a nut space around the figures (42).

Sec. 1. This is the main locator for contents, which is flush and hang. Key a nut space around the figures. Also it is indented 2 ems 43

Sec. 1. This is the main locator for contents, which is flush and hang. Key a nut space around the figures. Also it is indented 2 ems (43).

This is a test of locator 44, I dont know what this is for but it is here so we may as well test it out.

This is a test of locator 44, I dont know what this is for but it is here so we may as well test it out.

**Locator 45**

Locator 47 .....

**This locator (45) is the head locator for the left half of half-column leaderwork**

This locator (47) is the leader locator for the left half of half-column leaderwork.

**Locator 46**

Locator 48

**This locator (46) is the head locator for the right half of half-column leaderwork**

This locator (48) is the reading column locator for the right half of half-column leaderwork.

**Locator 49**

Locator 51 ..... **Locator 50** 52

1969 ..... 1969

This is a test of locator 53, which flush and hangs, and is a head locator for the left column:

(55) (56X57)
(55) (56X57)
(55) (56X57)
.....
.....

This is a test of locator 54, which flush and hangs, and is a head locator for the right column:

(58) (59)
(58) (59)
(58) (59)

Locator 60 This is a leader locator, it is flush and hang 6 picas, and leaders out to 28 points. Use locator 52 or 07 for figures ..... 52

61 Locator 61 is the first locator keyed. The data here is keyed after locator 62 ..... 63

I. 62 ..... 63
II. 62 ..... 63
III. 62 ..... 63
IV. 62 ..... 63

80 Test of locator 80 without the ΔL function:
80 Test of locator 80 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures..... 1234

82 Test of locator 82 without the ΔL function:
82 Test of locator 82 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures.....1234

84 Test of locator 84 without the ΔL function:
84 Test of locator 84 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures.....1234

86 Test of locator 86 without the ΔL function:
86 Test of locator 80 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures.....1234

End of test for 6611 leaderwork .

**This is a test of leaderwork format 6631 which is a doc measure leaderwork format, only it is 6 point.**

06 *Figures*

*Locator 05*
Locator 11, flush & hang 1 em (clear) with 28 points allowed for figures, usually used as a colon line:
Locator 12, primary indent of 2 ems, runovers are 3 ems (clear) with 28 points allowed for figures, usually used as a colon line.
Locator 13, primary indent of 4 ems, runovers are 5 ems (clear) with 28 points allowed for figures, usually used as a colon line:

| | *Figures* |
|---|---|
| Locator 14, flush and hang 1 em, (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed | $9,999 |
| Locator 15, primary indent of 2 ems, runovers are 3 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed | $9,999 |
| Locator 16, primary indent of 4 ems, runovers are 5 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed | $9,999 |
| Locator 17, primary indent of 6 ems, runovers are 7 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed | $9,999 |
| (14) with 1 em keyed—Total | $9,999 |

The single total rule locator is 18. The double rule locator is 19.

Locator 21, flush & hang 1 em (clear) with 42 points allowed for figures, usually used as a colon line:
Locator 22, primary indent of 2 ems, runovers are 3 ems (clear) with 42 points allowed for figures, usually used as a colon line.
Locator 23, primary indent of 4 ems, runovers are 5 ems (clear) with 42 points allowed for figures, usually used as a colon line.

| | *Figures* |
|---|---|
| Locator 24, flush and hang 1 em, (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| Locator 25, primary indent of 2 ems, runovers are 3 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| Locator 26, primary indent of 4 ems, runovers are 5 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| Locator 27, primary indent of 6 ems, runovers are 7 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| (24) with 1 em keyed—Total | $9,999,999 |

The single total rule locator is 28. The double rule locator is 29.

Locator 31, flush & hang 1 em (clear) with 64 points allowed for figures, usually used as a colon line
Locator 32, primary indent of 2 ems, runovers are 3 ems (clear) with 64 points allowed for figures, usually used as a colon line:
Locator 33, primary indent of 4 ems, runovers are 5 ems (clear) with 64 points allowed for figures, usually used as a colon line:

| | *Figures* |
|---|---|
| Locator 34, flush and hang 1 em, (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| Locator 35, primary indent of 2 ems, runovers are 3 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| Locator 36, primary indent of 4 ems, runovers are 5 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| Locator 37, primary indent of 6 ems, runovers are 7 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| (34) with 1 em keyed—Total | $999,999,999,999 |

The single total rule locator is 38. The double rule locator is 39.

Below is a test of locator 41 in format 6631 used in CROSS REFERENCE.

(b) CROSS REFERENCE.—

**Locator 41 in format S6631. This locator is a conversion locator, used for cross reference data, the same as it is in Bill formats. It is a bold format, indented 4 ems.**

The following locators are from old BILL leaderwork format 0210. The numbers have been changed. They have been bumped ahead by 10.

CONTENTS

Sec 1 This is the main locator for contents, which is flush and hang. Key a nut space around the figures (42).
Sec 1 This is the main locator for contents, which is flush and hang. Key a nut space around the figures (42).

Sec. 1 This is the main locator for contents, which is flush and hang. Key a nut space around the figures. Also it is indented 2 ems (43).
Sec 1. This is the main locator for contents, which is flush and hang. Key a nut space around the figures Also it is indented 2 ems (43).

This is a test of locator 44, I dont know what this is for but it is here so we may as well test it out.
This is a test of locator 44, I dont know what this is for but it is here so we may as well test it out.

**Locator 45**
Locator 47 .....
**This locator (45) is the head locator for the left half of half-column leaderwork**
This locator (47) is the leader locator for the left half of half-column leaderwork.

**Locator 46**
Locator 48
**This locator (46) is the head locator for the right half of half-column leaderwork**
This locator (48) is the reading column locator for the right half of half-column leaderwork.

**Locator 49**
Locator 51 ..... **Locator 50** 52
1969 ..... 1969

This is a test of locator 53, which flush and hangs, and is a head locator for the left column:
(55) (56x57)
(55) (56x57)
(55) (56x57)
.....
.....

This is a test of locator 54, which flush and hangs, and is a head locator for the right column:
(58) (59)
(58) (59)
(58) (59)

Locator 60. This is a leader locator, it is flush and hang 6 picas, and leaders out to 28 points. Use locator 52 or 07 for figures ..... 52

61 Locator 61 is the first locator keyed. The data here is keyed after locator 62 ..... 63
I 62 ..... 63
II. 62 ..... 63
III. 62 ..... 63
IV. 62 ..... 63

(80) Test of locator 80 without the ΔL function:
(80) Test of locator 80 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures ..... 1234

(82) Test of locator 82 without the ΔL function:
(82) Test of locator 82 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures ..... 1234

(84) Test of locator 84 without the ΔL function:
(84) Test of locator 84 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures ..... 1234

(86) Test of locator 86 without the ΔL function:
(86) Test of locator 80 using the ΔL function, this is called telephone leadering, the ΔL sets the leaders and the figures ..... 1234

End of test for leaderwork.

# Locator and Grid List

## TARIFF TABLES FORMAT FOR REPORTS—6 POINT

### FORMAT 6620—Must start with ΔF

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**6620—New Page, No Sink, Top Folio Must Start With Format Call**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| HEADS—Outside of table | | | | | | | | | | | |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | S |
| 74 | 8 point, Caps and small caps, center (creates running continued head–locator 84) | 8/8 | 1 | 4 | V | 16 | 14 | 0 | 0 | 0 | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 79 | 8 point center (used within table—FOTP of 2) | 8/8 | 1 | 1 | V | 16 | 14 | 0 | 0 | 0 | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | S |
| 88 | 8 point, Caps and small caps, center (does not continue) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | S |
| BOXHEADS | | | | | | | | | | | |
| 01 | Full measure boxhead rule (use for top and bottom of boxhead only) | — | — | — | — | 5 | 10 | — | — | — | S |
| 02 | 6 point roman, spans columns 3 & 4 (4-col. table) and columns 3, 4, & 5 (5-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 03 | 6 point roman, centers in stub—FOTP of 1 | 6/6 | 1 | 1 | C | 2 | 0 | — | — | — | S |
| 04 | 6 point roman, centers in column 2—FOTP of 2 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 05 | Rule spans columns 3 & 4 (4-col. table) and columns 3, 4, & 5 (5-col. table)—FOTP of 1 | — | — | — | — | 5 | 0 | — | — | — | S |
| 06 | 6 point roman, centers in column 3 (5-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 7 | 0 | — | — | — | S |
| 07 | 6 point roman, centers in column 4 (5-col. table)—FOTP of 2 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 08 | 6 point roman, centers in column 5 (5-col. table)—FOTP of 3 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 16 | 6 point roman, centers in column 3 (4-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 7 | 0 | — | — | — | S |
| 17 | 6 point roman, centers in column 4 (4-col. table)—FOTP of 3 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 40 | 6 point roman, spans columns 3 & 4 (5-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 41 | 6 point roman, centers in column 5 (5-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 3 | 0 | — | — | — | S |
| 42 | Rule spans columns 3 & 4 (5-col. table)—FOTP of 1 | — | — | — | — | 2 | 0 | — | — | — | S |
| 43 | 6 point roman, centers in column 5 (5-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 2 | 0 | — | — | — | S |
| 44 | 6 point roman, centers in column 3 (5-col. table)—FOTP of 1 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 45 | 6 point roman, centers in column 4 (5-col. table)—FOTP of 2 | 6/6 | 1 | 1 | C | 6 | 0 | — | — | — | S |
| 6 POINT BODY OF TABLES | | | | | | | | | | | |
| 09 | Full measure end of table rule (hiearchy 1—will kill continued running head) | — | — | — | — | 5 | 11 | — | — | — | E |
| 10 | Roman centered in stub—FOTP of 1 | 6/6 | 1 | 1 | C | 6 | 0 | 0 | 0 | 0 | B |
| 11 | Flush and hang 1 em, leaders from top, column 3 (5-col. table)—FOTP of 3 | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 1 | 0 | B |
| 12 | Flush and hang 1 em, leaders from top, column 4 (5-col. table)—FOTP of 4 | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 1 | 0 | B |
| 13 | Flush and hang 1 em, clear, column 5 (5-col. table)—FOTP of 5 | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 1 | 0 | B |
| 14 | Flush and hang 1 em, leaders from top, column 3 (4-col. table)—FOTP of 3 | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 1 | 0 | B |
| 15 | Flush and hang 1 em, clear, column 4 (4-col. table)—FOTP of 4 | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 1 | 0 | B |
| 20 | Flush and hang 1 em, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | 0 | B |
| 21 | 1-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 2 | 0 | B |
| 22 | 2-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | 0 | B |
| 23 | 3-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 3 | 4 | 0 | B |
| 24 | 4-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | 0 | B |
| 25 | 5-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 5 | 6 | 0 | B |
| 26 | 6-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 6 | 7 | 0 | B |
| 27 | 7-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 7 | 8 | 0 | B |
| 28 | 8-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 8 | 9 | 0 | B |

**6620—New Page, No Sink, Top Folio Must Start With Format Call—Continued**

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 29 | 9-em indent, overs 1-em more, clear, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 9 | 10 | 0 | B |
| 30 | Flush and hang 1 em, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 0 | 1 | 0 | B |
| 31 | 1-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 2 | 0 | B |
| 32 | 2-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 2 | 3 | 0 | B |
| 33 | 3-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 3 | 4 | 0 | B |
| 34 | 4-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 4 | 5 | 0 | B |
| 35 | 5-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 5 | 6 | 0 | B |
| 36 | 6-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 6 | 7 | 0 | B |
| 37 | 7-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 7 | 8 | 0 | B |
| 38 | 8-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 8 | 9 | 0 | B |
| 39 | 9-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 9 | 10 | 0 | B |
| 49 | 10-em indent, overs 1-em more, leaders from top, column 2—FOTP of 2 | 6/6 | 1 | 1 | J | 6 | 0 | 10 | 11 | 0 | B |
| 60 | Centered in column 2—FOTP of 2 | 6/6 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | S |
| 80 | Italic, flush and hang 1 em, clear, column 2—FOTP of 2 | 6/6 | 1 | 3 | J | 6 | 0 | 0 | 1 | 0 | S |
| FOOTNOTES | | | | | | | | | | | |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars (8 point for inside body of table) | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars (8 point for inside body of table) | — | — | — | — | — | — | — | — | — | E |
| 85 | Line of 7 stars (10 point for outside of table) | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | B |
| 89 | Blank locator (hiearchy 1—will kill continued running head) | — | — | — | — | — | — | — | — | — | B |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 92 | For 2 col, double up, use with ΔP | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with ΔP | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 95 | Locator for graphics (Insert offset folio —— here) Δg,w318,d... is always keyed first * | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |
| 96 | Caption for illustration, 8 point, center | | | | | | | | | | |

* Graphic line keyed as follows: Δg,w318,d . . . Δ195 Strip offset folio . . . here.

NOTE: Cannot run on a page with Doc measure. MUST Start and End on a page by itself.

**KEYING SEQUENCE FOR HEAD (A)**

01 Full rule
02 Rates of duty
05 Spanner rule
03 Item
04 Articles
06 1
07 LDDC
08 2
01 Full rule

**KEYING SEQUENCE FOR HEAD (B)**

01 Full rule
40 Rates of duty
41 Effective
42 Spanner rule
03 Item
04 Articles
43 period
44 1
45 2
01 Full rule

**KEYING SEQUENCE FOR HEAD (C)**

01 Full rule
02 Rates of duty
05 Spanner rule
03 Item
04 Articles
16 1
17 2
01 Full rule

4F6620

(74)TEST OF F6620 (A)

* * * * * * *

A

See Keying Instructions on Locator List.

| (03) | (04)Articles | (02)Rates of duty | | |
|---|---|---|---|---|
| | | (06) | (07) | (08) |
| 50 | THIS IS A TEST OF LOCATOR 60 THIS IS A TEST OF LOCATOR 60 THIS IS A TEST OF LOCATOR 60. THIS IS A TEST OF LOCATOR 60. | | | |
| | (60)This also a test of locator 60. | | | |
| 80 | *This is a test of locator 80. This is a test of locator 80. This is a test of locator 80. This is a test of locator 80.* | | | |

65 . # . # . # . # . # . # .

20 This is a test for locator 20, which is used for a colon (clear) line: This is a test for locator 20, which is used for a colon (clear) line: This is a test for locator 20, which is used for a colon (clear) line:

21 This is a test for locator 21, which is used for a colon (clear) line: This is a test for locator 21, which is used for a colon (clear) line: This is a test for locator 21, which is used for a colon (clear) line:

22 This is a test for locator 22, which is used for a colon (clear) line: This is a test for locator 22, which is used for a colon (clear) line: This is a test for locator 22, which is used for a colon (clear) line:

23 This is a test for locator 23, which is used for a colon (clear) line: This is a test for locator 23, which is used for a colon (clear) line: This is a test for locator 23, which is used for a colon (clear) line:

24 This is a test for locator 24, which is used for a colon (clear) line: This is a test for locator 24, which is used for a colon (clear) line: This is a test for locator 24, which is used for a colon (clear) line:

25 This is a test for locator 25, which is used for a colon (clear) line: This is a test for locator 25, which is used for a colon (clear) line: This is a test for locator 25, which is used for a colon (clear) line:

26 This is a test for locator 26, which is used for a colon (clear) line: This is a test for locator 26, which is used for a colon (clear) line: This is a test for locator 26, which is used for a colon (clear) line:

27 This is a test for locator 27, which is used for a colon (clear) line: This is a test for locator 27, which is used for a colon (clear) line: This is a test for locator 27, which is used for a colon (clear) line:

28 This is a test for locator 28, which is used for a colon (clear) line: This is a test for locator 28, which is used for a colon (clear) line: This is a test for locator 28, which is used for a colon (clear) line:

29 This is a test for locator 29, which is used for a colon (clear) line: This is a test for locator 29, which is used for a colon (clear) line: This is a test for locator 29, which is used for a colon (clear) line:

65 . # . # . # . # . # . # .

(74)TEST OF F6620 (A)—Continued

| | | | | |
|---|---|---|---|---|
| 10 [000.00] | 30 This is a test for leader locator 30 | 11 Free | 12 No charge | 13 On or before 9/17/82. |
| 10 [111.00] | 31 This is a test for leader locator 31 | 11 Free if no charge. | 12 No charge | 13 On or before 9/17/82. |
| 222.00 | 32 This is a test for leader locator 32 | (11)Free | (12)No charge | (13)On or before 9/17/82. |
| 333.00 | 33 This is a test for leader locator 33 | (11)Free | (12)No charge | (13)On or before 9/17/82. |
| [444.00] | 34 This is a test for leader locator 34 | (11)Free | (12)13.5% ad val. | (13)On or before 9/17/82. |
| [555.00] | 35 This is a test for leader locator 35 | (11)Free | (12)No charge | (13)On or before 9/17/82. |
| 666.00 | 36 This is a test for leader locator 36 | (11)Free | (12)No charge | (13)On or before 9/17/82. |
| [777.00] | 37 This is a test for leader locator 37. | (11)Free | (12)No charge | (13)On or before 9/17/82. |
| [888.00] | 38 This is a test for leader locator 38. | (11)Free | (12)No charge | (13)On or before 9/17/82. |
| [999.00] | 39 This is a test for leader locator 39. | Free | No charge | On or before 9/17/82. |
| [499.49] | 49 This is a test for leader locator 49. | Free | No charge | On or before 9/17/82. |

(74)HEAD (B)

* * * * * * *

B

See Keying Instructions on Locator List.

| (03) | (04)Articles | (40)Rates of duty (44) | (45) | (41) (43) |
|---|---|---|---|---|
| | 60 PART 1 | | | |
| | 64 | | | |
| [222.00] | 26 Test of F6620: 30 This is also a test for leader locator 30. This is also a test for leader locator 30. This is also a test for leader locator 30. This is also a test for leader locator 30. This is also a test for leader locator 30. This is also a test for leader locator 30. | 11 Locator 11. | 12 Can use ΔD here. | 13 Can use ΔD here |
| 10 [222.00] | 31 This is also a test for leader locator 31. This is also a test for leader locator 31. This is also a test for leader locator 31. This is also a test for leader locator 31. This is also a test for leader locator 31. This is also a test for leader locator 31. | (11)Locator 11. | (12)Can use ΔD here. | (13)Can use ΔD here |
| [222.00] | (32)This is also a test for leader locator 32. This is also a test for leader locator 32. This is also a test for leader locator 32. This is also a test for leader locator 32. This is also a test for leader locator 32. This is also a test for leader locator 32. | | | |
| | (33)This is also a test for leader locator 33. This is also a test for leader locator 33. This is also a test for leader locator 33. This is also a test for leader locator 33. This is also a test for leader locator 33. This is also a test for leader locator 33. | | | |
| | (34)This is also a test for leader locator 34. This is also a test for leader locator 34. This is also a test for leader locator 34. This is also a test for leader locator 34. This is also a test for leader locator 34. This is also a test for leader locator 34. | | | |

(74)HEAD (B)—Continued

| (03) | (04)Articles | (40)Rates of duty (44) | (45) | (41) (43) |
|---|---|---|---|---|
| | (35)This is also a test for leader locator 35. This is also a test for leader locator 35 This is also a test for leader locator 35. This is also a test for leader locator 35. This is also a test for leader locator 35. This is also a test for leader locator 35. | | | |
| [222.00] | (36)This is also a test for leader locator 36. This is also a test for leader locator 36. This is also a test for leader locator 36. This is also a test for leader locator 36. This is also a test for leader locator 36. This is also a test for leader locator 36. | | | |
| | (37)This is also a test for leader locator 37. This is also a test for leader locator 37. This is also a test for leader locator 37. This is also a test for leader locator 37. This is also a test for leader locator 37. This is also a test for leader locator 37. | | | |
| [222.00] | (38)This is also a test for leader locator 38. This is also a test for leader locator 38. This is also a test for leader locator 38. This is also a test for leader locator 38. This is also a test for leader locator 38. This is also a test for leader locator 38. | | | |

(74)HEAD (C)

* * * * * * *

C

See Keying Instructions on Locator List.

| (03) | (04)Articles | (02)Rates of duty (16) | (17) |
|---|---|---|---|
| (10) | (30)Locator 30 | (14)Test of locator 14 .... (14)Test of locator 14 .... | (15)Test of locator 15 (D)Test of ΔD |

# Locator and Grid List

## TWO-COLUMN PAGE MAKEUP (LEADERWORK) FOR DOC

### FORMAT 6610—Must start with ΔF

**GRID 1—731**

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

**GRID 2—732**

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

**GRID 3—733**

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

**GRID 4—734**

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**6620—New Page, No Sink, Top Folio Must Start With Format Call**

| Locator No | Description | FOTP | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | Flush left, with leaders | 01 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 02 | Flush left (follows locator 01) can use ΔD | 02 | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 20 | Flush left (spans 2 columns) | 01 | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 0 | 0 | B |
| 21 | Flush left (follows locator 20, spans 2 columns) for alignment following colon | 02 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | — | 6/6 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | E |
| 74 | Center Head (spans 2 columns) | — | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |

NOTE. Cannot run on a page with Doc measure MUST Start and End on a page by itself

17

**Reference for S. 46**

KEY: R—Repealed without replacement
N—Not included in revision, not repealed by bill
P—Partially repealed without replacement

| | | |
|---|---|---|
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |
| 14 U.S.C. 1 | 2101(4) | |
| 33 U.S.C. 361, 362, 363 | 6101 | |
| 46 U.S.C. 2 | 2107 | |
| 46 U.S.C. 367 | 2103 | |
| | 2109 | |
| 46 U.S.C. 65 | 3421 | |
| 46 U.S.C. 34 | 3465 | |

# Locator and Grid List

## TWO-COLUMN PAGE MAKEUP (Stub and One Figure Column Table) FOR DOC

## FORMAT 6623—Must start with ΔF

**GRID 1—731**

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

**GRID 2—732**

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

**GRID 3—733**

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

**GRID 4—734**

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**6623—New Page, No Sink, Top Folio Must Start With Format Call**

| Locator No. | Description | FOTP | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 04 | Hairline rule (top rule for boxhead) | — | — | — | — | — | — | — | — | — | — | S |
| 05 | Center (first column of boxhead) | 01 | 6/6 | 1 | 1 | C | 6 | 0 | 0 | 0 | 0 | S |
| 06 | Center (second column of boxhead) | 02 | 6/6 | 1 | 1 | C | 6 | 0 | 0 | 0 | 0 | S |
| 07 | Hairline rule (bottom rule for boxhead) | — | — | — | — | — | — | — | — | — | — | S |
| 11 | Flush left, with leaders (stub) | 01 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | B |
| 12 | Flush right (figure column) | 02 | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | B |
| 13 | 2-em indent (stub) | 01 | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | 0 | B |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | — | 6/6 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | E |
| 74 | Center head, full measure | — | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | S |
| 84 | Center head *, full measure (will repeat) | — | 10/10 | 1 | 4 | C | 18 | 16 | 0 | 0 | 0 | S |

* MUST be 1 line including: —Continued. If 2 lines use Δ174
NOTE. Cannot run on a page with Doc measure. MUST Start and End on a page by itself.

4F6623

18

94 TABLE 4.—WAGE INDEX FOR URBAN AREAS

| 84 | 65 MSA area | 96 Wage index | MSA area | Wage index |
|---|---|---|---|---|
| | Abilene, TX | 22.814 | Annandale, Springfield, Fairfax, Manassas, Fredericksburg. | 5,000 |
| | Taylor. | | Maryland | |
| | Albany and Schenectady and Troy, NY—plus other data to see what happens when this locator runs over. | 1,000,000 | Bowie, Bladensburg, Seat Pleasant, Rockville, Gaithersburg, Frederick. | 22.814 |
| | Greene, Blue and Gold all in Kentucky. | 54,000 | Abilene, TX | |
| | Georgia | | Taylor. | |
| | Barrow, Butts, Cherokee, Clayton, Cobb, Coweta, DeKalb, Douglas. | 4,000 | Albany and Schenectady and Troy, NY—plus other data to see what happens when this locator runs over. | 1,000,000 |
| | Virginia | | Greene, Blue and Gold all in Kentucky. | 54,000 |
| | Annandale, Springfield, Fairfax, Manassas, Fredericksburg. | 5,000 | Georgia | |
| | Maryland | | Barrow, Butts, Cherokee, Clayton, Cobb, Coweta, DeKalb, Douglas. | 4,000 |
| | Bowie, Bladensburg, Seat Pleasant, Rockville, Gaithersburg, Frederick. | 22.814 | Virginia | |
| | Abilene, TX | | Annandale, Springfield, Fairfax, Manassas, Fredericksburg. | 5,000 |
| | Taylor. | | Maryland | |
| | Albany and Schenectady and Troy, NY—plus other data to see what happens when this locator runs over. | 1,000,000 | Bowie, Bladensburg, Seat Pleasant, Rockville, Gaithersburg, Frederick. | 22.814 |
| | Greene, Blue and Gold all in Kentucky. | 54,000 | Abilene, TX | |
| | Georgia | | Taylor. | |
| | Barrow, Butts, Cherokee, Clayton, Cobb, Coweta, DeKalb, Douglas. | 4,000 | Albany and Schenectady and Troy, NY—plus other data to see what happens when this locator runs over. | 1,000,000 |
| | Virginia | | Greene, Blue and Gold all in Kentucky. | 54,000 |
| | Annandale, Springfield, Fairfax, Manassas, Fredericksburg. | 5,000 | Georgia | |
| | Maryland | | Barrow, Butts, Cherokee, Clayton, Cobb, Coweta, DeKalb, Douglas. | 4,000 |
| | Bowie, Bladensburg, Seat Pleasant, Rockville, Gaithersburg, Frederick. | 22.814 | Virginia | |
| | Abilene, TX | | Annandale, Springfield, Fairfax, Manassas, Fredericksburg. | 5,000 |
| | Taylor. | | Maryland | |
| | Albany and Schenectady and Troy, NY—plus other data to see what happens when this locator runs over. | 1,000,000 | Bowie, Bladensburg, Seat Pleasant, Rockville, Gaithersburg, Frederick. | 22.814 |
| | Greene, Blue and Gold all in Kentucky. | 54,000 | Abilene, TX | |
| | Georgia | | Taylor. | |

# Locator and Grid List

## 2 COLUMN DOUBLE-UP TABLE — 8 POINT

## FORMAT 6630—Must start with ΔF

**GRID 1—731**

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

**GRID 2—732**

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

**GRID 3—733**

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

**GRID 4—734**

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**6630 All rules are write ins** **Must Start With Format Call**

| Locator No. | Description | FOTP | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | Center head, full measure (repeats —Continued) | — | 8/10 | 1 | 2 | C | 10 | 34 | 0 | 0 | 0 | S |
| 02 | Center head, full measure (Overlay first page) | — | 8/8 | 1 | 2 | C | 8 | 8 | 0 | 0 | 0 | S |
| 03 | Boxhead (column 1) | 01 | 6/6 | 1 | 1 | C | 6 | 20 | 0 | 0 | 0 | S |
| 04 | Boxhead (column 2) | 02 | 6/6 | 1 | 1 | C | 6 | 20 | 0 | 0 | 0 | S |
| 05 | Flush left, with leaders (column 1) | 01 | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 06 | Flush left (column 2) can use ΔD | 02 | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | B |
| 80 | Center head, full measure (Overlay even and odd pages) | — | 8/8 | 1 | 2 | C | — | — | 0 | 0 | 0 | S |

NOTE: Cannot run on a page with Doc measure. MUST Start and End on a page by itself.

ΔF6630 80 (As of 1995)

01 CROSS-REFERENCE WITHIN THE INTERNAL REVENUE CODE OF 1954

02 (As of 1985)

| 03 Section number— | 04 Is referred to in sections— |
|---|---|
| 1 | 2, 3, 4, 5, 6, 7, 8, 9, 10, 234, 345, 456, 567, 789, 321. |
| 2 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 3 | 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 4 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 6 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 7 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 8 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 9 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 10 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 1 | 2, 3, 4, 5, 6, 7, 8, 9, 10, 234, 345, 456, 567, 789, 321. |
| 2 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 3 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 4 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 6 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 7 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 8 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |
| 9 | 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. |

(21)

# Locator and Grid List

## SEMIANNUAL REPORT, ARCHITECT OF THE CAPITOL

## FORMATS 0974 and 0975

## F0974 (New Odd Page, 6 Pica Sink) For FIRST PAGE ONLY

## F0975 (New Page, No Sink) For ALL OTHER NEW PAGES

GRID 1—731

T1—**Century Roman, Caps and lowercase** (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| LEADERWORK LOCATORS | | | | | | | | | | | |
| 07 | Figure column (46 points), FOTP of 2 | 8 | 1 | 1 | R | 8 | 0 | — | — | 0 | B |
| 34 | Stub, with leaders to 272 points, FOTP of 1 | 8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 72 | Center Head (Use in place of locator 82 if more than 250 characters of data, Continue) (Table Title) | 8 | 1 | 3 | V | 16 | 14 | 0 | 0 | — | S |
| 74 | Center Head (Will Continue) | 8 | 1 | 1 | V | 16 | 0 | 0 | 0 | — | S |
| 82 | Center Head (Will Continue) | 8 | 1 | 3 | V | 16 | 14 | 0 | 0 | — | S |
| 83 | Center Head, FOTP of 1 | 8 | 1 | 4 | V | 16 | 14 | 0 | 0 | — | S |
| TABULAR LOCATORS | | | | | | | | | | | |
| 74 | Center Head (Will Continue) | 8 | 1 | 1 | V | 16 | 0 | 0 | 0 | — | S |
| 84 | Center Head (Will Continue) | 7 | 4 | 1 | V | 12 | 0 | 0 | 0 | — | S |
| 90 | Full measure rule | — | — | — | — | — | — | — | — | — | S |
| 91 | Full measure rule (Prep and key following first entry) | — | — | — | — | — | — | — | — | — | S |
| 92 | Full measure rule (Prep and key following locator 91) | — | — | — | — | — | — | — | — | — | S |
| Prep and key the following locators in order listed | | | | | | | | | | | |
| 18 | Year, centers over columns 1 and 2, (Will Repeat) | 7 | 4 | 1 | C | 7 | 0 | 0 | 0 | — | S |
| 19 | Month, column 1 (Will Repeat) | 7 | 4 | 1 | L | 7 | 0 | — | — | — | S |
| 20 | Date, column 2 (Will Repeat) | 7 | 4 | 1 | R | 0 | 0 | — | — | — | S |
| 21 | Voucher No., column 3, FOTP of 1 | 7 | 4 | 1 | R | 7 | 0 | — | — | — | S |
| 22 | Company Name, with leaders, column 4, FOTP of 2 | 7 | 4 | 1 | J | 7 | 0 | — | — | — | S |
| 23 | Amount, column 5, FOTP of 3 | 7 | 4 | 1 | R | 7 | 0 | — | — | — | S |
| 24 | Description of Expense, column 4, FOTP of 2 | 7 | 4 | 1 | J | 7 | 0 | — | — | — | E |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no ΔN function | 6/6 | 1 | 1 | J | 6 | 0 | 1 | 0 | 0 | E |

Δ174 SALARIES, OFFICE OF THE ARCHITECT OF THE CAPITOL, 1982

See Note on loc. list

*Δ182 Salaries of employees under the jurisdiction of the Capitol for the period Apr. 1, 1981 to Sept. 31, 1982*

| | |
|---|---|
| Δ134 George M. White, Architect of the Capitol | Δ107 $0.00 |
| Elliott Carroll, executive assistant | 25,003.27 |
| William J. Cronin, senior personnel management specialist | 19,553.82 |

Δ183 U.S. CIVIL SERVICE COMMISSION

| | |
|---|---|
| Agency contribution to civil service retirement fund | $84,594.95 |
| Agency contribution to Federal employees' health benefit fund | 21,979.97 |
| Agency contribution to Federal employees' group life insurance | 3,387.21 |

Δ174 CONTINGENT EXPENSES, ARCHITECT OF THE CAPITOL

Δ184 EXPENDITURES OTHER THAN SALARIES FROM APPROPRIATION (90)

| | | | | |
|---|---|---|---|---|
| (18) 1981 | | (21) | (22) | (23) |
| (19) Oct. 11 | 2622 | Delta Aire, Inc. | | $22,840.00 |
| (20) | | (24) Air-Conditioning supplies. (91) (92) | | |
| 14 | 2624 | Marks Supply, Inc. | | 1,433.98 |
| | | Carpentry supplies. | | |
| | 2626 | Georgia Marble Co. | | 9,224.56 |
| | | Building supplies, and professional services for the design and organization of a program for developing and preparing a master plan for future enlargement of the grounds. | | |
| (18) (19) (20) | (21) | (22) (24) | | (23) |

(90), (91), & (92) are for rules

Locator (18) and year MUST be set after locator (90). Will cause an overprint if missing.

Note: Key in locator sequence (18) (19) (20) (21) (22) (23) (24)

# Locator and Grid List

## 12 POINT—COMMITTEE PRINTS, REPORTS—TEXT

## FORMAT 6661

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**New Odd, With Sink, Bottom Folio**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| REPORTS WITH EARS—SPECIAL HEAD LOCATORS—**DO NOT USE UNLESS INSTRUCTED TO** | | | | | | | | | | | |
| 82 | Nonprint in text, goes to locs. 85 and 86, prints 10 point bold ears | 10/10 | 1 | 2 | R | — | — | 0 | 0 | 0 | N |
| 83 | 10 point bold (overlay), key after Format call, will print flush right at top of page | 10/10 | 1 | 2 | R | — | — | 0 | 0 | 0 | S |
| 84 | 12 point, small caps, center, key with initial cap, goes to locs. 85 and 86, prints 10 point bold ears | 12/12 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF HEARING ONLY | | | | | | | | | | | |
| 01 | 14 point bold, center (title of hearing) | 14/16 | 1 | 2 | V | 16 | 14 | 0 | 0 | 0 | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — |
| 03 | 11 point bold, center (dateline) | 11/11 | 1 | 2 | C | 14 | 21 | 0 | 0 | 0 | S |
| 04 | 12 point, Caps and small caps, 7 ems from right | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 7 | S |
| 05 | 12 point, Caps and small caps, 5 ems from right | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 5 | S |
| 06 | 12 point, Caps and small caps, 3 ems from right | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 3 | S |
| 07 | 12 point, Italic, 1 em from right | 12/12 | 1 | 3 | R | 12 | 14 | 0 | 0 | 1 | S |
| 08 | 12 point, Caps and small caps, indent 2 ems, overs 3 ems, and 3 ems on right (for long committee name) | 12/12 | 1 | 4 | J | 12 | 0 | 2 | 3 | 3 | S |
| HEADS | | | | | | | | | | | |
| 09 | 11 point bold, head, center (Statement line in hearings) | 11/12 | 1 | 2 | V | 19 | 16 | 0 | 0 | 0 | S |
| 71 | 8 point, center | 8/8 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 72 | 10 point bold, flush and hang 56 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 15 | 13 | 0 | — | 0 | S |
| 73 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 74 | 12 point, Caps and small caps, center (main head locator) | 12/12 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| 75 | 12 point bold, flush and hang 4 picas (for twist line in reports) | 12/12 | 1 | 2 | J | 18 | 16 | 0 | — | 0 | S |
| 76 | 12 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 12/12 | 1 | 4 | V | 20 | 18 | 2 | 3 | 2 | S |
| 77 | 12 point italic, flush and hang 2 ems | 12/12 | 1 | 3 | J | 18 | 16 | 0 | 2 | 0 | S |
| 78 | 18 point bold, center (mostly used for reports) | 18/18 | 1 | 2 | V | 26 | 24 | 0 | 0 | 0 | S |
| 87 | 12 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 12/12 | 1 | 3 | J | 18 | 16 | 3 | 5 | 0 | S |
| 88 | 10 point, Caps and small caps, center (for Appros and hearings only) | 10/10 | 1 | 4 | V | 18 | 15 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 12/12 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 10 | 10 point, Flush paragraph locator | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 11 | 10 point, 1 em paragraph locator | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 13 | Flush and hang 1 em | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | 0 | W |
| 14 | Flush and hang 2 ems | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 2 | 0 | W |
| 15 | Flush and hang 3 ems | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 3 | 0 | W |
| 20 | Flush paragraph, full measure | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | W |
| 21 | 1 em paragraph (main paragraph) | 12/12 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 2 | 0 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 2 | 2 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 4 | 0 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 12/12 | 1 | 1 | L | 12 | 0 | 3 | 0 | 0 | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 12/12 | 1 | 1 | J | 12 | 0 | 12 | 12 | 0 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 0 | 0 | W |

## New Odd, With Sink, Bottom Folio—Continued

| Locator No. | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| IGNATURES | | | | | | | | | | | |
| 4 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 12/12 | 1 | 4 | L | 12 | 0 | — | — | — | B |
| 5 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 12/12 | 1 | 1 | L | 12 | 0 | — | — | — | W |
| 6 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 12/12 | 1 | 1 | J | 12 | 0 | 5 | 7 | 0 | W |
| OTES (REPORTS) | | | | | | | | | | | |
| 1 | 10 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 10/10 | 1 | 1 | L | 16 | 14 | 2 | 3 | — | S |
| 2 | 10 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 10/10 | 1 | 1 | L | 16 | 14 | 2 | 3 | — | S |
| 3 | 12 point, flush left in column 1—Names—(FOTP 1) | 12/12 | 1 | 1 | L | 12 | 0 | 0 | 1 | — | B |
| 4 | 12 point, flush left in column 2—Names—(FOTP 2) | 12/12 | 1 | 1 | L | 12 | 0 | 0 | 1 | — | B |
| TATEMENT LINES FOR SENATE APPROS | | | | | | | | | | | |
| 5 | 10 point bold, flush and hang 3 ems—Statement of | 10/11 | 1 | 2 | J | 17 | 15 | 0 | 3 | 0 | S |
| 6 | 10 point bold, flush and hang 3 ems—Accompanied by | 10/11 | 1 | 2 | J | 15 | 12 | 0 | 3 | 0 | S |
| 7 | 10 point bold, indent 2 ems, overs 3 ems—Witness list | 10/11 | 1 | 2 | J | 12 | 14 | 2 | 3 | 0 | U |
| TATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | | |
| 48 | 10 point bold, flush and hang 3 ems—Statement of | 10/11 | 1 | 2 | J | 17 | 15 | 0 | 3 | 0 | S |
| 49 | 10 point bold, flush and hang 3 ems—Accompanied by | 10/11 | 1 | 2 | J | 15 | 12 | 0 | 3 | 0 | S |
| 50 | 10 point bold, flush and hang 1 em—Witness list | 10/11 | 1 | 2 | J | 12 | 18 | 0 | 1 | 0 | U |
| LETTERS | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 5 | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 3 | S |
| 53 | Italic, 1 em from right (TOP) | 12/12 | 1 | 3 | R | 12 | 14 | 0 | 0 | 1 | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | 0 | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 12/12 | 1 | 3 | J | 12 | 14 | 0 | 2 | 0 | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 5 | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 12/12 | 1 | 4 | R | 12 | 0 | 0 | 0 | 3 | E |
| 58 | Italic, 1 em from right (BOTTOM) | 12/12 | 1 | 3 | R | 12 | 14 | 0 | 0 | 1 | E |
| 59 | Roman, flush right (BOTTOM) | 12/12 | 1 | 1 | R | 12 | 14 | 0 | 0 | 0 | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data to fit in 51 and 52 | 12/12 | 1 | 4 | J | 12 | 0 | 2 | 3 | 3 | S |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 9/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 9/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | W |
| MISCELLANEOUS | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | 0 | B |
| 93 | For 3 col, triple up, use with Δ P | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | 0 | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first * | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | E |

* Graphic line keyed as follows: Δ g,w318,d . . . Δ195 Strip offset folio . . . here.

10-014 0 - 90 - 10/10002

# Locator and Grid List

## 12 POINT—COMMITTEE PRINTS, REPORTS—LEADERWORK

## FORMAT 6662

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—733

T1—Greek and Math Lite (31)
T2—Greek and Math Bold (32)
T3—Greek and Math Sups (33)
T4—Greek and Math Infs (34)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

USE AS A SUBFORMAT TO 6661

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 12 point, italic, centered, head locator, will continue when table runs over to next page | 12/12 | 1 | 3 | V | 16 | 14 | 0 | 0 | 0 | S |
| 05 | 10 point italic, indented 4 ems, over stub, FOTP of 1 | 10/12 | 1 | 3 | J | 12 | 0 | 4 | 5 | 0 | S |
| 06 | 10 point italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 10/12 | 1 | 3 | R | 12 | 0 | 0 | 0 | 0 | S |
| 07 | 12 point, flush right, for all figures, FOTP of 3 | 12/12 | 1 | 1 | R | 12 | 0 | 0 | 0 | 0 | B |
| ALLOWS 41 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) **Key 13 periods for leaders** | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | S |
| 12 | 2 em indent, overs 3 ems—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | S |
| 13 | 4 em indent, overs 5 ems—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | S |
| 14 | Flush and hang 1 em—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | B |
| 15 | 2 em indent, overs 3 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | B |
| 16 | 4 em indent, overs 5 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | B |
| 17 | 6 em indent, overs 7 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | — | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 63 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) **Key 20 periods for leaders** | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | B |
| 26 | 4 em indent, overs 5 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | B |
| 27 | 6 em indent, overs 7 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | — | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 97 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) **Key 31 periods for leaders** | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | S |
| 32 | 2 em indent, overs 3 ems—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | S |
| 33 | 4 em indent, overs 5 ems—Clear | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | S |
| 34 | Flush and hang 1 em—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 12/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary (Cross Reference) | 12/12 | 1 | 2 | J | 12 | 0 | 4 | 4 | — | B |
| 42 | Table of Contents | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 6 | 0 | B |
| 43 | Same as locator 42 only indented 2 ems | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 8 | 0 | B |
| 44 | Indent 7 picas for Table of Sections | 12/12 | 1 | 1 | J | 12 | 0 | — | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 12/12 | 1 | 2 | J | 12 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 12/12 | 1 | 2 | J | 12 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 12/12 | 1 | 1 | J | 12 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 12/12 | 1 | 1 | J | 12 | 0 | 1 | 2 | 0 | B |
| 49 | Left column boxhead, flush and hang 2 ems | 12/12 | 1 | 2 | J | 12 | 0 | — | — | — | S |

USE AS A SUBFORMAT TO 6661—Continued

| Locator No. | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 | Right column boxhead, flush right over figures | 12/12 | 1 | 2 | R | 12 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 12/12 | 1 | 1 | J | 12 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures (for locators 51 and 60), FOTP of 3 | 12/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| 53 | Left column boxhead for tax table—see sample | 12/12 | 1 | 1 | J | 12 | 0 | — | — | — | S |
| 54 | Right column boxhead for tax table—see sample | 12/12 | 1 | 1 | J | 12 | 0 | — | — | — | S |
| 55 | See sample | 12/12 | 1 | 1 | L | 12 | 0 | — | — | — | S |
| 56 | See sample | 12/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| 57 | See sample | 12/12 | 1 | 1 | L | 12 | 0 | — | — | — | B |
| 58 | See sample | 12/12 | 1 | 1 | L | 12 | 0 | — | — | — | S |
| 59 | See sample | 12/12 | 1 | 1 | R | 12 | 0 | — | — | — | S |
| 60 | Leaders to 41 points, flush and hang 6 picas, use loc. 52 for figures | 12/12 | 1 | 1 | J | 12 | 0 | — | — | — | B |
| 61 | Flush right on 27 points, to align points on right, like in Roman numerals, FOTP of 1 | 12/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| 62 | Comes in after loc. 61, allows 41 points on right, FOTP of 2 | 12/12 | 1 | 1 | J | 12 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 12/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| TELEPHONE LEADERING | | | | | | | | | | | |
| 80 | Flush and hang 1 em (key Δ L for flush right figs) (for clear, don't use Δ L) | 12/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | 0 | B |
| 82 | 2 em indent, overs 3 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 12/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | 0 | B |
| 84 | 4 em indent, overs 5 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 12/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | 0 | B |
| 86 | 6 em indent, overs 7 ems (key Δ L for flush right figs) (for clear, don't use Δ L) | 12/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | 0 | B |
| MISCELLANEOUS | | | | | | | | | | | |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | E |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no Δ N function | 9/9 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| HEADS | | | | | | | | | | | |
| 71 | 8 point center | 8/8 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | S |
| 73 | 14 point, bold center | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 74 | 12 point, CAPS, Caps and small caps, small caps, centered | 12/12 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 78 | 18 point, bold center | 18/18 | 1 | 2 | V | 26 | 24 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 12/12 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |

# Locator and Grid List

## 10-POINT APPROPRIATIONS WITH SIDE NOTES

### FORMAT 5901 — 26½ picas, plus 4½ pica sidenotes

### FORMAT 6101 — 22 picas, plus 4½ pica sidenotes

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—746

T1—CENTURY BOLD ROMAN, CAPS AND SMALL CAPS (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

GRID 3—712

T1—~~Congressional Roman Canceled, Caps and lowercase~~ (51)
T2—~~**Century Bold Canceled, Caps and lowercase**~~ (252)
T3—~~CENTURY BOLD CANCELED, CAPS AND SMALL CAPS~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, Case~~ (54)

GRID 4—713

T1—~~*Congressional Italic, Canceled, Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~*CENTURY BOLD ITALIC CANCELED, C&SC*~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, C&SC*~~ (57)

**New Odd, With Sink, and Bottom Folio**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SIDE NOTES AND RUNNING HEAD LOCATORS | | | | | | | | | | | | |
| 80 | 8-point side note, flush right on 60 points * (See footnote) | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | 01 | W |
| 81 | 10-point side note, flush right on 60 points * (See footnote) | 10/10 | 1 | 1 | R | 10 | 0 | 0 | 0 | 0 | 01 | W |
| 82 | For ears in 6101 only | — | — | — | — | — | — | — | — | — | — | — |
| 79 | 10 point (EVEN page overlay), key after Format call, will center in full measure (26½ picas) (6101) | 10/10 | 1 | 1 | C | — | — | 0 | 0 | 0 | — | S |
| 89 | 10 point (ODD page overlay), key after Format call, will center in full measure (26½ picas) (6101) | 10/10 | 1 | 1 | C | — | — | 0 | 0 | 0 | — | S |
| 85 | 10 point (EVEN page overlay), key after Format call, will center in full measure (32½ picas) (5901) | 10/10 | 1 | 1 | C | — | — | 0 | 0 | 0 | — | S |
| 86 | 10 point (ODD page overlay), key after Format call, will center in full measure (32½ picas) (5901) | 10/10 | 1 | 1 | C | — | — | 0 | 0 | 0 | — | S |
| THESE LOCATORS (01 thru 08) TO BE USED FOR BEGINNING OF APPROPRIATIONS | | | | | | | | | | | | |
| 01 | 12 point bold, center (title of hearing) | 12/14 | 1 | 2 | V | 14 | 12 | 0 | 0 | 0 | — | S |
| 02 | 5 em dash, center | — | — | — | — | — | — | — | — | — | — | — |
| 03 | 9 point bold, center (dateline) | 9/9 | 1 | 2 | C | 12 | 19 | 0 | 0 | 0 | — | S |
| 04 | 10 point, Caps and small caps, 7 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 7 | — | S |
| 05 | 10 point, Caps and small caps, 5 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | — | S |
| 06 | 10 point, Caps and small caps, 3 ems from right | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | — | S |
| 07 | 10 point, Italic, 1 em from right | 10/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 1 | — | S |
| 08 | 10 point, Caps and small caps, indent 2 ems, overs 3 ems, 3 ems on right (long committee name) | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | — | S |
| HEADS | | | | | | | | | | | | |
| 09 | 9 point bold, head, center (Statement line in hearings) | 9/10 | 1 | 2 | V | 17 | 14 | 0 | 0 | 0 | — | S |
| 71 | 6 point, center | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | — | S |
| 72 | 8 point bold, flush and hang 54 points (for Sec. line in Reports) | 8/8 | 1 | 2 | J | 13 | 11 | 0 | — | 0 | — | S |
| 73 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | — | S |
| 74 | 10 point, Caps and small caps, center (main head locator) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | — | S |
| 75 | 10 point bold, flush and hang 4 picas (for twist line in reports) | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | — | S |
| 76 | 10 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 10/10 | 1 | 4 | V | 18 | 16 | 2 | 3 | 2 | — | S |
| 77 | 10 point italic, flush and hang 2 ems | 10/10 | 1 | 3 | J | 16 | 14 | 0 | 2 | 0 | — | S |
| 78 | 14 point bold, center (mostly used for reports) | 14/14 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | — | S |
| 87 | 10 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 10/10 | 1 | 3 | J | 16 | 14 | 3 | 5 | 0 | — | S |
| 88 | 8 point, Caps and small caps, center (for Appros and hearings only) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | — | S |
| 84 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 18 | 16 | 0 | 0 | 0 | — | S |
| TEXT | | | | | | | | | | | | |
| 10 | 8 point, Flush paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | 02 | W |
| 11 | 8 point, 1 em paragraph locator | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | 02 | W |
| 13 | Flush and hang 1 em | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | 02 | W |
| 14 | Flush and hang 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 2 | 0 | 02 | W |
| 15 | Flush and hang 3 ems | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 3 | 0 | 02 | W |
| 20 | Flush paragraph, full measure | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | 02 | W |
| 29 | (Same as locator 20) but, no FOTP or top leading | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | 02 | W |
| 21 | 1 em paragraph (main paragraph) | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | 02 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | 02 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 2 | 02 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | 02 | W |

New Odd. With Sink. and Bottom Folio—Continued

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 25 | 3 em indent (use for "Sincerely" in letters) | 10/10 | 1 | 1 | L | 10 | 0 | 3 | 0 | 0 | — | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | 02 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | 02 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | 02 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | 02 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | 02 | W |
| SIGNATURES | | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 10/10 | 1 | 4 | L | 14 | 0 | — | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | 02 | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 10/10 | 1 | 1 | J | 10 | 0 | 5 | 7 | 0 | 02 | W |
| VOTES (REPORTS) | | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | 02 | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | 03 | S |
| 43 | 10 point, flush left in column 1—Names—(FOTP 1) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | 02 | B |
| 44 | 10 point, flush left in column 2—Names—(FOTP 2) | 10/10 | 1 | 1 | L | 10 | 0 | 0 | 1 | — | 03 | B |
| STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | — | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | — | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | — | U |
| STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | — | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | — | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 16 | 0 | 1 | 0 | — | U |
| LETTERS | | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | — | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | — | S |
| 53 | Italic, 1 em from right (TOP) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | — | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | — | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 10/10 | 1 | 3 | J | 10 | 12 | 0 | 2 | 0 | — | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 5 | — | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 10/10 | 1 | 4 | R | 10 | 0 | 0 | 0 | 3 | — | E |
| 58 | Italic, 1 em from right (BOTTOM) | 10/10 | 1 | 3 | R | 10 | 12 | 0 | 0 | 1 | — | E |
| 59 | Roman, flush right (BOTTOM) | 10/10 | 1 | 1 | R | 10 | 12 | 0 | 0 | 0 | — | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data is in 51 and 52 | 10/10 | 1 | 4 | J | 10 | 0 | 2 | 3 | 3 | — | S |
| FOOTNOTES | | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | — | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | 02 | W |
| MISCELLANEOUS | | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | — | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas) | — | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas) | — | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | — | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | — | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first ** | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | 02 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | 02 | E |

* Key data for Δ 180 and Δ 181 at end of job, Photo Hand to paste-up.
** Graphic line keyed as follows. Δ g,w318,d . . . Δ 195 Strip offset folio . . . here.

# Locator and Grid List

## 8-POINT APPROPRIATIONS WITH SIDE NOTES

### FORMAT 5921 — 26½ picas, plus 4½ pica sidenotes

### FORMAT 6121 — 22 picas, plus 4½ pica sidenotes

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—746

T1—CENTURY BOLD ROMAN, CAPS AND SMALL CAPS (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

GRID 3—712

T1—~~Congressional Roman Canceled, Caps and lowercase~~ (51)
T2—~~**Century Bold Canceled, Caps and lowercase**~~ (252)
T3—~~CENTURY BOLD CANCELED, CAPS AND SMALL CAPS~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, C&SC~~ (54)

GRID 4—713

T1—~~*Congressional Italic, Canceled, Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~*CENTURY BOLD ITALIC CANCELED, C&SC*~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, C&SC*~~ (57)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SIDE NOTES AND RUNNING HEAD LOCATORS | | | | | | | | | | | | |
| 80 | 8-point side note, flush right on 60 points * | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | 01 | W |
| 85 | 10 point (EVEN page overlay), key after Format call, will center in full measure (32½ picas | 10/10 | 1 | 1 | C | — | — | 0 | 0 | 0 | — | S |
| 86 | 10 point (ODD page overlay), key after Format call, will center in full measure (32½ picas | 10/10 | 1 | 1 | C | — | — | 0 | 0 | 0 | — | S |
| LOCATORS 01 thru 08 ARE NOT IN THIS FORMAT | | | | | | | | | | | | |
| HEADS | | | | | | | | | | | | |
| 71 | 6 point, center (credit line) | 6/6 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | — | S |
| 72 | 6 point bold, flush and hang 36 points (for Sec. line in Reports) | 6/7 | 1 | 2 | J | 11 | 10 | 0 | 6 | 0 | — | S |
| 73 | 10 point bold, center (mostly used for reports) | 10/10 | 1 | 2 | V | 20 | 18 | 0 | 0 | 0 | — | S |
| 74 | 8 point, Caps and small caps, center (main head locator) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | — | S |
| 75 | 8 point bold, flush and hang 3 picas (for twist line in reports) | 8/8 | 1 | 2 | J | 12 | 10 | 0 | — | 0 | — | S |
| 76 | 8 point, Caps and small caps, center (head for squeezed material—held in 2 ems on both sides) | 8/8 | 1 | 4 | V | 16 | 13 | 2 | 3 | 2 | — | S |
| 77 | 8 point italic, flush and hang 2 ems | 8/8 | 1 | 3 | J | 12 | 10 | 0 | 2 | 0 | — | S |
| 78 | 12 point bold, center (mostly used for reports) | 12/12 | 1 | 2 | V | 22 | 20 | 0 | 0 | 0 | — | S |
| 87 | 8 point italic, indented 3 ems, overs 5 ems (used as subordinate head to locator 77) | 8/8 | 1 | 3 | J | 12 | 10 | 3 | 5 | 0 | — | S |
| 88 | 8 point, Caps and small caps, center (main head locator) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | — | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/8 | 1 | 4 | V | 16 | 13 | 0 | 0 | 0 | — | S |
| TEXT | | | | | | | | | | | | |
| 10 | Flush paragraph | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | 02 | W |
| 11 | 1 em paragraph (main paragraph) | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | 02 | W |
| 13 | Flush and hang 1 em | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | 02 | W |
| 14 | Flush and hang 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 2 | 0 | 02 | W |
| 15 | Flush and hang 3 ems | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 3 | 0 | 02 | W |
| 20 | Flush paragraph, full measure | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | 02 | W |
| 21 | 1 em paragraph (main paragraph) | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | 02 | W |
| 22 | Paragraph, indented 2 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 2 | 0 | 02 | W |
| 23 | Paragraph, squeezed 2 ems on both sides (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 2 | 2 | 02 | W |
| 24 | Paragraph, indented 4 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 4 | 0 | 02 | W |
| 25 | 3 em indent (use for "Sincerely" in letters) | 8/8 | 1 | 1 | L | 8 | 0 | 3 | 0 | 0 | — | N |
| 26 | Paragraph, indented 6 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 6 | 0 | 02 | W |
| 28 | Paragraph, indented 8 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 8 | 8 | 0 | 02 | W |
| 30 | Paragraph, indented 10 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 10 | 10 | 0 | 02 | W |
| 31 | Paragraph, indented 12 ems, flush and flush (must prep and key first line indent) | 8/8 | 1 | 1 | J | 8 | 0 | 12 | 12 | 0 | 02 | W |
| 70 | Relative locator (do not use in middle of a word) (use only in full measure, locators 20 and 21) | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | 02 | W |
| SIGNATURES | | | | | | | | | | | | |
| 34 | Caps and small caps, flush and hang 1 em on 13 picas (for alignment on left) | 8/8 | 1 | 4 | L | 14 | 0 | — | — | — | — | B |
| 35 | Caps and lowercase, 1 em indent, overs 2 ems on 13 picas (use with locator 34) | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | 02 | W |
| 36 | Caps and lowercase, indented 5 ems, overs 7 ems (for 8 signatures or more) | 8/8 | 1 | 1 | J | 8 | 0 | 5 | 7 | 0 | 02 | W |

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pn | Indentions (ems) Sec. | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| VOTES (REPORTS) | | | | | | | | | | | | |
| 41 | 8 point, indented 2 ems in column 1—YEAS—(FOTP 1) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | 02 | S |
| 42 | 8 point, indented 2 ems in column 2—NAYS—(FOTP 2) | 8/8 | 1 | 1 | L | 14 | 12 | 2 | 3 | — | 03 | S |
| 43 | 8 point, flush left in column 1—Names—(FOTP 1) | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | — | 02 | B |
| 44 | 8 point, flush left in column 2—Names—(FOTP 2) | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | — | 03 | B |
| STATEMENT LINES FOR SENATE APPROS | | | | | | | | | | | | |
| 45 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | — | S |
| 46 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | — | S |
| 47 | 8 point bold, indent 2 ems, overs 3 ems—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 2 | 3 | 0 | — | U |
| STATEMENT LINES FOR HOUSE APPROS | | | | | | | | | | | | |
| 48 | 8 point bold, flush and hang 3 ems—Statement of | 8/9 | 1 | 2 | J | 15 | 13 | 0 | 3 | 0 | — | S |
| 49 | 8 point bold, flush and hang 3 ems—Accompanied by | 8/9 | 1 | 2 | J | 13 | 10 | 0 | 3 | 0 | — | S |
| 50 | 8 point bold, flush and hang 1 em—Witness list | 8/9 | 1 | 2 | J | 10 | 12 | 0 | 1 | 0 | — | U |
| LETTERS | | | | | | | | | | | | |
| 51 | Caps and small caps, 5 ems from right (TOP) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | — | S |
| 52 | Caps and small caps, 3 ems from right (TOP) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | — | S |
| 53 | Italic, 1 em from right (TOP) | 8/8 | 1 | 3 | R | 8 | 10 | 0 | 0 | 1 | — | S |
| 54 | Caps and lowercase, flush and hang 1 em, first line of introduction | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | 0 | — | S |
| 55 | Italic, flush and hang 2 ems, second line of introduction | 8/8 | 1 | 3 | J | 8 | 10 | 0 | 2 | 0 | — | S |
| 56 | Caps and small caps, 5 ems from right (BOTTOM) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 5 | — | E |
| 57 | Caps and small caps, 3 ems from right (BOTTOM) | 8/8 | 1 | 4 | R | 8 | 0 | 0 | 0 | 3 | — | E |
| 58 | Italic, 1 em from right (BOTTOM) | 8/8 | 1 | 3 | R | 8 | 10 | 0 | 0 | 1 | — | E |
| 59 | Roman, flush right (BOTTOM) | 8/8 | 1 | 1 | R | 8 | 10 | 0 | 0 | 0 | — | E |
| 61 | Caps and small caps, 2 em indent, overs 3 ems, 3 ems on right, use when too much data is in 51 and 52 | 8/8 | 1 | 4 | J | 8 | 0 | 2 | 3 | 3 | — | S |
| FOOTNOTES | | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of column | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | — | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | 02 | W |
| MISCELLANEOUS | | | | | | | | | | | | |
| 39 | Blank locator | 0/0 | 1 | 1 | C | 0 | 0 | 0 | 0 | 0 | — | N |
| 63 | 3 em dash | — | — | — | — | — | — | — | — | — | — | E |
| 64 | 5 em dash | — | — | — | — | — | — | — | — | — | — | E |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | — | E |
| 66 | Line of 5 stars | — | — | — | — | — | — | — | — | — | — | E |
| 90 | Single rule 26½ picas | — | — | — | — | — | — | — | — | — | — | B |
| 91 | Double rule 26½ picas | — | — | — | — | — | — | — | — | — | — | B |
| 92 | For 2 col, double up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | — | B |
| 93 | For 3 col, triple up, use with Δ P | 8/8 | 1 | 1 | L | 8 | 0 | 0 | 1 | 0 | — | B |
| 95 | Locator for graphics (insert offset folio —— here) Δ g,w318,d... is always keyed first ** | 6/6 | 1 | 1 | L | 6 | 0 | 0 | 0 | 0 | 02 | B |
| 96 | Caption for illustration, 8 point, center | 8/8 | 1 | 1 | V | 8 | 18 | 0 | 0 | 0 | 02 | E |

* Key data for Δ180 at end of job. Photo Hand to paste-up.
** Graphic line keyed as follows: Δ g,w318,d . . . Δ195 Strip offset folio . . . here.

# Locator and Grid List

## 8 POINT—DOC MEASURE LEADERWORK WITH SIDE NOTES

### FORMAT 5911 — 26½ picas, plus 4½ pica sidenotes

### FORMAT 6111 — 22 picas, plus 4½ pica sidenotes

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—746

T1—**CENTURY BOLD ROMAN, CAPS AND SMALL CAPS** (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

GRID 3—712

T1—~~Congressional Roman Canceled, Caps and lowercase~~ (51)
T2—~~**Century Bold Canceled, Caps and lowercase**~~ (252)
T3—~~**CENTURY BOLD CANCELED, CAPS AND SMALL CAPS**~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, C&SC~~ (54)

GRID 4—713

T1—~~*Congressional Italic, Canceled, Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~***CENTURY BOLD ITALIC CANCELED, C&SC***~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, C&SC*~~ (57)

**USE AS A SUBFORMAT TO 5901 and 6101**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SIDE NOTES LOCATOR | | | | | | | | | | | | |
| 80 | 8-point side note, flush right on 60 points * | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | 01 | W |
| TABLE TITLE, BOXHEAD, AND FIGURE COLUMN LOCATORS | | | | | | | | | | | | |
| 01 | 8 point, italic, centered, head locator, will continue when table runs over to next page | 8/8 | 1 | 3 | V | 16 | 12 | 0 | 0 | 0 | — | S |
| 05 | 6 point italic, indented 4 ems, over stub | 6/8 | 1 | 3 | J | 8 | 0 | 4 | 5 | 0 | 02 | S |
| 06 | 6 point Italic, flush right, for head over figure column, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 8 | 0 | 0 | 0 | 0 | 03 | S |
| 07 | 8 point, flush right, for all figures | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | 04 | B |
| 8-POINT LEADERWORK—ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) **Key 13 periods for leaders** | | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | 02 | S |
| 12 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | 02 | S |
| 13 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | 02 | S |
| 14 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | 02 | B |
| 15 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | 02 | B |
| 16 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | 02 | B |
| 17 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | 02 | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 8-POINT LEADERWORK—ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) **Key 20 periods for leaders** | | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | 02 | S |
| 22 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | 02 | S |
| 23 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | 02 | S |
| 24 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | 02 | B |
| 25 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | 02 | B |
| 26 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | 02 | B |
| 27 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | 02 | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 8-POINT LEADERWORK—ALLOWS 64 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) **Key 31 periods for leaders** | | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | 02 | S |
| 32 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | 02 | S |
| 33 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | 02 | S |
| 34 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | 02 | B |
| 35 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | 02 | B |
| 36 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | 02 | B |
| 37 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | 02 | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | 02 | N |

USE AS A SUBFORMAT TO 5901 and 6101—Continued

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary (Cross Reference) | 8/8 | 1 | 2 | J | 8 | 0 | 4 | 4 | — | — | B |
| 42 | Table of Contents | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 6 | 0 | — | B |
| 43 | Same as locator 42 only indented 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 8 | 0 | — | B |
| 44 | Indent 7 picas for Table of Sections | 8/8 | 1 | 1 | J | 8 | 0 | — | — | 0 | — | B |
| 45 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | 0 | 2 | — | 02 | S |
| 46 | Right column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | 0 | 2 | — | 03 | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | 02 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | 03 | B |
| 49 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | 02 | S |
| 50 | Right column boxhead, flush right over figures | 8/8 | 1 | 2 | R | 8 | 0 | — | — | — | 03 | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | 02 | B |
| 52 | Flush right, for figures (for locators 51 and 60) | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | 03 | B |
| 53 | Left column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | 02 | S |
| 54 | Right column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | 03 | S |
| 55 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | 02 | S |
| 56 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | 03 | B |
| 57 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | 04 | B |
| 58 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | 05 | S |
| 59 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | 06 | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use loc. 52 for figures | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | 02 | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | 02 | B |
| 62 | Comes in after loc. 61, allows 28 points on right | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | 03 | B |
| 63 | For figures on locator 61 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | 04 | B |
| MISCELLANEOUS | | | | | | | | | | | | |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | 02 | E |
| FOOTNOTE | | | | | | | | | | | | |
| 69 | Footnote, no ΔN function | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | 02 | E |
| HEADS | | | | | | | | | | | | |
| 71 | 6 point center | 6/6 | 1 | 1 | V | 10 | 10 | 0 | 0 | 0 | 03 | S |
| 74 | 8 point, CAPS, Caps and small caps, small caps, center | 8/8 | 1 | 4 | V | 16 | 12 | 0 | 0 | 0 | 03 | S |

* Key data for Δ180 at end of job. Photo Hand to paste-up.

# Locator and Grid List

## 10 POINT—DOC MEASURE LEADERWORK WITH SIDE NOTES

### FORMAT 5912 — 26½ picas, plus 4½ pica sidenotes

**GRID 1—731**

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

**GRID 2—746**

T1—**CENTURY BOLD ROMAN, CAPS AND SMALL CAPS** (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

**GRID 3—712**

T1—~~Congressional Roman Canceled, Caps and lowercase~~ (51)
T2—~~**Century Bold Canceled, Caps and lowercase**~~ (252)
T3—~~**CENTURY BOLD CANCELED, CAPS AND SMALL CAPS**~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED, CASE~~ (54)

**GRID 4—713**

T1—~~*Congressional Italic, Canceled, Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~***CENTURY BOLD ITALIC CANCELED, C&SC***~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED, C&SC*~~ (57)

**USE AS A SUBFORMAT TO 5901**

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| SIDE NOTES LOCATOR | | | | | | | | | | | | |
| 81 | 10-point side note, flush right on 60 points * | 10/10 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | 01 | W |
| TABLE TITLE, BOXHEAD, AND FIGURE COLUMN LOCATORS | | | | | | | | | | | | |
| 01 | 10 point, italic, centered, head locator, will continue when table runs over to next page | 10/10 | 1 | 3 | V | 18 | 14 | 0 | 0 | 0 | — | S |
| 05 | 8 point italic, indented 4 ems, over stub | 8/10 | 1 | 3 | J | 10 | 0 | 4 | 5 | 0 | 02 | S |
| 06 | 8 point Italic, flush right, for head over figure column, can be used on line with loc. 11, 21, 31 | 8/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 0 | 03 | S |
| 07 | 10 point, flush right, for all figures | 10/10 | 1 | 1 | R | 10 | 0 | 0 | 0 | 0 | 04 | B |
| 10-POINT LEADERWORK—ALLOWS 34 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) **Key 13 periods for leaders** | | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | 02 | S |
| 12 | 2 em indent, overs 3 ems—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | 02 | S |
| 13 | 4 em indent, overs 5 ems—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | 02 | S |
| 14 | Flush and hang 1 em—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | 02 | B |
| 15 | 2 em indent, overs 3 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | 02 | B |
| 16 | 4 em indent, overs 5 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | 02 | B |
| 17 | 6 em indent, overs 7 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 7 | — | 02 | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 10-POINT LEADERWORK—ALLOWS 52 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) **Key 20 periods for leaders** | | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | 02 | S |
| 22 | 2 em indent, overs 3 ems—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | 02 | S |
| 23 | 4 em indent, overs 5 ems—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | 02 | S |
| 24 | Flush and hang 1 em—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | 02 | B |
| 25 | 2 em indent, overs 3 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | 02 | B |
| 26 | 4 em indent, overs 5 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | 02 | B |
| 27 | 6 em indent, overs 7 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 7 | — | 02 | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 10-POINT LEADERWORK—ALLOWS 82 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) **Key 31 periods for leaders** | | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | 02 | S |
| 32 | 2 em indent, overs 3 ems—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | 02 | S |
| 33 | 4 em indent, overs 5 ems—Clear | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | 02 | S |
| 34 | Flush and hang 1 em—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | 02 | B |
| 35 | 2 em indent, overs 3 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | 02 | B |
| 36 | 4 em indent, overs 5 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | 02 | B |
| 37 | 6 em indent, overs 7 ems—Leader | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 7 | — | 02 | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | 02 | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | 02 | N |

USE AS A SUBFORMAT TO 5901—Continued

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri. | Indentions (ems) Sec | Indentions (ems) Right | FOTP | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary (Cross Reference) | 10/10 | 1 | 2 | J | 10 | 0 | 4 | 4 | — | — | B |
| 42 | Table of Contents | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 6 | 0 | — | B |
| 43 | Same as locator 42 only indented 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 8 | 0 | — | B |
| 44 | Indent 7 picas for Table of Sections | 10/10 | 1 | 1 | J | 10 | 0 | — | — | 0 | — | B |
| 45 | Left column boxhead, flush and hang 2 ems | 10/10 | 1 | 2 | J | 10 | 0 | 0 | 2 | — | 02 | S |
| 46 | Right column boxhead, flush and hang 2 ems | 10/10 | 1 | 2 | J | 10 | 0 | 0 | 2 | — | 03 | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 2 | 0 | 02 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 2 | 0 | 03 | B |
| 49 | Left column boxhead, flush and hang 2 ems | 10/10 | 1 | 2 | J | 10 | 0 | — | — | — | 02 | S |
| 50 | Right column boxhead, flush right over figures | 10/10 | 1 | 2 | R | 10 | 0 | — | — | — | 03 | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 2 | — | 02 | B |
| 52 | Flush right, for figures (for locators 51 and 60) | 10/10 | 1 | 1 | R | 10 | 0 | — | — | — | 03 | B |
| 53 | Left column boxhead for tax table—see sample | 10/10 | 1 | 1 | J | 10 | 0 | — | — | — | 02 | S |
| 54 | Right column boxhead for tax table—see sample | 10/10 | 1 | 1 | J | 10 | 0 | — | — | — | 03 | S |
| 55 | See sample | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | 02 | S |
| 56 | See sample | 10/10 | 1 | 1 | R | 10 | 0 | — | — | — | 03 | B |
| 57 | See sample | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | 04 | B |
| 58 | See sample | 10/10 | 1 | 1 | L | 10 | 0 | — | — | — | 05 | S |
| 59 | See sample | 10/10 | 1 | 1 | R | 10 | 0 | — | — | — | 06 | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use loc. 52 for figures | 10/10 | 1 | 1 | J | 10 | 0 | — | — | — | 02 | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals | 10/10 | 1 | 1 | R | 10 | 0 | — | — | — | 02 | B |
| 62 | Comes in after loc. 61, allows 24 points on right | 10/10 | 1 | 1 | J | 10 | 0 | — | — | — | 03 | B |
| 63 | For figures on locator 61 | 10/10 | 1 | 1 | R | 10 | 0 | — | — | — | 04 | B |
| MISCELLANEOUS | | | | | | | | | | | | |
| 65 | Line of 7 stars | — | — | — | — | — | — | — | — | — | 02 | E |
| FOOTNOTE | | | | | | | | | | | | |
| 69 | Footnote, no Δ N function | 9/9 | 1 | 1 | J | 9 | 0 | 1 | 0 | 0 | 02 | E |
| HEADS | | | | | | | | | | | | |
| 71 | 8 point center | 8/8 | 1 | 1 | V | 14 | 12 | 0 | 0 | 0 | 03 | S |
| 74 | 10 point, CAPS, Caps and small caps, small caps, center | 10/10 | 1 | 4 | V | 18 | 14 | 0 | 0 | 0 | 03 | S |

* Key data for Δ180 at end of job. Photo Hand to paste-up.

Sidenotes to be keyed at end of job and stripped in by Foto Hand.

TEST ΔF5901 — New Odd

ΔI85 EVEN PAGE

ΔI86 ODD PAGE

~~ΔI80 10 pt. side notes~~

~~ΔI81 10 pt. side notes~~

~~$3,330,000~~

Locator 20, 10 pt., flush paragraph. Now is the time for all the "SWAT" team members to see if this project is going to fly. Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 21, 10 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 22, 10 pt., paragraph indented 2 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Testing Grid 3 (712) (Canceled). ΔG3ΔT1 ~~Cong. Roman C&lc~~ ΔT2 ~~Cent. Bold Roman C&lc~~ ΔT3 ~~CENT. BOLD ROMAN C&SC~~ ΔT4 ~~CONG. ROMAN C&SC~~.

Locator 24, 10 pt., paragraph indented 4 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Testing Grid 4 (713) (Canceled). ΔG4ΔT1 ~~Cong. Italic C&lc~~ ΔT2 ~~Cent. Bold Italic C&lc~~ ΔT3 ~~CENT. BOLD ITALIC C&SC~~ ΔT4 ~~CONG. ITALIC C&SC~~.

Δc5,xls80,r20,8,r20,8

Δh1□Δh1YearΔh1PercentΔh1DateΔh1AmountΔj

| Year | Percent | Date | Amount |
|---|---|---|---|
| ΔD for stub after phantom column, strip out rules that overrun. | 9999 | November | 9999 |
| ΔD for stub | 9999 | ΔDΔxl, to cancel leaders | 9999 |
| ΔD for stub | 9999 | November | 9999 |
| ΔD for stub | 9999 | November | 9999 |
| ΔD for stub | 9999 | November | 9999 |
| ΔD for stub with override feature Δoi2. | 8888 | Override feature Δoi0, for variable locator test | 8888 |
| ΔD for stub with override feature Δoi3. | 7777 | Override feature Δoi1, for paragraph style, primary indent being 1 em, and the runovers being full measure of the column. | 7777 |
| ΔD for stub with override feature Δoi4. | 6666 | Override feature Δoi2, for primary indent of 1 em, and the overs 2 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 2 ems, and the overs 3 ems. | 6666 |
| ΔD for stub with override feature Δoi5. | 5555 | Override feature Δoi3, for primary indent of 2 ems, and the overs 3 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 3 ems and the overs 4 ems. | 5555 |

2

TESTING Δ S5921, 8 POINT TEXT

Δ I80 8 pt. side notes

Δ I81 10 pt. side notes

$3,330,000

Locator 20, 8 pt., flush paragraph. Now is the time for all the "SWAT" team members to see if this project is going to fly. Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 21, 8 pt., 1 em paragraph (main paragraph). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 22, 8 pt., paragraph indented 2 ems on left (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Locator 23, 8 pt., squeeze 2 ems on left and right (key paragraph indent). Now is the time for all the "SWAT" team members to see if this project is going to fly.

Δ c5,xls82,r20,8,r20,8

Δ h1□Δ h1Year Δ h1Percent Δ h1Date Δ h1Amount Δ j

| Year | Percent | Date | Amount |
|---|---|---|---|
| Δ D for stub after phantom column, strip out rules that overrun. | 9999 | November | 9999 |
| Δ D for stub | 9999 | Δ D Δ xl, to cancel leaders | 9999 |
| Δ D for stub | 9999 | November | 9999 |
| Δ D for stub | 9999 | November | 9999 |
| Δ D for stub | 9999 | November | 9999 |
| Δ D for stub with override feature Δ oi2. | 8888 | Override feature Δ oi0, for variable locator test | 8888 |
| Δ D for stub with override feature Δ oi3. | 7777 | Override feature Δ oi1, for paragraph style, primary indent being 1 em, and the runovers being full measure of the column. | 7777 |
| Δ D for stub with override feature Δ oi4. | 6666 | Override feature Δ oi2, for primary indent of 1 em, and the overs 2 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 2 ems, and the overs 3 ems. | 6666 |
| Δ D for stub with override feature Δ oi5. | 5555 | Override feature Δ oi3, for primary indent of 2 ems, and the overs 3 ems if the column is less than 15 ems wide. If the column is 15 ems or more, the primary indent will be 3 ems and the overs 4 ems. | 5555 |

**This is a test of leaderwork format 5911, which is a doc measure leaderwork format.**

Δ J80 8 pt. side notes

*Δ I01 Table Title*

*Locator 05* *Figures*

Locator 11, flush & hang 1 em (clear) with 28 points allowed for figures, usually used as a colon line:

Locator 12, primary indent of 2 ems, runovers are 3 ems (clear) with 28 points allowed for figures, usually used as a colon line:

Locator 13, primary indent of 4 ems, runovers are 5 ems (clear) with 28 points allowed for figures, usually used as a colon line: *Figures*

Locator 14, flush and hang 1 em, (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

Locator 15, primary indent of 2 ems, runovers are 3 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

Locator 16, primary indent of 4 ems, runovers are 5 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed ..... $9,999

3

Δ *I01 Table Title*—Continued

| *Locator 05* | *Figures* |
|---|---|
| Locator 17, primary indent of 6 ems, runovers are 7 ems (leader) with 28 points allowed for figures, this is the maximum number of figures that will fit in the 28 points allowed | $9,999 |
| (14) with 1 em keyed—Total | $9,999 |

The single total rule locator is 18. The double rule locator is 19.

| | |
|---|---|
| Locator 21, flush & hang 1 em (clear) with 42 points allowed for figures, usually used as a colon line: | |
| Locator 22, primary indent of 2 ems, runovers are 3 ems (clear) with 42 points allowed for figures, usually used as a colon line: | |
| Locator 23, primary indent of 4 ems, runovers are 5 ems (clear) with 42 points allowed for figures, usually used as a colon line: | *Figures* |
| Locator 24, flush and hang 1 em, (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| Locator 25, primary indent of 2 ems, runovers are 3 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| Locator 26, primary indent of 4 ems, runovers are 5 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| Locator 27, primary indent of 6 ems, runovers are 7 ems (leader) with 42 points allowed for figures, this is the maximum number of figures that will fit in the 42 points allowed | $9,999,999 |
| (24) with 1 em keyed—Total | $9,999,999 |

The single total rule locator is 28. The double rule locator is 29.

| | |
|---|---|
| Locator 31, flush & hang 1 em (clear) with 64 points allowed for figures, usually used as a colon line: | |
| Locator 32, primary indent of 2 ems, runovers are 3 ems (clear) with 64 points allowed for figures, usually used as a colon line: | |
| Locator 33, primary indent of 4 ems, runovers are 5 ems (clear) with 64 points allowed for figures, usually used as a colon line: | *Figures* |
| Locator 34, flush and hang 1 em, (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| Locator 35, primary indent of 2 ems, runovers are 3 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| Locator 36, primary indent of 4 ems, runovers are 5 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| Locator 37, primary indent of 6 ems, runovers are 7 ems (leader) with 64 points allowed for figures, this is the maximum number of figures that will fit in the 64 points allowed | $999,999,999,999 |
| (34) with 1 em keyed—Total | $999,999,999,999 |

The single total rule locator is 38. The double rule locator is 39.

**This is a test of leaderwork format 5912, which is a doc measure leaderwork format, only it is 10 point.**

Δ *I01 Table Title*

Δ I81 10 pt. side notes

| *Locator 05* | *Figures* |
|---|---|
| Locator 11, flush & hang 1 em (clear) with 34 points allowed for figures, usually used as a colon line: | |
| Locator 12, primary indent of 2 ems, runovers are 3 ems (clear) with 34 points allowed for figures, usually used as a colon line: | |

4

Δ*101 Table Title*—Continued

| | |
|---|---|
| *Locator 05* | *Figures* |
| Locator 13, primary indent of 4 ems, runovers are 5 ems (clear) with 34 points allowed for figures, usually used as a colon line: | *Figures* |
| Locator 14, flush and hang 1 em, (leader) with 34 points allowed for figures, this is the maximum number of figures that will fit in the 34 points allowed | $9,999 |
| Locator 15, primary indent of 2 ems, runovers are 3 ems (leader) with 34 points allowed for figures, this is the maximum number of figures that will fit in the 34 points allowed | $9,999 |
| Locator 16, primary indent of 4 ems, runovers are 5 ems (leader) with 34 points allowed for figures, this is the maximum number of figures that will fit in the 34 points allowed | $9,999 |
| Locator 17, primary indent of 6 ems, runovers are 7 ems (leader) with 34 points allowed for figures, this is the maximum number of figures that will fit in the 34 points allowed | $9,999 |
| (14) with 1 em keyed—Total | $9,999 |

The single total rule locator is 18. The double rule locator is 19.

| | |
|---|---|
| Locator 21, flush & hang 1 em (clear) with 52 points allowed for figures, usually used as a colon line: | |
| Locator 22, primary indent of 2 ems, runovers are 3 ems (clear) with 52 points allowed for figures, usually used as a colon line: | |
| Locator 23, primary indent of 4 ems, runovers are 5 ems (clear) with 52 points allowed for figures, usually used as a colon line: | *Figures* |
| Locator 24, flush and hang 1 em, (leader) with 52 points allowed for figures, this is the maximum number of figures that will fit in the 52 points allowed | $9,999,999 |
| Locator 25, primary indent of 2 ems, runovers are 3 ems (leader) with 52 points allowed for figures, this is the maximum number of figures that will fit in the 52 points allowed | $9,999,999 |
| Locator 26, primary indent of 4 ems, runovers are 5 ems (leader) with 52 points allowed for figures, this is the maximum number of figures that will fit in the 52 points allowed | $9,999,999 |
| Locator 27, primary indent of 6 ems, runovers are 7 ems (leader) with 52 points allowed for figures, this is the maximum number of figures that will fit in the 52 points allowed | $9,999,999 |
| (24) with 1 em keyed—Total | $9,999,999 |

The single total rule locator is 28. The double rule locator is 29.

5

Δ *I01 Table Title*—Continued

| *Locator 05* | *Figures* |
|---|---|
| Locator 31, flush & hang 1 em (clear) with 82 points allowed for figures, usually used as a colon line: | |
| Locator 32, primary indent of 2 ems, runovers are 3 ems (clear) with 82 points allowed for figures, usually used as a colon line: | |
| Locator 33, primary indent of 4 ems, runovers are 5 ems (clear) with 82 points allowed for figures, usually used as a colon line: | |
| | *Figures* |
| Locator 34, flush and hang 1 em, (leader) with 82 points allowed for figures, this is the maximum number of figures that will fit in the 82 points allowed | $999,999,999,999 |
| Locator 35, primary indent of 2 ems, runovers are 3 ems (leader) with 82 points allowed for figures, this is the maximum number of figures that will fit in the 82 points allowed | $999,999,999,999 |
| Locator 36, primary indent of 4 ems, runovers are 5 ems (leader) with 82 points allowed for figures, this is the maximum number of figures that will fit in the 82 points allowed | $999,999,999,999 |
| Locator 37, primary indent of 6 ems, runovers are 7 ems (leader) with 82 points allowed for figures, this is the maximum number of figures that will fit in the 82 points allowed | $999,999,999,999 |
| (34) with 1 em keyed—Total | $999,999,999,999 |

The single total rule locator is 38. The double rule locator is 39.

○

# LOCATOR DESCRIPTION LIST

| Loc. No. | Point Size | Line length | LEADING Top | LEADING Bot. | LEADING Para. | INDENT—PTS Pri. | INDENT—PTS Sec. | FOTP | Grid Type | Line Type | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 8/10 | 528 | 10 | — | 9 | 360 | 360 | — | 1,1 | L | B |
| 02 | 8/10 | 528 | 10 | — | 9 | 360 | 360 | — | 1,1 | L | B |
| 03 | 8/9 | 168 | 11 | 11 | 11 | — | — | — | 1,3 | L | N |
| 04 | 8/9 | 168 | 11 | 11 | 11 | — | — | — | 1,3 | L | N |
| 05 | 8/9 | 168 | 11 | 11 | 11 | — | — | — | 1,3 | L | N |
| 06 | 8/9 | 168 | 11 | 11 | 11 | — | — | — | 1,4 | L | N |
| 07 | 8/9 | 168 | 11 | 11 | 11 | — | — | — | 1,4 | L | N |
| 08 | 9/9 | 168 | 11 | 11 | 9 | — | — | — | 4,2 | L | N |
| 09 | 9/10 | 168 | 10 | — | 9 | — | — | — | 1,4 | L | N |
| 10 | 9/10 | 168 | 10 | — | 10 | — | — | — | 1,1 | L | W |
| 11 | 9/10 | 168 | 10 | — | 10 | 9 | — | — | 1,1 | L | W |
| 12 | 9/10 | 168 | 10 | — | 10 | — | — | — | 1,1 | L | W |
| 13 | 9/10 | 168 | 10 | — | 10 | — | — | — | 1,1 | L | W |
| 14 | 9/10 | 168 | 10 | — | 10 | 9 | 18 | — | 1,1 | L | B |
| 15 | 9/10 | 168 | 10 | — | 10 | — | 9 | — | 1,1 | L | W |
| 16 | 9/10 | 168 | 10 | — | 10 | — | 18 | — | 1,1 | L | W |
| 17 | 9/10 | 168 | 10 | — | 10 | — | — | — | 4,2 | L | W |
| 18 | 9/10 | 168 | 18 | 16 | 16 | — | — | — | 4,2 | L | S |
| 19 | 3/0 | 168 | 6 | 14 | — | — | — | — | 1,1 | L | E |
| 20 | 8/9 | 168 | 9 | 8 | 9 | — | — | — | 1,1 | L | W |
| 21 | 8/9 | 168 | 9 | 8 | 9 | 8 | — | — | 1,1 | L | W |
| 22 | 8/9 | 168 | 9 | 8 | 9 | — | — | — | 1,1 | L | W |
| 23 | 8/9 | 168 | 9 | 8 | 9 | — | — | — | 1,1 | L | W |
| 24 | 8/9 | 168 | 9 | 8 | 9 | 8 | 16 | — | 1,1 | L | W |
| 25 | 8/9 | 168 | 9 | 8 | 9 | — | 8 | — | 1,1 | L | W |
| 26 | 8/9 | 168 | 9 | 8 | 9 | — | 16 | 1 | 1,1 | L | W |
| 27 | 8/9 | 161 | 9 | 8 | 9 | — | — | — | 1,1 | L | E |
| 28 | 7/8 | 168 | 9 | 8 | 9 | 7 | — | — | 1,1 | L | W |
| 29 | 8/9 | 168 | 9 | 8 | 9 | — | — | — | 1,1 | L | W |
| 30 | 8/9 | 168 | 9 | 8 | 9 | — | — | — | 1,1 | J | W |
| 31 | 8/9 | 168 | 9 | 8 | 9 | — | — | — | 1,1 | L | W |
| 32 | 8/9 | 168 | 8 | — | 8 | — | — | — | 1,3 | L | N |
| 33 | 8/9 | 168 | 8 | — | 8 | — | — | — | 1,3 | L | N |
| 34 | 8/9 | 168 | 11 | — | 11 | — | — | — | 1,1 | L | N |
| 35 | 6/7 | 168 | 10 | 10 | 8 | — | — | — | 1,4 | L | S |
| 36 | 6/7 | 168 | 10 | 10 | 8 | — | — | — | 1,4 | L | S |
| 37 | 9/10 | 168 | 12 | 8 | 20 | — | — | — | 1,1 | L | E |
| 38 | 8/9 | 144 | 9 | — | 9 | — | 14 | — | 1,1 | L | B |
| 39 | 8/9 | 168 | 9 | — | 9 | — | — | — | 1,1 | R | B |
| 40 | 8/9 | 168 | 11 | 11 | 10 | — | — | — | 1,1 | L | N |
| 41 | 8/9 | 168 | 16 | 14 | 11 | — | — | — | 4,2 | L | S |
| 42 | 12/12 | 168 | 12 | 14 | 12 | — | — | — | 4,2 | L | B |
| 43 | 6/7 | 168 | 7 | — | 8 | — | — | — | 1,4 | L | E |
| 44 | 8/9 | 168 | 9 | 11 | 9 | — | — | — | 1,1 | L | S |
| 45 | 6/7 | 168 | 7 | — | 9 | — | — | — | 1,4 | L | N |
| 46 | 6/7 | 168 | 7 | — | 9 | — | — | — | 1,3 | L | N |
| 47 | 12/12 | 168 | 12 | 12 | 12 | — | — | — | 1,1 | L | S |
| 48 | 7/8 | 168 | 14 | 12 | 14 | — | — | — | 4,2 | C | S |
| 49 | 6/7 | 168 | 12 | 10 | 12 | — | — | — | 4,1 | C | S |

## GRID TABLE /840/ /814/ /850/ /871/

### 003 number of text columns

### SUBFORMAT GENERATION PARAMETERS

| | | | |
|---|---|---|---|
| /168/ | width of one column | /4/ | default grid |
| /.../ | width of 2 columns | /1/ | default typeface |
| /528/ | width of 3 columns | | |
| /681/ | width if set turn page | | |
| /06/ | point size of the head | | |
| /06/ | point size of the body | | |
| /07/ | leading of the body | | |

| | |
|---|---|
| /1/ | rules code |
| /04/ | width of top rule (10's of a point) |
| /04/ | width of head rule |
| /04/ | width of cutoff rule |
| /528/ | depth if set turn page |
| /000/ | sink if set turn page |
| /022/ | indention if set turn page |

10-014 0 - 90 - 11/10002

# FEDERAL REGISTER

| Loc. No. | Point Size | Line length | LEADING Top | LEADING Bot. | LEADING Para. | INDENT—PTS Pri. | INDENT—PTS Sec. | FOTP | Grid Type | Line Type | Page End | INDENT-EMS Pri. | INDENT-EMS Sec. | Additional Information |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 50 | 9/10 | 168 | 18 | 16 | 10 | — | — | — | 4,2 | L | S | | | |
| 51 | 9/10 | 168 | 18 | 16 | 20 | — | — | — | 1,1 | L | S | | | |
| 52 | 9/10 | 168 | 18 | 16 | 20 | — | — | — | 4,2 | L | S | | | |
| 53 | 8/9 | 168 | 9 | — | 8 | — | — | — | 1,1 | L | W | | | |
| 54 | 9/10 | 168 | 10 | — | 9 | — | — | — | 1,1 | L | W | | | |
| 55 | 9/10 | 168 | 18 | 16 | 20 | — | — | — | 1,1 | L | S | | | |
| 56 | 9/10 | 168 | 18 | 16 | 20 | — | — | — | 4,2 | L | S | | | |
| 57 | 9/10 | 168 | 18 | 16 | 20 | — | — | — | 1,3 | L | S | | | |
| 58 | 9/10 | 168 | 18 | 16 | 20 | — | — | — | 1,4 | L | S | | | |
| 59 | 4/0 | 168 | 5 | 12 | 5 | — | — | — | 1,1 | L | E | | | |
| 60 | 7/8 | 168 | 14 | 12 | 14 | — | — | — | 4,2 | C | S | | | |
| 61 | 6/7 | 168 | 9 | 5 | 12 | — | — | — | 4,1 | C | S | | | |
| 62 | 8/9 | 168 | 12 | 9 | 12 | — | — | — | 4,2 | L | S | | | |
| 63 | 8/6 | 168 | 12 | 9 | 12 | — | — | — | 1,3 | L | S | | | |
| 64 | 8/9 | 168 | 12 | 9 | 12 | — | — | — | 1,4 | L | S | | | |
| 65 | 6/6 | 168 | 7 | — | 7 | 6 | — | — | 4,1 | L | B | | | |
| 66 | 8/9 | 168 | 16 | 14 | 8 | — | — | — | 4,2 | L | S | | | |
| 67 | 6/6 | 156 | 12 | 8 | 18 | 12 | 12 | — | 1,1 | L | S | | | |
| 68 | 6/7 | 168 | 10 | 10 | 8 | — | — | — | 4,2 | L | E | | | |
| 69 | 4/0 | 168 | 2 | 12 | 5 | — | — | — | 1,1 | L | X | | | |
| 70 | 7/8 | 168 | 14 | 8 | 16 | — | — | 1 | 1,1 | L | S | | | |
| 71 | 8/9 | 168 | 12 | 12 | 14 | — | — | — | 1,1 | L | S | | | |
| 72 | 8/9 | 168 | 14 | 12 | 14 | — | — | — | 4,2 | L | S | | | |
| 73 | 8/9 | 168 | 14 | 12 | 14 | — | — | — | 1,3 | L | S | | | |
| 74 | 8/9 | 168 | 14 | 12 | 14 | — | — | 1 | 1,4 | L | S | | | |
| 75 | 8/9 | 168 | 14 | 12 | 14 | — | — | — | 1,4 | L | S | | | |
| 76 | 8/9 | 168 | 14 | 12 | 14 | — | — | — | 4,2 | L | S | | | |
| 77 | 8/9 | 168 | 8 | 8 | 8 | — | — | — | 1,1 | J | W | | | |
| 78 | 8/9 | 168 | 14 | 10 | 8 | — | — | — | 4,2 | L | S | | | |
| 79 | 8/9 | 142 | 9 | — | 9 | — | 16 | — | 1,1 | L | S | | | |
| 80 | 8/9 | 168 | 16 | 12 | 16 | — | — | — | 4,2 | L | S | | | |
| 81 | 9/10 | 168 | 15 | 14 | 14 | — | — | — | 1,1 | L | S | | | |
| 82 | 9/10 | 168 | 15 | 14 | 14 | — | — | — | 4,2 | L | S | | | |
| 83 | 9/10 | 168 | 15 | 14 | 14 | — | — | — | 1,3 | L | S | | | |
| 84 | 9/10 | 168 | 15 | 14 | 14 | — | — | — | 1,4 | L | S | | | |
| 85 | 9/10 | 168 | 15 | 14 | 14 | — | — | — | 1,4 | L | S | | | |
| 86 | 9/10 | 168 | 15 | 14 | 14 | — | — | — | 4,2 | L | S | | | |
| 87 | 8/9 | 168 | 16 | 12 | 9 | — | — | — | 4,2 | L | S | | | |
| 88 | 9/10 | 168 | 9 | — | 9 | — | — | — | 1,1 | R | B | | | |
| 89 | 8/9 | 168 | 16 | 12 | 16 | 8 | — | — | 4,2 | L | S | | | |
| 90 | 10/10 | 528 | 10 | 10 | 9 | — | — | — | 1,1 | C | N | | | |
| 91 | | | | | | | | | | | | | | |
| 92 | 8/9 | 168 | 9 | — | 9 | — | — | — | 1,1 | L | W | | | |
| 93 | 9/10 | 168 | 10 | — | 10 | — | — | — | 1,1 | L | W | | | |
| 94 | 15/0 | 168 | 8 | 2 | 7 | — | — | — | 1,1 | L | X | | | |
| 95 | 8/9 | 168 | 16 | 12 | 14 | — | — | — | 1,2 | L | S | | | |
| 96 | 7/8 | 168 | 8 | — | 8 | 72 | 72 | — | 1,1 | L | N | | | |
| 97 | 11/11 | 528 | 11 | — | — | — | — | — | 1,4 | O | | | | |
| 98 | 11/11 | 528 | 11 | — | — | — | — | — | 1,4 | L | | | | |
| 99 | 11/11 | 528 | 11 | — | — | — | — | — | 1,4 | R | | | | |

P.P. 163 – 170

SUBFORMAT GENERATION

REFER TO GREEN SFG MANUAL DATED FEB. 1, 1997

# TARIFF TABLE USING ΔF6200

1 Format ΔF6200 must be used instead of ΔF6652 when
2 keying Tariff Tables to eliminate horizontal rules.
3 Also note the use of an extra column to allow for
4 line numbers, Δl function and ΔQ01.

## THIS IS A TEST FOR A 6-COLUMN TARIFF TABLE

Δc7,ns,tp0,p0,8/10,g1,t1,xls16n,xls8,xls30,r100,xls45,xls45,2

Δh1□Δh1□Δh1□Δh1□Δh1□Δh1□Δh1□Δj

| | | | | | |
|---|---|---|---|---|---|
| " | 437.14 | ΔDΔl Poppy straw extract having an alkaloid content of not less than 90 percent, if imported for use in producing codeine, morphine or thebaine | 2.5% ad val. | On or before 1/24/83 ΔQ01ΔD | ". |
| | | ΔDΔxl Subpart D headnote: ΔDΔoi2Δxl 1. The rates of duty provided for the products enumerated in this subpart shall be assessed on a proof gallon basis. | | | |
| " | 912.13 | Poppy straw extract having an alkaloid content of not less than 90 percent, if imported for use in producing codeine, morphine or thebaine | 2.5% ad val. | On or before 1/24/83 | " |

## THIS IS A TEST FOR A 7-COLUMN TARIFF TABLE

Δc8,ns,tp0,p0,7/9,g1,t1,xls16n,xls8,xls30,r100,xls45,xls45,xls45,2

Δh1□Δh1□Δh1□Δh1□Δh1□Δh1□Δh1□Δh1□Δj

| | | | | | | |
|---|---|---|---|---|---|---|
| " | 912.07 | ΔDΔl Poppy straw extract having an alkaloid content of not less than 90 percent, if imported for use in producing codeine, morphine or thebaine | Free | No change | On or before 1/24/83 ΔQ01ΔD | ". |
| | | ΔDΔxl Subpart D headnote: ΔDΔoi2Δxl 1. The rates of duty provided for the products enumerated in this subpart shall be assessed on a proof gallon basis. | | | | |
| " | 912.07 | Poppy straw extract having an alkaloid content of not less than 90 percent, if imported for use in producing codeine, morphine or thebaine | Free | No change | On or before 1/24/83 | ". |

AS6501

c8,L2(0,0,0),tp0,p0,7/7,g1,t1,xls131n,xls8,xls30,r10,xls45,xls45,xls45,2

ENROLLED BILLS

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 01 | " | 903.29 | Brussels sprouts, fresh, chilled, or frozen, but not reduced in size and not otherwise prepared or preserved (provided for in item 137.71, part 8A, schedule 1) | 12.5% ad val. | No change | On or before 12/31/87 | |
| 01 | | 903.33 | Brussels sprouts, fresh, chilled, or frozen, and cut, sliced or otherwise reduced in size, but not otherwise prepared or preserved (provided for in item 138.46, part 8A, schedule 1) | 7% ad val. | No change | On or before 12/31/87 | ". |

4201

**SEC. 132. β-NAPHTHOL.**

Subpart B of part 1 of the Appendix is amended by inserting in numerical sequence the following new item:

c8,L2(0,0,0),tp0,p0,7/7,g1,t1,xls131n,xls8,xls30,r10,xls45,xls45,xls45,2

| | | | | | | |
|---|---|---|---|---|---|---|
| " | 907.31 | β-Naphthol (provided for in item 403.29, part 1B, schedule 4) | Free | No change | On or before 12/31/87 | ". |

# Grid List

## BILLS

### FORMATS 6201, 6211, 6300, 6301, 6311, 6221, 6231—ROMAN

GRID 1—710

T1—Congressional Roman. Caps and lowercase (41)
T2—**Century Bold. Caps and lowercase** (242)
T3—*Congressional Italic. Caps and lowercase* (43)
T4—CONGRESSIONAL ROMAN. CAPS AND SMALL CAPS (44)

GRID 2—711

T1—**CENTURY BOLD ROMAN. CAPS AND SMALL CAPS** (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)
T4—*CONGRESSIONAL ITALIC. CAPS AND SMALL CAPS* (47)

GRID 3—712

T1—~~Congressional Roman Canceled. Caps and lowercase~~ (51)
T2—~~**Century Bold Canceled, Caps and lowercase**~~ (252)
T3—~~**CENTURY BOLD CANCELED, CAPS AND SMALL CAPS**~~ (250)
T4—~~CONGRESSIONAL ROMAN CANCELED. CAPS AND SMALL CAPS~~ (54)

GRID 4—713

T1—~~*Congressional Italic. Canceled. Caps and lowercase*~~ (53)
T2—~~***Century Bold Italic Canceled, Caps and lowercase***~~ (255)
T3—~~***CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS***~~ (253)
T4—~~*CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS*~~ (57)

### FORMATS 6202, 6212, 6222, 6232—BOLD

**GRID 1—714**

**T1—Century Bold. Caps and lowercase (242)**
**T2—Century Bold. Caps and lowercase (242)**
**T3—*Century Bold Italic, Caps and lowercase* (248)**
**T4—CENTURY BOLD. CAPS AND SMALL CAPS (240)**

**GRID 2—715**

**T1—CENTURY BOLD. CAPS AND SMALL CAPS (240)**
**T2—*Century Bold Italic, Caps and lowercase* (248)**
**T3—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)**
**T4—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)**

**GRID 3—716**

**T1—~~Century Bold Canceled. Caps and lowercase~~ (252)**
**T2—~~Century Bold Canceled. Caps and lowercase~~ (252)**
**T3—~~CENTURY BOLD CANCELED. CAPS AND SMALL CAPS~~ (250)**
**T4—~~CENTURY BOLD. CAPS AND SMALL CAPS~~ (250)**

**GRID 4—717**

**T1—~~*Century Bold Italic Canceled, Caps and lowercase*~~ (255)**
**T2—~~*Century Bold Italic Canceled, Caps and lowercase*~~ (255)**
**T3—~~*CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (253)**
**T4—~~*CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS*~~ (253)**

### *FORMATS 6203, 6213, 6302, 6312, 6303, 6313, 6223, 6233—ITALIC*

*GRID 1—718*

*T1—Congressional Italic, Caps and lowercase (43)*
*T2—**Century Bold Italic, Caps and lowercase** (248)*
*T3—Congressional Italic, Caps and lowercase (43)*
*T4—CONGRESSIONAL ITALIC. CAPS AND SMALL CAPS (47)*

*GRID 2—719*

*T1—CENTURY BOLD ITALIC, CAPS AND SMALL CAPS (251)*
*T2—**Century Bold Italic, caps and lowercase** (248)*
*T3—CENTURY BOLD ITALIC, CAPS AND SMALL CAPS (251)*
*T4—CONGRESSIONAL ITALIC. CAPS AND SMALL CAPS (47)*

*GRID 3—713*

*T1—~~Congressional Italic Canceled. Caps and lowercase~~ (53)*
*T2—~~**Century Bold Italic Canceled, Caps and lowercase**~~ (255)*
*T3—~~**CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS**~~ (253)*
*T4—~~CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS~~ (57)*

*GRID 4—713*

*T1—~~Congressional Italic Canceled. Caps and lowercase~~ (53)*
*T2—~~**Century Bold Italic Canceled, Caps and lowercase**~~ (255)*
*T3—~~**CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS**~~ (253)*
*T4—~~CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS~~ (57)*

### ***FORMATS 6204, 6214, 6224, 6234—BOLD ITALIC***

***GRID 1—720***

***T1—Century Bold Italic, Caps and lowercase (248)***
***T2—Century Bold Italic, Caps and lowercase (248)***
***T3—Century Bold Italic, Caps and lowercase (248)***
***T4—CENTURY BOLD ITALIC, CAPS AND SMALL CAPS (251)***

***GRID 2—721***

***T1—CENTURY BOLD ITALIC, CAPS AND SMALL CAPS (251)***
***T2—Century Bold Italic, Caps and lowercase (248)***
***T3—CENTURY BOLD ITALIC, CAPS AND SMALL CAPS (251)***
***T4—CENTURY BOLD ITALIC, CAPS AND SMALL CAPS (251)***

***GRID 3—717***

***T1—~~Century Bold Italic Canceled, Caps and lowercase~~ (255)***
***T2—~~Century Bold Italic Canceled, Caps and lowercase~~ (255)***
***T3—~~CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS~~ (253)***
***T4—~~CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS~~ (253)***

***GRID 4—717***

***T1—~~Century Bold Italic Canceled, Caps and lowercase~~ (255)***
***T2—~~Century Bold Italic Canceled, Caps and lowercase~~ (255)***
***T3—~~CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS~~ (253)***
***T4—~~CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS~~ (253)***

# ~~Grid List~~

## ~~FORMATS 6401, 6411, 6421, 6431—ROMAN CANCELED~~

~~GRID 1—792~~

~~T1—Congressional Roman Canceled. Caps and lowercase (51)~~
~~T2—Century Bold Canceled. Caps and lowercase (252)~~
~~T3—Congressional Italic Canceled. Caps and lowercase (53)~~
~~T4—CONGRESSIONAL ROMAN CANCELED. CAPS AND SMALL CAPS (54)~~

~~GRID 2—793~~

~~T1—CENTURY BOLD CANCELED, CAPS AND SMALL CAPS (250)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CONGRESSIONAL ITALIC CANCELED, CAPS AND SMALL CAPS (57)~~

~~GRID 3—712~~

~~T1—Congressional Roman Canceled. Caps and lowercase (51)~~
~~T2—Century Bold Canceled. Caps and lowercase (252)~~
~~T3—CENTURY BOLD CANCELED, CAPS AND SMALL CAPS (250)~~
~~T4—CONGRESSIONAL ROMAN CANCELED. CAPS AND SMALL CAPS (54)~~

~~GRID 4—713~~

~~T1—Congressional Italic Canceled. Caps and lowercase (53)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CONGRESSIONAL ITALIC CANCELED, CAPS AND SMALL CAPS (57)~~

## ~~FORMATS 6402, 6412, 6422, 6432—BOLD CANCELED~~

~~GRID 1—734~~

~~T1—Century Bold Canceled, Caps and lowercase (252)~~
~~T2—Century Bold Canceled, Caps and lowercase (252)~~
~~T3—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T4—CENTURY BOLD CANCELED, CAPS AND SMALL CAPS (250)~~

~~GRID 2—735~~

~~T1—CENTURY BOLD CANCELED, CAPS AND SMALL CAPS (250)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~

~~GRID 3—716~~

~~T1—Century Bold Canceled, Caps and lowercase (252)~~
~~T2—Century Bold Canceled. Caps and lowercase (252)~~
~~T3—CENTURY BOLD CANCELED, CAPS AND SMALL CAPS (250)~~
~~T4—CENTURY BOLD CANCELED, CAPS AND SMALL CAPS (250)~~

~~GRID 4—717~~

~~T1—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~

## ~~FORMATS 6403, 6413, 6423, 6433—ITALIC CANCELED~~

~~GRID 1—736~~

~~T1—Congressional Italic Canceled. Caps and lowercase (53)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—Congressional Italic Canceled. Caps and lowercase (53)~~
~~T4—CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS (57)~~

~~GRID 2—743~~

~~T1—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS (57)~~

~~GRID 3—713~~

~~T1—Congressional Italic Canceled. Caps and lowercase (53)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS (57)~~

~~GRID 4—718~~

~~T1—Congressional Italic Canceled. Caps and lowercase (53)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CONGRESSIONAL ITALIC CANCELED. CAPS AND SMALL CAPS (57)~~

## ~~FORMATS 6404, 6414, 6424, 6434—BOLD ITALIC CANCELED~~

~~GRID 1—738~~

~~T1—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T4—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~

~~GRID 2—737~~

~~T1—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~

~~GRID 3—717~~

~~T1—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~

~~GRID 4—717~~

~~T1—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T2—Century Bold Italic Canceled, Caps and lowercase (255)~~
~~T3—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~
~~T4—CENTURY BOLD ITALIC CANCELED, CAPS AND SMALL CAPS (253)~~

# Locator and Grid List

## ENDORSEMENT

FORMATS 6651 6641—Engrossed Endorsements up to 24 pages

GRID 1—710

T1—Congressional Roman, Caps and lowercase (41)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Congressional Italic, Caps and lowercase* (43)
T4—CONGRESSIONAL ROMAN, CAPS AND SMALL CAPS (44)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—742

T1—**Cheltenham Bold Condensed, Caps and lowercase** (97)
T2—*CONGRESSIONAL ITALIC, CAPS AND SMALL CAPS* (47)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)

GRID 4—737

T1—**Cheltenham Bold, Caps and lowercase** (91)
T2—**Cheltenham Bold Extra Condensed** (94)
T3—**Cheltenham Bold Extended, Size Range 3** (95)
T4—**Cheltenham Bold, Size Range 4** (96)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 34 | **[COMMITTEE PRINT]**, center | 12/12 | 4 | 1 | V | — | — | — | — | — | S |
| 35 | **Calendar No.** flush right | 12/12 | 3 | 1 | R | — | — | — | — | — | S |
| 41 | 97TH CONGRESS | 9/9 | 1 | 1 | C | — | — | — | — | — | S |
| 42 | 2D SESSION, center under 97th Congress | 9/9 | 1 | 1 | C | — | — | — | — | — | S |
| 43 | **H.R. 0000**, Bill Number | 24/24 | 4 | 4 | L | — | — | — | — | — | S |
| 40 | **[Report No.]**, center | 10/10 | 4 | 1 | V | — | — | — | — | — | S |
| 44 | First double rule | — | — | — | — | — | — | — | — | — | S |
| 45 | **A BILL** | 18/18 | 4 | 3 | C | — | — | — | — | — | S |
| 37 | Title of Bill, center | 10/10 | 1 | 1 | V | — | — | — | — | — | S |
| 48 | Second double rule | — | — | — | — | — | — | — | — | — | S |
| 46 | DATELINE, center | 9/9 | 1 | 4 | V | — | — | — | — | — | S |
| 50 | Ordered to be printed | 9/9 | 1 | 1 | V | — | — | — | — | — | S |
| 59 | Operator guideline | 8/8 | — | — | — | — | — | — | — | — | S |

# Locator and Grid List

## TITLE

FORMATS 6652 6642—Engrossed Title Pages up to 24 pages

GRID 1—710

T1—Congressional Roman, Caps and lowercase (41)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Congressional Italic, Caps and lowercase* (43)
T4—CONGRESSIONAL ROMAN, CAPS AND SMALL CAPS (44)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—742

T1—**Cheltenham Bold Condensed, Caps and lowercase** (97)
T2—*CONGRESSIONAL ITALIC, CAPS AND SMALL CAPS* (47)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)

GRID 4—737

T1—**Cheltenham Bold, Caps and lowercase** (91)
T2—**Cheltenham Bold Extra Condensed,** (94)
T3—**Cheltenham Bold Extended, Size Range 3** (95)
T4—**Cheltenham Bold, Size Range 4** (96)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 60 | Distribution line | 10/10 | 1 | 1 | R | — | — | — | — | — | S |
| 39 | **[COMMITTEE PRINT]**, center | 18/18 | 4 | 4 | V | — | — | — | — | — | S |
| 40 | **Calendar No.** flush right | 24/24 | 4 | 2 | R | — | — | — | — | — | S |
| 41 | 97TH CONGRESS | 12/12 | 1 | 1 | C | — | — | — | — | — | S |
| 42 | 2D SESSION, center under 97th Congress | 12/12 | 1 | 1 | C | — | — | — | — | — | S |
| 43 | **H.R. 0000**, Bill Number | 36/36 | 4 | 4 | C | — | — | — | — | — | S |
| 51 | **[Report No.]**, center | 12/14 | 4 | 1 | V | — | — | — | — | — | S |
| 30 | Title of Bill, at top | 11/13 | 1 | 1 | V | — | — | — | — | — | S |
| 44 | First rule on page | — | — | — | — | — | — | — | — | — | S |
| 45 | IN THE HOUSE or SENATE | 14/14 | 1 | 1 | V | — | — | — | — | — | S |
| 46 | DATELINE, center | 11/11 | 1 | 4 | V | — | — | — | — | — | S |
| 47 | Sponsor line | 11/13 | 1 | 1 | V | — | — | — | — | — | W |
| 48 | Second rule on page | — | — | — | — | — | — | — | — | — | E |
| 49 | **A BILL** | 24/24 | 4 | 3 | C | — | — | — | — | — | S |
| 53 | Title of Bill, at bottom | 14/20 | 1 | 1 | V | — | — | — | — | — | S |
| 59 | Operator guideline | 8/8 | — | — | — | — | — | — | — | — | S |
| SPECIAL USE LOCATORS | | | | | | | | | | | |
| 01 | **H. Res. 000**, flush left | 18/26 | 1 | 2 | L | — | — | — | — | — | S |
| 02 | ***In the House, etc*** | 18/20 | 3 | 3 | C | — | — | — | — | — | S |
| 03 | *Date* | 14/20 | 1 | 3 | R | — | — | — | — | — | E |
| 04 | Full measure paragraph, resolved | 14/20 | 1 | 1 | J | — | — | — | — | — | W |
| 10 | 14 point on 26 by 30 picas | 14/26 | 1 | 1 | J | — | — | — | — | — | W |
| 29 | **SENATE AMENDMENT TO HOUSE AMENDMENT** | 18/18 | 4 | 2 | C | — | — | — | — | — | S |
| 32 | Double rule, 30 picas | — | — | — | — | — | — | — | — | — | S |
| 33 | **TREATY BILL** | 18/24 | 4 | 2 | V | — | — | — | — | — | S |
| 50 | **H. Con. Res.**, replaces loc. 43 | 36/36 | 4 | 2 | L | — | — | — | — | — | S |
| 61 | Double rule, 30 picas | — | — | — | — | — | — | — | — | — | S |
| 71 | **AS IN EXECUTIVE SESSION** | 13/13 | 4 | 3 | C | — | — | — | — | — | S |
| 72 | **SENATE OF THE UNITED STATES** | 9/9 | 4 | 3 | C | — | — | — | — | — | S |
| 78 | [Strike out all after the enacting clause, etc.] | 9/11 | 1 | 1 | V | — | — | — | — | — | S |
| 90 | Overlay locator, produces Bill Number at bottom of page | 8/8 | 1 | 2 | L | — | — | — | — | — | E |
| 91 | **Star Print** | 10/10 | 1 | 2 | L | — | — | — | — | — | S |
| 74 | 10 point center head, CAPS, Caps and small caps, small caps | 10/12 | 1 | 4 | V | 22 | 20 | 0 | 0 | 0 | S |
| 20 | 10 point, full measure paragraph, key first line indent | 10/12 | 1 | 1 | J | 12 | 12 | 0 | 0 | 0 | W |
| 22 | 10 point, paragraph indented 2 ems, key first line indent | 10/12 | 1 | 1 | J | 12 | 12 | 2 | 2 | 0 | W |
| 24 | 10 point, paragraph indented 4 ems, key first line indent | 10/12 | 1 | 1 | J | 12 | 12 | 4 | 4 | 0 | W |
| 26 | 10 point, paragraph indented 6 ems, key first line indent | 10/12 | 1 | 1 | J | 12 | 12 | 6 | 6 | 0 | W |

# Locator and Grid List

## TITLE FOR AMENDMENTS

### FORMAT 6654

GRID 1—710

T1—Congressional Roman, Caps and lowercase (41)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Congressional Italic, Caps and lowercase* (43)
T4—CONGRESSIONAL ROMAN, CAPS AND SMALL CAPS (44)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—742

T1—**Cheltenham Bold Condensed, Caps and lowercase** (97)
T2—CONGRESSIONAL ITALIC, CAPS AND SMALL CAPS (47)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)

GRID 4—737

T1—**Cheltenham Bold, Caps and lowercase** (91)
T2—**Cheltenham Bold Extra Condensed,** (94)
T3—**Cheltenham Bold Extended, Size Range 3** (95)
T4—**Cheltenham Bold, Size Range 4** (96)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| 29 | **SENATE AMENDMENT TO HOUSE AMENDMENT** | 14/14 | 4 | 2 | C | — | — | — | — | — | S |
| 36 | Calendar Number | 14/14 | 1 | 1 | R | — | — | — | — | — | B |
| 38 | Amendment Number | 14/14 | 1 | 1 | L | — | — | — | — | — | B |
| 39 | "Purpose: Amendment", flush and hang 2 ems | 14/16 | 1 | 1 | J | — | — | — | — | — | W |
| 40 | Use for "Purpose: Amendment" and line of leaders, when no statement | 14/14 | 1 | 1 | L | — | — | — | — | — | W |
| 41 | Line of leaders—use only when using locator 40 | 14/14 | 1 | — | L | — | — | — | — | — | W |
| 43 | **H.R. 000,** kind of Bill and number | 14/14 | 1 | 2 | C | — | — | — | — | — | S |
| 45 | **IN THE SENATE OR HOUSE etc.** | 10/10 | 1 | 2 | C | — | — | — | — | — | S |
| 46 | Dateline | 14/14 | 1 | 1 | C | — | — | — | — | — | S |
| 55 | "Amendment intended to be" or "Viz:" etc., flush and hang 2 ems | 14/16 | 1 | 1 | J | — | — | — | — | — | W |
| 77 | Title, Ordered to lie, etc.—or any centered line | 14/16 | 1 | 1 | V | — | — | — | — | — | S |
| 90 | Overlay locator, produces Bill Number at bottom of page | 8/8 | 1 | 2 | L | — | — | — | — | — | B |
| 91 | **Star Print** | 10/10 | 1 | 2 | L | — | — | — | — | — | B |
| 59 | Operator guideline | 8/8 | — | — | — | — | — | — | — | — | B |

10-014 0 - 90 - 12/10002

# Locator List

LOCATOR LIST FOR FORMATS 6201, 6202, 6203, 6204, 6401, 6402, 6403, 6404—WITH LINE NUMBERS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri | Indentions (ems) Sec | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| HEADS | | | | | | | | | | | |
| 72 | 10 point Century Bold, flush and hang 6 picas, SEC. line, usually set caps | 10/26 | 1 | 2 | J | 26 | 26 | 0 | — | 0 | S |
| 73 | 12 point Century Bold, centered | 12/26 | 1 | 2 | V | 26 | 26 | 0 | — | 0 | S |
| 74 | 14 point center head, Caps, Caps and small caps, small caps (main head locator) | 14/26 | 1 | 4 | V | 26 | 26 | 0 | — | 0 | S |
| 75 | 12 point Century Bold, flush and hang 6 picas, Twist line | 12/26 | 1 | 2 | J | 26 | 26 | 0 | — | 0 | S |
| 78 | 18 point Century Bold, Title line | 18/26 | 1 | 2 | V | 26 | 26 | 0 | — | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 14/26 | 1 | 4 | V | 26 | 26 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 12 | Use for "To Amend the Title" (key 2 ems for indent) | 14/20 | 1 | 1 | J | 26 | 0 | 0 | 0 | 0 | W |
| 13 | Use for "Attest" | 14/20 | 1 | 1 | J | 26 | 0 | 2 | 0 | 0 | E |
| 14 | Flush right, use for "Clerk" | 14/20 | 1 | 3 | R | 20 | 0 | 0 | 0 | 1 | E |
| 15 | Flush right, use for signature, prints on same line as "Attest" | 14/20 | 1 | 1 | R | 0 | 0 | 0 | 0 | 3 | E |
| 20 | Full measure paragraph, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 0 | 0 | 0 | W |
| 21 | Full measure paragraph, 2 em indent built into the locator | 14/26 | 1 | 1 | J | 26 | 0 | 2 | 0 | 0 | W |
| 22 | Paragraph indented 2 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 2 | 2 | 0 | W |
| 24 | Paragraph indented 4 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 4 | 4 | 0 | W |
| 26 | Paragraph indented 6 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph indented 8 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph indented 10 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph indented 12 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 12 | 12 | 0 | W |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with ΔN, will make up at bottom of page | 10/12 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 8/8 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |

45 Par. 2 Par. 1 Par. 4 Par. 5

## LOCATORS ADDED SUBSEQUENT TO 1990:

| Locator | Description | Point Size | Grid No. | Type-face No. | Line Type | Type of Page Locator | Line Length | Leading Line Space | Leading Top | Leading Bottom | Leading Paragraph | Indention (points) Primary | Indention (points) Secondary | Head Type |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 04 | Caption | 014 | 3 | 2 | V | S | 360 | 026 | 014 | 014 | 014 | 018 | 018 | — |
| 05 | Graphic identifier | 014 | 3 | 1 | L | B | 360 | 026 | 014 | 014 | 014 | 018 | 018 | — |
| 06 | Legend | 014 | 3 | 1 | V | E | 360 | 026 | 014 | 014 | 014 | 018 | 018 | — |
| 27 | Flush, 24 pts. for runover line | 014 | 1 | 1 | J | W | 336 | 026 | 026 | 000 | 026 | 000 | 024 | — |
| 70 | Relative—eliminates need to cut copy. | 014 | 1 | 1 | J | W | 336 | 026 | 026 | 000 | 026 | 000 | 000 | — |
| 80 | Overlay—All Pages | 010 | 1 | 1 | L | S | 360 | 010 | 010 | 001 | 010 | 000 | 000 | O |
| 81 | Overlay—All Pages | 010 | 1 | 2 | C | S | 360 | 010 | 010 | 001 | 010 | 000 | 000 | O |
| 82 | Overlay—All Pages | 010 | 1 | 1 | R | S | 360 | 010 | 010 | 001 | 010 | 000 | 000 | O |
| 95 | Overlay—All Pages | 010 | 1 | 1 | L | S | 360 | 010 | 010 | 001 | ..... | 000 | 000 | O |
| 96 | Overlay—All Pages | 010 | 1 | 2 | C | S | 360 | 010 | 010 | 001 | 010 | 000 | 000 | O |

# Locator List

LOCATOR LIST FOR FORMAT 6300—30 PICAS, WITHOUT LINE NUMBERS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| HEADS | | | | | | | | | | | |
| 72 | 10 point Century Bold, flush and hang 6 picas, SEC. line, usually set caps | 10/26 | 1 | 2 | J | 26 | 26 | 0 | — | 0 | S |
| 73 | 12 point Century Bold, centered | 12/26 | 1 | 2 | V | 26 | 26 | 0 | — | 0 | S |
| 74 | 14 point center head, Caps, Caps and small caps, small caps (main head locator) | 14/26 | 1 | 4 | V | 26 | 26 | 0 | — | 0 | S |
| 75 | 12 point Century Bold, flush and hang 6 picas, Twist line | 12/26 | 1 | 2 | J | 26 | 26 | 0 | — | 0 | S |
| 78 | 18 point Century Bold, Title line | 18/26 | 1 | 2 | V | 26 | 26 | 0 | — | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 14/26 | 1 | 4 | V | 26 | 26 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 13 | Use for "Attest" | 14/20 | 1 | 1 | J | 26 | 0 | 2 | 0 | 0 | E |
| 14 | Flush right, use for "Clerk" | 14/20 | 1 | 3 | R | 20 | 0 | 0 | 0 | 1 | E |
| 20 | Full measure paragraph, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 0 | 0 | 0 | W |
| 21 | Full measure paragraph, 2 em indent built into the locator | 14/26 | 1 | 1 | J | 26 | 0 | 2 | 0 | 0 | W |
| 22 | Paragraph indented 2 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 2 | 2 | 0 | W |
| 24 | Paragraph indented 4 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 4 | 4 | 0 | W |
| 26 | Paragraph indented 6 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 6 | 6 | 0 | W |
| 27 | Flush and hang 2 picas—use for "Whereas" clause | 14/20 | 1 | 1 | J | 20 | 0 | 0 | — | 0 | W |
| 28 | Paragraph indented 8 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 8 | 8 | 0 | W |
| 29 | Indented 2 ems, flush and flush, for cut-in after "Whereas" clause, key 2 ems for paragraph | 14/20 | 1 | 1 | J | 20 | 0 | — | — | — | W |
| 30 | Paragraph indented 10 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph indented 12 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 12 | 12 | 0 | W |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of page | 10/12 | 1 | 1 | J | 12 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |

FEB. 1995
(Revised ~~August 1, 1990~~)



76 END ONLY (USE FOR ALL MARK) 6301 ONLY

# Locator List

LOCATOR LIST FOR FORMATS 6301, 6303—28 PICAS CENTERED ON 30 PICAS, WITHOUT LINE NUMBERS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Prn. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| HEADS | | | | | | | | | | | |
| 72 | 10 point Century Bold, flush and hang 6 picas, SEC. line, usually set caps | 10/26 | 1 | 2 | J | 26 | 26 | 0 | — | 0 | S |
| 73 | 12 point Century Bold, centered | 12/26 | 1 | 2 | V | 26 | 26 | 0 | — | 0 | S |
| 74 | 14 point center head, Caps, Caps and small caps, small caps (main head locator) | 14/26 | 1 | 4 | V | 26 | 26 | 0 | — | 0 | S |
| 75 | 12 point Century Bold, flush and hang 6 picas, Twist line | 12/26 | 1 | 2 | J | 26 | 26 | 0 | — | 0 | S |
| 78 | 18 point Century Bold, Title line | 18/26 | 1 | 2 | V | 26 | 26 | 0 | — | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 14/26 | 1 | 4 | V | 26 | 26 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 02 | Flush and hang 28 points, first line 30 picas | 14/20 | 1 | 1 | J | 20 | 0 | 0 | 2 | 0 | W |
| 04 | Flush and flush, 30 picas | 14/20 | 1 | 1 | J | 20 | 0 | 0 | 0 | 0 | W |
| 12 | Use for "To Amend the Title" (key 2 ems for indent) | 14/20 | 1 | 1 | J | 26 | 0 | 0 | 0 | 0 | W |
| 13 | Use for "Attest" | 14/20 | 1 | 1 | J | 26 | 0 | 2 | 0 | 0 | E |
| 14 | Flush right, use for "Clerk" | 14/20 | 1 | 3 | R | 20 | 0 | 0 | 0 | 1 | E |
| 15 | Flush right, use for signature, prints on same line as "Attest" | 14/20 | 1 | 1 | R | 0 | 0 | 0 | 0 | 3 | E |
| 20 | Full measure paragraph, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 0 | 0 | 0 | W |
| 21 | Full measure paragraph, 2 em indent built into the locator | 14/26 | 1 | 1 | J | 26 | 0 | 2 | 0 | 0 | W |
| 22 | Paragraph indented 2 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 2 | 2 | 0 | W |
| 24 | Paragraph indented 4 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 4 | 4 | 0 | W |
| 26 | Paragraph indented 6 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 6 | 6 | 0 | W |
| 27 | "Whereas" clause first line indented 12 points, second line indented 36 points | 14/20 | 1 | 1 | J | 20 | 0 | — | — | 0 | W |
| 28 | Paragraph indented 8 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 8 | 8 | 0 | W |
| 29 | "Whereas" clause indented 40 points, flush and flush | 14/20 | 1 | 1 | J | 20 | 0 | — | — | 0 | W |
| 30 | Paragraph indented 10 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph indented 12 ems on left, key 2 ems for first line indent | 14/26 | 1 | 1 | J | 26 | 0 | 12 | 12 | 0 | W |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of page | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |

# Locator List

LEADERWORK FORMATS (with line numbers) 6211, 6212, 6213, 6214, 6411, 6412, 6413, 6414—USE WITH 6201, ETC.

LEADERWORK FORMATS (without line numbers) 6311, 6313, 28 PICAS CENTERED ON 30 PICAS—USE WITH 6301, 6303

| Locator No | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 10 point italic, centered, head locator, will continue when table runs over to next page | 10/12 | 1 | 3 | V | 22 | 20 | 0 | 0 | 0 | S |
| 05 | 8 point italic, indented 4 ems, over stub, FOTP of 1 | 8/10 | 1 | 3 | J | 10 | 0 | 4 | 5 | 0 | S |
| 06 | 8 point Italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 8/10 | 1 | 3 | R | 10 | 0 | 0 | 0 | 0 | S |
| 07 | 10 point, flush right, for all figures, FOTP of 2 | 10/12 | 1 | 1 | R | 12 | 0 | 0 | 0 | 0 | B |
| ALLOWS 34 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | S |
| 12 | 2 em indent, overs 3 ems—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | S |
| 13 | 4 em indent, overs 5 ems—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | S |
| 14 | Flush and hang 1 em—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | B |
| 15 | 2 em indent, overs 3 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | B |
| 16 | 4 em indent, overs 5 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | B |
| 17 | 6 em indent, overs 7 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | — | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 50 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | B |
| 26 | 4 em indent, overs 5 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | B |
| 27 | 6 em indent, overs 7 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | — | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 78 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | S |
| 32 | 2 em indent, overs 3 ems—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | S |
| 33 | 4 em indent, overs 5 ems—Clear | 10/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | S |
| 34 | Flush and hang 1 em—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 10/12 | 1 | 1 | J | 12 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |
| MISCELLANEOUS LEADERWORK | | | | | | | | | | | |
| 41 | Bold paragraph indented 5 picas, key first line indent | 10/12 | 1 | 2 | J | 12 | 0 | — | — | — | B |
| 42 | Table of Contents (flush and hang 72 points) | 10/12 | 1 | 1 | J | 12 | 0 | 0 | — | 0 | B |
| 43 | Same as locator 42 only indented 2 ems | 10/12 | 1 | 1 | J | 12 | 0 | 2 | — | 0 | B |
| 44 | Indent 7 picas for Table of Sections | 10/12 | 1 | 1 | J | 12 | 0 | — | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 10/12 | 1 | 2 | J | 12 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 10/12 | 1 | 2 | J | 12 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 10/12 | 1 | 1 | J | 12 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 10/12 | 1 | 1 | J | 12 | 0 | 1 | 2 | 0 | B |
| 49 | Left column boxhead, flush and hang 1 em | 10/12 | 1 | 2 | J | 12 | 0 | — | — | — | S |
| 50 | Right column boxhead, flush right over figures | 10/12 | 1 | 2 | R | 12 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 2 em indent, overs 3 ems, leader to 5 picas | 10/12 | 1 | 1 | J | 12 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures (for locators 51 and 60), FOTP of 2 | 10/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| 53 | Left column boxhead for tax table—see sample | 10/12 | 1 | 1 | J | 10 | 0 | — | — | — | S |
| 54 | Right column boxhead for tax table—see sample | 10/12 | 1 | 1 | J | 10 | 0 | — | — | — | S |
| 55 | See sample | 10/12 | 1 | 1 | L | 12 | 0 | — | — | — | S |
| 56 | See sample | 10/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| 57 | See sample | 10/12 | 1 | 1 | L | 12 | 0 | — | — | — | B |
| 58 | See sample | 10/12 | 1 | 1 | L | 12 | 0 | — | — | — | S |
| 59 | See sample | 10/12 | 1 | 1 | R | 12 | 0 | — | — | — | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use locator 52 for figures | 10/12 | 1 | 1 | J | 12 | 0 | — | — | — | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals, FOTP of 1 | 10/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| 62 | Comes in after locator 61, leaders to 282 points, FOTP of 2 | 10/12 | 1 | 1 | J | 12 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 10/12 | 1 | 1 | R | 12 | 0 | — | — | — | B |
| FOOTNOTE | | | | | | | | | | | |
| 69 | Footnote, no Δ N function | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | E |
| HEADS | | | | | | | | | | | |
| 71 | 8 point center | 8/10 | 1 | 1 | V | 18 | 16 | 0 | 0 | 0 | S |
| 74 | 10 point, CAPS, Caps and small caps, small caps, center | 10/12 | 1 | 4 | V | 22 | 20 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/12 | 1 | 4 | V | 22 | 20 | 0 | 0 | 0 | S |

# Locator and Grid List

## TITLE FOR U.S. CODE

### FORMAT 6653

GRID 1—710

T1—Congressional Roman, Caps and lowercase (41)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Congressional Italic, Caps and lowercase* (43)
T4—CONGRESSIONAL ROMAN, CAPS AND SMALL CAPS (44)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—742

T1—**Cheltenham Bold Condensed, Caps and lowercase** (97)
T2—*CONGRESSIONAL ITALIC, CAPS AND SMALL CAPS* (47)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)

GRID 4—737

T1—**Cheltenham Bold, Caps and lowercase** (91)
T2—**Cheltenham Bold Extra Condensed,** (94)
T3—**Cheltenham Bold Extended, Size Range 3** (95)
T4—**Cheltenham Bold, Size Range 4** (96)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 60 | Distribution line | 10/10 | 1 | 1 | R | — | — | — | — | — | S |
| 39 | **[COMMITTEE PRINT]**, center | 18/18 | 4 | 4 | V | — | — | — | — | — | S |
| 40 | **Calendar No.** flush right | 24/24 | 4 | 2 | R | — | — | — | — | — | S |
| 41 | 97TH CONGRESS, flush left | 12/12 | 1 | 1 | L | — | — | — | — | — | S |
| 42 | 2D SESSION, center under 97th Congress | 12/12 | 1 | 1 | C | — | — | — | — | — | S |
| 43 | **H.R. 0000**, Bill Number | 36/36 | 4 | 4 | L | — | — | — | — | — | S |
| 51 | **[Report No.]**, center | 12/14 | 4 | 1 | V | — | — | — | — | — | S |
| 30 | Title of Bill, at top | 10/12 | 1 | 1 | V | — | — | — | — | — | S |
| 44 | First rule on page | — | — | — | — | — | — | — | — | — | S |
| 45 | IN THE HOUSE or SENATE | 14/14 | 1 | 1 | V | — | — | — | — | — | S |
| 46 | DATELINE, center | 11/11 | 1 | 4 | V | — | — | — | — | — | S |
| 47 | Sponsor line | 11/13 | 1 | 1 | V | — | — | — | — | — | S |
| 48 | Second rule on page | — | — | — | — | — | — | — | — | — | S |
| 49 | **A BILL** | 24/24 | 4 | 3 | C | — | — | — | — | — | S |
| 53 | Title of Bill, at bottom | 10/16 | 1 | 1 | V | — | — | — | — | — | W |
| 59 | Operator guideline | 8/8 | 4 | 1 | L | — | — | — | — | — | S |
| 78 | [Strike out all after the enacting clause, etc.] | 8/10 | 1 | 1 | V | — | — | — | — | — | S |
| 90 | Overlay locator, produces Bill Number at bottom of page | 8/8 | 1 | 2 | L | — | — | — | — | — | E |
| 91 | **Star Print** | 10/10 | 1 | 2 | L | — | — | — | — | — | S |
| SPECIAL USE LOCATORS | | | | | | | | | | | |
| 01 | **H. Res. 000**, flush left | 18/26 | 1 | 2 | L | — | — | — | — | — | S |
| 02 | ***In the House, etc*** | 18/20 | 3 | 3 | C | — | — | — | — | — | S |
| 03 | *Date* | 14/20 | 1 | 3 | R | — | — | — | — | — | E |
| 04 | Full measure paragraph, resolved | 10/12 | 1 | 1 | J | — | — | — | — | — | W |
| 10 | 10 point on 16 by 26½ picas centered on 28½ picas | 10/16 | 1 | 1 | J | — | — | — | — | — | W |
| 13 | Use for "Attest", FOTP of 1 | 10/16 | 1 | 1 | J | 22 | 0 | 1 | 0 | 0 | E |
| 14 | Flush right, use for "Clerk" | 10/16 | 1 | 3 | R | 22 | 0 | 0 | 0 | 1 | E |
| 15 | Flush right, use for signature, prints on same line as "Attest", FOTP of 2 | 10/16 | 1 | 1 | R | 22 | 0 | 0 | 0 | 3 | E |
| 29 | **SENATE AMENDMENT TO HOUSE AMENDMENT** | 18/18 | 4 | 2 | C | — | — | — | — | — | S |

# Locator List

LOCATOR LIST FOR FORMATS 6221, 6222, 6223, 6224, 6421, 6422, 6423, 6424—10 ON 16 WITH LINE NUMBERS—U.S. CODE

FORMAT 6302—26½ PICAS CENTERED ON 28½ PICAS—ITALIC—NO LINE NUMBERS—ENGROSSED AMENDMENT ON CODE

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Rght | |
| HEADS | | | | | | | | | | | |
| 72 | 8 point Century Bold, flush and hang 5 ems, SEC. line, usually set caps | 8/14 | 1 | 2 | J | 16 | 16 | 0 | — | 0 | S |
| 73 | 12 point Century Bold, centered | 12/16 | 1 | 2 | V | 16 | 16 | 0 | 0 | 0 | S |
| 74 | 10 point center head, Caps, Caps and small caps, small caps (main head locator) | 10/16 | 1 | 4 | V | 16 | 16 | 0 | 0 | 0 | S |
| 75 | 10 point Century Bold, flush and hang 5 ems, Twist line | 10/16 | 1 | 2 | J | 16 | 16 | 0 | — | 0 | S |
| 78 | 14 point Century Bold, Title line | 14/16 | 1 | 2 | V | 16 | 16 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/16 | 1 | 4 | V | 16 | 16 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 13 | Use for "Attest" (no line numbers), FOTP of 1 | 10/16 | 1 | 1 | J | 22 | 0 | 1 | 0 | 0 | E |
| 14 | Flush right, use for "Clerk" (no line numbers) | 10/16 | 1 | 3 | R | 22 | 0 | 0 | 0 | 1 | E |
| 15 | Flush right, use for signature, prints on same line as "Attest" (no line numbers), FOTP of 2 | 10/16 | 1 | 1 | R | 22 | 0 | 0 | 0 | 3 | E |
| 17 | 8 point, indented 6 picas, no line numbers | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | S |
| 20 | Full measure paragraph, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 0 | 0 | 0 | W |
| 21 | Full measure paragraph, 1 em indent built into the locator | 10/16 | 1 | 1 | J | 16 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph indented 2 ems on left, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 2 | 2 | 0 | W |
| 24 | Paragraph indented 4 ems on left, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 4 | 4 | 0 | W |
| 26 | Paragraph indented 6 ems on left, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 6 | 6 | 0 | W |
| 28 | Paragraph indented 8 ems on left, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 8 | 8 | 0 | W |
| 30 | Paragraph indented 10 ems on left, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph indented 12 ems on left, key 1 em for first line indent | 10/16 | 1 | 1 | J | 16 | 0 | 12 | 12 | 0 | W |
| 25 | Relative locator, for small type in middle of a line | 7/16 | 1 | 1 | J | 16 | 0 | — | — | — | W |
| 27 | Relative locator, to go back to big type, exit loc. 25 | 10/16 | 1 | 1 | J | 16 | 0 | — | — | — | W |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with Δ N, will make up at bottom of page | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 0 | 0 | E |
| 69 | For footnotes or notes, DO NOT use with Δ N, will make up where keyed | 6/7 | 1 | 1 | J | 7 | 0 | 0 | 0 | 0 | E |

# Locator List

LEADERWORK FORMATS (with line numbers) 6231, 6232, 6233, 6234, 6431, 6432, 6433, 6434—8 POINT—U.S. CODE

LEADERWORK FORMAT (without line numbers) 6312—26½ PICAS CENTERED ON 28½ PICAS—ENGROSSED AMENDMENT ON CODE

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pn. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 8 point italic, centered, head locator, will continue when table runs over to next page | 8/10 | 1 | 3 | V | 16 | 14 | 0 | 0 | 0 | |
| 05 | 6 point italic, indented 4 ems, over stub, FOTP of 1 | 6/8 | 1 | 3 | J | 10 | 0 | 4 | 5 | 0 | |
| 06 | 6 point italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/8 | 1 | 3 | R | 10 | 0 | 0 | 0 | 0 | |
| 07 | 8 point, flush right, for all figures, FOTP of 2 | 8/10 | 1 | 1 | R | 10 | 0 | 0 | 0 | 0 | |
| ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | |
| 12 | 2 em indent, overs 3 ems—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | |
| 13 | 4 em indent, overs 5 ems—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | |
| 14 | Flush and hang 1 em—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | |
| 15 | 2 em indent, overs 3 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | |
| 16 | 4 em indent, overs 5 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | |
| 17 | 6 em indent, overs 7 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 6 | 7 | — | |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | |
| ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | |
| 26 | 4 em indent, overs 5 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | |
| 27 | 6 em indent, overs 7 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 6 | 7 | — | |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | |
| ALLOWS 64 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | |
| 32 | 2 em indent, overs 3 ems—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | |
| 33 | 4 em indent, overs 5 ems—Clear | 8/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | |
| 34 | Flush and hang 1 em—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 8/10 | 1 | 1 | J | 10 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Bold paragraph indented 5 picas, key first line indent | 8/10 | 1 | 2 | J | 10 | 0 | — | — | — | B |
| 42 | Table of Contents (flush and hang 42 points) | 8/10 | 1 | 1 | J | 10 | 0 | 0 | 5 | 0 | B |
| 43 | Same as locator 42 only indented 2 ems | 8/10 | 1 | 1 | J | 10 | 0 | 2 | 8 | 0 | B |
| 44 | Indent 7 picas for Table of Sections | 8/10 | 1 | 1 | J | 10 | 0 | — | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 8/10 | 1 | 2 | J | 10 | 0 | 0 | 2 | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 8/10 | 1 | 2 | J | 10 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 8/10 | 1 | 1 | J | 10 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 8/10 | 1 | 1 | J | 10 | 0 | 1 | 2 | 0 | B |
| 49 | Left column boxhead, flush and hang 2 ems | 8/10 | 1 | 2 | J | 10 | 0 | — | — | — | S |
| 50 | Right column boxhead, flush right over figures | 8/10 | 1 | 2 | R | 10 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 1 em indent, overs 2 ems, leader to 5 picas | 8/10 | 1 | 1 | J | 10 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures (for locators 51 and 60), FOTP of 2 | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | B |
| 53 | Left column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 54 | Right column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 55 | See sample | 8/10 | 1 | 1 | L | 10 | 0 | — | — | — | S |
| 56 | See sample | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | B |
| 57 | See sample | 8/10 | 1 | 1 | L | 10 | 0 | — | — | — | B |
| 58 | See sample | 8/10 | 1 | 1 | L | 10 | 0 | — | — | — | S |
| 59 | See sample | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use locator 52 for figures | 8/10 | 1 | 1 | J | 10 | 0 | — | — | — | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals, FOTP of 1 | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | B |
| 62 | Comes in after locator 61, leaders to 282 points, FOTP of 2 | 8/10 | 1 | 1 | J | 10 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 8/10 | 1 | 1 | R | 10 | 0 | — | — | — | B |
| FOOTNOTE | | | | | | | | | | | |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 7/8 | 1 | 1 | J | 8 | 0 | 1 | 0 | 0 | W |
| HEADS | | | | | | | | | | | |
| 71 | 6 point center | 6/8 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 74 | 8 point, CAPS, Caps and small caps, small caps, center | 8/10 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/10 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |

# Locator and Grid List

## TITLE PAGE FOR ENROLLED BILLS

### FORMATS 6655* and 6645*

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—715

T1—**CENTURY BOLD, CAPS AND SMALL CAPS** (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)
T4—***CENTURY BOLD ITALIC, CAPS AND SMALL CAPS*** (251)

GRID 4—735

T1—Gothic No. 17 (Subformat Generation) (17)
T2—***Bodoni Bold Italic*** (65)
T3—*Gothic Italic* (19)
T4—Gothic Text, Size Range 3 (88)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading | | Indentions (ems) | | | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Top | Bot. | Pri. | Sec. | Right | |
| 07 | For folios—Use three down arrows for word space | 10/10 | 1 | 1 | R | — | — | — | — | — | B |
| 15 | H. Con. Res., etc.—Use three down arrows for word space, flush left | 13/13 | 1 | 1 | L | — | — | — | — | — | S |
| 16 | Agreed to, etc., flush right | 14/14 | 1 | 1 | R | — | — | — | — | — | S |
| 02 | Fifty-seventh Congress of the United States | 24/24 | 4 | 4 | C | — | — | — | — | — | S |
| 03 | AT THE SECOND SESSION | 10/10 | 1 | 2 | C | — | — | — | — | — | S |
| 04 | *Begun and held at, etc.* | 10/10 | 4 | 2 | C | — | — | — | — | — | S |
| 05 | An Act or Concurrent Resolution | 18/18 | 4 | 4 | C | — | — | — | — | — | S |
| 11 | Title, etc.—use for first line, first time through | 8/9 | 1 | 1 | J | — | — | — | — | — | S |
| 12 | Use when second line of loc. 11 runs over and is short | 8/9 | 1 | 1 | C | — | — | — | — | — | S |

*6655 for up to 24 pages.
*6645 for over 24 pages.

# Locator and Grid List

## TITLE PAGE FOR 30-PICA ENROLLED SENATE BILLS

## FORMAT 6656

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—739

T1—**Cheltenham Bold Condensed** (97)
T2—Garamond Bold, Caps and lowercase (182)
T3—Goudy Text, Size Range 3 (88)
T4—*Century Italic, Caps and lowercase* (243)

GRID 4—740

T1—Gothic No. 17 (Subformat Generation) (17)
T2—Greek Math Lite (31)
T3—*Garamond Bold Italic, Caps and lowercase* (189)
T4—*IONIC ITALIC, CAPS AND SMALL CAPS* (150)

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 07 | For folios—Use three down arrows for word space | 10/10 | 1 | 1 | R | — | — | — | — | — | B |
| 15 | *97th Congress, 2d Session* | 12/12 | 4 | 3 | L | — | — | — | — | — | S |
| 16 | *Senate Resolution* ...flush right | 12/12 | 4 | 3 | R | — | — | — | — | — | S |
| 02 | In the Senate of the United States | 36/36 | 3 | 3 | C | — | — | — | — | — | S |
| 04 | *Dateline* | 12/12 | 4 | 3 | C | — | — | — | — | — | S |
| 11 | Title, etc.—use for first line, first time through (for leaded matter) | 8/10 | 1 | 1 | J | — | — | — | — | — | S |
| 12 | Use when second line of locator 11 runs over and is short (for leaded matter) | 8/10 | 1 | 1 | C | — | — | — | — | — | S |
| 21 | Title, etc.—use for first line, first time through (for solid matter) | 8/8 | 1 | 1 | J | — | — | — | — | — | S |
| 22 | Use when second line of locator 11 runs over and is short (for solid matter) | 8/8 | 1 | 1 | C | — | — | — | — | — | S |

# Locator and Grid List

## ENROLLED BILL TEXT

## FORMATS 6501, 6530,[1] 6531,[2] 6536[3]

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—715

T1—CENTURY BOLD, CAPS AND SMALL CAPS (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)
T4—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

### LOCATOR LIST FOR FORMAT 6501—ENROLLED BILLS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Sec. | Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| HEADS | | | | | | | | | | | |
| 72 | 8 point Century Bold, flush and hang 5 picas, clears for SECTION 1 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 41 | 8 point Century Bold, flush and hang, clears for 1 figure, replaces 72 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 42 | 8 point Century Bold, flush and hang, clears for 2 figures, replaces 72 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 43 | 8 point Century Bold, flush and hang, clears for 3 figures, replaces 72 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 44 | 8 point Century Bold, flush and hang, clears for 4 figures, replaces 72 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 45 | 8 point Century Bold, flush and hang, clears for 5 figures, replaces 72 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 46 | 8 point Century Bold, flush and hang, clears for 6 figures, replaces 72 | 8/10 | 1 | 2 | J | 14 | 14 | 0 | — | 0 | S |
| 73 | 12 point Century Bold, centered | 12/14 | 1 | 2 | V | 20 | 18 | 0 | 0 | 0 | S |
| 74 | 10 point center head, Caps, Caps and small caps, small caps (main head locator) | 10/10 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 10/10 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| 54 | 10 on 12 center head, Caps, Caps and small caps, small caps (replaces 74 when leaded head needed) | 10/12 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| 75 | 10 point Century Bold, flush and hang 6 ems, Twist line | 10/10 | 1 | 2 | J | 16 | 14 | 0 | 6 | 0 | S |
| 61 | 10 point Century Bold, flush and hang, clears for 1 figure, replaces 75 | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 62 | 10 point Century Bold, flush and hang, clears for 2 figures, replaces 75 | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 63 | 10 point Century Bold, flush and hang, clears for 3 figures, replaces 75 | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 64 | 10 point Century Bold, flush and hang, clears for 4 figures, replaces 75 | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 65 | 10 point Century Bold, flush and hang, clears for 5 figures, replaces 75 | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 66 | 10 point Century Bold, flush and hang, clears for 6 figures, replaces 75 | 10/10 | 1 | 2 | J | 16 | 14 | 0 | — | 0 | S |
| 78 | 14 point Century Bold, Title line | 14/16 | 1 | 2 | V | 24 | 22 | 0 | 0 | 0 | S |
| 84 | Sets small caps, regardless of how keyed, center (for report conversion), (replaces loc. 89 for no top leading) | 10/10 | 1 | 4 | V | 20 | 18 | 0 | 0 | 0 | S |
| 88 | 8 point center head, Caps, Caps and small caps, small caps | 8/8 | 1 | 4 | V | 18 | 14 | 0 | 0 | 0 | S |
| 94 | 10 point center head, Caps, Caps and small caps, small caps (replaces loc. 74 when no top leading is needed) | 10/12 | 1 | 4 | V | 12 | 18 | 0 | 0 | 0 | S |
| TEXT | | | | | | | | | | | |
| 10 | Full measure flush paragraph, key 1 em for indent, 8 point | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 0 | 0 | W |
| 13 | Use for "Attest" | 10/10 | 1 | 1 | J | 20 | 0 | 1 | 0 | 0 | E |
| 14 | Flush right, use for "Clerk" | 10/10 | 1 | 3 | R | 20 | 0 | 0 | 0 | 1 | E |
| 20 | Full measure paragraph, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 0 | 0 | W |
| 21 | Full measure paragraph, 1 em indent built into the locator | 10/10 | 1 | 1 | J | 10 | 0 | 1 | 0 | 0 | W |
| 22 | Paragraph indented 2 ems on left, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 24 | Paragraph indented 4 ems on left, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 4 | 4 | 0 | W |
| 26 | Paragraph indented 6 ems on left, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 6 | 6 | 0 | W |
| 27 | Flush and hang 1 em (Whereas clause) | 10/10 | 1 | 1 | J | 10 | 0 | 0 | 1 | 0 | W |
| 28 | Paragraph indented 8 ems on left, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 8 | 8 | 0 | W |
| 29 | Indented 2 ems (for indented matter under Whereas clause) | 10/10 | 1 | 1 | J | 10 | 0 | 2 | 2 | 0 | W |
| 30 | Paragraph indented 10 ems on left, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 10 | 10 | 0 | W |
| 31 | Paragraph indented 12 ems on left, key 1 em for first line indent | 10/10 | 1 | 1 | J | 10 | 0 | 12 | 12 | 0 | W |
| 91 | Half-point rule | — | — | — | — | — | — | — | — | — | — |
| FOOTNOTES | | | | | | | | | | | |
| 68 | For footnotes, use with ΔN, will make up at bottom of page | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |

[1] Enrolled Bill, 10-on-12 point, 30 picas.
[2] Enrolled Bill, 10 point solid, 30 picas.
[3] Enrolled Bill, 10 point solid, 36 picas.

# Locator and Grid List

## LEADERWORK FORMATS 6511, 6540,[1] 6541,[2] 6546[3]—ENROLLED BILLS

GRID 1—731

T1—Century Roman, Caps and lowercase (241)
T2—**Century Bold, Caps and lowercase** (242)
T3—*Century Italic, Caps and lowercase* (243)
T4—CENTURY ROMAN, CAPS AND SMALL CAPS (244)

GRID 2—732

T1—Roman Superiors (11)
T2—Roman Inferiors (12)
T3—Italic Superiors (13)
T4—Italic Inferiors (14)

GRID 3—715

T1—CENTURY BOLD, CAPS AND SMALL CAPS (240)
T2—***Century Bold Italic, Caps and lowercase*** (248)
T3—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)
T4—*CENTURY BOLD ITALIC, CAPS AND SMALL CAPS* (251)

GRID 4—734

T1—Gothic No. 17 (Subformat Generation) (17)
T2—**Gothic Bold No. 25, Caps and lowercase** (25)
T3—***Century Bold Italic, Caps and lowercase*** (248)
T4—*CENTURY ITALIC, CAPS AND SMALL CAPS* (254)

### LEADERWORK FOR ENROLLED BILLS

| Locator No. | Description | Point Size | Grid No. | Type Face | Type Line | Leading Top | Leading Bot. | Indentions (ems) Pri. | Indentions (ems) Sec. | Indentions (ems) Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 01 | 8 point italic, centered, head locator, will continue when table runs over to next page | 8/10 | 1 | 3 | V | 16 | 14 | 0 | 0 | 0 | S |
| 05 | 6 point italic, indented 4 ems, over stub, FOTP of 1 | 6/7 | 1 | 3 | J | 10 | 0 | 4 | 5 | 0 | S |
| 06 | 6 point italic, flush right, for head over figure column, FOTP of 2, can be used on line with loc. 11, 21, 31 | 6/7 | 1 | 3 | R | 7 | 0 | 0 | 0 | 0 | S |
| 07 | 8 point, flush right, for all figures, FOTP of 2 | 8/8 | 1 | 1 | R | 8 | 0 | 0 | 0 | 0 | B |
| ALLOWS 28 POINTS ON RIGHT FOR $9,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 11 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 12 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 13 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 14 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 15 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 16 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 17 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 18 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 19 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 42 POINTS ON RIGHT FOR $9,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 21 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 22 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 23 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 24 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 25 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 26 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 27 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 28 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 29 | Double rule | — | — | — | — | — | — | — | — | — | N |
| ALLOWS 64 POINTS ON RIGHT FOR $999,999,999,999 (maximum numbers that will fit) | | | | | | | | | | | |
| 31 | Flush and hang 1 em—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | S |
| 32 | 2 em indent, overs 3 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | S |
| 33 | 4 em indent, overs 5 ems—Clear | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | S |
| 34 | Flush and hang 1 em—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 0 | 1 | — | B |
| 35 | 2 em indent, overs 3 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 2 | 3 | — | B |
| 36 | 4 em indent, overs 5 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 4 | 5 | — | B |
| 37 | 6 em indent, overs 7 ems—Leader | 8/8 | 1 | 1 | J | 8 | 0 | 6 | 7 | — | B |
| 38 | Single rule | — | — | — | — | — | — | — | — | — | N |
| 39 | Double rule | — | — | — | — | — | — | — | — | — | N |
| FOLLOWING LOCATORS ARE FOR BILL CONVERSION TO REPORTS (SEE SAMPLE) | | | | | | | | | | | |
| 41 | Bold paragraph indented 4 ems, key first line indent if necessary | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | S |
| 42 | Table of Contents (flush and hang 45 points) | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 43 | Same as locator 42, only indented 2 ems, overs indent 45 points more | 8/8 | 1 | 1 | J | 8 | 0 | 2 | — | 0 | B |
| 44 | Same as locator 42, only indented 4 ems, overs indent 45 points more | 8/8 | 1 | 1 | J | 8 | 0 | 4 | — | 0 | B |
| 45 | Left column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | 0 | — | — | S |
| 46 | Right column boxhead, flush and hang 2 ems | 8/8 | 1 | 2 | J | 8 | 0 | 0 | 2 | — | S |
| 47 | Left column leaderwork, 1 em indent, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 48 | Right column, reading column, indent 1 em, overs 2 ems | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | 0 | B |
| 49 | Left column boxhead, flush and hang 1 em | 8/8 | 1 | 2 | J | 8 | 0 | — | — | — | S |
| 50 | Right column boxhead, flush right over figures | 8/8 | 1 | 2 | R | 8 | 0 | — | — | — | S |
| 51 | Left column leaderwork, 2 em indent, overs 3 ems, leader to 5 picas | 8/8 | 1 | 1 | J | 8 | 0 | 1 | 2 | — | B |
| 52 | Flush right, for figures (for locators 51 and 60), FOTP of 2 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |

LEADERWORK FOR ENROLLED BILLS—Continued

| Locator No | Description | Point Size | Grid No | Type Face | Type Line | Leading Top | Leading Bot | Indentions Items Pri | Indentions Items Sec | Indentions Items Right | Page End |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 53 | Left column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 54 | Right column boxhead for tax table—see sample | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | S |
| 55 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | S |
| 56 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 57 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | B |
| 58 | See sample | 8/8 | 1 | 1 | L | 8 | 0 | — | — | — | S |
| 59 | See sample | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | S |
| 60 | Leaders to 3 picas, flush and hang 6 picas, use locator 52 for figures | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 61 | Flush right on 18 points, to align points on right, like in Roman numerals, FOTP of 1 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 62 | Comes in after locator 61, leaders to 282 points, FOTP of 2 | 8/8 | 1 | 1 | J | 8 | 0 | — | — | — | B |
| 63 | For figures on locator 61, FOTP of 3 | 8/8 | 1 | 1 | R | 8 | 0 | — | — | — | B |
| 81 | 8 point, flush and hang, clears for 1 figure, replaces 42 when runs over | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 82 | 8 point, flush and hang, clears for 2 figures, replaces 42 when runs over | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 83 | 8 point, flush and hang, clears for 3 figures, replaces 42 when runs over | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 85 | 8 point, flush and hang, clears for 4 figures, replaces 42 when runs over | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 86 | 8 point, flush and hang, clears for 5 figures, replaces 42 when runs over | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 87 | 8 point, flush and hang, clears for 6 figures, replaces 42 when runs over | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 91 | 8 point, flush and hang, clears for 1 figure, replaces 42 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 92 | 8 point, flush and hang, clears for 2 figures, replaces 42 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 93 | 8 point, flush and hang, clears for 3 figures, replaces 42 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 94 | 8 point, flush and hang, clears for 4 figures, replaces 42 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 95 | 8 point, flush and hang, clears for 5 figures, replaces 42 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| 96 | 8 point, flush and hang, clears for 6 figures, replaces 42 | 8/8 | 1 | 1 | J | 8 | 0 | 0 | — | 0 | B |
| FOOTNOTE | | | | | | | | | | | |
| 69 | For footnotes or notes, DO NOT use with ΔN, will make up where keyed | 7/7 | 1 | 1 | J | 7 | 0 | 1 | 0 | 0 | W |
| HEADS | | | | | | | | | | | |
| 71 | 6 point center | 6/8 | 1 | 1 | V | 12 | 10 | 0 | 0 | 0 | S |
| 74 | 8 point, CAPS, Caps and small caps, small caps, center | 8/10 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 64 | 8 point, CAPS, Caps and small caps, small caps, center (replaces loc. 74 when no top leading is needed) | 8/10 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 89 | Sets small caps, regardless of how keyed, center (for report conversion) | 8/10 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |
| 84 | Sets small caps, regardless of how keyed, center (for report conversion), (replaces loc. 89 for no top leading) | 8/10 | 1 | 4 | V | 14 | 12 | 0 | 0 | 0 | S |

[1] Enrolled Bill, 8-on-10 point, 30 picas.
[2] Enrolled Bill, 8 point solid, 30 picas.
[3] Enrolled Bill, 8 point solid, 36 picas.

10-014 0 - 90 - 13/10002

UPDATING AND CORRECTING ENROLLED BILLS

Subformat 6501:
Change Δ I72 (when applicable) to:
Δ I41 to clear for 1 figure
Δ I42 to clear for 2 figures
Δ I43 to clear for 3 figures
Δ I44 to clear for 4 figures
Δ I45 to clear for 5 figures
Δ I46 to clear for 6 figures

41 SEC. 1. AUTHORITY TO DELAY DATE FOR FILING CERTAIN RETURNS RELATING TO FOREIGN CORPORATIONS AND FOREIGN TRUSTS.

42 SEC. 22. AUTHORITY TO DELAY DATE FOR FILING CERTAIN RETURNS RELATING TO FOREIGN CORPORATIONS AND FOREIGN TRUSTS.

43 SEC. 333. AUTHORITY TO DELAY DATE FOR FILING CERTAIN RETURNS RELATING TO FOREIGN CORPORATIONS AND FOREIGN TRUSTS.

44 SEC. 4444. AUTHORITY TO DELAY DATE FOR FILING CERTAIN RETURNS RELATING TO FOREIGN CORPORATIONS AND FOREIGN TRUSTS.

45 SEC. 55555. AUTHORITY TO DELAY DATE FOR FILING CERTAIN RETURNS RELATING TO FOREIGN CORPORATIONS AND FOREIGN TRUSTS.

46 SEC. 666666. AUTHORITY TO DELAY DATE FOR FILING CERTAIN RETURNS RELATING TO FOREIGN CORPORATIONS AND FOREIGN TRUSTS.

Subformat 6501
Change Δ I75 (when applicable) to:
Δ I61 to clear for 1 figure
Δ I62 to clear for 2 figures
Δ I63 to clear for 3 figures
Δ I64 to clear for 4 figures
Δ I65 to clear for 5 figures
Δ I66 to clear for 6 figures

61 § 1. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

62 § 22. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

63 § 333. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

64 § 4444. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

65 § 55555. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

66 § 666666. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

Δ I84 replaces Δ I89 to remove top leading.
Δ I94 replaces Δ I74 to remove top leading.

## UPDATING AND CORRECTING ENROLLED BILLS

**Subformat 6511**
**Change Δ I42 (when applicable) to:**
**Δ I91 to clear for 1 figure**
**Δ I92 to clear for 2 figures**
**Δ I93 to clear for 3 figures**
**Δ I94 to clear for 4 figures**
**Δ I95 to clear for 5 figures**
**Δ I96 to clear for 6 figures**

91 Sec. 1. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

92 Sec. 22. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

93 Sec. 333. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

94 Sec. 4444. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

95 Sec. 55555. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

96 Sec. 666666. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

**Subformat 6511**
**Change Δ I42 (when applicable) to:**
**Δ I81 to clear for 1 figure**
**Δ I82 to clear for 2 figures**
**Δ I83 to clear for 3 figures**
**Δ I85 to clear for 4 figures**
**Δ I86 to clear for 5 figures**
**Δ I87 to clear for 6 figures**

81 "1. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

82 "22. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

83 "333. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

85 "4444. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

86 "55555. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

87 "666666. Authority to delay date for filing certain returns relating to foreign corporations and foreign trusts.

**Δ I84 replaces Δ I89 to remove top leading.**
**Δ I64 replaces Δ I74 to remove top leading.**

58A

**Format 6019 locators for a 9⅛-inch trim:**

THIS IS •I17 TO PRINT A 7-POINT BACKSTRIP

THIS IS •I01 TO PRINT AN 8-POINT BACKSTRIP

THIS IS •I02 FOR A 10-POINT BACKSTRIP

THIS IS •I03 FOR A 12-POINT BACKSTRIP

THIS IS •I04 FOR A 14-POINT BACKSTRIP

THIS IS •I05 FOR AN 18-POINT BACKSTRIP

THIS IS •I06 FOR A 24-POINT BACKSTRIP

**Format 6019 locators for a 10⅞-inch trim:**

THIS IS •I07 TO PRINT AN 8-POINT BACKSTRIP

THIS IS •I08 FOR A 10-POINT BACKSTRIP

THIS IS •I09 FOR A 12-POINT BACKSTRIP

THIS IS •I10 FOR A 14-POINT BACKSTRIP

THIS IS •I11 FOR AN 18-POINT BACKSTRIP

THIS IS •I12 FOR A 24-POINT BACKSTRIP

# GRID 5——MICROCOMP

using character table from format 0634

| Typeface 1 Superior Roman | | Typeface 2 Inferior Roman | | Typeface 3 Superior Italic | | Typeface 4 Inferior Italic | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| • | superior center bullet | • | inferior center bullet | • | superior center bullet | • | inferior center bullet | 001 | |
| § | superior section mark | § | inferior section mark | § | superior section mark | § | inferior section mark | 006 | |
| ○ | superior allmark | ○ | superior allmark | ○ | superior allmark | ○ | superior allmark | 008 | |
| – | superior nut dash | – | inferior nut dash | – | superior nut dash | – | inferior nut dash | 009 | |
| × | superior multiplication sign | × | inferior multiplication sign | × | superior multiplication sign | × | inferior multiplication sign | 010 | |
| ~ | superior difference | ~ | inferior difference | ~ | superior difference | ~ | inferior difference | 011 | |
| ¶ | superior paragraph symbol | ¶ | inferior paragraph symbol | ¶ | superior paragraph symbol | ¶ | inferior paragraph symbol | 012 | |
| ÷ | superior division sign | ÷ | inferior division sign | ÷ | superior division sign | ÷ | inferior division sign | 016 | |
| ≺ | superior much less than | ≺ | inferior much less than | ≺ | superior much less than | ≺ | inferior much less than | 017 | |
| ≻ | superior much greater than | ≻ | inferior much greater than | ≻ | superior much greater than | ≻ | inferior much greater than | 018 | |
| ≈ | superior nearly equal to | ≈ | inferior nearly equal to | ≈ | superior nearly equal to | ≈ | inferior nearly equal to | 019 | |
| ≅ | superior approximately equal to | ≅ | inferior approximately equal to | ≅ | superior approximately equal to | ≅ | inferior approximately equal to | 020 | |
| ≮ | superior not less than | ≮ | inferior not less than | ≮ | superior not less than | ≮ | inferior not less than | 021 | |
| ≯ | superior not greater than | ≯ | inferior not greater than | ≯ | superior not greater than | ≯ | inferior not greater than | 022 | |
| ∓ | superior minus-plus sign | ∓ | inferior minus-plus sign | ∓ | superior minus-plus sign | ∓ | inferior minus-plus sign | 023 | |
| ± | superior plus-minus sign | ± | inferior plus-minus sign | ± | superior plus-minus sign | ± | inferior plus-minus sign | 027 | |
| † | superior dagger | † | inferior dagger | † | superior dagger | † | inferior dagger | 030 | |
| © | superior copyright sign | © | superior copyright sign | © | superior copyright sign | © | superior copyright sign | 031 | |
| ≡ | superior identical with | ≡ | inferior identical with | ≡ | superior identical with | ≡ | inferior identical with | 033 | ! |
| ″ | superior double prime | ″ | inferior double prime | ″ | superior double prime | ″ | inferior double prime | 034 | ″ |
| # | superior scratch mark | # | inferior scratch mark | # | superior scratch mark | # | inferior scratch mark | 035 | # |

# GRID 5——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Superior Roman | | Typeface 2 Inferior Roman | | Typeface 3 Superior Italic | | Typeface 4 Inferior Italic | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| $ | superior dollar | $ | inferior dollar | $ | superior dollar | $ | inferior dollar | 036 | $ |
| ≠ | superior not equal to | ≠ | inferior not equal to | ≠ | superior not equal to | ≠ | inferior not equal to | 037 | % |
| & | superior ampersand | & | inferior ampersand | & | superior ampersand | & | inferior ampersand | 038 | & |
| ≠ | superior not identical with | ≠ | inferior not identical with | ≠ | superior not identical with | ≠ | inferior not identical with | 039 | ' |
| ( | superior open paren | ( | inferior open paren | ( | superior open paren | ( | inferior open paren | 040 | ( |
| ) | superior close paren | ) | inferior close paren | ) | superior close paren | ) | inferior close paren | 041 | ) |
| * | superior asterisk | * | inferior asterisk | * | superior asterisk | * | inferior asterisk | 042 | * |
| + | superior plus sign | + | inferior plus sign | + | superior plus sign | + | inferior plus sign | 043 | + |
| , | superior comma | , | inferior comma | , | superior comma | , | inferior comma | 044 | , |
| - | superior hyphen | - | inferior hyphen | - | superior hyphen | - | inferior hyphen | 045 | - |
| . | superior period | . | inferior period | . | superior period | . | inferior period | 046 | . |
| / | superior shill | / | inferior shill | / | superior shill | / | inferior shill | 047 | / |
| 0 | superior zero | 0 | inferior zero | 0 | superior zero | 0 | inferior zero | 048 | 0 |
| 1 | superior one | 1 | inferior one | 1 | superior one | 1 | inferior one | 049 | 1 |
| 9 | superior nine | 9 | inferior nine | 9 | superior nine | 9 | inferior nine | 057 | 9 |
| ≤ | superior less than or equal to | ≤ | inferior less than or equal to | ≤ | superior less than or equal to | ≤ | inferior less than or equal to | 058 | : |
| ≥ | superior greater than or equal to | ≥ | inferior greater than or equal to | ≥ | superior greater than or equal to | ≥ | inferior greater than or equal to | 059 | ; |
| < | superior less than | < | inferior less than | < | superior less than | < | inferior less than | 060 | < |
| = | superior equal to | = | inferior equal to | = | superior equal to | = | inferior equal to | 061 | = |
| > | superior greater than | > | inferior greater than | > | superior greater than | > | inferior greater than | 062 | > |
| ‖ | superior double bond | ‖ | inferior double bond | ‖ | superior double bond | ‖ | inferior double bond | 063 | ? |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00002 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 5——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Superior Roman | | Typeface 2 Inferior Roman | | Typeface 3 Superior Italic | | Typeface 4 Inferior Italic | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| @ | superior at sign | @ | inferior at sign | @ | superior at sign | @ | inferior at sign | 064 | @ |
| A | superior capital A | A | inferior capital A | A | superior capital A | A | inferior capital A | 065 | A |
| Z | superior capital Z | Z | inferior capital Z | Z | superior capital Z | Z | inferior capital Z | 090 | Z |
| [ | superior open bracket | [ | inferior open bracket | [ | superior open bracket | [ | inferior open bracket | 091 | [ |
| ] | superior close bracket | ] | inferior close bracket | ] | superior close bracket | ] | inferior close bracket | 093 | ] |
| - | superior minus sign | - | inferior minus sign | - | superior minus sign | - | inferior minus sign | 094 | shift over 6 |
| — | superior em dash | — | inferior em dash | — | superior em dash | — | inferior em dash | 095 | shift over hyphen |
| ≤ | superior less than or greater than | ≤ | inferior less than or greater than | ≤ | superior less than or greater than | ≤ | inferior less than or greater than | 096 | ' |
| a | superior lowercase a | a | inferior lowercase a | a | superior lowercase a | a | inferior lowercase a | 097 | a |
| z | superior lowercase z | z | inferior lowercase z | z | superior lowercase z | z | inferior lowercase z | 122 | z |
| { | superior open brace | { | inferior open brace | { | superior open brace | { | inferior open brace | 123 | { |
| \| | superior single bond | \| | inferior single bond | \| | superior single bond | \| | inferior single bond | 124 | \| |
| } | superior close brace | } | inferior close brace | } | superior close brace | } | inferior close brace | 125 | } |
| ® | superior register mark | ® | superior register mark | ® | superior register mark | ® | superior register mark | 127 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 168 | ..... |
| ≥ | superior greater than or equal to | ≥ | inferior greater than or equal to | ≥ | superior greater than or equal to | ≥ | inferior greater than or equal to | 170 | |
| ° | degree | ° | degree | ° | degree | ° | degree | 171 | |
| ' | superior single prime | ' | inferior single prime | ' | superior single prime | ' | inferior single prime | 172 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 173 | ..... |
| © | superior copyright sign | © | superior copyright sign | © | superior copyright sign | © | superior copyright sign | 175 | |

# GRID 5——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Superior Roman | | Typeface 2 Inferior Roman | | Typeface 3 Superior Italic | | Typeface 4 Inferior Italic | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ≥ | superior greater than or less than | ≥ | inferior greater than or less than | ≥ | superior greater than or less than | ≥ | inferior greater than or less than | 186 | |
| √ | superior radical | √ | inferior radical | √ | superior radical | √ | inferior radical | 187 | |
| ★ | center solid star | ★ | center solid star | ★ | center solid star | ★ | center solid star | 188 | |
| ‡ | superior double dagger | ‡ | inferior double dagger | ‡ | superior double dagger | ‡ | inferior double dagger | 189 | |
| ≤ | superior less than or equal to | ≤ | inferior less than or equal to | ≤ | superior less than or equal to | ≤ | inferior less than or equal to | 190 | |
| □ | superior ballot box | □ | superior ballot box | □ | superior ballot box | □ | superior ballot box | 191 | |
| ≃ | superior perspective to | ≃ | inferior perspective to | ≃ | superior perspective to | ≃ | inferior perspective to | 196 | |
| / | bold fraction shill | / | bold fraction shill | / | bold fraction shill | / | bold fraction shill | 198 | |
| ∞ | superior infinity | ∞ | inferior infinity | ∞ | superior infinity | ∞ | inferior infinity | 201 | |
| ⊥ | superior perpendicular | ⊥ | inferior perpendicular | ⊥ | superior perpendicular | ⊥ | inferior perpendicular | 203 | |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00004 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 6——MICROCOMP

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| • | small center bullet | • | small center bullet | • | superior center bullet | • | inferior center bullet | 001 | |
| § | section mark | § | section mark | § | superior section mark | § | inferior section mark | 006 | |
| ○ | allmark | ○ | allmark | ○ | superior allmark | ○ | superior allmark | 008 | |
| – | nut dash | – | nut dash | – | superior nut dash | – | inferior nut dash | 009 | |
| × | multiplication sign | × | multiplication sign | × | superior multiplication sign | × | inferior multiplication sign | 010 | |
| ~ | difference | ~ | difference | ~ | superior difference | ~ | inferior difference | 011 | |
| ¶ | paragraph symbol | ¶ | paragraph symbol | ¶ | superior paragraph symbol | ¶ | inferior paragraph symbol | 012 | |
| ÷ | division sign | ÷ | division sign | ÷ | superior division sign | ÷ | inferior division sign | 016 | |
| ≪ | much less than | ≪ | much less than | ≪ | superior much less than | ≪ | inferior much less than | 017 | |
| ≫ | much greater than | ≫ | much greater than | ≫ | superior much greater than | ≫ | inferior much greater than | 018 | |
| ≈ | nearly equal to | ≈ | nearly equal to | ≈ | superior nearly equal to | ≈ | inferior nearly equal to | 019 | |
| ≅ | approximately equal to | ≅ | approximately equal to | ≅ | superior approximately equal to | ≅ | inferior approximately equal to | 020 | |
| ≮ | not less than | ≮ | not less than | ≮ | superior not less than | ≮ | inferior not less than | 021 | |
| ≯ | not greater than | ≯ | not greater than | ≯ | superior not greater than | ≯ | inferior not greater than | 022 | |
| ∓ | minus-plus sign | ∓ | minus-plus sign | ∓ | superior minus-plus sign | ∓ | inferior minus-plus sign | 023 | |
| ± | plus-minus sign | ± | plus-minus sign | ± | superior plus-minus sign | ± | inferior plus-minus sign | 027 | |
| † | dagger | † | dagger | † | superior dagger | † | inferior dagger | 030 | |
| © | copyright sign | © | copyright sign | © | superior copyright sign | © | superior copyright sign | 031 | |
| ≡ | identical with | ≡ | identical with | ≡ | superior identical with | ≡ | inferior identical with | 033 | ! |
| ″ | double prime | ″ | double prime | ″ | superior double prime | ″ | inferior double prime | 034 | ″ |
| # | scratch mark | # | scratch mark | # | superior scratch mark | # | inferior scratch mark | 035 | # |

# GRID 6——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| $ | dollar | $ | dollar | $ | superior dollar | $ | inferior dollar | 036 | $ |
| ≠ | not equal to | ≠ | not equal to | ≠ | superior not equal to | ≠ | inferior not equal to | 037 | % |
| & | ampersand | & | ampersand | & | superior ampersand | & | inferior ampersand | 038 | & |
| ≠ | not identical with | ≠ | not identical with | ≠ | superior not identical with | ≠ | inferior not identical with | 039 | ' |
| ( | open paren | ( | open paren | ( | superior open paren | ( | inferior open paren | 040 | ( |
| ) | close paren | ) | close paren | ) | superior close paren | ) | inferior close paren | 041 | ) |
| * | asterisk | * | asterisk | * | superior asterisk | * | inferior asterisk | 042 | * |
| + | plus sign | + | plus sign | + | superior plus sign | + | inferior plus sign | 043 | + |
| , | comma | , | comma | , | superior comma | , | inferior comma | 044 | , |
| - | hyphen | - | hyphen | - | superior hyphen | - | inferior hyphen | 045 | - |
| . | period | . | period | . | superior period | . | inferior period | 046 | . |
| / | shill | / | shill | / | superior shill | / | inferior shill | 047 | / |
| 0 | zero | 0 | zero | 0 | superior zero | 0 | inferior zero | 048 | 0 |
| 1 | one | 1 | one | 1 | superior one | 1 | inferior one | 049 | 1 |
| 9 | nine | 9 | nine | 9 | superior nine | 9 | inferior nine | 057 | 9 |
| ≤ | less than or equal to | ≤ | less than or equal to | ≤ | superior less than or equal to | ≤ | inferior less than or equal to | 058 | : |
| ≥ | greater than or equal to | ≥ | greater than or equal to | ≥ | superior greater than or equal to | ≥ | inferior greater than or equal to | 059 | ; |
| < | less than | < | less than | < | superior less than | < | inferior less than | 060 | < |
| = | equal to | = | equal to | = | superior equal to | = | inferior equal to | 061 | = |
| > | greater than | > | greater than | > | superior greater than | > | inferior greater than | 062 | > |
| \| | double bond | \| | double bond | \| | superior double bond | \| | inferior double bond | 063 | ? |



Ver/Date 27-FEB-98 15.09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00006 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

## GRID 6——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| @ | at sign | @ | at sign | @ | superior at sign | @ | inferior at sign | 064 | @ |
| Α | capital Greek alpha | Α | capital Greek alpha | Α | superior capital Greek alpha | Α | inferior capital Greek alpha | 065 | A |
| Β | capital Greek beta | Β | capital Greek beta | Β | superior capital Greek beta | Β | inferior capital Greek beta | 066 | B |
| Ψ | capital Greek psi | Ψ | capital Greek psi | Ψ | superior capital Greek psi | Ψ | inferior capital Greek psi | 067 | C |
| Δ | capital Greek delta | Δ | capital Greek delta | Δ | superior capital Greek delta | Δ | inferior capital Greek delta | 068 | D |
| Ε | capital Greek epsilon | Ε | capital Greek epsilon | Ε | superior capital Greek epsilon | Ε | inferior capital Greek epsilon | 069 | E |
| Φ | capital Greek phi | Φ | capital Greek phi | Φ | superior capital Greek phi | Φ | inferior capital Greek phi | 070 | F |
| Γ | capital Greek gamma | Γ | capital Greek gamma | Γ | superior capital Greek gamma | Γ | inferior capital Greek gamma | 071 | G |
| Η | capital Greek eta | Η | capital Greek eta | Η | superior capital Greek eta | Η | inferior capital Greek eta | 072 | H |
| Ι | capital Greek iota | Ι | capital Greek iota | Ι | superior capital Greek iota | Ι | inferior capital Greek iota | 073 | I |
| Ξ | capital Greek xi | Ξ | capital Greek xi | Ξ | superior capital Greek xi | Ξ | inferior capital Greek xi | 074 | J |
| Κ | capital Greek kappa | Κ | capital Greek kappa | Κ | superior capital Greek kappa | Κ | inferior capital Greek kappa | 075 | K |
| Λ | capital Greek lambda | Λ | capital Greek lambda | Λ | superior capital Greek lambda | Λ | inferior capital Greek lambda | 076 | L |
| Μ | capital Greek mu | Μ | capital Greek mu | Μ | superior capital Greek mu | Μ | inferior capital Greek mu | 077 | M |
| Ν | capital Greek mu | Ν | capital Greek mu | Ν | superior capital Greek mu | Ν | inferior capital Greek mu | 078 | N |
| Ο | capital Greek omicron | Ο | capital Greek omicron | Ο | superior capital Greek omicron | Ο | inferior capital Greek omicron | 079 | O |
| Π | capital Greek pi | Π | capital Greek pi | Π | superior capital Greek pi | Π | inferior capital Greek pi | 080 | P |

## GRID 6——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| Θ | capital Greek theta classic | Θ | capital Greek theta classic | Θ | superior capital Greek theta classic | Θ | inferior capital Greek theta classic | 081 | Q |
| Ρ | capital Greek rho | Ρ | capital Greek rho | Ρ | superior capital Greek rho | Ρ | inferior capital Greek rho | 082 | R |
| Σ | capital Greek sigma | Σ | capital Greek sigma | Σ | superior capital Greek sigma | Σ | inferior capital Greek sigma | 083 | S |
| Τ | capital Greek tau | Τ | capital Greek tau | Τ | superior capital Greek tau | Τ | inferior capital Greek tau | 084 | T |
| Θ | capital Greek theta | Θ | capital Greek theta | Θ | superior capital Greek theta | Θ | inferior capital Greek theta | 085 | U |
| Ω | capital Greek omega | Ω | capital Greek omega | Ω | superior capital Greek omega | Ω | inferior capital Greek omega | 086 | V |
| ϑ | capital Greek theta modern | ϑ | capital Greek theta modern | ϑ | superior capital Greek theta modern | ϑ | inferior capital Greek theta modern | 087 | W |
| Χ | capital Greek chi | Χ | capital Greek chi | Χ | superior capital Greek chi | Χ | inferior capital Greek chi | 088 | X |
| Υ | capital Greek upsilon | Υ | capital Greek upsilon | Υ | superior capital Greek upsilon | Υ | inferior capital Greek upsilon | 089 | Y |
| Ζ | capital Greek zeta | Ζ | capital Greek zeta | Ζ | superior capital Greek zeta | Ζ | inferior capital Greek zeta | 090 | Z |
| [ | open bracket | [ | open bracket | [ | superior open bracket | [ | inferior open bracket | 091 | [ |
| ] | close bracket | ] | close bracket | ] | superior close bracket | ] | inferior close bracket | 093 | ] |
| – | minus sign | – | minus sign | – | superior minus sign | – | inferior minus sign | 094 | shift over 6 |
| — | em dash | — | em dash | — | superior em dash | — | inferior em dash | 095 | shift over hyphen |
| ≶ | less than or greater than | ≶ | less than or greater than | ≶ | superior less than or greater than | ≶ | inferior less than or greater than | 096 | ' |
| α | lowercase Greek alpha | α | lowercase Greek alpha | α | superior lowercase Greek alpha | α | inferior lowercase Greek alpha | 097 | a |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00008 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 6——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| β | lowercase Greek beta | β | lowercase Greek beta | ᵝ | superior lowercase Greek beta | ᵦ | inferior lowercase Greek beta | 098 | b |
| ψ | lowercase Greek psi | ψ | lowercase Greek psi | ᵠ | superior lowercase Greek psi | ᵩ | inferior lowercase Greek psi | 099 | c |
| δ | lowercase Greek delta | δ | lowercase Greek delta | ᵟ | superior lowercase Greek delta | ᵨ | inferior lowercase Greek delta | 100 | d |
| ε | lowercase Greek epsilon | ε | lowercase Greek epsilon | ᵋ | superior lowercase Greek epsilon | ᵪ | inferior lowercase Greek epsilon | 101 | e |
| ϕ | lowercase Greek phi | ϕ | lowercase Greek phi | ᵠ | superior lowercase Greek phi | ᵩ | inferior lowercase Greek phi | 102 | f |
| γ | lowercase Greek gamma | γ | lowercase Greek gamma | ᵞ | superior lowercase Greek gamma | ᵧ | inferior lowercase Greek gamma | 103 | g |
| η | lowercase Greek eta | η | lowercase Greek eta | ᵠ | superior lowercase Greek eta | ᵩ | inferior lowercase Greek eta | 104 | h |
| ι | lowercase Greek iota | ι | lowercase Greek iota | ᵢ | superior lowercase Greek iota | ᵢ | inferior lowercase Greek iota | 105 | i |
| ξ | lowercase Greek xi | ξ | lowercase Greek xi | ᵡ | superior lowercase Greek xi | ᵡ | inferior lowercase Greek xi | 106 | j |
| κ | lowercase Greek kappa | κ | lowercase Greek kappa | ᵏ | superior lowercase Greek kappa | ᵪ | inferior lowercase Greek kappa | 107 | k |
| λ | lowercase Greek lambda | λ | lowercase Greek lambda | ᵏ | superior lowercase Greek lambda | ᵪ | inferior lowercase Greek lambda | 108 | l |
| μ | lowercase Greek mu | μ | lowercase Greek mu | ᵐ | superior lowercase Greek mu | ᵐ | inferior lowercase Greek mu | 109 | m |
| ν | lowercase Greek mu | ν | lowercase Greek mu | ᵛ | superior lowercase Greek mu | ᵛ | inferior lowercase Greek mu | 110 | n |
| ο | lowercase Greek omicron | ο | lowercase Greek omicron | ᵒ | superior lowercase Greek omicron | ᵒ | inferior lowercase Greek omicron | 111 | o |

# GRID 6——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| π | lowercase Greek pi | π | lowercase Greek pi | π | superior lowercase Greek pi | π | inferior lowercase Greek pi | 112 | p |
| φ | lowercase Greek theta classic | φ | lowercase Greek theta classic | φ | superior lowercase Greek theta classic | φ | inferior lowercase Greek theta classic | 113 | q |
| ρ | lowercase Greek rho | ρ | lowercase Greek rho | ρ | superior lowercase Greek rho | ρ | inferior lowercase Greek rho | 114 | r |
| σ | lowercase Greek sigma | σ | lowercase Greek sigma | σ | superior lowercase Greek sigma | σ | inferior lowercase Greek sigma | 115 | s |
| τ | lowercase Greek tau | τ | lowercase Greek tau | τ | superior lowercase Greek tau | τ | inferior lowercase Greek tau | 116 | t |
| θ | lowercase Greek theta | θ | lowercase Greek theta | θ | superior lowercase Greek theta | θ | inferior lowercase Greek theta | 117 | u |
| ω | lowercase Greek omega | ω | lowercase Greek omega | ω | superior lowercase Greek omega | ω | inferior lowercase Greek omega | 118 | v |
| ς | lowercase Greek theta modern | ς | lowercase Greek theta modern | ς | superior lowercase Greek theta modern | ς | inferior lowercase Greek theta modern | 119 | w |
| χ | lowercase Greek chi | χ | lowercase Greek chi | χ | superior lowercase Greek chi | χ | inferior lowercase Greek chi | 120 | x |
| υ | lowercase Greek upsilon | υ | lowercase Greek upsilon | υ | superior lowercase Greek upsilon | υ | inferior lowercase Greek upsilon | 121 | y |
| ζ | lowercase Greek zeta | ζ | lowercase Greek zeta | ζ | superior lowercase Greek zeta | ζ | inferior lowercase Greek zeta | 122 | z |
| { | open brace | { | open brace | { | superior open brace | { | inferior open brace | 123 | { |
| \| | single bond | \| | single bond | \| | superior single bond | \| | inferior single bond | 124 | \| |
| } | close brace | } | close brace | } | superior close brace | } | inferior close brace | 125 | } |
| ® | register mark | ® | register mark | ® | superior register mark | ® | superior register mark | 127 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 168 | |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00010 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 6——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Greek and math light | | Typeface 2 Greek and math bold | | Typeface 3 Greek and math superior | | Typeface 4 Greek and math inferior | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ≥ | greater than or equal to | ≥ | greater than or equal to | ≥ | superior greater than or equal to | ≥ | inferior greater than or equal to | 170 | |
| ° | degree | ° | degree | ° | superior degree | ° | inferior degree | 171 | |
| ′ | single prime | ′ | single prime | ′ | superior single prime | ′ | inferior single prime | 172 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 173 | ..... |
| © | copyright sign | © | copyright sign | © | superior copyright sign | © | superior copyright sign | 175 | |
| ≧ | greater than or less than | ≧ | greater than or less than | ≧ | superior greater than or less than | ≧ | inferior greater than or less than | 186 | |
| √ | radical | √ | radical | √ | superior radical | √ | inferior radical | 187 | |
| ★ | solid star | ★ | solid star | ★ | solid star | ★ | solid star | 188 | |
| ‡ | double dagger | ‡ | double dagger | ‡ | superior double dagger | ‡ | inferior double dagger | 189 | |
| ≤ | less than or equal to | ≤ | less than or equal to | ≤ | superior less than or equal to | ≤ | inferior less than or equal to | 190 | |
| □ | ballot box | □ | ballot box | □ | superior ballot box | □ | superior ballot box | 191 | |
| ≃ | perspective to | ≃ | perspective to | ≃ | superior perspective to | ≃ | inferior perspective to | 196 | |
| / | bold fraction shill | / | bold fraction shill | / | bold fraction shill | / | bold fraction shill | 198 | |
| ∞ | infinity | ∞ | infinity | ∞ | superior infinity | ∞ | inferior infinity | 201 | |
| ⊥ | perpendicular | ⊥ | perpendicular | ⊥ | superior perpendicular | ⊥ | inferior perpendicular | 203 | |

# GRID 7——MICROCOMP

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| • | small center bullet | • | bullet | • | bullet | ● | open | 001 | |
| 4 | superior Helvetica 4 | § | section mark | § | section mark | ♠ | spade | 006 | |
| 9 | inferior 9 | ⅞ | Gothic full fraction | ○ | allmark | ○ | allmark | 008 | |
| – | nut dash | – | nut dash | – | nut dash | – | nut dash | 009 | |
| 6 | superior canceled 6 | ✳ | ????? | ● | open | ● | open | 010 | |
| 7 | superior Helvetica 7 | ¢ | cent | ¢ | cent | ● | open | 011 | |
| 8 | superior Helvetica 8 | ¶ | paragraph symbol | ¶ | paragraph symbol | ● | open | 012 | |
| 4 | superior canceled 4 | ⌟ | ????? | ● | open | ● | open | 016 | |
| ● | open | ● | open | ⧈ | cube | ● | open | 017 | |
| ● | open | ● | open | ∝ | proportionally equal | ● | open | 018 | |
| 5 | inferior Helvetica 5 | ⅝ | gothic full fraction | ₀ | ????? | ● | open | 019 | |
| 6 | inferior Helvetica 6 | ½ | gothic full fraction | ø | slashed serif zero | ● | open | 020 | |
| 7 | inferior Helvetica 7 | ⅝ | gothic full fraction | ø | slashed bold gothic zero | ● | open | 021 | |
| 8 | inferior Helvetica 8 | ⅞ | gothic full fraction | ø | slashed light gothic zero | ● | open | 022 | |
| 0 | inferior Helvetica 0 | ▼ | inverted solid triangle | ● | open | ● | open | 023 | |
| 1 | superior Helvetica 1 | ● | open | ● | open | ● | open | 027 | |
| 1 | superior canceled 8 | † | dagger | † | dagger | ● | open | 030 | |
| 3 | superior Helvetica 3 | © | superior copyright sign | © | superior copyright sign | © | superior copyright sign | 031 | |
| 2 | superior canceled 9 | ♪ | open | ^ | caret | } | inferior close brace | 033 | ! |
| 0 | superior canceled 0 | ● | open | ℸ | perennial | ● | open | 034 | " |
| / | shill | ● | open | # | scratch mark | # | scratch mark | 035 | # |
| 1 | inferior canceled 1 | ● | open | ⬠ | pentagon | ! | superior vertical bond | 036 | $ |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00012 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ₂ | inferior canceled 2 | + | plus | ▭ | rectangle | ⎧ | superior open brace | 037 | % |
| ¼ | 1 over 4 | – | minus | ⇅ | up and down arrows | ( | 1-line open paren | 038 | & |
| ₃ | inferior canceled 3 | ● | open | ≑ | equal and divide | ) | inferior close paren | 039 | ' |
| ₄ | inferior canceled 4 | ❴ | Goudy text open paren | ∨ | inverted caret | ) | superior open paren??? | 040 | ( |
| ₅ | inferior canceled 5 | ❵ | Goudy text close paren | ▽ | inverted open triangle | ⎡ | superior open bracket | 041 | ) |
| ₆ | inferior canceled 6 | ∗ | asterisk (1 em) | △ | open triangle | ⎤ | superior close bracket | 042 | * |
| ₇ | inferior canceled 7 | ⊕ | plus sign in a circle | ⊕ | plus sign in a circle | ● | open | 043 | + |
| ₈ | inferior canceled 8 | ▲ | bold up arrow | ∟ | superior right angle | ∋ | belonging with | 044 | , |
| ₉ | inferior canceled 9 | ... | three dot em | ∺ | geometric proportion | √ | superior radical | 045 | - |
| ₀ | inferior canceled 0 | ◆ | bold left arrow | ⇆ | left-right arrow | ∈ | belonging to | 046 | . |
| ⁰ | superior bold 0 | ⊗ | multiplication sign in a circle | ˅ | superior inverted caret | ⎛ | 5-line open paren | 047 | / |
| ⅛ | 1 over 8 | ■ | solid box | ⇑ | up arrow/single bond | ∑ | 3-line sum | 048 | 0 |
| ⅜ | 3 over 8 | ❨ | black open paren | ⇑ | single bond/up arrow | ∫ | 3-line integral | 049 | 1 |
| ⅝ | 5 over 8 | ❩ | black close paren | ⇓ | down arrow/single bond | ∮ | 3-line contour integral | 050 | 2 |
| ⅞ | 7 over 8 | ❪ | canceled black open paren | ⇓ | single bond/down arrow | ⎜ | 3-line single bond | 051 | 3 |

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| 1/16 | 1 over 16 | ❩ | canceled black close paren | ⇂ | up half arrow/single bond | ‖ | 3-line double bond | 052 | 4 |
| 3/16 | 3 over 16 | ❲ | black open bracket | ↾ | single bond/up half arrow | ▌ | 3-line bold single bond | 053 | 5 |
| 5/16 | 5 over 16 | ❳ | black close bracket | ↿ | down half arrow/single bond | / | 3-line shill | 054 | 6 |
| 7/16 | 7 over 16 | ❴ | canceled black open paren | ⇃ | single bond/down half arrow | ∏ | 3-line capital Greek pi | 055 | 7 |
| 9/16 | 9 over 16 | ❵ | canceled black close bracket | ‖ | vertical double bond | Γ | 3-line capital Greek gamma | 056 | 8 |
| ❶ | superior bold 1 | ⁋ | paragraph symbol with no descender | ⅢⅢ | triple bond | √ | 3-line radical | 057 | 9 |
| ❷ | superior bold 2 | : | ratio | ^ | superior caret | { | inferior open brace | 058 | : |
| ❸ | superior bold 3 | ➧ | bold right arrow | ∠ | superior angle | ⊆ | contained as subclass | 059 | ; |
| ❹ | superior bold 4 | _ | low-line en dash/Bodoni roman | ◀ | solid left triangle | ● | open | 060 | < |
| ❺ | superior bold 5 | ● | open | = | equal to | ● | open | 061 | = |
| ❻ | superior bold 6 | ● | open | ▶ | solid right triangle | ● | open | 062 | > |
| ❼ | superior bold 7 | ➡ | bold down arrow | ∠ | angle | ⊇ | contains as subclass | 063 | ? |
| ❽ | superior bold 8 | @ | at sign | @ | at sign | @ | at sign | 064 | @ |
| 1/32 | 1 over 32 | ♦ | solid diamond | ⇌ | right half arrow over bond | ( | 3-line open paren | 065 | A |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00014 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| 3/32 | 3 over 32 | ◊ | open diamond | ⇌ | bond over right half arrow | ) | 3-line close paren | 066 | B |
| 5/32 | 5 over 32 | © | copyright sign | ⇋ | left half arrow over bond | © | copyright sign | 067 | C |
| 7/32 | 7 over 32 | ▲ | solid triangle | ⇌ | bond over left half arrow | ● | open | 068 | D |
| 9/32 | 9 over 32 | ■ | shaded box | ⇌ | right arrow over bond | { | 3-line open brace | 069 | E |
| 9 | superior bold 9 | (1) | Bodoni F dash | ⇌ | bond over right arrow | } | 3-line close brace | 070 | F |
| 0 | inferior bold 0 | ∵ | because | ⇌ | bond over left arrow | ⟨ | 3-line open square paren | 071 | G |
| 1 | inferior bold 1 | (2) | Bodoni H dash | = | horizontal double bond | ⟩ | 3-line close square paren | 072 | H |
| 2 | inferior bold 2 | ■ | large shaded box | ≡ | horizontal triple bond | √ | inferior radical | 073 | I |
| 1/64 | 1 over 64 | ▨ | box with diagonal strokes | / | right diagonal single bond | ∑ | 5-line sum | 074 | J |
| 3/64 | 3 over 64 | ⊡ | dotted box | // | right diagonal double bond | ∫ | 5-line integral | 075 | K |
| 5/64 | 5 over 64 | \ | light backward shill | \ | left diagonal single bond | ∮ | 5-line contour integral | 076 | L |

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| 7/64 | 7 over 64 | \ | bold backward shill | ⫽ | left diagonal double bond | | 5-line single bond | 077 | M |
| 9/64 | 9 over 64 | Δ | light bell | ↯ | zig-zag arrow | | 5-line double bond | 078 | N |
| 3 | inferior bold 3 | Δ | bold bell | ↻ | looped arrows | | 5-line bold single bond | 079 | O |
| 4 | inferior bold 4 | ≢ | not identical with | ↺ | looped half arrows | | 5-line shill | 080 | P |
| 5 | inferior bold 5 | ∴ | therefore | ⊥ | superior perpendicular | | 5-line radical | 081 | Q |
| 6 | inferior bold 6 | ® | register mark | ⊥ | perpendicular | ® | register mark | 082 | R |
| 7 | inferior bold 7 | ␣ | hoarfrost | ▽ | superior inverted open triangle | | 5-line close paren | 083 | S |
| 8 | inferior bold 8 | ƒ | function f | ◌ | superior allmark | | 5-line open bracket | 084 | T |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00016 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ₉ | inferior bold 9 | ‰ | per mil spectra, salinity | ▭ | superior rectangle | ] | 5-line close bracket | 085 | U |
| ½ | bold 1 over 2 | ≤ | less than/equal to | △ | superior open triangle | { | 5-line open brace | 086 | V |
| ⅓ | bold 1 over 3 | ≥ | more than/equal to | □ | superior box | } | 5-line close brace | 087 | W |
| ⅔ | bold 2 over 3 | — | low-line em dash/Bodoni roman | ∺ | superior geometric proportion | ⟨ | 5-line open square paren | 088 | X |
| ¾ | bold 3 over 4 | ▲ | solid bell | ≑ | superior equal and divide | ● | open | 090 | Z |
| ⅛ | bold 1 over 8 | ● | open | > | greater than | [ | 3-line open bracket | 091 | [ |
| ⅜ | bold 3 over 8 | ● | open | < | less than | ] | 3-line close bracket | 093 | ] |
| ⅝ | bold 5 over 8 | ⊖ | minus sign in a circle | ≂ | equivalent to | ^ | caret | 094 | shift over 6 |
| ⅞ | bold 7 over 8 | ● | open | — | horizontal bond | ( | superior open paren | 095 | shift over hyphen |
| ₀ | open | ● | open | ≐ | approaches a limit | ( | inferior open paren | 096 | ' |

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ⅟ | 1 over 1 | ⸙ | eulogy symbol | ↑ | up arrow | Σ | 1-line sum | 097 | a |
| ⅟ | 1 over 2 | ● | large bullet | ↗ | right/up diagonal arrow | ∫ | 1-line integral | 098 | b |
| ⅓ | 3 over 2 | ★ | solid star | → | right arrow | ∮ | 1-line contour integral | 099 | c |
| ⅕ | 5 over 2 | ☆ | open star | ↘ | right /down diagonal arrow | ∪ | union of 2 sets | 100 | d |
| ⅐ | 7 over 2 | ■ | solid box | ↓ | down arrow | ∩ | intersection of 2 sets | 101 | e |
| ⅑ | 9 over 2 | • | small center bullet | ↙ | left/down diagonal arrow | ⊂ | is implied by | 102 | f |
| ⅓ | 1 over 3 | ● | medium bullet | ← | left arrow | ⊃ | implies | 103 | g |
| ⅔ | 2 over 3 | ⋆ | open center star | ↖ | left/up diagonal arrow | ≪ | is nearly implied | 104 | h |
| ⅓ | 3 over 3 | ℅ | in care of | ↕ | up/down arrow | ≫ | nearly implies | 105 | i |
| ¾ | 3 over 4 | ⁞ | dotted single bond | ⇅ | down and up arrows | ) | 1-line close paren | 106 | j |
| ⅕ | 5 over 4 | ⌑ | lozenge | ⇄ | right and left arrows | [ | 1-line open bracket | 107 | k |
| ⅞ | 7 over 4 | ℓ | lowercase script l | ⇆ | left and right arrows | ] | 1-line close bracket | 108 | l |
| ⅑ | 9 over 4 | ℃ | account of | ↿ | left half of up arrow | { | 1-line open brace | 109 | m |
| ⅕ | 1 over 5 | ℞ | recipe | ↾ | right half of up arrow | } | 1-line close brace | 110 | n |
| ⅖ | 2 over 5 | ℔ | pound | ⇂ | left half of down arrow | ⟨ | 1-line open square paren | 111 | o |
| ⅗ | 3 over 5 | ♯ | sharp | ⇃ | right half of down arrow | ⟩ | 1-line close square paren | 112 | p |
| ⅘ | 4 over 5 | ♭ | flat | ⇅ | up and down half arrows | \| | 1-line single bond | 113 | q |
| — | open | ♮ | natural | ⇅ | down and up half arrows | ‖ | 1-line double bond | 114 | r |
| ⅙ | 1 over 6 | ● | open | ⇌ | right and left half arrows | / | 1-line shill | 115 | s |
| ⅚ | 2 over 6 | ● | open | ⇋ | left and right arrows | √ | 1-line radical | 116 | t |
| ⅙ | 3 over 6 | £ | British pound | \| | right margin single bond | ∛ | 1-line square root | 117 | u |
| ⅚ | 4 over 6 | □ | em ballot box | ⌊ | top margin single bond | ∜ | 1-line cube root | 118 | v |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00018 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ⅚ | 5 over 6 | ☑ | open | ⎡ | left margin single bond | ∜ | 1-line fourth root | 119 | w |
| ⅙ | 6 over 6 | ☒ | open | ⎡ | bottom margin single bond | ₍ | inferior open bracket | 120 | x |
| ¥ | open??? | ∝ | variation | ∟ | right angle | ₎ | inferior close bracket | 121 | y |
| ¥ | open??? | ✔ | black check mark | ∂ | differential | ₍ | inferior vertical bond | 122 | z |
| ² | superior canceled 2 | ● | open | ● | open | { | 1-line open brace | 123 | { |
| ● | open | ● | open | ⎡ | superior single bond | ● | open | 124 | \| |
| ³ | superior canceled 3 | ● | open | ● | open | } | 1-line close brace | 125 | } |
| ² | superior Helvetica 2 | ® | superior register mark | ® | superior register mark | ® | superior register mark | 127 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 168 | ..... |
| ⁵ | superior canceled 5 | ♪ | music notes | ● | open | ● | open | 170 | |
| ₁ | inferior Helvetica 1 | ° | degree | ° | degree | ● | open | 171 | |
| ● | open | ° | open | ♂ | Mars | ● | open | 172 | |
| | (for embedded folios) | ..... | | ..... | | ..... .. | | 173 | ..... |
| ³ | superior Helvetica | © | superior copyright sign | © | superior copyright sign | © | superior copyright sign | 175 | |
| ● | open | ● | open | ☿ | Mercury | ● | open | 186 | |
| ⁰ | superior Helvetica 0 | ● | open | ● | open | ● | open | 187 | |
| ₃ | inferior Helvetica 3 | ⅛ | gothic full fraction | ⅛ | ??????? | ⅛ | ???????? | 188 | |
| ⁸ | superior canceled 8 | ‡ | double dagger | ‡ | double dagger | ‡ | inferior double dagger | 189 | |
| ¹ | superior canceled 1 | ⊙ | period in circle | ○ | center circle | ● | open | 190 | |
| ⁶ | superior Helvetica 6 | ● | open | □ | ballot box | ● | open | 191 | |
| ₄ | inferior Helvetica 4 | ¼ | gothic full fraction | ♀ | female/Venus | ● | open | 196 | |
| / | bold fraction shill | ● | open | ● | open | ● | open | 198 | |

# GRID 7——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Universal em and en fractions | | Typeface 2 Universal display | | Typeface 3 Universal signs and symbols | | Typeface 4 1, 3, and 5 line display | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| 2 | inferior Helvetica | ● | open | ♂ | male/Earth | ♂ | ????? | 201 | |
| 9 | superior Helvetica 9 | ◆ | solid large diamond | ● | open | ● | open | 203 | |

[1]Bodoni F dash ——
[2]Bodoni H dash ——



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00020 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 8——MICROCOMP

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| • | small center bullet | • | small center bullet | • | small center bullet | ● | open | 001 | |
| § | section mark | § | section mark | § | section mark | ● | open | 006 | |
| ○ | allmark | ○ | allmark | ○ | allmark | ● | open | 008 | |
| – | nut dash | – | nut dash | – | nut dash | ● | nut dash??? | 009 | |
| × | multiplication sign | × | multiplication sign | × | multiplication sign | ● | open | 010 | |
| ¢ | cent | ¢ | cent | ¢ | cent | ● | open | 011 | |
| ¶ | paragraph symbol | ¶ | paragraph symbol | ¶ | paragraph symbol | ● | open | 012 | |
| ÷ | division sign | ÷ | division sign | ÷ | division sign | ● | open | 016 | |
| ≪ | much less than | ≪ | much less than | ≪ | much less than | ● | open | 017 | |
| ≫ | much greater than | ≫ | much greater than | ≫ | much greater than | ● | open | 018 | |
| ≈ | nearly equal to | ≈ | nearly equal to | ≈ | nearly equal to | ● | open | 019 | |
| ≅ | approximately equal to | ≅ | approximately equal to | ≅ | approximately equal to | ● | open | 020 | |
| ≮ | not less than | ≮ | not less than | ≮ | not less than | ● | open | 021 | |
| ≯ | not greater than | ≯ | not greater than | ≯ | not greater than | ● | openq | 022 | |
| ∓ | minus-plus sign | ∓ | minus-plus sign | ∓ | minus-plus sign | ● | open | 023 | |
| ± | plus-minus sign | ± | plus-minus sign | ± | plus-minus sign | ● | open | 027 | |
| † | dagger | † | dagger | † | dagger | ● | open | 030 | |
| © | copyright sign | © | copyright sign | © | copyright sign | ● | open | 031 | |
| ! | exclamation point | ! | exclamation point | ! | exclamation point | ● | open | 033 | ! |
| ″ | double prime | ″ | double prime | ″ | double prime | ● | open | 034 | ″ |
| # | scratch mark | # | scratch mark | # | scratch mark | ● | open | 035 | # |
| $ | dollar | $ | dollar | $ | dollar | ● | open | 036 | $ |

# GRID 8——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| % | percent | % | percent | % | percent | ● | open | 037 | % |
| & | ampersand | & | ampersand | & | ampersand | ● | open | 038 | & |
| ' | apostrophe | ' | apostrophe | ' | apostrophe | ● | open | 039 | ' |
| ( | open paren | ( | open paren | ( | open paren | ● | open | 040 | ( |
| ) | close paren | ) | close paren | ) | close paren | ● | open | 041 | ) |
| * | asterisk | * | asterisk | * | asterisk | ● | open | 042 | * |
| + | plus sign | + | plus sign | + | plus sign | ● | open | 043 | + |
| , | comma | , | comma | , | comma | ● | open | 044 | |
| - | hyphen | - | hyphen | - | hyphen | ● | open | 045 | - |
| . | period | . | period | . | period | ● | open | 046 | . |
| / | shill | / | shill | / | shill | ● | open | 047 | / |
| 0 | zero | 0 | zero | 0 | zero | ● | open | 048 | 0 |
| 1 | one | 1 | one | 1 | one | ● | open | 049 | 1 |
| 2 | two | 2 | two | 2 | two | ● | open | 050 | 2 |
| 3 | three | 3 | three | 3 | three | ● | open | 051 | 3 |
| 4 | four | 4 | four | 4 | four | ● | open | 052 | 4 |
| 5 | five | 5 | five | 5 | five | ● | open | 053 | 5 |
| 6 | six | 6 | six | 6 | six | ● | open | 054 | 6 |
| 7 | seven | 7 | seven | 7 | seven | ● | open | 055 | 7 |
| 8 | eight | 8 | eight | 8 | eight | ● | open | 056 | 8 |
| 9 | nine | 9 | nine | 9 | nine | ● | open | 057 | 9 |
| : | colon | : | colon | : | colon | ● | open | 058 | : |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00022 Fmt 2121 Sfmt 2121 HRDGRD.MCP app23

# GRID 8——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ; | semicolon | ; | semicolon | ; | semicolon | ● | open | 059 | ; |
| < | less than | < | less than | < | less than | ● | open | 060 | < |
| = | equal to | = | equal to | = | equal to | ● | open | 061 | = |
| > | greater than | > | greater than | > | greater than | ● | open | 062 | > |
| ? | question mark | ? | question mark | ? | question mark | ● | open | 063 | ? |
| @ | at sign | @ | at sign | @ | at sign | ● | open | 064 | @ |
| A | capital A | A | capital A | A | capital A | ● | open | 065 | A |
| B | capital B | B | capital B | B | capital B | ● | open | 066 | B |
| C | capital C | C | capital C | C | capital C | ♋ | Cancergram | 067 | C |
| D | capital D | D | capital D | D | capital D | ● | open | 068 | D |
| E | capital E | E | capital E | E | capital E | ● | open | 069 | E |
| F | capital F | F | capital F | F | capital F | ● | open | 070 | F |
| G | capital G | G | capital G | G | capital G | ● | open | 071 | G |
| H | capital H | H | capital H | H | capital H | ● | open | 072 | H |
| I | capital I | I | capital I | I | capital I | ● | open | 073 | I |
| J | capital J | J | capital J | J | capital J | ● | open | 074 | J |
| K | capital K | K | capital K | K | capital K | 🔑 | open key | 075 | K |
| L | capital L | L | capital L | L | capital L | ● | open | 076 | L |
| M | capital M | M | capital M | M | capital M | ♏ | open | 077 | M |
| N | capital N | N | capital N | N | capital N | ● | open | 078 | N |
| O | capital O | O | capital O | O | capital O | ● | open | 079 | O |
| P | capital P | P | capital P | P | capital P | ℗ | open | 080 | P |

# GRID 8——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| Q | capital Q | Q | capital Q | *Q* | capital Q | ● | open | 081 | Q |
| R | capital R | R | capital R | *R* | capital R | ● | open | 082 | R |
| S | capital S | S | capital S | *S* | capital S | ❄ | Snowflake | 083 | S |
| T | capital T | T | capital T | *T* | capital T | ⊕ | computer tape symbol | 084 | T |
| U | capital U | U | capital U | *U* | capital U | ⊞ | map symbol | 085 | U |
| V | capital V | V | capital V | *V* | capital V | ■ | floppy diskette symbol | 086 | V |
| W | capital W | W | capital W | *W* | capital W | ▦ | microfiche symbol | 087 | W |
| X | capital X | X | capital X | *X* | capital X | ▲ | printed report symbol | 088 | X |
| Y | capital Y | Y | capital Y | *Y* | capital Y | ◫ | cd-rom symbol | 089 | Y |
| Z | capital Z | Z | capital Z | *Z* | capital Z | ⊙ | ???? | 090 | Z |
| [ | open bracket | [ | open bracket | *[* | open bracket | ● | open | 091 | [ |
| ] | close bracket | ] | close bracket | *]* | close bracket | ● | open | 093 | ] |
| – | minus sign | – | minus sign | – | minus sign | ● | open | 094 | shift over 6 |
| — | em dash | — | em dash | — | em dash | ● | open | 095 | shift over hyphen |
| ‘ | open quote | ‘ | open quote | ‘ | open quote | ● | open | 096 | ‘ |
| a | lowercase a | a | lowercase a | *a* | lowercase a | ● | open | 097 | a |
| b | lowercase b | b | lowercase b | *b* | lowercase b | (1) | George Bush signature | 098 | b |
| c | lowercase c | c | lowercase c | *c* | lowercase c | (2) | Bill Clinton signature | 099 | c |
| d | lowercase d | d | lowercase d | *d* | lowercase d | ● | open | 100 | d |
| e | lowercase e | e | lowercase e | *e* | lowercase e | ● | open | 101 | e |
| f | lowercase f | f | lowercase f | *f* | lowercase f | ● | open | 102 | f |

## GRID 8——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| g | lowercase g | g | lowercase g | *g* | lowercase g | (3) | Al Gore signature | 103 | g |
| h | lowercase h | h | lowercase h | *h* | lowercase h | ● | open | 104 | h |
| i | lowercase i | i | lowercase i | *i* | lowercase i | ● | open | 105 | i |
| j | lowercase j | j | lowercase j | *j* | lowercase j | (4) | part of signature | 106 | j |
| k | lowercase k | k | lowercase k | *k* | lowercase k | ● | open | 107 | k |
| l | lowercase l | l | lowercase l | *l* | lowercase l | ● | open | 108 | l |
| m | lowercase m | m | lowercase m | *m* | lowercase m | ● | open | 109 | m |
| n | lowercase n | n | lowercase n | *n* | lowercase n | ● | open | 110 | n |
| o | lowercase o | o | lowercase o | *o* | lowercase o | ● | open | 111 | o |
| p | lowercase p | p | lowercase p | *p* | lowercase p | ● | open | 112 | p |
| q | lowercase q | q | lowercase q | *q* | lowercase q | ● | open | 113 | q |
| r | lowercase r | r | lowercase r | *r* | lowercase r | ..... | open | 114 | r |
| s | lowercase s | s | lowercase s | *s* | lowercase s | ● | open | 115 | s |
| t | lowercase t | t | lowercase t | *t* | lowercase t | ● | open | 116 | t |
| u | lowercase u | u | lowercase u | *u* | lowercase u | ● | open | 117 | u |
| v | lowercase v | v | lowercase v | *v* | lowercase v | ● | open | 118 | v |
| w | lowercase w | w | lowercase w | *w* | lowercase w | (5) | part of signature | 119 | w |
| | | | | | | (6) | William Clinton signature | 119–106 | wj |
| x | lowercase x | x | lowercase x | *x* | lowercase x | ● | open | 120 | x |
| y | lowercase y | y | lowercase y | *y* | lowercase y | ● | open | 121 | y |
| z | lowercase z | z | lowercase z | *z* | lowercase z | ● | open | 122 | z |

# GRID 8——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| { | open brace | { | open brace | { | open brace | ● | open | 123 | { |
| ≦ | single bond | ≦ | single bond | ≦ | single bond | ¦ | pipe | 124 | \| |
| } | close brace | } | close brace | } | close brace | ● | open | 125 | } |
| ® | register mark | ® | register mark | ® | register mark | ● | open | 127 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 168 | ..... |
| ≥ | greater than or equal to | ≥ | greater than or equal to | ≥ | greater than or equal to | ● | open | 170 | |
| ° | degree | ° | degree | ° | degree | ● | open | 171 | |
| ′ | single prime | ′ | single prime | ′ | single prime | ● | open | 172 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 173 | ..... |
| © | copyright sign | © | copyright sign | © | copyright sign | ● | open | 175 | |
| ≧ | greater than or equal to | ≧ | greater than or equal to | ≧ | greater than or equal to | ● | open | 186 | |
| √ | radical | √ | radical | √ | radical | ● | open | 187 | |
| ★ | solid star | ★ | solid star | ★ | solid star | ● | open | 188 | |
| ‡ | double dagger | ‡ | double dagger | ‡ | double dagger | ● | open | 189 | |
| ≤ | less than or equal to | ≤ | less than or equal to | ≤ | less than or equal to | ● | open | 190 | |
| □ | ballot box | □ | ballot box | □ | ballot box | ● | nut dash ????? | 191 | |
| ≃ | perspective to | ≃ | perspective to | ≃ | perspective to | ● | open | 196 | |
| ~ | difference | ~ | difference | ~ | difference | ● | open | 198 | |

# GRID 8——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 Gothic No. 17 Roman | | Typeface 2 Gothic No. 25 Bold | | Typeface 3 Gothic No. 18 Italic | | Typeface 4 Logos, Seals, and Signs | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ∞ | infinity | ∞ | infinity | ∞ | infinity | ● | open | 201 | |
| ⊥ | perpendicular | ⊥ | perpendicular | ⊥ | perpendicular | ● | open | 203 | |

(1) [illegible]
(2) [illegible]
(3) [illegible]
(4) [illegible]
(5) [illegible]
(6) [illegible]

# GRID 809——MICROCOMP

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ● | nothing | ● | nothing | • | | ● | nothing | 001 | |
| ● | nothing | ● | nothing | § | | ● | nothing | 006 | |
| ● | nothing | ● | nothing | ○ | | ● | nothing | 008 | |
| ● | nothing | ● | nothing | – | | ● | nothing | 009 | |
| ● | nothing | ● | nothing | × | | ● | nothing | 010 | |
| ● | nothing | ● | nothing | ¢ | | ● | nothing | 011 | |
| ● | nothing | ● | nothing | ¶ | | ● | nothing | 012 | |
| ● | nothing | ● | nothing | + | | ● | nothing | 016 | |
| ‘ | | ◆ | | ( | | ◆ | | 017 | |
| “ | | ■ | | ) | | ◆ | | 018 | |
| ● | nothing | ● | nothing | [ | | ● | | 019 | |
| ● | nothing | ● | nothing | ] | | ● | nothing | 020 | |
| ● | nothing | ● | nothing | ◆ | | ◆ | | 021 | |
| ● | nothing | ● | nothing | ◆ | | ◆ | | 022 | |
| | *COM003* | | *COM003* | | *COM003* | | *COM003* | 023 | |
| ● | nothing | ● | nothing | ± | | ● | nothing | 027 | |
| ● | nothing | ● | nothing | † | | ● | nothing | 030 | |
| ● | nothing | ● | nothing | λ | | ● | nothing | 031 | |
| ✂ | | ¶ | | / | | ✂ | | 033 | ! |
| ✂ | | ❣ | | ″ | | ✂ | | 034 | ″ |
| ✂ | | ❣ | | # | | ✂ | | 035 | # |
| ✂ | | ❤ | | ∫ | | ✂ | | 036 | $ |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00028 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 809——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ☎ | | ❥ | | % | | ● | nothing | 037 | % |
| ✆ | | ❦ | | & | | ● | nothing | 038 | & |
| ✍ | | ❧ | | ' | | ● | nothing | 039 | ' |
| ✈ | | ♣ | | ( | | ✬ | | 040 | ( |
| ✉ | | ♦ | | ) | | ● | nothing | 041 | ) |
| ☛ | | ♥ | | * | | ✭ | | 042 | * |
| ✌ | | ♠ | | + | | ✮ | | 043 | + |
| ✋ | | ① | | , | | ✯ | | 044 | |
| ✍ | | ② | | - | | ✰ | | 045 | - |
| ✎ | | ③ | | . | | ✱ | | 046 | . |
| ✏ | | ④ | | / | | ✲ | | 047 | / |
| ✐ | | ⑤ | | 0 | | ✳ | | 048 | 0 |
| ✑ | | ⑥ | | 1 | | ✴ | | 049 | 1 |
| ✒ | | ⑦ | | 2 | | ✵ | | 050 | 2 |
| ✓ | | ⑧ | | 3 | | ● | nothing | 051 | 3 |
| ✔ | | ⑨ | | 4 | | ● | nothing | 052 | 4 |
| × | | ⑩ | | 5 | | ● | nothing | 053 | 5 |
| ✖ | | ❶ | | 6 | | ● | nothing | 054 | 6 |
| ✗ | | ❷ | | 7 | | ● | nothing | 055 | 7 |
| ✘ | | ❸ | | 8 | | ● | nothing | 056 | 8 |
| ✚ | | ❹ | | 9 | | ● | nothing | 057 | 9 |
| ✚ | | ❺ | | : | | ● | nothing | 058 | : |
| + | | ❻ | | ; | | ● | nothing | 059 | ; |

# GRID 809——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ✠ | | ❼ | | < | | ● | nothing | 060 | < |
| † | | ❽ | | = | | ● | nothing | 061 | = |
| ✞ | | ❾ | | > | | ● | nothing | 062 | > |
| ✝ | | ❿ | | ? | | ● | nothing | 063 | ? |
| ✠ | | ① | | @ | | ● | nothing | 064 | @ |
| ✡ | | ② | | 𝒜 | | ● | nothing | 065 | A |
| ✢ | | ③ | | ℬ | | ● | nothing | 066 | B |
| ✣ | | ④ | | 𝒞 | | ● | nothing | 067 | C |
| ✤ | | ⑤ | | 𝒟 | | ● | nothing | 068 | D |
| ✥ | | ⑥ | | ℰ | | ● | nothing | 069 | E |
| ✦ | | ⑦ | | ℱ | | ● | nothing | 070 | F |
| ✧ | | ⑧ | | 𝒢 | | ● | nothing | 071 | G |
| ★ | | ⑨ | | ℋ | | ● | nothing | 072 | H |
| ☆ | | ⑩ | | ℐ | | ● | nothing | 073 | I |
| ✪ | | ❶ | | 𝒥 | | ● | nothing | 074 | J |
| ☆ | | ❷ | | 𝒦 | | ● | nothing | 075 | K |
| ★ | | ❸ | | ℒ | | ● | nothing | 076 | L |
| ★ | | ❹ | | ℳ | | ● | nothing | 077 | M |
| ★ | | ❺ | | 𝒩 | | ● | nothing | 078 | N |
| ★ | | ❻ | | 𝒪 | | ● | nothing | 079 | O |
| ☆ | | ❼ | | 𝒫 | | ● | nothing | 080 | P |
| ✱ | | ❽ | | 𝒬 | | ● | nothing | 081 | Q |
| ✲ | | ❾ | | ℛ | | ● | nothing | 082 | R |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00030 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 809——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| * | | ⑩ | | S | | ● | nothing | 083 | S |
| * | | → | | T | | ← | | 084 | T |
| * | | → | | U | | ← | | 085 | U |
| * | | ↔ | | V | | ● | nothing | 086 | V |
| * | | ↕ | | W | | ● | nothing | 087 | W |
| * | | ↘ | | X | | ↙ | | 088 | X |
| * | | → | | Y | | ← | | 089 | Y |
| * | | ↗ | | Z | | ↖ | | 090 | Z |
| * | | → | | [ | | ← | | 091 | [ |
| * | | → | | / | | ← | | 092 | \ |
| * | | → | | ] | | ← | | 093 | ] |
| * | | → | | – | | ← | | 094 | shift over 6 |
| * | | → | | — | | ← | | 095 | shift over hyphen |
| * | | ➡ | | ` | | ← | | 096 | ' |
| * | | ➡ | | a | | ← | | 097 | a |
| * | | ➢ | | b | | ➢ | | 098 | b |
| * | | ➢ | | c | | * | | 099 | c |
| * | | ➢ | | d | | ➢ | | 100 | d |
| * | | ➡ | | e | | ➡ | | 101 | e |
| * | | ➡ | | f | | * | | 102 | f |
| * | | ➡ | | g | | * | | 103 | g |

## GRID 809——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ✻ | | ➡ | | *h* | | ⬅ | | 104 | h |
| ✻ | | ⇨ | | *i* | | ⇦ | | 105 | i |
| ✻ | | ⇨ | | *j* | | ✻ | | 106 | j |
| ✻ | | ⇨ | | *k* | | ⇦ | | 107 | k |
| ● | nothing | ⇨ | | *l* | | ⇦ | | 108 | l |
| ○ | | ⇨ | | *m* | | ⇦ | | 109 | m |
| ■ | | ⇨ | | *n* | | ⇦ | | 110 | n |
| ❑ | | ⇨ | | *o* | | ⇦ | | 111 | o |
| ❒ | | ➢ | | *p* | | ● | nothing | 112 | p |
| ❑ | | ⇨ | | *q* | | ⇦ | | 113 | q |
| ❒ | | ⊃ | | *r* | | ⊂ | | 114 | r |
| ▲ | | ➡ | | *s* | | ⬅ | | 115 | s |
| ▼ | | ⬊ | | *t* | | ⬋ | | 116 | t |
| ◆ | | ➡ | | *u* | | ⬅ | | 117 | u |
| ❖ | | ⬋ | | *v* | | ⬊ | | 118 | v |
| ◗ | | ⬊ | | *w* | | ..... | | 119 | w |
| \| | | ➡ | | *x* | | ⬅ | | 120 | x |
| ▌ | | ⬋ | | *y* | | ⬊ | | 121 | y |
| ▮ | | ➡ | | *z* | | ⬅ | | 122 | z |
| ● | nothing | ● | nothing | *{* | | ● | nothing | 123 | { |
| | *COM003* | | *COM003* | | *COM003* | | *COM003* | 124 | \| |
| ● | nothing | ● | nothing | γ | | ● | nothing | 125 | } |
| | *COM003* | | *COM003* | | *COM003* | | *COM003* | 127 | |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00032 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 809——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 168 | ..... |
| ● | nothing | ● | nothing | ≥ | | ● | nothing | 170 | |
| ● | nothing | ● | nothing | ° | | ● | nothing | 171 | |
| ● | nothing | ● | nothing | ′ | | ● | nothing | 172 | |
| | (for embedded folios) | ..... | | ..... | | ..... | | 173 | ..... |
| ● | nothing | ● | nothing | λ | | ● | nothing | 175 | |
| ” | | ⇒ | | 〉 | | ⇐ | | 186 | |
| ’ | | ➽ | | 〈 | | ➼ | | 187 | |
| | blank | ..... | blank | ..... | blank | ..... | blank | 188 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 189 | |
| ● | nothing | ● | nothing | ≤ | | ● | nothing | 190 | |
| ● | nothing | ● | nothing | ε | | ● | nothing | 191 | |
| | blank | | blank | | blank | | blank | 196 | |
| | *COM003* | | *COM003* | | *COM003* | | *COM003* | 198 | |
| ● | nothing | ● | nothing | ● | | ● | nothing | 201 | |
| ● | nothing | ● | nothing | θ | | ● | nothing | 203 | |

# GRID 810——MICROCOMP

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 001 | |
| § | section mark | ● | nothing | ● | nothing | ● | nothing | 006 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 008 | |
| – | nut dash | ● | nothing | ● | nothing | ● | nothing | 009 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 010 | |
| ¢ | cent | ● | nothing | ● | nothing | ● | nothing | 011 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 012 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 016 | |
| { | open brace | ● | nothing | ● | nothing | ● | nothing | 017 | |
| } | close brace | ● | nothing | ● | nothing | ● | nothing | 018 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 019 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 020 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 021 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 022 | |
| | *COM003* | | *COM003* | | *COM003* | | *COM003* | 023 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 027 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 030 | |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 031 | |
| ! | exclamation point | ● | nothing | ● | nothing | ● | nothing | 033 | ! |
| " | double prime | ● | nothing | ● | nothing | ● | nothing | 034 | " |
| # | scratch mark | ● | nothing | ● | nothing | ● | nothing | 035 | # |
| $ | dollar | ● | nothing | ● | nothing | ● | nothing | 036 | $ |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00034 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 810——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| % | percent | ● | nothing | ● | nothing | ● | nothing | 037 | % |
| & | ampersand | ● | nothing | ● | nothing | ● | nothing | 038 | & |
| ' | apostrophe | ● | nothing | ● | nothing | ● | nothing | 039 | ' |
| ( | open paren | ● | nothing | ● | nothing | ● | nothing | 040 | ( |
| ) | close paren | ● | nothing | ● | nothing | ● | nothing | 041 | ) |
| * | asterisk | ● | nothing | ● | nothing | ● | nothing | 042 | * |
| + | plus sign | ● | nothing | ● | nothing | ● | nothing | 043 | + |
| , | comma | ● | nothing | ● | nothing | ● | nothing | 044 | |
| - | hyphen | ● | nothing | ● | nothing | ● | nothing | 045 | - |
| . | period | ● | nothing | ● | nothing | ● | nothing | 046 | . |
| / | shill | ● | nothing | ● | nothing | ● | nothing | 047 | / |
| 0 | zero | ● | nothing | ● | nothing | Ç | dec. 128 | 048 | 0 |
| 1 | one | ● | nothing | ● | nothing | ü | dec. 129 | 049 | 1 |
| 2 | two | ● | nothing | ● | nothing | é | dec. 130 | 050 | 2 |
| 3 | three | ● | nothing | ● | nothing | â | dec. 131 | 051 | 3 |
| 4 | four | ● | nothing | ● | nothing | ä | dec. 132 | 052 | 4 |
| 5 | five | ● | nothing | ● | nothing | à | dec. 133 | 053 | 5 |
| 6 | six | ● | nothing | ● | nothing | å | dec. 134 | 054 | 6 |
| 7 | seven | ● | nothing | ● | nothing | ç | dec. 135 | 055 | 7 |
| 8 | eight | ● | nothing | ● | nothing | ê | dec. 136 | 056 | 8 |
| 9 | nine | ● | nothing | ● | nothing | ë | dec. 137 | 057 | 9 |
| : | colon | ● | nothing | ● | nothing | è | dec. 138 | 058 | : |
| ; | semicolon | ● | nothing | ● | nothing | ● | nothing | 059 | ; |

# GRID 810——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| < | less than | ● | nothing | ● | nothing | ● | nothing | 060 | < |
| = | equal to | ● | nothing | ● | nothing | ● | nothing | 061 | = |
| > | greater than | ● | nothing | ● | nothing | ● | nothing | 062 | > |
| ? | question mark | ● | nothing | ● | nothing | ● | nothing | 063 | ? |
| @ | at sign | @ | dec. 064 | ● | nothing | ● | nothing | 064 | @ |
| A | capital A | ☺ | dec. 001 | ╗ | dec. 176 | α | dec. 224 | 065 | A |
| B | capital B | ☻ | dec. 002 | ╝ | dec. 177 | β | dec. 225 | 066 | B |
| C | capital C | ♥ | dec. 003 | ╜ | dec. 178 | Γ | dec. 226 | 067 | C |
| D | capital D | ♦ | dec. 004 | ╛ | dec. 179 | π | dec. 227 | 068 | D |
| E | capital E | ♣ | dec. 005 | ┐ | dec. 180 | Σ | dec. 228 | 069 | E |
| F | capital F | ♠ | dec. 006 | └ | dec. 181 | σ | dec. 229 | 070 | F |
| G | capital G | • | dec. 007 | ┴ | dec. 182 | µ | dec. 230 | 071 | G |
| H | capital H | ◘ | dec. 008 | ┬ | dec. 183 | τ | dec. 231 | 072 | H |
| I | capital I | ○ | dec. 009 | ├ | dec. 184 | Φ | dec. 232 | 073 | I |
| J | capital J | ◙ | dec. 010 | ─ | dec. 185 | θ | dec. 233 | 074 | J |
| K | capital K | ♂ | dec. 011 | ┼ | dec. 186 | Ω | dec. 234 | 075 | K |
| L | capital L | ♀ | dec. 012 | ╞ | dec. 187 | δ | dec. 235 | 076 | L |
| M | capital M | ♪ | dec. 013 | ╟ | dec. 188 | ∞ | dec. 236 | 077 | M |
| N | capital N | ♫ | dec. 014 | ╚ | dec. 189 | ø | dec. 237 | 078 | N |
| O | capital O | ☼ | dec. 015 | ╔ | dec. 190 | ε | dec. 238 | 079 | O |
| P | capital P | ► | dec. 016 | ╩ | dec. 191 | ∩ | dec. 239 | 080 | P |
| Q | capital Q | ◄ | dec. 017 | ╦ | dec. 192 | ≡ | dec. 240 | 081 | Q |
| R | capital R | ↕ | dec. 018 | ╠ | dec. 193 | ± | dec. 241 | 082 | R |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00036 Fmt 2121 Sfmt 2121 HRDGRD.MCP apps23

# GRID 810——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| S | capital S | ‼ | dec. 019 | ⊤ | dec. 194 | ≥ | dec. 242 | 083 | S |
| T | capital T | ¶ | dec. 020 | ⊢ | dec. 195 | ≤ | dec. 243 | 084 | T |
| U | capital U | § | dec. 021 | – | dec. 196 | ∫ | dec. 244 | 085 | U |
| V | capital V | ▬ | dec. 022 | + | dec. 197 | ● | nothing | 086 | V |
| W | capital W | ↨ | dec. 023 | ⊨ | dec. 198 | ÷ | dec. 246 | 087 | W |
| X | capital X | ↑ | dec. 024 | ⊩ | dec. 199 | ≈ | dec. 247 | 088 | X |
| Y | capital Y | ↓ | dec. 025 | ⊥ | dec. 200 | ° | dec. 248 | 089 | Y |
| Z | capital Z | → | dec. 026 | ⊩ | dec. 201 | • | dec. 249 | 090 | Z |
| [ | open bracket | [ | dec. 091 | ● | nothing | · | dec. 250 | 091 | [ |
| / | shill | ] | dec. 092 | ● | nothing | ● | nothing | 092 | ] |
| ] | close bracket | ] | dec. 093 | ● | nothing | √ | dec. 251 | 093 | ] |
| ^ | caret | ^ | dec. 094 | ● | nothing | ⁿ | dec. 252 | 094 | shift over 6 |
| _ | em dash | – | dec. 095 | ● | nothing | ² | dec. 253 | 095 | shift over hyphen |
| ' | open quote | ' | dec. 096 | ● | nothing | ■ | dec. 254 | 096 | ' |
| a | lowercase a | ← | dec. 027 | ⊥ | dec. 202 | ï | dec. 139 | 097 | a |
| b | lowercase b | ∟ | dec. 028 | ⊤ | dec. 203 | î | dec. 140 | 098 | b |
| c | lowercase c | ↔ | dec. 029 | ⊢ | dec. 204 | c | dec. 141 | 099 | c |
| d | lowercase d | ▲ | dec. 030 | ═ | dec. 205 | Ä | dec. 142 | 100 | d |
| e | lowercase e | ▼ | dec. 031 | ╬ | dec. 206 | Å | dec. 143 | 101 | e |
| f | lowercase f | " | dec. 034 | ⊥ | dec. 207 | f | dec. 144 | 102 | f |
| g | lowercase g | ' | dec. 039 | ⊥ | dec. 208 | g | dec. 147 | 103 | g |

# GRID 810——MICROCOMP—Continued

using character table from format 0634

| Typeface 1 | | Typeface 2 | | Typeface 3 | | Typeface 4 | | Decimal value | Key top |
|---|---|---|---|---|---|---|---|---|---|
| Character | Description | Character | Description | Character | Description | Character | Description | | |
| h | lowercase h | * | | ╥ | dec. 209 | ö | dec. 148 | 104 | h |
| i | lowercase i | ¦ | dec. 124 | ╦ | dec. 210 | ò | dec. 149 | 105 | i |
| j | lowercase j | æ | dec. 145 | ╩ | dec. 211 | j | dec. 150 | 106 | j |
| k | lowercase k | Æ | dec. 146 | ╨ | dec. 212 | ù | dec. 151 | 107 | k |
| l | lowercase l | Pł | dec. 158 | ╒ | dec. 213 | ÿ | dec. 152 | 108 | l |
| m | lowercase m | º | dec. 166 | ╓ | dec. 214 | Ö | dec. 153 | 109 | m |
| n | lowercase n | º | dec. 167 | ╫ | dec. 215 | Ü | dec. 154 | 110 | n |
| o | lowercase o | ¿ | dec. 168 | ╪ | if it didn't have that line at the top it would be a dec. 216 | ¢ | dec. 155 | 111 | o |
| p | lowercase p | ⌐ | dec. 169 | ┘ | dec. 217 | á | dec. 160 | 112 | p |
| q | lowercase q | ¬ | dec. 170 | ┌ | dec. 218 | í | dec. 161 | 113 | q |
| r | lowercase r | ½ | dec. 171 | ▄ | dec. 219 | ó | dec. 162 | 114 | r |
| s | lowercase s | ¼ | dec. 172 | ▬ | similar to dec. 220 | ú | dec. 163 | 115 | s |
| t | lowercase t | ¡ | dec. 173 | ▌ | dec. 221 | ñ | dec. 164 | 116 | t |
| u | lowercase u | < | dec. 174 | ▐ | dec. 222 | Ñ | dec. 165 | 117 | u |
| v | lowercase v | > | dec. 175 | ▬ | almost dec. 223 | ● | nothing | 118 | v |
| w | lowercase w | ƒ | dec. 159 | ● | nothing | ..... | nothing | 119 | w |
| x | lowercase x | £ | dec. 156 | ● | nothing | ● | nothing | 120 | x |
| y | lowercase y | ¥ | dec. 157 | ● | nothing | ● | nothing | 121 | y |
| z | lowercase z | ● | nothing | ● | nothing | ● | nothing | 122 | z |
| ● | nothing | ● | nothing | ● | nothing | ● | nothing | 123 | { |
| | *COM003* | | *COM003* | | *COM003* | | *COM003* | 124 | \| |



VerDate 27-FEB-98 15:09 Mar 19, 1998 Jkt 000000 PO 00000 Frm 00038 Fmt 2121 Sfmt 2121 HRDGRD.MCP amc23