

IMPORTANT

United States Customs and Border Protection
National Distribution Center **(NDC)**
Delivery Information

All Deliveries to the CBP NDC
Must follow NDC pallet specifications or

**DELIVERY WILL
BE REFUSED!**

CARRIER AND/OR CONTRACTOR WILL BE REQUIRED

**AT THEIR EXPENSE
TO RE-PALLET AND
REDELIVER JOB!**

CARRIER IS CAUTIONED TO PROVIDE THIS
INFORMATION TO ANY SUBCONTRACTORS

**NDC MUST BE CONTACTED
BEFORE JOB IS ON PALLETS!**
At least 48 hours prior to delivery

Call:


Brad Hemmelgarn (317) 607-7515
BRAD.K.HEMMELGARN@cbp.dhs.gov
NDCREQUESTFORMMAILBOX@cbp.dhs.gov

CONTACT: Brad Hemmelgarn (317) 607-7515

***** DELIVERY WILL BE REFUSED IF THESE INSTRUCTIONS ARE NOT FOLLOWED *****


Stringer and Deckboard Design for Type III, Four-way (Partial) Flush Pallet

- a) Federal Specification Pallets, Material Handling, Wood, Stringer Construction, 2-way and 4-way (partial), NN-P-71C, dated 9-10-73.
- b) Classification:
 - 1. Type III—four-way (partial), flush, assembled, nonreversible.
 - 2. Size 2—40" x 48".
 - 3. Wood Group II—medium density woods (softwoods), or Wood Group III—high density woods (hardwoods).
 - 4. Grade A—untreated.
- c) Preproduction model not required.
- d) Moisture content as per specification.
- e) Manufacturer's identification not required.
- f) Bundling for shipment not required.



***** LOADED PALLET 52" MAX HEIGHT ***
(including pallet height)**

NN-P-71C



- 1. Dimensions are in inches.
- 2. Notches are to be centered about the centerline (CL).
- 3. Corners of notches shall be rounded as indicated.
- 4. One or two bottom deckboards may be used at the center.

**Type III,
Four-way (Partial)
Flush Pallet**

