

Jacket: 718-980

Title: STP 21-1-SMCT September 2021

Agency: U.S. Army - 3711-02

Bid opening: June 14, 2023 at 11:00 a.m., prevailing Eastern Standard Time

Contractor Name	Bid	Terms	Discount
*ARC III LSC Holdings LLC	\$129,750.00	Net % 30 days	\$129,750.00
Monarch Litho	\$149,941.00	2 % 20 days	\$146,942.18
NPC, Inc.	\$173,325.18	2 % 20 days	\$169,858.68
District Creative Printing	\$236,944.00	2 % 20 days	\$232,205.12

* Award

RW / RG

June 8, 2023

This is Amendment No. 1. The specifications in our invitation for bids on Jacket 718-980, scheduled for opening at 11:00 AM EST on June 14, 2023, are amended as follows:

1. The verbiage in DESCRIPTION on page 3 of bid specifications, "LAY FLAT", is to be removed. Binding is wrap around, perfect bound cover. Covers are to have score on front and back covers 1/4" from bind.
2. The verbiage in DESCRIPTION on page 3 of bid specifications, "TRIM:", will change from 5-1/2 x 8-1/2" to 5-3/8 x 8-3/8"

All other specifications remain the same.

If amendment is not acknowledged on bid, direct acknowledgement to:

U.S. Government Publishing Office
MidAtlantic Region APS Team
infomidatlantic@gpo.gov

Amended bid or acknowledgement must be submitted using the method(s) specified in the solicitation for bid submission. Telephone or e-mail submission is not acceptable.

BIDDER MUST ACKNOWLEDGE RECEIPT OF THIS AMENDMENT PRIOR TO BID OPENING.

Failure to acknowledge receipt of amendment, by amendment number, prior to bid-opening time, may be reason for bid being declared nonresponsive.

Sincerely,

RICHARD W. GILBERT
Contracting Officer

U.S. Government Publishing Office (GPO)
Midatlantic Region
General Terms, Conditions, and Specifications
For the procurement of
STP 21-1-SMCT September 2021
As requested from U.S. Government Publishing Office (GPO) by the
United States Army

BID OPENING: Bids shall be opened at **11:00 a.m.**, prevailing Eastern Standard Time **June 14, 2023** at the U.S. Government Publishing Office, Midatlantic Region.

BID SUBMISSION: Bidders must email bids to bids@midatlantic@gpo.gov for this solicitation. No other method of bid submission will be accepted at this time. The program number and bid opening date must be specified in the subject line of the emailed bid submission. **Bids received after 11:00 AM EST on the bid opening date specified above will not be considered for award. This will not be a public bid opening.**

Bidders are to fill out, sign/initial, as applicable, Page 8 ‘SCHEDULE OF PRICES’.

ADDITIONAL EMAILED BID SUBMISSION PROVISIONS: The Government will not be responsible for any failure attributable to the transmission or receipt of the emailed bid including, but not limited to, the following

- 1) Illegibility of bid.
- 2) Emails over 75 MB may not be received by GPO due to size limitations for receiving emails.
- 3) The bidder’s email provider may have different size limitations for sending email; however, bidders are advised not to exceed GPO’s stated limit.
- 4) When the email bid is received by GPO, it will remain unopened until the specified bid opening time. Government personnel will not validate receipt of the emailed bid prior to bid opening. GPO will use the prevailing time (specified as the local time zone) and the exact time that the email is received by GPO’s email server as the official time stamp for bid receipt at the specified location.

For information regarding the solicitation requirements prior to award, please contact Russ Ward 757-490-7940 Ext. 7 or ward@gpo.gov

GPO CONTRACT TERMS: Any contract which results from this Invitation for Bid will be subject to the applicable provisions, clauses, and supplemental specifications of GPO Contract Terms (GPO Publication 310.2, effective December 1, 1987 (Rev. 01-18)) and GPO Contract Terms, Quality Assurance Through Attributes Program for Printing and Binding (GPO Publication 310.1, effective May 1979 (revised 9-19)).

GPO Contract Terms (GPO Publication 310.2) – <https://www.gpo.gov/docs/default-source/forms-and-standards-files-for-vendors/contractterms2018.pdf>

GPO QATAP (GPO Publication 310.1) – <https://www.gpo.gov/docs/default-source/forms-and-standards-files-for-vendors/qatap-rev-09-19.pdf>

DOING BUSINESS WITH THE GPO: Contractors wishing to do business with the GPO are referred to the GPO

web site <http://www.gpo.gov/business/index.html>, where one can register as a GPO contractor using the 'GPO Contractor Connection' link in accordance with the furnished instructions on that page.

PREAWARD SURVEY: In order to determine the responsibility of the prime contractor or any subcontractor, the Government reserves the right to conduct an on-site pre-award survey at the contractor's/subcontractor's facility or to require other evidence of technical, production, managerial, financial, and similar abilities to perform, prior to the award of a contract. As part of the financial determination, the contractor in line for award may be required to provide one or more of the following financial documents:

- 1) Most recent profit and loss statement
- 2) Most recent balance sheet
- 3) Statement of cash flows
- 4) Current official bank statement
- 5) Current lines of credit (with amounts available)
- 6) Letter of commitment from paper supplier(s)
- 7) Letter of commitment from any subcontractor

The vendor must supply contingency plans prior to award on how units that may fail within warranty period will be replaced.

The documents will be reviewed to validate that adequate financial resources are available to perform the contract requirements. Documents submitted will be kept confidential, and used only for the determination of responsibility by the Government. Failure to provide the requested information in the time specified by the Government may result in the Contracting Officer not having adequate information to reach an affirmative determination of responsibility.

NOTE: Prior to award the apparent low vendor must be able to show ability to produce the product in question and may be asked to supply samples of similar items.

PAYMENT: PLEASE SUBMIT BILLING PACKAGES WITHIN 15 DAYS OF DELIVERY.

Submitting invoices for payment via the GPO fax gateway (if no samples are required) utilizing the GPO barcode coversheet program application is the most efficient method of invoicing. Instruction for using this method can be found at the following web address: <http://winapps.access.gpo.gov/fms/vouchers/barcode/instructions.html>

Invoices may also be mailed to: U.S. Government Publishing Office, Office of Financial Management, Attn: Comptroller, Stop: FMCE, Washington, DC 20401.

For more information about the billing process refer to the General Information of the Office of Finance web page located at <https://www.gpo.gov/how-to-work-with-us/vendors/how-to-get-paid>

MODS: If any additional costs are incurred during the production of this job due to Government action (i.e. AAs), contractor is REQUIRED to submit written request to the Printing Specialist for written approval BEFORE proceeding.

Only a warranted GPO Contracting Officer acting within their appointed limits, has the authority to issue modifications or otherwise change the terms and conditions of this contract. If an individual other than the GPO Contracting Officer attempts to make changes to the terms and conditions of this contract, you shall not proceed with the change and shall immediately notify the GPO Contracting Officer. Proceeding with any work not authorized by the GPO Contracting Officer will be at the Contractor's own risk.

SUBCONTRACTING: The predominant production function is printing. Must be printed on a press capable of printing two colors (two printing units) in a single pass. Bidders who must subcontract this operation will be declared non-responsible.

PRODUCT: Perfect-bound 3-hole drilled books

QUANTITY: 75,000

TITLE: STP 21-1-SMCT September 2021

PAGES: 408 text pages + 4-page cover + spine

TRIM: 5-1/2 x 8-1/2"

DESCRIPTION: Prior to production SAMPLES required. COVERS 1 and 4 and SPINE print in PMS 4485 + Black. Build not acceptable of PMS. TEXT and Covers 2 and 3 print in Black. Text pages do not bleed. SET margins as 1" gutter, 1/4" top, bottom, and outside edge. Wrap around perfect bound cover to open with ease and LAY FLAT when open: flush trim, glued on, grain must run parallel to spine, score at bind to prevent cracking with an additional score 1/4" from bind on front and back covers. Trim covers and text 3 sides. DRILL (complete book) 3 (3/8") round holes, 2-3/4" center to center; centered on left 8-1/2" side; center of holes 3/8" from left edge of sheet without loss of information. DELIVERY with traceable means to 5 destinations. Shipping costs need to be included in the bid price. Email tracking#

GOVERNMENT TO FURNISH: 62 MB PDF text print file + cover and spine files will be available after award. Contractor must have an ftp site or drop box for file transfer.

CONTRACTOR TO FURNISH: All materials and operations, other than those listed under "Government to Furnish," necessary to produce the product in accordance with these specifications.

ELECTRONIC PREPRESS: File is setup as 4 color process 8-1/2 x 11".

Prior to image processing, the contractor shall perform an extensive check (preflight) of the furnished media and publishing files to assure correct output of the required reproduction image. Any errors, media damage, or data corruption that might interfere with proper file image processing must be reported to GPO.

The contractor shall create any necessary trapping, set proper screen angles and screen frequency, and define file output selection for the imaging device being utilized. Furnished files must be imaged as necessary to meet the assigned quality level.

When required by the Government, the contractor shall make minor revisions to the electronic files. It is anticipated that the Government will make all major revisions.

Upon completion, the contractor must furnish final production native application files with the furnished material. The digital deliverables must be an exact representation of the final printed product and shall be returned on the same type of storage media as was originally furnished. The Government will not accept, as digital deliverables, PostScript files, or any proprietary file formats other than those supplied, unless specified by the Government.

PROOFS: When emailing, please be reminded that not all emails are entered correctly and many Government agencies have significant firewalls, as such a phone call to confirm receipt of email is required.

Contractor to submit one Press Quality PDF soft proof (for content only) using the same Raster Image Processor (RIP) that will be used to produce the final printed product. PDF proof will be evaluated for text flow, image position, and color breaks. Proof will not be used for color match. Include REMINDER that agency can keep proof Two (2) workdays. Date of receipt is NOT considered first workday. EMAIL tracking# to Tony.Ragin.civ@mail.mil; and wward@gpo.gov CALL (703) 693-1482 to confirm receipt.

After approval of Electronic proof, deliver one preproduction sample (to include cover, spine, and all text pages) with GFM to:

18466 Quantico Gateway Drive
Triangle, VA 22172
Attn: Tony Ragin, 703-731-7945

Supply proof sign-off sheet, return airbill, copy of specifications, all furnished materials, & reminder agency can only keep proof Two (2) workdays. Date of receipt is not considered first day. Contractor is responsible for costs incurred and arrangements of delivery and pickup of proofs. EMAIL tracking# to Tony.Ragin.civ@mail.mil; and wward@gpo.gov CALL (703) 731-7945 to confirm receipt.

PROOFS WILL NOT BE RETURNED TO CONTRACTOR.

Prior to the commencement of production of the contract production quantity, the contractor shall submit one preproduction sample (to include cover, spine, and all text pages) to: Tony Ragin, 18466 Quantico Gateway Drive Triangle, VA 22172. The Prior to Production Samples must be produced as specified using the format, ink, stock, equipment, and methods of production that will be used in producing the final product. Do not print the entire quantity until receipt of the OK from the Government. Samples will be tested for conformance of material(s), functionality, printed image quality, and for construction. The container and accompanying documentation shall be marked "PREPRODUCTION SAMPLE" and shall include the GPO jacket and the job title. The samples must be submitted in sufficient time to allow Government testing of the samples and production and shipment in accordance with the shipping schedule.

The Government will approve, conditionally approve, or disapprove the samples within 2 workdays of the receipt thereof. Approval or conditional approval shall not relieve the contractor from complying with the specifications and all other terms and conditions of the contract. A conditional approval shall state any further action required by the contractor. A notice of disapproval shall state the reasons therefor.

If the samples are disapproved by the Government, the Government, at its option, may require the contractor to submit additional samples for inspection and test, in the time and under the terms and conditions specified in the notice of rejection. Such additional samples shall be furnished, and necessary changes made, at no additional cost to the Government and with no extension in the shipping schedule. The Government will require the time specified above to inspect and test any additional samples required.

In the event the additional samples are disapproved by the Government, the contractor shall be deemed to have failed to make delivery within the meaning of the default clause in which event this contract shall be subject to termination for default, provided however, that the failure of the Government to terminate the contract for default in such event shall not relieve the contractor of the responsibility to deliver the contract quantities in accordance with the shipping schedule.

In the event the Government fails to approve, conditionally approve, or disapprove the samples within the time specified, the Contracting Officer shall automatically extend the shipping schedule in accordance with Contract Clause 12, "Notice of Compliance with Schedules," of GPO Contract Terms (GPO Publication 310.2, effective December 1, 1987 (Rev. 01-18)).

Manufacture of the final product prior to approval of the sample submitted is at the contractor's risk. Samples will not be returned to the contractor. All costs, including the costs of all samples shall be included in the contract price for the production quantity. All samples shall be manufactured at the facilities in which the contract production quantities are to be manufactured.

The contractor must not print prior to receipt of an "OK to print."

PRINTING: Cover and spine prints head to head in PMS 4485 + Black. Build not acceptable of PMS. C2, C3, and Text print head to head in Black.

STOCK/PAPER: The specifications of all paper furnished must be in accordance with those listed herein or listed for the corresponding JCP Code numbers in the "Government Paper Specification Standards No. 13" dated September 2019. https://www.gpo.gov/docs/default-source/forms-and-standards-files-for-vendors/vol_13.pdf

All paper used in each copy must be of a uniform shade and all paper must have the grain parallel to the fold.

TEXT: White Offset Book, Basis weight: 50 lbs. per 500 sheets, 25 x 38"), equal to JCP Code A60.

COVER: – White Index, Basis weight: 110 lbs. per 500 sheets, 25-1/2 x 30-1/2"), equal to JCP Code K10.

INK: Covers 1, 4 and Spine = PMS 4485 + Black
Covers 2, 3, and Text = Black

MARGINS: Covers bleed must be built. Text margins are 1" gutter, 1/4" top, bottom, and outside edge.

BINDING: Wrap around perfect bound cover to open with ease and lay flat when open: flush trim, glued on, grain must run parallel to spine, score at bind to prevent cracking with an additional score 1/4" from bind on front and back covers. Trim covers and text 3 sides. DRILL (complete book) 3 (3/8") round holes, 2-3/4" center to center; centered on left 8-1/2" side; center of holes suitable from left edge of sheet without loss of information.

PACKING: Pack suitable quantities in shipping containers with a minimum bursting strength of 275 psi. All shipments which fill less than a shipping container must be packaged with materials of sufficient strength and durability and in such a manner which will guarantee that the product will not be damaged and the package will not open nor split during delivery/ mailing process.

Pallets are required and must conform to GPO Contract Terms Supplemental Specifications for palletizing. Pallet height must not exceed 45 inches. Pallet construction must be as follows:

48" wide across the front where the forklift slots are located.

40" deep

5-6" high

Maximum height of palletized products must be no higher than 52", to include the pallet. Wrap pallet to prevent spillage.

THE CONTRACTOR IS ADVISED TO MAKE CERTAIN THAT THE CONTAINER AND THE PALLET REQUIREMENTS ARE EXACTLY AS INDICATED. NO SUBSTITUTIONS WILL BE ACCEPTED FOR EITHER OF THESE.

When multiple pallets are required to package the same product, the containers must be identified as to number of containers (e.g., 1 of 3, 2 of 3, and 3 of 3).

LABELING AND MARKING (Package and/or Container label): Each package or carton must be labeled. The label MUST indicate full title, quantity, Jacket number, and total number of boxes shipped, i.e. 6 of 10.

SCHEDULE: Purchase Order and furnished material will be emailed no later than **Friday June 16, 2023**.

Unscheduled material such as shipping documents, receipts or instructions, delivery lists, labels, etc., will be furnished with the order or shortly thereafter. In the event such information is not received in due time, the contractor will not be relieved of any responsibility in meeting the shipping schedule because of failure to request such information.

Submit proofs as soon as possible in order to comply with the shipping schedule. Proofs will be withheld two (2) workdays from receipt until approval of proofs. Date of receipt is not considered first day. The contractor must not print prior to receipt of an "OK to print."

Inside delivery to five locations must be made by **Friday August 4, 2023**.

DEPARTMENTAL RANDOM COPIES (BLUE LABEL): Order must be divided into 200 equal sublots. A random copy must be selected from each subplot. Do not choose copies from the same general area in each subplot. The contractor will be required to execute a statement furnished by GPO certifying that copies were selected as directed. The random copies constitute a part of the total quantity ordered, and no additional charge will be allowed.

These randomly selected copies must be packed separately and identified by a special government-furnished blue label, affixed to each affected container. The container and its contents shall be recorded separately on all shipping documents and sent to: MDD St. Louis, MO. (see distribution).

NOTIFICATION OF SHIPMENT: Immediately after the order has shipped/delivered, the contractor must email tracking# to Tony.Ragin.civ@mail.mil and wward@gpo.gov on same day product ships. Ensure all boxes contain title, job#, and box# of total shipment.

DISTRIBUTION: Shipping costs need to be included in the bid price.

F.O.B. DESTINATION – CONTRACTOR PAYS THE FREIGHT TO DELIVER. INSIDE DELIVERY MUST BE MADE BY 2PM LOCAL TIME TO 5 DESTINATIONS. Deliver no later than August 4, 2023.

INSIDE DELIVERY OF 20,000 TO:

COMMANDER 120th AG Bn (Rec)

1895 Washington Rd

Fort Jackson, SC 29207-5315

803-751-6047 or alternate's 5595

513-238-6462

Alternate 803-751-6429

24 Hours advance notice is required for deliveries.

When driver and truck are 30 min – 1 hour out from Ft. Jackson the company or driver to call 803-751-6047 with ETA. Deliveries acted 9AM – 4PM Mon- Fri. No loading dock available, manual offload required and truck must have liftgate. Driver must remain with vehicle until off loaded.

INSIDE DELIVERY OF 15,000

Commander

30th AG Bn (Rec), attn. D Co

5305 3rd In Div Rd. BLDG 3010

Fort Benning, GA 31905-4776

INSIDE DELIVERY OF 20,000 TO:

COMMANDER 95th AG BN (RCPT)

6076 Rothwell Street

Fort Sill, OK 73503-5600

580-442-8051/3172/3423/3121

No Loading dock available.

INSIDE DELIVERY OF 15,000

Commander

43rd AG, Attn. Mr. Brown (ROC)

Building 2100

4566 Oklahoma Ave.

Fort Leonard Wood, MO 65473-5000

No Equipment for off load, driver must be able to stay until off loaded.

Please contact POC 24 hrs. prior to delivery 573-596-0659/7157

INSIDE DELIVERY OF 5,000

ATSC warehouse

3308 Wilson Ave.

Fort Eustis, VA 23608

Replenishment/ Stock

580-442-8051/3172/3423/3121

QUALITY ASSURANCE LEVELS AND STANDARDS: The following levels and standards shall apply to these specifications:

Product Quality Levels:

- (a) Printing Attributes -- Level II.
- (b) Finishing Attributes -- Level II.

Inspection Levels (from ANSI/ASQC 21.4):

- (a) Non-destructive Tests - General Inspection Level I.
- (b) Destructive Tests - Special Inspection Level S-2.

Specified Standards: The specified standards for the attributes requiring them shall be:

<u>Attribute</u>	<u>Specified Standard</u>
P-7. Type Quality and Uniformity	Approved preproduction sample
P-9. Solid or Screen Tints Color Match	Approved preproduction sample/Pantone Matching System

Prior to award, contractor may be required to provide information related to specific equipment that will be used prior to production.

Bidders must fill out this page and return it.

BID PRICE: \$ _____ **ADDITIONAL RATE:** \$ _____ **PER M:** _____

DISCOUNTS: Discounts are offered for payment as follows: _____ Percent, _____ calendar days. See Article 12 "Discounts" of Solicitation Provisions in GPO Contract Terms (Publication 310.2).

AMENDMENT(S): Bidder hereby acknowledges amendment(s) number(ed) _____

BID ACCEPTANCE PERIOD: In compliance with the above, the undersigned agree, if this bid is accepted within _____ calendar days (60 calendar days unless a different period is inserted by the bidder) from the date for receipt of bids, to furnish the specified items at the price set opposite each item, delivered at the designated points(s), in exact accordance with specifications.

NOTE: Failure to provide a 60-day bid acceptance period may result in expiration of the bid prior to award.

BIDDER'S NAME AND SIGNATURE: Unless specific written exception is taken, the bidder, by signing and submitting a bid, agrees with and accepts responsibility for all certifications and representations as required by the solicitation and GPO Contract Terms – Publication 310.2. When responding by email, fill out and return one completed copy of all applicable pages that include the Jacket Number, Bid Price, Additional Rate, Discounts, Amendments, Bid Acceptance Period, and Bidder's Name and Signature, including signing where indicated. Valid electronic signatures will be accepted in accordance with the Uniform Electronic Transactions Act, § 2. Electronic signatures must be verifiable of the person authorized by the company to sign bids.

Failure to sign the signature block below may result in the bid being declared non-responsive

Bidder _____
(Contractor Name) (GPO Contractor's Code)

(Street Address)

(City – State – Zip Code)

By _____
(Printed Name, Signature, and Title of Person Authorized to Sign this Bid) (Date)

(Person to be Contacted) (Telephone Number) (Email)

COMPLETE THIS PAGE AND SUBMIT AS YOUR BID

THIS SECTION FOR GPO USE ONLY

Certified by: _____ Date: _____ Contracting Officer: _____ Date: _____
(Initials) (Initials)
