AUTHENTICATED
U.S. GOVERNMENT
INFORMATION
GPO

(Secs. 4(i) and 303(r), Communications Act of 1934, as amended, §§0.131 and 0.331 of the Commission's Rules and 5 U.S.C. 553 (b)(3)(B) and (d)(3); 47 U.S.C. 154(i) and 303)

[43 FR 54791, Nov. 22, 1978]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §90.73, see the List of CFR Sections Affected in the Finding Aids section of this volume.

§ 90.75 Business Radio Service.

(a) *Eligibility.* Persons primarily engaged in any of the following activities are eligible to hold authorizations in the Business Radio Service to provide commercial mobile radio service as defined in part 20 of this chapter or to operate stations for transmission of communications necessary to such activities of the licensee:

(1) The operation of a commercial activity.

(2) The operation of educational, philanthropic, or ecclesiastical institutions.

(3) Clergymen activities.

(4) The operation of hospitals, clinics or medical associations.

(b) *Frequencies available.* The following table indicates frequencies available for assignment to stations in the Business Radio Service together with the class of station(s) to which they are normally assigned, and the specific assignment limitations, which are explained in paragraph (c) of this section.

BUSINESS RADIO SERVICE FREQUENCY TABLE

Frequency or band	Class of station(s)	Limitations
Megahertz		
27.43	Base or Mobile	1, 2
27.45	do	1, 2
27.47	do	1, 2
27.49	do	1, 3
27.51	Mobile	4
27.53	do	4
30.76	Base or Mobile	1, 2
30.80	do	1, 2
30.84	Mobile	4, 22
30.88	Base or Mobile	1, 2
30.92	do	1, 2
30.96	do	1, 2
31.00	do	1, 2
31.04	do	1, 2
31.16	do	1, 2
31.20	do	1, 2
31.24	do	1, 2
33.14	Mobile	4, 22
33.16	Base or Mobile	1, 2
33.40	Mobile	6, 22
35.02	do	4, 5, 22
35.04	Base or Mobile	1, 3
35.06	do	1, 2

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
35.08	do	1, 2
35.10	do	1, 2
35.12	do	1, 2
35.14	do	1, 2
35.18	do	1, 2
35.70	do	2
35.72	do	2
35.88	do	1, 2
35.90	do	1, 2
35.92	do	1, 2
35.94	do	
35.96	do	
35.98	do	
42.96	do	1, 2
42.98	Mobile	4, 22
43.00	Base or Mobile	1, 2
72 to 76	Operational fixed	7
74.61	Mobile	45
74.63	do	45
74.65	do	45
74.67	do	45
74.69	do	45
74.71	do	45
74.73	do	45
74.75	do	45
74.77	do	45
74.79	do	45
75.21	do	45
75.23	do	45
75.25	do	45
75.27	do	45
75.29	do	45
75.31	do	45
75.33	do	45
75.35	do	45
75.37	do	45
75.39	do	45
150 to 170	Base or Mobile	48, 54
150.815	Mobile	8
150.830	Base	8, 10, 12, 49, 55
150.845	Base or Mobile	8
150.8525	do	8, 24
150.860	do	8
150.8675	do	8, 24
150.875	do	8
150.8825	do	8, 24
150.890	do	8
150.8975	do	8, 24
150.905	do	8
150.920	Base	8, 10, 12, 49, 55
150.935	Base or Mobile	8
150.9425	do	8, 24
150.950	do	8
150.9575	do	8, 24
150.965	do	8
150.9725	do	8, 24
150.995	do	8
151.0025	do	8, 24
151.010	do	8
151.0175	do	8, 24
151.025	do	8
151.0325	do	8, 24
151.040	do	8
151.0475	do	8, 24
151.055	do	8
151.070	Base	8, 10, 12, 49, 55
151.085	Base or Mobile	8
151.0925	do	8, 24

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
151.100	do	8
151.1075	do	8, 24
151.115	do	8
151.1225	do	8, 24
151.130	do	8
151.1375	do	8, 24
151.145	do	8
151.1525	do	8, 24
151.160	do	8
151.1675	do	8, 24
151.175	do	8
151.190	Base	8, 10, 12, 49, 55
151.205	Base or Mobile	8
151.2125	do	8, 24
151.220	do	8
151.2275	do	8, 24
151.235	do	8
151.2425	do	8, 24
151.250	do	8
151.2575	do	8, 24
151.265	do	8
151.2725	do	8, 24
151.280	do	8
151.2875	do	8, 24
151.295	do	8
151.310	Base	8, 10, 12, 49, 55
151.325	Base or Mobile	8
151.3325	do	8, 24
151.340	do	8
151.3475	do	8, 24
151.355	do	8
151.3625	do	8, 24
151.370	do	8
151.3775	do	8, 24
151.385	do	8
151.3925	do	8, 24
151.400	do	8
151.4075	do	8, 24
151.415	do	8
151.4225	do	8, 24
151.430	do	8
151.4375	do	8, 24
151.445	do	8
151.4525	do	8, 24
151.460	do	8
151.4675	do	8, 24
151.475	do	8
151.4825	do	8, 24
151.625	do	1, 3
151.640	do	1, 2, 46
151.6475	do	1, 2, 24
151.655	do	1, 2
151.6625	do	1, 2, 24
151.670	do	1, 2, 24
151.6775	do	1, 2, 24
151.685	do	1, 2
151.700	do	3, 30, 47
151.715	do	1, 2
151.7225	do	1, 2, 24
151.730	do	1, 2, 24
151.7375	do	1, 2, 24
151.745	do	1, 2
151.760	do	3, 30, 47
151.775	do	1, 2
151.7825	do	1, 2, 24
151.790	do	1, 2, 24
151.7975	do	1, 2, 24
151.805	do	1, 2
151.820	Mobile	13, 22, 47, 51

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
151.835	Base or Mobile	1, 2
151.8425	do	1, 2, 24
151.850	do	1, 2, 24
151.8575	do	1, 2, 24
151.865	do	1, 2
151.880	Mobile	13, 22, 47, 51
151.895	Base or Mobile	1, 2
151.9025	do	1, 2, 24
151.910	do	1, 2, 24
151.9175	do	1, 2, 24
151.925	do	
151.940	Mobile	13, 22, 47, 51
151.955	Base or Mobile	
151.9625	do	1, 2, 24
151.970	do	1, 2, 24
151.9775	do	1, 2, 24
152.300	do	9
152.3075	do	9, 24
152.315	do	1, 9
152.3225	do	1, 9, 24
152.345	do	1, 9
152.3525	do	1, 9, 24
152.360	do	9
152.3675	do	9, 24
152.375	do	1, 9
152.3825	do	1, 9, 24
152.405	do	1, 9
152.4125	do	1, 9, 24
152.420	do	9
152.4275	do	9, 24
152.480	Base	10, 11, 12, 49, 55
154.45625	Mobile	18, 19, 36
154.46375	do	18, 19, 35, 37
154.47125	do	18, 19, 35
154.515	Base or Mobile	1, 2
154.5275	Mobile	3, 30, 47
154.540	Base or Mobile	1, 2
154.5475	do	1, 2, 24
154.555	do	1, 2, 46
154.570	Mobile	4, 13, 22
154.585	do	4, 13, 22, 38, 24
154.600	do	4, 14, 22
154.610	Base or Mobile	1, 2, 46
154.625	Base	10, 11, 15, 49
154.640	do	10, 11, 15, 24
157.560	Base or Mobile	9
157.5675	do	9, 24
157.575	Mobile	1, 9
157.5825	do	1, 9, 24
157.605	Mobile	1, 9
157.6125	do	1, 9, 24
157.620	Base or Mobile	9
157.6275	do	9, 24
157.635	Mobile	1, 9
157.6425	do	1, 9, 24
157.665	Mobile	1, 9
157.6725	do	1, 9, 24
157.680	do	9
157.6875	do	9, 24
157.740	Base	10, 11, 12, 49, 55
158.460	do	10, 11, 12, 15, 49
169 to 172	Mobile, operational fixed.	17

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
173.20375	Mobile	18, 19, 35
173.2100	do	18, 20, 35
173.2375	do	18, 19, 36
173.2625	do	18, 19, 36
173.2875	do	18, 19, 36
173.3125	do	18, 19, 36
173.3375	do	18, 19, 36
173.3625	do	18, 19, 36
173.3900	do	18, 20, 35
173.39625	do	18, 19, 35
216 to 220	Base or Mobile	21
220–222	Base and mobile	44
406 to 413	Operational fixed	17
450 to 470	Base or Mobile	48
457.5125	Mobile	50
457.525	do	4, 14, 22, 23
457.53125	do	4, 14, 22, 23, 46
457.53750	do	4, 14, 22, 23, 24
457.54375	do	4, 14, 22, 23, 46
457.550	do	4, 14, 22, 23
457.55625	do	4, 14, 22, 23, 46
457.56250	do	4, 14, 22, 23, 24
457.56875	do	4, 14, 22, 23, 46
457.575	do	4, 14, 22, 23
457.58125	do	4, 14, 22, 23, 46
457.58750	do	4, 14, 22, 23, 24
457.59375	do	4, 14, 22, 23, 46
457.600	do	4, 14, 22, 23
457.60625	do	4, 14, 22, 23, 46
457.61250	do	4, 14, 22, 23, 24
457.61875	do	4, 14, 22, 23, 46
460.650	Base or Mobile	2, 15, 25, 26
460.65625	do	2, 15, 25, 26, 46
460.66250	do	2, 15, 24, 25, 26, 53
460.66875	do	2, 15, 25, 26, 46
460.675	do	2, 15, 25, 26
460.68125	do	2, 15, 25, 26, 46
460.68750	do	2, 15, 24, 25, 26, 53
460.69375	do	2, 15, 25, 26, 46
460.700	do	2, 15, 25, 26
460.70625	do	2, 15, 25, 26, 46
460.71250	do	2, 15, 24, 25, 26, 53
460.71875	do	2, 15, 25, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
460.725	do	2, 15, 25, 26
460.73125	do	2, 15, 25, 26, 46
460.73750	do	2, 15, 24, 25, 26, 53
460.74375	do	2, 15, 25, 26, 46
460.750	do	2, 15, 25, 26
460.75625	do	2, 15, 25, 26, 46
460.76250	do	2, 15, 24, 25, 26, 53
460.76875	do	2, 15, 25, 26, 46
460.775	do	2, 15, 25, 26
460.78125	do	2, 15, 25, 26, 46
460.78750	do	2, 15, 24, 25, 26, 53
460.79375	do	2, 15, 25, 26, 46
460.800	do	2, 15, 25, 26
460.80625	do	2, 15, 25, 26, 46
460.81250	do	2, 15, 24, 25, 26, 53
460.81875	do	2, 15, 25, 26, 46
460.825	do	2, 15, 25, 26
460.83125	do	2, 15, 25, 26, 46
460.83750	do	2, 15, 24, 25, 26, 53
460.84375	do	2, 15, 25, 26, 46
460.850	do	2, 15, 25, 26
460.85625	do	2, 15, 25, 26, 46
460.86250	do	2, 15, 24, 25, 26, 53
460.86875	do	2, 15, 25, 26, 46
460.875	do	2, 15, 25, 26
460.88125	do	2, 15, 25, 26, 46
460.88750	do	2, 15, 24, 25, 26, 53
460.89375	do	2, 15, 25, 26, 46
460.900	do	1, 2, 27, 39, 40
460.90625	do	1, 2, 27, 39, 40, 46
460.91250	do	1, 2, 24, 27, 39, 40
460.91875	do	1, 2, 27, 39, 40, 46
460.925	do	1, 2, 27, 39, 40
460.93125	do	1, 2, 27, 39, 40, 46
460.93750	do	1, 2, 24, 27, 39, 40

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
460.94375	do	1, 2, 27, 39, 40, 46
460.950	do	1, 2, 27, 39, 40
460.95625	do	1, 2, 27, 39, 40, 46
460.96250	do	1, 2, 24, 27, 39, 40
460.96875	do	1, 2, 27, 39, 40, 46
460.975	do	1, 2, 28, 39, 40
460.98125	do	1, 2, 28, 39, 40, 46
460.98750	do	1, 2, 24, 28, 39, 40
460.99375	do	1, 2, 28, 39, 40, 46
461.000	do	1, 2, 28, 39, 40
461.00625	do	1, 2, 28, 39, 40, 46
461.01250	do	1, 2, 24, 28, 39, 40
461.01875	do	1, 2, 28, 39, 40, 46
461.025	do	1, 2, 26
461.03125	do	1, 2, 26, 46
461.03750	do	1, 2, 24, 26
461.04375	do	1, 2, 26, 46
461.050	do	1, 2, 26
461.05625	do	1, 2, 26, 46
461.06250	do	1, 2, 24, 26
461.06875	do	1, 2, 26, 46
461.075	do	1, 2, 26
461.08125	do	1, 2, 26, 46
461.08750	do	1, 2, 24, 26
461.09375	do	1, 2, 26, 46
461.100	do	1, 2, 26
461.10625	do	1, 2, 26, 46
461.11250	do	1, 2, 24, 26
461.11875	do	1, 2, 26, 46
461.125	do	1, 2, 26
461.13125	do	1, 2, 26, 46
461.13750	do	1, 2, 24, 26
461.14375	do	1, 2, 26, 46
461.150	do	1, 2, 26
461.15625	do	1, 2, 26, 46
461.16250	do	1, 2, 24, 26
461.16875	do	1, 2, 26, 46
461.175	do	1, 2, 26
461.18125	do	1, 2, 26, 46
461.18750	do	1, 2, 24, 26
461.19375	do	1, 2, 26, 46
461.200	do	1, 2, 26
461.20625	do	1, 2, 26, 46
461.21250	do	1, 2, 24, 26
461.21875	do	1, 2, 26, 46
461.225	do	1, 2, 26
461.23125	do	1, 2, 26, 46
461.23750	do	1, 2, 24, 26
461.24375	do	1, 2, 26, 46
461.250	do	1, 2, 26
461.25625	do	1, 2, 26, 46
461.26250	do	1, 2, 24, 26
461.26875	do	1, 2, 26, 46
461.275	do	1, 2, 26
461.28125	do	1, 2, 26, 46
461.28750	do	1, 2, 24, 26
461.29375	do	1, 2, 26, 46
461.300	do	1, 2, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
461.30625	do	1, 2, 26, 46
461.31250	do	1, 2, 24, 26
461.31875	do	1, 2, 26, 46
461.325	do	1, 2, 26
461.33125	do	1, 2, 26, 46
461.33750	do	1, 2, 24, 26
461.34375	do	1, 2, 26, 46
461.350	do	1, 2, 26
461.35625	do	1, 2, 26, 46
461.36250	do	1, 2, 24, 26
461.36875	do	1, 2, 26, 46
461.375	do	1, 2, 26
461.38125	do	1, 2, 26, 46
461.38750	do	1, 2, 24, 26
461.39375	do	1, 2, 26, 46
461.400	do	1, 2, 26
461.40625	do	1, 2, 26, 46
461.41250	do	1, 2, 24, 26
461.41875	do	1, 2, 26, 46
461.425	do	1, 2, 26
461.43125	do	1, 2, 26, 46
461.43750	do	1, 2, 24, 26
461.44375	do	1, 2, 26, 46
461.450	do	1, 2, 26
461.45625	do	1, 2, 26, 46
461.46250	do	1, 2, 24, 26
461.46875	do	1, 2, 26, 46
461.475	do	1, 2, 26
461.48125	do	1, 2, 26, 46
461.48750	do	1, 2, 24, 26
461.49375	do	1, 2, 26, 46
461.500	do	1, 2, 26
461.50625	do	1, 2, 26, 46
461.51250	do	1, 2, 24, 26
461.51875	do	1, 2, 26, 46
461.525	do	1, 2, 26
461.53125	do	1, 2, 26, 46
461.53750	do	1, 2, 24, 26
461.54375	do	1, 2, 26, 46
461.550	do	1, 2, 26
461.55625	do	1, 2, 26, 46
461.56250	do	1, 2, 24, 26
461.56875	do	1, 2, 26, 46
461.575	do	1, 2, 26
461.58125	do	1, 2, 26, 46
461.58750	do	1, 2, 24, 26
461.59375	do	1, 2, 26, 46
461.600	do	1, 2, 26
461.60625	do	1, 2, 26, 46
461.61250	do	1, 2, 24, 26
461.61875	do	1, 2, 26, 46
461.625	do	1, 2, 26
461.63125	do	1, 2, 26, 46
461.63750	do	1, 2, 24, 26
461.64375	do	1, 2, 26, 46
461.650	do	1, 2, 26
461.65625	do	1, 2, 26, 46
461.66250	do	1, 2, 24, 26
461.66875	do	1, 2, 26, 46
461.675	do	1, 2, 26
461.68125	do	1, 2, 26, 46
461.68750	do	1, 2, 24, 26
461.69375	do	1, 2, 26, 46
461.700	do	1, 2, 26
461.70625	do	1, 2, 26, 46
461.71250	do	1, 2, 24, 26
461.71875	do	1, 2, 26, 46
461.725	do	1, 2, 26
461.73125	do	1, 2, 26, 46
461.73750	do	1, 2, 24, 26
461.74375	do	1, 2, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
461.750	do	1, 2, 26
461.75625	do	1, 2, 26, 46
461.76250	do	1, 2, 24, 26
461.76875	do	1, 2, 26, 46
461.775	do	1, 2, 26
461.78125	do	1, 2, 26, 46
461.78750	do	1, 2, 24, 26
461.79375	do	1, 2, 26, 46
461.800	do	1, 2, 26
461.80625	do	1, 2, 26, 46
461.81250	do	1, 2, 24, 26
461.81875	do	1, 2, 26, 46
461.825	do	1, 2, 26
461.83125	do	1, 2, 26, 46
461.83750	do	1, 2, 24, 26
461.84375	do	1, 2, 26, 46
461.850	do	1, 2, 26
461.85625	do	1, 2, 26, 46
461.86250	do	1, 2, 24, 26
461.86875	do	1, 2, 26, 46
461.875	do	1, 2, 26
461.88125	do	1, 2, 26, 46
461.88750	do	1, 2, 24, 26
461.89375	do	1, 2, 26, 46
461.900	do	1, 2, 26
461.90625	do	1, 2, 26, 46
461.91250	do	1, 2, 24, 26
461.91875	do	1, 2, 26, 46
461.925	do	1, 2, 26
461.93125	do	1, 2, 26, 46
461.93750	do	1, 2, 24, 26
461.94375	do	1, 2, 26, 46
461.950	do	1, 2, 26
461.95625	do	1, 2, 26, 46
461.96250	do	1, 2, 24, 26
461.96875	do	1, 2, 26, 46
461.975	do	1, 2, 26
461.98125	do	1, 2, 26, 46
461.98750	do	1, 2, 24, 26
461.99375	do	1, 2, 26, 46
462.000	do	1, 2, 26
462.00625	do	1, 2, 26, 46
462.01250	do	1, 2, 24, 26
462.01875	do	1, 2, 26, 46
462.025	do	1, 2, 26
462.03125	do	1, 2, 26, 46
462.03750	do	1, 2, 24, 26
462.04375	do	1, 2, 26, 46
462.050	do	1, 2, 26
462.05625	do	1, 2, 26, 46
462.06250	do	1, 2, 24, 26
462.06875	do	1, 2, 26, 46
462.075	do	1, 2, 26
462.08125	do	1, 2, 26, 46
462.08750	do	1, 2, 24, 26
462.09375	do	1, 2, 26, 46
462.100	do	1, 2, 26
462.10625	do	1, 2, 26, 46
462.11250	do	1, 2, 24, 26
462.11875	do	1, 2, 26, 46
462.125	do	1, 2, 26
462.13125	do	1, 2, 26, 46
462.13750	do	1, 2, 24, 26
462.14375	do	1, 2, 26, 46
462.150	do	1, 2, 26
462.15625	do	1, 2, 26, 46
462.16250	do	1, 2, 24, 26
462.16875	do	1, 2, 26, 46
462.175	do	1, 2, 26
462.18125	do	1, 2, 26, 46
462.18750	do	1, 2, 24, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
462.19375	do	1, 2, 26, 46
462.750	Base	10, 49, 55
462.7625	Mobile	52
462.775	Base	10, 49, 55
462.7875	Mobile	52
462.800	Base	10, 49, 55
462.8125	Mobile	52
462.825	Base	10, 49, 55
462.8375	Mobile	52
462.850	Base	10, 49, 55
462.8625	Mobile	52
462.875	Base	10, 49, 55
462.8875	Mobile	52
462.900	Base	10, 49, 55
462.9125	Mobile	52
462.925	Base	10, 49, 55
462.93750	Mobile	52
462.94375	Base or Mobile	46
463.200	do	1, 2, 26
463.20625	do	1, 2, 26, 46
463.21250	do	1, 2, 24, 26
463.21875	do	1, 2, 26, 46
463.225	do	1, 2, 26
463.23125	do	1, 2, 26, 46
463.23750	do	1, 2, 24, 26
463.24375	do	1, 2, 26, 46
463.250	do	1, 2, 26
463.25625	do	1, 2, 26, 46
463.26250	do	1, 2, 24, 26
463.26875	do	1, 2, 26, 46
463.275	do	1, 2, 26
463.28125	do	1, 2, 26, 46
463.28750	do	1, 2, 24, 26
463.29375	do	1, 2, 26, 46
463.300	do	1, 2, 26
463.30625	do	1, 2, 26, 46
463.31250	do	1, 2, 24, 26
463.31875	do	1, 2, 26, 46
463.325	do	1, 2, 26
463.33125	do	1, 2, 26, 46
463.33750	do	1, 2, 24, 26
463.34375	do	1, 2, 26, 46
463.350	do	1, 2, 26
463.35625	do	1, 2, 26, 46
463.36250	do	1, 2, 24, 26
463.36875	do	1, 2, 26, 46
463.375	do	1, 2, 26
463.38125	do	1, 2, 26, 46
463.38750	do	1, 2, 24, 26
463.39375	do	1, 2, 26, 46
463.400	do	1, 2, 26
463.40625	do	1, 2, 26, 46
463.41250	do	1, 2, 24, 26
463.41875	do	1, 2, 26, 46
463.425	do	1, 2, 26
463.43125	do	1, 2, 26, 46
463.43750	do	1, 2, 24, 26
463.44375	do	1, 2, 26, 46
463.450	do	1, 2, 26
463.45625	do	1, 2, 26, 46
463.46250	do	1, 2, 24, 26
463.46875	do	1, 2, 26, 46
463.475	do	1, 2, 26
463.48125	do	1, 2, 26, 46
463.48750	do	1, 2, 24, 26
463.49375	do	1, 2, 26, 46
463.500	do	1, 2, 26
463.50625	do	1, 2, 26, 46
463.51250	do	1, 2, 24, 26
463.51875	do	1, 2, 26, 46
463.525	do	1, 2, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
463.53125	do	1, 2, 26, 46
463.53750	do	1, 2, 24, 26
463.54375	do	1, 2, 26, 46
463.550	do	1, 2, 26
463.55625	do	1, 2, 26, 46
463.56250	do	1, 2, 24, 26
463.56875	do	1, 2, 26, 46
463.575	do	1, 2, 26
463.58125	do	1, 2, 26, 46
463.58750	do	1, 2, 24, 26
463.59375	do	1, 2, 26, 46
463.600	do	1, 2, 26
463.60625	do	1, 2, 26, 46
463.61250	do	1, 2, 24, 26
463.61875	do	1, 2, 26, 46
463.625	do	1, 2, 26
463.63125	do	1, 2, 26, 46
463.63750	do	1, 2, 24, 26
463.64375	do	1, 2, 26, 46
463.650	do	1, 2, 26
463.65625	do	1, 2, 26, 46
463.66250	do	1, 2, 24, 26
463.66875	do	1, 2, 26, 46
463.675	do	1, 2, 26
463.68125	do	1, 2, 26, 46
463.68750	do	1, 2, 24, 26
463.69375	do	1, 2, 26, 46
463.700	do	1, 2, 26
463.70625	do	1, 2, 26, 46
463.71250	do	1, 2, 24, 26
463.71875	do	1, 2, 26, 46
463.725	do	1, 2, 26
463.73125	do	1, 2, 26, 46
463.73750	do	1, 2, 24, 26
463.74375	do	1, 2, 26, 46
463.750	do	1, 2, 26
463.75625	do	1, 2, 26, 46
463.76250	do	1, 2, 24, 26
463.76875	do	1, 2, 26, 46
463.775	do	1, 2, 26
463.78125	do	1, 2, 26, 46
463.78750	do	1, 2, 24, 26
463.79375	do	1, 2, 26, 46
463.800	do	1, 2, 26
463.80625	do	1, 2, 26, 46
463.81250	do	1, 2, 24, 26
463.81875	do	1, 2, 26, 46
463.825	do	1, 2, 26
463.83125	do	1, 2, 26, 46
463.83750	do	1, 2, 24, 26
463.84375	do	1, 2, 26, 46
463.850	do	1, 2, 26
463.85625	do	1, 2, 26, 46
463.86250	do	1, 2, 24, 26
463.86875	do	1, 2, 26, 46
463.875	do	1, 2, 26
463.88125	do	1, 2, 26, 46
463.88750	do	1, 2, 24, 26
463.89375	do	1, 2, 26, 46
463.900	do	1, 2, 26
463.90625	do	1, 2, 26, 46
463.91250	do	1, 2, 24, 26
463.91875	do	1, 2, 26, 46
463.925	do	1, 2, 26
463.93125	do	1, 2, 26, 46
463.93750	do	1, 2, 24, 26
463.94375	do	1, 2, 26, 46
463.950	do	1, 2, 26
463.95625	do	1, 2, 26, 46
463.96250	do	1, 2, 24, 26
463.96875	do	1, 2, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
463.975	do	1, 2, 26
463.98125	do	1, 2, 26, 46
463.98750	do	1, 2, 24, 26
463.99375	do	1, 2, 26, 46
464.000	do	1, 2, 26
464.00625	do	1, 2, 26, 46
464.01250	do	1, 2, 24, 26
464.01875	do	1, 2, 26, 46
464.025	do	1, 2, 26
464.03125	do	1, 2, 26, 46
464.03750	do	1, 2, 24, 26
464.04375	do	1, 2, 26, 46
464.050	do	1, 2, 26
464.05625	do	1, 2, 26, 46
464.06250	do	1, 2, 24, 26
464.06875	do	1, 2, 26, 46
464.075	do	1, 2, 26
464.08125	do	1, 2, 26, 46
464.08750	do	1, 2, 24, 26
464.09375	do	1, 2, 26, 46
464.100	do	1, 2, 26
464.10625	do	1, 2, 26, 46
464.11250	do	1, 2, 24, 26
464.11875	do	1, 2, 26, 46
464.125	do	1, 2, 26
464.13125	do	1, 2, 26, 46
464.13750	do	1, 2, 24, 26
464.14375	do	1, 2, 26, 46
464.150	do	1, 2, 26
464.15625	do	1, 2, 26, 46
464.16250	do	1, 2, 24, 26
464.16875	do	1, 2, 26, 46
464.175	do	1, 2, 26
464.18125	do	1, 2, 26, 46
464.18750	do	1, 2, 24, 26
464.19375	do	1, 2, 26, 46
464.200	do	1, 2, 26
464.20625	do	1, 2, 26, 46
464.21250	do	1, 2, 24, 26
464.21875	do	1, 2, 26, 46
464.225	do	1, 2, 26
464.23125	do	1, 2, 26, 46
464.23750	do	1, 2, 24, 26
464.24375	do	1, 2, 26, 46
464.250	do	1, 2, 26
464.25625	do	1, 2, 26, 46
464.26250	do	1, 2, 24, 26
464.26875	do	1, 2, 26, 46
464.275	do	1, 2, 26
464.28125	do	1, 2, 26, 46
464.28750	do	1, 2, 24, 26
464.29375	do	1, 2, 26, 46
464.300	do	1, 2, 26
464.30625	do	1, 2, 26, 46
464.31250	do	1, 2, 24, 26
464.31875	do	1, 2, 26, 46
464.325	do	1, 2, 26, 29
464.33125	do	1, 2, 26, 29, 46
464.33750	do	1, 2, 24, 26, 29
464.34375	do	1, 2, 26, 29, 46
464.350	do	1, 2, 26
464.35625	do	1, 2, 26, 46
464.36250	do	1, 2, 24, 26
464.36875	do	1, 2, 26, 46
464.375	do	1, 2, 26, 29
464.38125	do	1, 2, 26, 29, 46
464.38750	do	1, 2, 24, 26, 29

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
464.39375	do	1, 2, 26, 29, 46
464.400	do	1, 2, 26
464.40625	do	1, 2, 26, 46
464.41250	do	1, 2, 24, 26
464.41875	do	1, 2, 26, 46
464.425	do	1, 2, 26, 29
464.43125	do	1, 2, 26, 29, 46
464.43750	do	1, 2, 24, 26, 29
464.44375	do	1, 2, 26, 29, 46
464.450	do	1, 2, 26
464.45625	do	1, 2, 26, 46
464.46250	do	1, 2, 24, 26
464.46875	do	1, 2, 26, 46
464.475	do	1, 2, 26, 29
464.48125	do	1, 2, 26, 29, 46
464.4875	do	1, 2, 24, 26, 29
464.500	do	3, 30
464.5125	do	1, 2, 24, 26, 29
464.51875	do	1, 2, 26, 29, 46
464.525	do	1, 2, 26, 29
464.53125	do	1, 2, 26, 29, 46
464.5375	do	1, 2, 24, 26, 29
464.550	do	3, 30
464.5625	do	1, 2, 24, 26, 29
464.56875	do	1, 2, 26, 29, 46
464.575	do	1, 2, 26, 29
464.58125	do	1, 2, 26, 29, 46
464.58750	do	1, 2, 24, 26, 29
464.59375	do	1, 2, 26, 29, 46
464.600	do	1, 26
464.60625	do	1, 26, 46
464.61250	do	1, 24, 26
464.61875	do	1, 26, 46
464.625	do	1, 26
464.63125	do	1, 26, 46
464.63750	do	1, 24, 26
464.64375	do	1, 26, 46
464.650	do	1, 26
464.65625	do	1, 26, 46
464.66250	do	1, 24, 26
464.66875	do	1, 26, 46
464.675	do	1, 2, 26, 29
464.68125	do	1, 2, 26, 29, 46
464.68750	do	1, 2, 24, 26, 29
464.69375	do	1, 2, 26, 29, 46
464.700	do	1, 26
464.70625	do	1, 26, 46
464.71250	do	1, 24, 26
464.71875	do	1, 26, 46
464.725	do	1, 26
464.73125	do	1, 26, 46
464.73750	do	1, 24, 26
464.74375	do	1, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
464.750	do	1, 26
464.75625	do	1, 26, 46
464.76250	do	1, 24, 26
464.76875	do	1, 26, 46
464.775	do	1, 2, 26, 29
464.78125	do	1, 2, 26, 29, 46
464.78750	do	1, 2, 24, 26, 29
464.79375	do	1, 2, 26, 29, 46
464.800	do	1, 2, 26
464.80625	do	1, 2, 26, 46
464.81250	do	1, 2, 24, 26
464.81875	do	1, 2, 26, 46
464.825	do	1, 2, 26, 29
464.83125	do	1, 2, 26, 29, 46
464.83750	do	1, 2, 24, 26, 29
464.84375	do	1, 2, 26, 29, 46
464.850	do	1, 2, 26
464.85625	do	1, 2, 26, 46
464.86250	do	1, 2, 24, 26
464.86875	do	1, 2, 26, 46
464.875	do	1, 2, 26, 29
464.88125	do	1, 2, 26, 29, 46
464.88750	do	1, 2, 24, 26, 29
464.89375	do	1, 2, 26, 29, 46
464.900	do	1, 2, 26
464.90625	do	1, 2, 26, 46
464.91250	do	1, 2, 24, 26
464.91875	do	1, 2, 26, 46
464.925	do	1, 2, 26, 29
464.93125	do	1, 2, 26, 29, 46
464.93750	do	1, 2, 24, 26, 29
464.94375	do	1, 2, 26, 29, 46
464.950	do	1, 2, 26
464.95625	do	1, 2, 26, 46
464.96250	do	1, 2, 24, 26
464.96875	do	1, 2, 26, 46
464.975	do	1, 2, 26, 29
464.98125	do	1, 2, 26, 29, 46
464.98750	Mobile	52
465.000	Base	10, 30, 49
465.01250	Mobile	52
465.01875	do	30, 46
465.650	do	2, 4, 25, 26, 31
465.65625	do	2, 4, 25, 26, 31, 46
465.66250	do	2, 4, 24, 25, 26, 31, 53
465.66875	do	2, 4, 25, 26, 31, 46
465.675	do	2, 4, 25, 26, 31
465.68125	do	2, 4, 25, 26, 31, 46
465.68750	do	2, 4, 24, 25, 26, 31, 53
465.69375	do	2, 4, 25, 26, 31, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
465.700	do	2, 4, 25, 26, 31
465.70625	do	2, 4, 25, 26, 31, 46
465.71250	do	2, 4, 24, 25, 26, 31, 53
465.71875	do	2, 4, 25, 26, 31, 46
465.725	do	2, 4, 25, 26, 31
465.73125	do	2, 4, 25, 26, 31, 46
465.73750	do	2, 4, 24, 25, 26, 31, 53
465.74375	do	2, 4, 25, 26, 31, 46
465.750	do	2, 4, 25, 26, 31
465.75625	do	2, 4, 25, 26, 31, 46
465.76250	do	2, 4, 24, 25, 26, 31, 53
465.76875	do	2, 4, 25, 26, 31, 46
465.775	do	2, 4, 25, 26, 31
465.78125	do	2, 4, 25, 26, 31, 46
465.78750	do	2, 4, 24, 25, 26, 31, 53
465.79375	do	2, 4, 25, 26, 31, 46
465.800	do	2, 4, 25, 26, 31
465.80625	do	2, 4, 25, 26, 31, 46
465.81250	do	2, 4, 24, 25, 26, 31, 53
465.81875	do	2, 4, 25, 26, 31, 46
465.825	do	2, 4, 25, 26, 31
465.83125	do	2, 4, 25, 26, 31, 46
465.83750	do	2, 4, 24, 25, 26, 31, 53
465.84375	do	2, 4, 25, 26, 31, 46
465.850	do	2, 4, 25, 26, 31
465.85625	do	2, 4, 25, 26, 31, 46
465.86250	do	2, 4, 24, 25, 26, 31, 53
465.86875	do	2, 4, 25, 26, 31, 46
465.875	do	2, 4, 25, 26, 31
465.88125	do	2, 4, 25, 26, 31, 46
465.88750	do	2, 4, 24, 25, 26, 31, 53
465.89375	do	2, 4, 25, 26, 31, 46
465.900	do	1, 2, 27, 39
465.90625	do	1, 2, 27, 39, 46
465.91250	do	1, 2, 24, 27, 39
465.91875	do	1, 2, 27, 39, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
465.925	do	1, 2, 27, 39
465.93125	do	1, 2, 27, 39, 46
465.93750	do	1, 2, 24, 27, 39
465.94375	do	1, 2, 27, 39, 46
465.950	do	1, 2, 27, 39
465.95625	do	1, 2, 27, 39, 46
465.96250	do	1, 2, 24, 27, 39
465.96875	do	1, 2, 27, 39, 46
465.975	do	1, 2, 28, 39
465.98125	do	1, 2, 28, 39, 46
465.98750	do	1, 2, 24, 28, 39
465.99375	do	1, 2, 28, 39, 46
466.000	do	1, 2, 28, 39
466.00625	do	1, 2, 28, 39, 46
466.01250	do	1, 2, 24, 28, 39, 53
466.01875	do	1, 2, 28, 39, 46
466.025	do	1, 2, 26
466.03125	do	1, 2, 26, 46
466.03750	do	1, 2, 24, 26
466.04375	do	1, 2, 26, 46
466.050	do	1, 2, 26
466.05625	do	1, 2, 26, 46
466.06250	do	1, 2, 24, 26
466.06875	do	1, 2, 26, 46
466.075	do	1, 2, 26
466.08125	do	1, 2, 26, 46
466.08750	do	1, 2, 24, 26
466.09375	do	1, 2, 26, 46
466.100	do	1, 2, 26
466.10625	do	1, 2, 26, 46
466.11250	do	1, 2, 24, 26
466.11875	do	1, 2, 26, 46
466.125	do	1, 2, 26
466.13125	do	1, 2, 26, 46
466.13750	do	1, 2, 24, 26
466.14375	do	1, 2, 26, 46
466.150	do	1, 2, 26
466.15625	do	1, 2, 26, 46
466.16250	do	1, 2, 24, 26
466.16875	do	1, 2, 26, 46
466.175	do	1, 2, 26
466.18125	do	1, 2, 26, 46
466.18750	do	1, 2, 24, 26
466.19375	do	1, 2, 26, 46
466.200	do	1, 2, 26
466.20625	do	1, 2, 26, 46
466.21250	do	1, 2, 24, 26
466.21875	do	1, 2, 26, 46
466.225	do	1, 2, 26
466.23125	do	1, 2, 26, 46
466.23750	do	1, 2, 24, 26
466.24375	do	1, 2, 26, 46
466.250	do	1, 2, 26
466.25625	do	1, 2, 26, 46
466.26250	do	1, 2, 24, 26
466.26875	do	1, 2, 26, 46
466.275	do	1, 2, 26
466.28125	do	1, 2, 26, 46
466.28750	do	1, 2, 24, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
466.29375	do	1, 2, 26, 46
466.300	do	1, 2, 26
466.30625	do	1, 2, 26, 46
466.31250	do	1, 2, 24, 26
466.31875	do	1, 2, 26, 46
466.325	do	1, 2, 26
466.33125	do	1, 2, 26, 46
466.33750	do	1, 2, 24, 26
466.34375	do	1, 2, 26, 46
466.350	do	1, 2, 26
466.35625	do	1, 2, 26, 46
466.36250	do	1, 2, 24, 26
466.36875	do	1, 2, 26, 46
466.375	do	1, 2, 26
466.38125	do	1, 2, 26, 46
466.38750	do	1, 2, 24, 26
466.39375	do	1, 2, 26, 46
466.400	do	1, 2, 26
466.40625	do	1, 2, 26, 46
466.41250	do	1, 2, 24, 26
466.41875	do	1, 2, 26, 46
466.425	do	1, 2, 26
466.43125	do	1, 2, 26, 46
466.43750	do	1, 2, 24, 26
466.44375	do	1, 2, 26, 46
466.450	do	1, 2, 26
466.45625	do	1, 2, 26, 46
466.46250	do	1, 2, 24, 26
466.46875	do	1, 2, 26, 46
466.475	do	1, 2, 26
466.48125	do	1, 2, 26, 46
466.48750	do	1, 2, 24, 26
466.49375	do	1, 2, 26, 46
466.500	do	1, 2, 26
466.50625	do	1, 2, 26, 46
466.51250	do	1, 2, 24, 26
466.51875	do	1, 2, 26, 46
466.525	do	1, 2, 26
466.53125	do	1, 2, 26, 46
466.53750	do	1, 2, 24, 26
466.54375	do	1, 2, 26, 46
466.550	do	1, 2, 26
466.55625	do	1, 2, 26, 46
466.56250	do	1, 2, 24, 26
466.56875	do	1, 2, 26, 46
466.575	do	1, 2, 26
466.58125	do	1, 2, 26, 46
466.58750	do	1, 2, 24, 26
466.59375	do	1, 2, 26, 46
466.600	do	1, 2, 26
466.60625	do	1, 2, 26, 46
466.61250	do	1, 2, 24, 26
466.61875	do	1, 2, 26, 46
466.625	do	1, 2, 26
466.63125	do	1, 2, 26, 46
466.63750	do	1, 2, 24, 26
466.64375	do	1, 2, 26, 46
466.650	do	1, 2, 26
466.65625	do	1, 2, 26, 46
466.66250	do	1, 2, 24, 26
466.66875	do	1, 2, 26, 46
466.675	do	1, 2, 26
466.68125	do	1, 2, 26, 46
466.68750	do	1, 2, 24, 26
466.69375	do	1, 2, 26, 46
466.700	do	1, 2, 26
466.70625	do	1, 2, 26, 46
466.71250	do	1, 2, 24, 26
466.71875	do	1, 2, 26, 46
466.725	do	1, 2, 26
466.73125	do	1, 2, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
466.73750	do	1, 2, 24, 26
466.74375	do	1, 2, 26, 46
466.750	do	1, 2, 26
466.75625	do	1, 2, 26, 46
466.76250	do	1, 2, 24, 26
466.76875	do	1, 2, 26, 46
466.775	do	1, 2, 26
466.78125	do	1, 2, 26, 46
466.78750	do	1, 2, 24, 26
466.79375	do	1, 2, 26, 46
466.800	do	1, 2, 26
466.80625	do	1, 2, 26, 46
466.81250	do	1, 2, 24, 26
466.81875	do	1, 2, 26, 46
466.825	do	1, 2, 26
466.83125	do	1, 2, 26, 46
466.83750	do	1, 2, 24, 26
466.84375	do	1, 2, 26, 46
466.850	do	1, 2, 26
466.85625	do	1, 2, 26, 46
466.86250	do	1, 2, 24, 26
466.86875	do	1, 2, 26, 46
466.875	do	1, 2, 26
466.88125	do	1, 2, 26, 46
466.88750	do	1, 2, 24, 26
466.89375	do	1, 2, 26, 46
466.900	do	1, 2, 26
466.90625	do	1, 2, 26, 46
466.91250	do	1, 2, 24, 26
466.91875	do	1, 2, 26, 46
466.925	do	1, 2, 26
466.93125	do	1, 2, 26, 46
466.93750	do	1, 2, 24, 26
466.94375	do	1, 2, 26, 46
466.950	do	1, 2, 26
466.95625	do	1, 2, 26, 46
466.96250	do	1, 2, 24, 26
466.96875	do	1, 2, 26, 46
466.975	do	1, 2, 26
466.98125	do	1, 2, 26, 46
466.98750	do	1, 2, 24, 26
466.99375	do	1, 2, 26, 46
467.000	do	1, 2, 26
467.00625	do	1, 2, 26, 46
467.01250	do	1, 2, 24, 26
467.01875	do	1, 2, 26, 46
467.025	do	1, 2, 26
467.03125	do	1, 2, 26, 46
467.03750	do	1, 2, 24, 26
467.04375	do	1, 2, 26, 46
467.050	do	1, 2, 26
467.05625	do	1, 2, 26, 46
467.06250	do	1, 2, 24, 26
467.06875	do	1, 2, 26, 46
467.075	do	1, 2, 26
467.08125	do	1, 2, 26, 46
467.08750	do	1, 2, 24, 26
467.09375	do	1, 2, 26, 46
467.100	do	1, 2, 26
467.10625	do	1, 2, 26, 46
467.11250	do	1, 2, 24, 26
467.11875	do	1, 2, 26, 46
467.125	do	1, 2, 26
467.13125	do	1, 2, 26, 46
467.13750	do	1, 2, 24, 26
467.14375	do	1, 2, 26, 46
467.150	do	1, 2, 26
467.15625	do	1, 2, 26, 46
467.16250	do	1, 2, 24, 26
467.16875	do	1, 2, 26, 46
467.175	do	1, 2, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
467.18125	do	1, 2, 26, 46
467.18750	do	1, 2, 24, 26
467.19375	do	1, 2, 26, 46
467.74375	do	1, 2, 26, 46
467.750	do	4, 13, 22, 23
467.75625	do	4, 13, 22, 23, 46
467.76250	do	4, 13, 22, 23, 24
467.76875	do	4, 13, 22, 23, 46
467.775	do	4, 13, 22, 23
467.78125	do	4, 13, 22, 23, 46
467.78750	do	4, 13, 22, 23, 24
467.79375	do	4, 13, 22, 23, 46
467.800	do	4, 13, 22, 23
467.80625	do	4, 13, 22, 23, 46
467.81250	do	4, 13, 22, 23, 24
467.81875	do	4, 13, 22, 23, 46
467.825	do	4, 13, 22, 23
467.83125	do	4, 13, 22, 23, 46
467.8375	do	4, 13, 22, 23, 46
467.850	do	4, 13, 22
467.8625	do	52
467.875	do	4, 13, 22
467.8875	do	52
467.900	do	4, 13, 22
467.9125	do	52
467.925	do	4, 13, 22
467.93125	do	1, 2, 46
467.9375	do	24, 52
467.94375	do	1, 2, 46
468.200	do	1, 2, 26
468.20625	do	1, 2, 26, 46
468.21250	do	1, 2, 24, 26
468.21875	do	1, 2, 26, 46
468.225	do	1, 2, 26
468.23125	do	1, 2, 26, 46
468.23750	do	1, 2, 24, 26
468.24375	do	1, 2, 26, 46
468.250	do	1, 2, 26
468.25625	do	1, 2, 26, 46
468.26250	do	1, 2, 24, 26
468.26875	do	1, 2, 26, 46
468.275	do	1, 2, 26
468.28125	do	1, 2, 26, 46
468.28750	do	1, 2, 24, 26
468.29375	do	1, 2, 26, 46
468.300	do	1, 2, 26
468.30625	do	1, 2, 26, 46
468.31250	do	1, 2, 24, 26
468.31875	do	1, 2, 26, 46
468.325	do	1, 2, 26
468.33125	do	1, 2, 26, 46
468.33750	do	1, 2, 24, 26
468.34375	do	1, 2, 26, 46
468.350	do	1, 2, 26
468.35625	do	1, 2, 26, 46
468.36250	do	1, 2, 24, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
468.36875	do	1, 2, 26, 46
468.375	do	1, 2, 26
468.38125	do	1, 2, 26, 46
468.38750	do	1, 2, 24, 26
468.39375	do	1, 2, 26, 46
468.400	do	1, 2, 26
468.40625	do	1, 2, 26, 46
468.41250	do	1, 2, 24, 26
468.41875	do	1, 2, 26, 46
468.425	do	1, 2, 26
468.43125	do	1, 2, 26, 46
468.43750	do	1, 2, 24, 26
468.44375	do	1, 2, 26, 46
468.450	do	1, 2, 26
468.45625	do	1, 2, 26, 46
468.46250	do	1, 2, 24, 26
468.46875	do	1, 2, 26, 46
468.475	do	1, 2, 26
468.48125	do	1, 2, 26, 46
468.48750	do	1, 2, 24, 26
468.49375	do	1, 2, 26, 46
468.500	do	1, 2, 26
468.50625	do	1, 2, 26, 46
468.51250	do	1, 2, 24, 26
468.51875	do	1, 2, 26, 46
468.525	do	1, 2, 26
468.53125	do	1, 2, 26, 46
468.53750	do	1, 2, 24, 26
468.54375	do	1, 2, 26, 46
468.550	do	1, 2, 26
468.55625	do	1, 2, 26, 46
468.56250	do	1, 2, 24, 26
468.56875	do	1, 2, 26, 46
468.575	do	1, 2, 26
468.58125	do	1, 2, 26, 46
468.58750	do	1, 2, 24, 26
468.59375	do	1, 2, 26, 46
468.600	do	1, 2, 26
468.60625	do	1, 2, 26, 46
468.61250	do	1, 2, 24, 26
468.61875	do	1, 2, 26, 46
468.625	do	1, 2, 26
468.63125	do	1, 2, 26, 46
468.63750	do	1, 2, 24, 26
468.64375	do	1, 2, 26, 46
468.650	do	1, 2, 26
468.65625	do	1, 2, 26, 46
468.66250	do	1, 2, 24, 26
468.66875	do	1, 2, 26, 46
468.675	do	1, 2, 26
468.68125	do	1, 2, 26, 46
468.68750	do	1, 2, 24, 26
468.69375	do	1, 2, 26, 46
468.700	do	1, 2, 26
468.70625	do	1, 2, 26, 46
468.71250	do	1, 2, 24, 26
468.71875	do	1, 2, 26, 46
468.725	do	1, 2, 26
468.73125	do	1, 2, 26, 46
468.73750	do	1, 2, 24, 26
468.74375	do	1, 2, 26, 46
468.750	do	1, 2, 26
468.75625	do	1, 2, 26, 46
468.76250	do	1, 2, 24, 26
468.76875	do	1, 2, 26, 46
468.775	do	1, 2, 26
468.78125	do	1, 2, 26, 46
468.78750	do	1, 2, 24, 26
468.79375	do	1, 2, 26, 46
468.800	do	1, 2, 26
468.80625	do	1, 2, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
468.81250	do	1, 2, 24, 26
468.81875	do	1, 2, 26, 46
468.825	do	1, 2, 26
468.83125	do	1, 2, 26, 46
468.83750	do	1, 2, 24, 26
468.84375	do	1, 2, 26, 46
468.850	do	1, 2, 26
468.85625	do	1, 2, 26, 46
468.86250	do	1, 2, 24, 26
468.86875	do	1, 2, 26, 46
468.875	do	1, 2, 26
468.88125	do	1, 2, 26, 46
468.88750	do	1, 2, 24, 26
468.89375	do	1, 2, 26, 46
468.900	do	1, 2, 26
468.90625	do	1, 2, 26, 46
468.91250	do	1, 2, 24, 26
468.91875	do	1, 2, 26, 46
468.925	do	1, 2, 26
468.93125	do	1, 2, 26, 46
468.93750	do	1, 2, 24, 26
468.94375	do	1, 2, 26, 46
468.950	do	1, 2, 26
468.95625	do	1, 2, 26, 46
468.96250	do	1, 2, 24, 26
468.96875	do	1, 2, 26, 46
468.975	do	1, 2, 26
468.98125	do	1, 2, 26, 46
468.98750	do	1, 2, 24, 26
468.99375	do	1, 2, 26, 46
469.000	do	1, 2, 26
469.00625	do	1, 2, 26, 46
469.01250	do	1, 2, 24, 26
469.01875	do	1, 2, 26, 46
469.025	do	1, 2, 26
469.03125	do	1, 2, 26, 46
469.03750	do	1, 2, 24, 26
469.04375	do	1, 2, 26, 46
469.050	do	1, 2, 26
469.05625	do	1, 2, 26, 46
469.06250	do	1, 2, 24, 26
469.06875	do	1, 2, 26, 46
469.075	do	1, 2, 26
469.08125	do	1, 2, 26, 46
469.08750	do	1, 2, 24, 26
469.09375	do	1, 2, 26, 46
469.100	do	1, 2, 26
469.10625	do	1, 2, 26, 46
469.11250	do	1, 2, 24, 26
469.11875	do	1, 2, 26, 46
469.125	do	1, 2, 26
469.13125	do	1, 2, 26, 46
469.13750	do	1, 2, 24, 26
469.14375	do	1, 2, 26, 46
469.150	do	1, 2, 26
469.15625	do	1, 2, 26, 46
469.16250	do	1, 2, 24, 26
469.16875	do	1, 2, 26, 46
469.175	do	1, 2, 26
469.18125	do	1, 2, 26, 46
469.18750	do	1, 2, 24, 26
469.19375	do	1, 2, 26, 46
469.200	do	1, 2, 26
469.20625	do	1, 2, 26, 46
469.21250	do	1, 2, 24, 26
469.21875	do	1, 2, 26, 46
469.225	do	1, 2, 26
469.23125	do	1, 2, 26, 46
469.23750	do	1, 2, 24, 26
469.24375	do	1, 2, 26, 46
469.250	do	1, 2, 26

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
469.25625	do	1, 2, 26, 46
469.26250	do	1, 2, 24, 26
469.26875	do	1, 2, 26, 46
469.275	do	1, 2, 26
469.28125	do	1, 2, 26, 46
469.28750	do	1, 2, 24, 26
469.29375	do	1, 2, 26, 46
469.300	do	1, 2, 26
469.30625	do	1, 2, 26, 46
469.31250	do	1, 2, 24, 26
469.31875	do	1, 2, 26, 46
469.325	do	1, 2, 26
469.33125	do	1, 2, 26, 46
469.33750	do	1, 2, 24, 26
469.34375	do	1, 2, 26, 46
469.350	do	1, 2, 26
469.35625	do	1, 2, 26, 46
469.36250	do	1, 2, 24, 26
469.36875	do	1, 2, 26, 46
469.375	do	1, 2, 26
469.38125	do	1, 2, 26, 46
469.38750	do	1, 2, 24, 26
469.39375	do	1, 2, 26, 46
469.400	do	1, 2, 26
469.40625	do	1, 2, 26, 46
469.41250	do	1, 2, 24, 26
469.41875	do	1, 2, 26, 46
469.425	do	1, 2, 26
469.43125	do	1, 2, 26, 46
469.43750	do	1, 2, 24, 26
469.44375	do	1, 2, 26, 46
469.450	do	1, 2, 26
469.45625	do	1, 2, 26, 46
469.46250	do	1, 2, 24, 26
469.46875	do	1, 2, 26, 46
469.475	do	1, 2, 26
469.48125	do	1, 2, 26, 46
469.4875	do	1, 2, 24, 26
469.500	do	3, 30, 47
469.5125	do	1, 2, 24, 26
469.51875	do	1, 2, 26, 46
469.525	do	1, 2, 26
469.53125	do	1, 2, 26, 46
469.5375	do	1, 2, 24, 26
469.550	do	3, 30, 47
469.5625	do	1, 2, 24, 26
469.56875	do	1, 2, 26, 46
469.575	do	1, 2, 26
469.58125	do	1, 2, 26, 46
469.58750	do	1, 2, 24, 26
469.59375	do	1, 2, 26, 46
469.600	do	1, 26
469.60625	do	1, 26, 46
469.61250	do	1, 24, 26
469.61875	do	1, 26, 46
469.625	do	1, 26
469.63125	do	1, 26, 46
469.63750	do	1, 24, 26
469.64375	do	1, 26, 46
469.650	do	1, 26
469.65625	do	1, 26, 46
469.66250	do	1, 24, 26
469.66875	do	1, 26, 46
469.675	do	1, 2, 26
469.68125	do	1, 2, 26, 46
469.68750	do	1, 2, 24, 26
469.69375	do	1, 2, 26, 46
469.700	do	1, 26
469.70625	do	1, 26, 46
469.71250	do	1, 24, 26
469.71875	do	1, 26, 46

BUSINESS RADIO SERVICE FREQUENCY TABLE—Continued

Frequency or band	Class of station(s)	Limitations
469.725	do	1, 26
469.73125	do	1, 26, 46
469.73750	do	1, 24, 26
469.74375	do	1, 26, 46
469.750	do	1, 26
469.75625	do	1, 26, 46
469.76250	do	1, 24, 26
469.76875	do	1, 26, 46
469.775	do	1, 2, 26
469.78125	do	1, 2, 26, 46
469.78750	do	1, 2, 24, 26
469.79375	do	1, 2, 26, 46
469.800	do	1, 2, 26
469.80625	do	1, 2, 26, 46
469.81250	do	1, 2, 24, 26
469.81875	do	1, 2, 26, 46
469.825	do	1, 2, 26
469.83125	do	1, 2, 26, 46
469.83750	do	1, 2, 24, 26
469.84375	do	1, 2, 26, 46
469.850	do	1, 2, 26
469.85625	do	1, 2, 26, 46
469.8625	do	1, 2, 24, 26
469.86875	do	1, 2, 26, 46
469.875	do	1, 2, 26
469.88125	do	1, 2, 26, 46
469.88750	do	1, 2, 24, 26
469.89375	do	1, 2, 26, 46
469.900	do	1, 2, 26
469.90625	do	1, 2, 26, 46
469.91250	do	1, 2, 24, 26
469.91875	do	1, 2, 26, 46
469.925	do	1, 2, 26
469.93125	do	1, 2, 26, 46
469.93750	do	1, 2, 24, 26
469.94375	do	1, 2, 26, 46
469.950	do	1, 2, 26
469.95625	do	1, 2, 26, 46
469.96250	do	1, 2, 24, 26
469.96875	do	1, 2, 26, 46
469.975	do	1, 2, 26
469.98125	do	1, 2, 26, 46
470 to 512	Base or Mobile	32
806 to 821	Mobile	33
851 to 866	Base or Mobile	33
896 to 901	Mobile	33
928 and above	Operational fixed	34
929–930	Base only	42
935 to 940	Base or Mobile	33
1427 to 1435	Operational fixed, base or mobile.	21
2450 to 2500	Base or Mobile	43
10,550 to 10,680*	Base or Mobile	

*The frequencies in the band 10.55–10.68 GHz are available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this subpart but current licenses will be renewed.

(c) Explanation of assignment limitations appearing in the frequency table of paragraph (b) of this section:

(1) Operation on this frequency is limited to a maximum output power of 110 watts.

(2) This frequency will be assigned only for operation in a permanent area, normally within 120 km (75 mi.) of a specified reference point.

(3) This frequency will be assigned only to stations used in itinerant operations, except within 56 km (35 miles) of Detroit, Mich., where it may be assigned for either itinerant or permanent area operations (i.e., general use).

(4) Operation on this frequency is limited to a maximum output power of 2 watts; and each station authorized will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base or fixed station on a secondary basis to mobile service operations, *Provided,* That the separation between the control point and the center of the radiating portion of the antenna of any units so used does not exceed 8 m (25 ft.).

(5) This frequency is also available in the Special Emergency Radio Service for low power paging use on a co–equal basis.

(6) Operation on this frequency is limited to a maximum output power of 1 watt and each station authorized will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base of fixed station on a secondary basis to mobile service operations, *Provided,* That the separation between the control point and the center of the radiating portion of the antenna of any units so used does not exceed 8 m (25 ft.).

(7) The frequencies available in the band 72–76 MHz are listed in § 90.257(a)(1). These frequencies are shared with other services and are available only in accordance with the provisions of § 90.257.

(8) Use of this frequency in this service in limited to stations located in Puerto Rico and the Virgin Islands.

(9) This frequency is shared with Taxicab Radio Service and is available for assignment in the Business Radio Service only to stations which are used exclusively in areas outside of Standard Metropolitan Statistical Areas of 50,000 or more population (1950 Census). Operations on this frequency are on a secondary basis to operations in the Taxicab Radio Service.

(10) This frequency is assigned only for one-way paging communications to

mobile receivers. Only A1D, A2D, A3E, F1D, F2D, F3E, or G3E emissions may be authorized. Licensees may provide one-way paging communications on this frequency to individuals, persons eligible for licensing under subpart B, C, D, or E of this part, to representatives of Federal Government agencies, and foreign governments and their representatives.

(11) This frequency is also available for base or mobile stations in the Special Industrial and Forest Products Radio Services on a secondary basis to paging operations in the Business Radio Service.

(12) This frequency will not be assigned to stations for use at temporary locations.

(13) This frequency may be used for mobile operation for radio remote control and telemetering functions. A1D, A2D, F1D, or F2D emission may be authorized and mobile stations used to control remote objects or devices may be operated on the continuous carrier transmit mode.

(14) This frequency may be used for mobile operation for remote control and telemetering functions. A1D, A2D, F1D, or F2D emission may be authorized. The use of the continuous carrier transmit mode for these purposes is permitted only for stations authorized and continuously licensed since before May 21, 1971.

(15) Except as noted in paragraph (c)(25), operation on this frequency is limited to a maximum output power of 20 watts.

(16) Operation on this frequency is limited to a maximum output power of 75 watts.

(17) Frequencies in this band will be assigned only for transmitting hydrological or meteorological data or for low power wireless microphones in accordance with the provisions of § 90.265.

(18) This frequency is available on a shared basis with other Industrial Radio Services as follows: Power, Forest Products, Special Industrial, Petroleum, Manufacturers, Business, and the Local Government Radio Service and may be used in this service only for the purpose of remote control and telemetering.

(19) For FM transmitters the sum of the highest modulating frequency and the amount of frequency deviation may not exceed 2.8 kHz and the maximum frequency deviation may not exceed 2.5 kHz. For AM transmitters the highest modulating frequency may not exceed 2.0 kHz. The carrier frequency must be maintained within 0.0005 percent and the authorized bandwidth may not exceed 6 kHz.

(20) For FM transmitters the sum of the highest modulating frequency and the amount of frequency deviation may not exceed 1.7 kHz, and the maximum frequency deviation may not exceed 1.2 kHz. For AM transmitters the highest modulating frequency may not exceed 1.5 kHz. The carrier frequency must be maintained within 0.0005 percent and the authorized bandwidth may not exceed 3 kHz.

(21) This frequency band is available to stations in this service subject to the provisions of § 90.259.

(22) This frequency may not be used aboard aircraft in flight.

(23) Frequencies subject to this assignment limitation are herein considered collectively for use for communications concerned with cargo handling from a dock, or a cargo handling facility, to a vessel alongside. Any number of the frequencies may be authorized to one licensee for the purpose. Mobile relay stations may be temporarily installed at or in the vicinity of a dock or cargo handling facility and used when a vessel is alongside the dock or cargo handling facility.

Mobile relay (MHz)	Mobile (MHz)
457.525	467.750
457.53125	467.75625
457.5375	467.7625
457.54375	467.76875
457.550	467.775
457.55625	467.78125
457.5625	467.7875
457.56875	467.79375
457.575	467.800
457.58125	467.80625
457.5875	467.8125
457.59375	467.81875
457.600	467.825
457.60625	467.83125
457.6125	.....
457.61875	.....

For single frequency simplex: Use mobile relay frequencies. The effective radiated power (ERP) on any frequency

shall not exceed 2 watts. The center of the radiating system of the on-board repeater antenna shall be located no more than 3 m (10 ft.) above the vessel's highest working deck.

(24) This frequency is not available in the 150–170 MHz band until August 18, 1996. This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450–470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

(25) This frequency is available for assignment as follows:

(i) To persons furnishing commercial air transportation service or, pursuant to § 90.179, to an entity furnishing radio communications service to persons so engaged, for stations located on or near the airports listed in paragraph (c)(25)(iv) of this section. Stations will be authorized on a primary basis and may be used only in connection with the servicing and supplying of aircraft.

(ii) To stations in the Business Radio Service for secondary use at locations 80 km (50 mi) or more from the coordinates of the listed airports at a maximum ERP of 300 watts.

(iii) To stations in the Business Radio Service for secondary use at locations 16 km (10 mi) or more from the coordinates of the listed airports at a maximum transmitter output power of 2 watts. Use of the frequency is restricted to the confines of an industrial complex or manufacturing yard area. Stations licensed prior to April 17, 1986 may continue to operate with facilities authorized as of that date.

(iv) The airports and their respective reference coordinates are:

City and airport	Reference coordinates	
	Latitude	Longitude
Akron, OH:		
Akron-Canton Regional (CAK).	40°55′01′ N	81°26′30′ W
Albany-Troy -Schenectady, NY :		
Albany County (ALB)	42°44′53′ N	73°48′12′ W
Albuquerque,NM:		
Albuquerque International (ABQ).	35°02′30′N	106°36′23′ W
Allentown-Bethlehem, PA:		
Allentown-Bethlehem-Easton (ABE).	40°39′11′ N	75°26′25′ W
Anchorage, AK:		
Anchorage International (ANC).	61°10′30′ N	149°59′38′ W
Atlanta, GA:		
Atlanta International (ATL).	33°38′25′ N	84°25′37′ W
Dekalb-Peachtree (PDK).	33°52′30′ N	84°18′08′ W
Fulton County (FTY) ..	33°46′45′ N	84°31′17′ W
Baltimore, MD:		
Baltimore-Washington Int'L (BWI).	39°10′30′ N	76°40′10′ W
Birmingham, AL:		
Birmingham Municipal (BHM).	33°33′50′ N	86°45′16′ W
Boston, MA:		
Logan International (BOS).	42°21′51′ N	71°00′21′ W
Bridgeport, CT:		
Sikorsky Memorial (BDR).	41°09′49′ N	73°07′35′ W
Buffalo, NY:		
Greater Buffalo Int'l (BUF).	42°56′26′ N	78°43′57′ W
Canton, OH:		
Akron-Canton Regional (CAK).	40°55′01′ N	81°26′30′ W
Charlotte, NC:		
Charlotte-Douglas Int'l (CLT).	35°12′52′ N	80°56′37′ W
Chattanooga, TN:		
Lovell (CHA)	35°02′07′ N	85°12′15′ W
Chicago,IL-Northwest, IN:		
Chicago-Wheeling-Palwaukee (PWK).	42°06′48′ N	87°54′03′ W
Meigs (CGX)	41°51′32′ N	87°36′28′ W
Michiana Regional (SBN).	41°42′18′ N	86°18′59′ W
Midway (MDW)	41°47′10′ N	87°45′08′ W
O'Hare International (ORD).	41°58′48′ N	87°54′16′ W
West Chicago-Dupage (DPE).	41°54′52′ N	88°14′47′ W
Cincinnati, OH:		
Greater Cincinnati Int'l (CVG).	39°14′59′ N	84°23′14′ W
Lunken (LUK)	39°06′12′ N	84°25′08′ W
Cleveland, OH:		
Burke Lakefront (BKL)	41°31′03′ N	81°41′01′ W
Cuyahoga County (CGF).	41°33′54′ N	81°29′11′ W
Hopkins International (CLE).	41°24′38′ N	81°50′58′ W
Columbus, OH:		
Port Columbus Int'l (CMH).	39°59′42′ N	82°53′11′ W
Dallas, TX:		
Addison (ADS)	32°58′06′ N	96°50′10′ W
Dallas-Ft. Worth Regional (DFW).	32°53′45′ N	97°02′10′ W
Dallas-Love Field (DAL).	32°50′49′ N	96°51′05′ W
Red Bird (RBD)	32°40′49′ N	96°52′02′ W
Davenport, IA (Rock Island, Moline, IL):		
Davenport Municipal (DVN).	41°36′42′ N	90°35′21′ W
Quad City (MLI)	41°26′56′ N	90°30′35′ W
Dayton, OH:		
Dayton International (DAY).	39°54′04′ N	84°13′12′ W
Denver, CO:		
Centennial (APA)	39°34′19′ N	104°50′54′ W
Colorado Springs Municipal (COS).	38°48′31′ N	104°42′35′ W

City and airport	Reference coordinates	
	Latitude	Longitude
Denver-Jeffco (BJC) ..	39°54′28′ N	105°26′53′ W
Stapleton International (DEN).	39°46′22′ N	104°52′38′ W
Des Moines, IA:		
Des Moines Municipal (DSM).	41°32′06′ N	93°39′38′ W
Detroit, MI:		
Detroit City (DET)	42°24′33′ N	83°00′36′ W
Detroit Metro-Wayne County (DTW).	42°12′55′ N	83°20′55′ W
Oakland-Pontiac (PTK).	42°39′54′ N	83°25′05′ W
Willow Run (YIP)	42°14′16′ N	83°31′50′ W
El Paso, TX:		
El Paso International (ELP).	31°48′24′ N	106°22′38′ W
Flint, MI:		
Bishop (FNT)	42°57′56′ N	83°44′37′ W
Ft. Lauderdale-Hollywood, FL:		
Ft. Lauderdale Executive (FXE).	26°11′49′ N	80°10′15′ W
Ft. Lauderdale-Hollywd Int'l (FLL).	26°04′19′ N	80°09′13′ W
Ft. Worth,TX:		
Meacham (FTW)	32°49′09′ N	97°21′41′ W
Fresno, CA:		
Chandler Downtown (FCH).	36°43′56′ N	119°49′08′ W
Fresno Air Terminal (FAT).	36°46′36′ N	119°43′02′ W
Grand Rapids, MI:		
Kent County Int'l (GRR).	42°52′57′ N	85°31′26′ W
Hana, HI:		
Hana (HNN)	20°47′56′ N	156°01′02′ W
Harrisburg, PA:		
Capital City (CXY)	40°13′01′ N	76°51′06′ W
Harrisburg Int'l (MDT)	40°11′36′ N	76°45′49′ W
Hartford, CT (Windsor Locks):		
Bradley Int'l (BDL)	41°56′20′ N	72°41′01′ W
Hartford-Brainard (HFD).	41°44′10′ N	72°39′02′ W
Hilo, HI:		
General Lyman Field (ITO).	19°43′24′ N	155°03′05′ W
Honolulu, HI:		
Honolulu International (HNL).	21°19′20′ N	157°55′27′ W
Houston, TX:		
W.P. Hobby (HOU)	29°38′43′ N	95°16′43′ W
D.W. Hooks Memorial (DWH).	30°03′50′ N	95°33′11′ W
Houston Intercontinental (IAH).	29°58′55′ N	95°20′45′ W
Indianapolis, IN:		
Indianapolis Int'l (IND)	39°43′32′ N	86°17′02′ W
Jacksonville, FL:		
Craig Municipal (CRG)	30°20′10′ N	81°30′53′ W
Jacksonville Int'l (JAX)	30°29′33′ N	81°41′24′ W
Kahului, HI:		
Kahului (OGG)	20°54′07′ N	156°25′59′ W
Kailula-Kona, HI:		
Ke-Ahole (KOA)	19°44′08′ N	156°25′06′ W
Kameula, HI:		
Waimea-Kohala (MUE).	20°00′16′ N	155°40′15′ W
Kansas City, MO–KS:		
Fairfax Municipal (KCK).	39°08′50′ N	94°56′14′ W
Kansas City Int'l (MCI)	39°17′57′ N	94°43′04′ W
Kansas City Municipal Dntn (MKC).	39°07′24′ N	94°35′33′ W
Richard-Gebaur (GBW).	38°50′37′ N	94°33′37′ W
Kauna Kakai, HI:		
Molokai (MKK)	21°09′22′ N	157°55′07′ W
Las Vegas, NV:		
McCarran INt'l (LAS)	36°04′58′ N	115°09′13′ W
Lihue, HI:		
Lihue (LIH)	21°58′42′ N	159°20′40′ W
Los Angeles,CA:		
Burbank-Glendale-Pasadena (BUR).	34°21′02′ N	118°21′27′ W
Catalina (AVX)	33°24′20′ N	118°24′50′ W
Long Beach-Daugherty Field (LGB).	33°49′03′ N	118°09′03′ W
Los Angeles Int'l (LAX).	33°56′33′ N	118°24′26′ W
Ontario Int'l (ONT)	34°03′22′ N	117°36′11′ W
Santa Ana-John Wayne-Orange City (SNA).	33°40′32′ N	117°52′02′ W
Louisville, KY:		
Standiford Field (SDF)	38°10′40′ N	85°44′11′ W
Memphis, TN:		
Memphis Int'l (MEM) ..	35°02′59′ N	89°58′43′ W
Miami, FLA:		
Miami Int'l (MIA)	25°47′34′ N	80°17′26′ W
Opa Locka (OPF)	25°54′25′ N	80°16′50′ W
Tamiami (TMB)	25°38′51′ N	80°25′59′ W
Milwaukee, WI:		
General Mitchell (MKE).	42°56′49′ N	87°53′49′ W
Minneapolis-St. Paul, MN:		
Minneapolis-St. Paul (MSP).	44°53′03′ N	93°12′54′ W
Mobile, AL:		
Bates Field (MOB)	30°41′23′ N	88°14′31′ W
Nashville, TN:		
Nashville Metropolitan (BNA).	36°07′37′ N	86°40′53′ W
New Haven, CT:		
Tweed-New Haven Municipal (HVN).	41°15′50′ N	72°53′15′ W
New Orleans, LA:		
Lakefornt (NEW)	30°02′33′ N	90°01′41′ W
New Orleans Int'l (MSY).	29°59′34′ N	90°15′23′ W
Newport News-Hampton,VA:		
Patrick Henry Int'l (PHF).	37°07′54′ N	76°29′36′ W
New York-Northeast, NJ:		
Farmingdale Republic (FRG).	40°43′43′ N	73°24′50′ W
JFK International (JFK).	40°38′25′ N	73°46′42′ W
LaGuardia (LGA)	40°46′38′ N	73°52′27′ W
Long Island-McArthur (ISP).	40°47′44′ N	73°06′00′ W
Morristown Municipal (NJ) (MMU).	40°47′57′ N	74°24′55′ W
Newark Int'l (FWR)	40°41′35′ N	74°10′07′ W
Teterboro (NJ) (TEB)	40°51′00′ N	74°03′41′ W
Norfolk-Portsmouth, VA:		
Norfolk Int'l (ORF)	36°53′40′ N	76°12′06′ W
Oklahoma City, OK:		
Wiley Post (DWA)	35°32′03′ N	97°38′48′ W
Will Rogers World (OKC).	35°23′35′ N	97°36′02′ W

City and airport	Reference coordinates	
	Latitude	Longitude
Omaha, NE:		
Eppley Airfield (OMA)	41°18′04′ N	95°53′36′ W
Orlando, FL:		
Orlando Executive (ORL).	28°32′43′ N	81°19′59′ W
Orlando Int'l (MCO) ...	28°25′54′ N	81°19′29′ W
Philadelphia, PA–NJ:		
Northeast Philadelphia (PNE).	40°04′55′ N	75°00′40′ W
Philadelphia Int'l (PHC).	39°52′13′ N	75°14′43′ W
Phoenix, AZ:		
Phoenix-Sky Habor Int'l (PHX).	33°26′10′ N	112°00′32′ W
Scottsdale Municipal (SDC).	33°37′22′ N	111°54′35′ W
Pittsburgh, PA:		
Allegheny County (AGC).	40°21′16′ N	79°55′49′ W
Greater Pittsburgh Int'l (PIT).	40°29′30′ N	80°13′55′ W
Portland, OR:		
Portland-Hillsboro (HIO).	45°32′26′ N	122°56′55′ W
Portland International (PDX).	45°35′20′ N	122°35′47′ W
Portland-Troutdale (TTD).	45°32′58′ N	122°24′00′ W
Providence-Pawtucket, RI—MA:		
North Central State (SFZ).	41°55′15′ N	71°29′30′ W
T.F. Green State (PVD).	41°43′31′ N	71°25′41′ W
Reno, NV:		
Reno International (RNO).	39°29′52′ N	119°46′04′ W
Richmond, VA:		
Byrd International (RIC).	37°30′18′ N	77°19′12′ W
Rochester, NY:		
Rochester-Monroe County (ROC).	43°07′08′ N	77°40′22′ W
Sacramento, CA:		
Sacramento Executive (SAC).	38°30′45′ N	121°29′33′ W
Sacramento Metropolitan (SMF).	38°41′44′ N	121°36′01′ W
St. Louis, MO—IL:		
Spirit of St. Louis (SUS).	38°39′36′ N	90°38′43′ W
St. Louis-Lambert Int'l (STC).	38°44′51′ N	90°21′39′ W
St. Petersburg, FL:		
Albert Whitted Municipal (SPG).	27°45′53′ N	82°37′39′ W
Clearwater Int'l (PIE)	27°54′38′ N	82°41′16′ W
Salt Lake City, UT:		
Salt Lake City Int'l (SLC).	40°47′13′ N	111°58′05′ W
San Antonio, TX:		
San Antonio Int'l (SAT).	29°32′00′ N	98°28′10′ W
San Bernardino, CA:		
Ontario Int'l (ONT)	34°03′22′ N	117°36′11′ W
San Diego, CA:		
Lindbergh Int'l (SAN)	32°44′01′ N	117°11′12′ W
San Francisco-Oakland, CA:		
Metropolitan Oakland Int'l (OAK).	37°43′17′ N	122°13′11′ W
San Francisco Int'l (SFO).	37°37′08′ N	122°22′26′ W
San Jose, CA:		
San Jose Int'l (SJC) ...	37°21′41′ N	121°55′38′ W
Scranton, PA:		
Wilkes-Barre Scranton Int'l (AVP).	41°20′20′ N	75°43′27′ W
Seattle, WA:		
King County Int'l (BFI)	47°31′49′ N	122°18′03′ W
Seattle-Tacoma Int'l (SEA).	47°26′57′ N	122°18′29′ W
Shreveport, LA:		
Shreveport Downtown (DTN).	32°32′23′ N	93°44′40′ W
Shreveport Regional (SHV).	32°26′48′ N	93°49′30′ W
South Bend, IN:		
Michiana Regional (SBW).	41°42′18′ N	86°18′59′ W
Spokane, WA:		
Grant County (MWH)	47°12′28′ N	119°19′08′ W
Spokane Int'l (GEG) ..	47°37′12′ N	117°31′58′ W
Springfield, MA:		
Barnes Municipal (BAF).	42°09′28′ N	72°42′58′ W
Westover Field (CEF)	42°11′52′ N	72°31′50′ W
Syracuse, NY:		
Syracuse-Hancock Int'l (SYR).	43°06′44′ N	76°06′32′ W
Tacoma, WA:		
Tacoma Narrows (TIW).	47°16′05′ N	122°34′37′ W
Tampa, FL:		
Tampa Int'l (TPA)	27°58′31′ N	82°32′00′ W
Toledo, OH:		
Toledo Express (TOL)	41°35′15′ N	83°48′19′ W
Trenton, NJ–PA:		
Mercer County (TTN)	40°16′38′ N	74°48′50′ W
Tucson, AZ:		
Tucson Int'l (TUS)	32°07′06′ N	110°56′35′ W
Tulsa, OK:		
R.L. Jones, Jr. (RVS)	36°02′18′ N	95°59′05′ W
Tulsa Int'l (TUL)	36°11′54′ N	95°53′16′ W
Washington, DC:		
Dulles International (IAD).	38°56′39′ N	77°27′26′ W
National (DCA)	38°51′07′ N	77°02′17′ W
Wichita, KS:		
Mid-Continent (ICT) ...	37°39′00′ N	97°25′58′ W
Wilkes-Barre, PA:		
Wilkes-Barre-Scranton (AVP).	41°20′20′ N	75°43′27′ W
Wilmington, DE:		
Gr. Wilm.-New Castle City (ILG).	39°40′42′ N	75°36′25′ W
Worcester, MA:		
Worcester Municipal (ORH).	42°16′02′ N	71°52′34′ W
Youngstown-Warren, OH–PA:		
Youngstown Municipal (YNG).	41°15′32′ N	80°40′34′ W

(26) This frequency may be assigned to fixed stations in the Business Radio Service in accordance with the provisions of § 90.261.

(27) Within the boundaries of urbanized areas of 200,000 or more population, defined in the United States Census of Population, 1960, vol. 1, table 23, page 1–50, this frequency may be

used only by persons rendering a central station commercial protection service within the service area of the radio station utilizing the frequency and may be used only for communications pertaining to safety of life and property, and for maintenance or testing of the protection facilities. Central Station commercial protection service is defined as an electrical protection and supervisory service rendered to the public from and by a central station accepted and certified by one or more of the recognized rating agencies, or the Underwriters Laboratories' (UL), or Factory Mutual System. Other stations in the Business Radio Service may be licensed on this frequency only when all base, mobile relay and control stations are located at least 120 km (75 miles) from the city center or centers of the specified urbanized areas of 200,000 or more population. With respect to combination urbanized areas containing more than one city, 120 km (75 mile) separation shall be maintained from each city center which is included in the urbanized area. The locations of centers of cities are determined from appendix, page 226, of the U.S. Commerce publication ''Air Line Distance Between Cities in the United States.''

(28) This frequency may be assigned only to persons rendering a central station commercial protection service, which is defined at § 90.75(c)(27), within the service area of the radio station utilizing the frequency.

(29) This frequency will be assigned only to stations whose control point location is within 805 m (½ mi. direct) of the transmitter location. Maximum power output may not exceed 110 watts, and the overall height of the antenna above ground may not exceed 30 m (100 ft.).

(30) Operation on this frequency is limited to a maximum output power of 35 watts.

(31) Maximum permissible power output for stations on airports is 3 watts. Each station authorized on this frequency will be classified and licensed as a mobile station. Any units of such a station, however, may provide the functions of a base station on a secondary basis to mobile service operations provided that the vertical separation between the control point or ground level and the center of the radiating portion of the antenna of any units so used shall not exceed 8 m (25 ft.).

(32) Subpart L contains rules for assignment of frequencies in the 470–512 MHz band.

(33) Subpart S contains rules for assignment of frequencies in the 806–821/851–866 and 896–901/935–940 MHz bands.

(34) Assignment of frequencies above 928 MHz for operational-fixed stations is governed by part 94 of this chapter.

(35) The maximum output power of the transmitter may not exceed 1 watt. A1D, A2D, F1D, or F2D emission may be authorized.

(36) The maximum effective radiated power (ERP) may not exceed 2 watts. All operation is on a secondary basis to adjacent channel land mobile operations. All stations will be licensed as a mobile, however, such stations may be used to provide the operational functions of a base or fixed station. When performing such functions, the height of the antenna system may not exceed 15.24 m (50 feet) above ground.

(37) Use of this frequency is limited to stations located at least 120.7 km (75 miles) from the center of any urbanized area of 200,000 or more population (U.S. Census or Population 1970). Operation is on a secondary basis to that in the Power radio Service.

(38) [Reserved]

(39) Persons who render a central station commercial protection service are authorized to operate fixed stations on this frequency for the transmission of tone or impulse signals on a secondary, noninterference base-to-base/mobile operations subject to the following conditions and limitations.

(i) Secondary fixed operations may be used only for the following purposes.

(A) Indication of equipment malfunction.

(B) Actuation of a device to indicate the presence of an intruder, fire, or other hazardous condition on the property under the protection of the licensee.

(C) Indication of an abnormal condition in facilities under the protection of the licensee that, if not promptly reported, would result in danger to human life.

(D) Transmission, as may be necessary, to verify status of equipment; adjust operating conditions; or correct any abnormal condition.

(E) Confirmation of status, or that an operation or correction has been accomplished.

(ii) The maximum duration of any one nonvoice signal may not exceed 2 seconds and shall not be transmitted more than three times.

(iii) Systems employing automatic interrogation shall be limited to nonvoice techniques and shall not be activated for this purpose more than 10 seconds out of any 60-second period. This 10-second frame includes both transmit and response times.

(iv) The bandwidth shall not exceed that authorized to the licensee for the primary operation on the frequency concerned.

(v) Frequency loading resulting from the use of secondary signaling will not be considered in whole or in part as a justification for authorizing additional frequencies in the licensee's mobile system.

(vi) A mobile service frequency may not be used exclusively for secondary signaling.

(vii) The output power shall not exceed 30 watts (at the remote site).

(viii) A1D, A2D, F1D, or F2D emission may be authorized.

(ix) The transmitter shall be designed to deactivate automatically after 3 minutes of continuous carrier radiation.

(x) Operational fixed stations authorized under this paragraph are exempt from the requirements of §§ 90.137(b), 90.429(d), 90.425 and 90.433.

(xi) On these frequencies, base, mobile relay or mobile stations may transmit secondary tone or impulse signals to receivers, as provided in this section.

(40) Licensees providing a central station commercial protection service may communicate with police or fire stations, or vehicles, on this frequency, and may install licensed transmitting units which operate on this frequency at police or fire stations, or in police or fire vehicles, if the frequency's primary use is in a base/mobile system for a central station commercial protection service.

(41) Stations authorized on this frequency prior to September 26, 1984 will continue to be authorized as licensed on their existing authorization.

(42) Frequencies in this band are available only for one-way paging operations in accordance with § 90.494.

(43) Frequencies in this band are available on a shared basis with stations in other services, and subject to no protection from interference caused by the operation of industrial, scientific, or medical (ISM) devices. In the 2483.5–2500 MHz band, no applications will be accepted for new stations. Stations in the 2483.5–2500 MHz band that were licensed as a result of applications filed on or before July 25, 1985, are grandfathered, and their operation is co-primary with the Radiodetermination Satellite Service.

(44) Subpart T contains rules for assignment of frequencies in the 220–222 MHz band.

(45) This frequency is available on a shared basis with the Power, Petroleum, Manufacuturers, and Railroad Radio Services and interservice coordination is required. All communications on this frequency must be conducted within the boundaries or confines of the licensee's business premises. Operations on this frequency are subject to the provisions of § 90.257(b). Pulsed modulations will not be authorized.

(46) This frequency is not available until August 18, 1996. After August 18, 1996 this frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(47) This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz.

(48) Assignment of frequencies in this band are subject to the provisions of § 90.173.

(49) This frequency will be authorized a channel bandwidth of 25 kHz.

(50) This frequency is available for systems first licensed prior to August 18, 1995. No new systems will be authorized after August 18, 1995, but prior authorized systems may be modified, expanded, and renewed.

(51) Operation on this frequency is limited to a maximum output power of 1 watt; and each station authorized

will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base or fixed station on a secondary basis to mobile service operations, Provided, That the separation between the control point and the center of the radiating portion of the antenna of any units so used does not exceed 8 m (25 ft).

(52) Use of this frequency is on a secondary basis and subject to the provisions of § 90.267 (a)(3), (a)(4), (a)(5), and (a)(7).

(53) This frequency may be used on a secondary, non-interference basis by a hospital or health care institution holding a license to operate a radio station under this part to operate a medical radio telemetry device with an output power not to exceed 20 milliwatts without specific authorization from the Commission.

(54) Licensees as of August 18, 1995 who operate systems that are 2.5 kHz removed from regularly assignable frequencies may continue to operate on a secondary, non-interference basis after August 1, 2003.

(55) One-way paging transmitters on this frequency may operate with an output power of 350 watts.

(d) *Additional frequencies available.* In addition to the frequencies shown in the frequency table of this section, the following frequencies are available in this service. (See also § 90.253.)

(1) [Reserved]

(2) Frequencies in the band 73.0–74.6 MHz may be assigned to stations authorized their use on or before December 1, 1961, but no new station will be authorized in this band, nor will expansion of existing systems be permitted. (See also § 90.257.)

(3) Licensees holding a valid authorization on January 1, 1973, to operate on the frequencies 406.025, 406.075 MHz may continue to be authorized for such operations until the expiration of their present license on a secondary basis to stations operating in accordance with the table in § 2.106 of this chapter.

(4) Low power mobile stations of 100 mw or less output power used for one-way, non-voice medical telemetry operations in hospitals or in medical convalescent centers are subject to the provisions of § 90.238.

(5) Frequencies in the 421–430 MHz band are available in the Detroit, Cleveland, and Buffalo areas in accordance with the rules in §§ 90.273 through 90.281.

(e) *Limitation on number of frequencies assignable.* Normally only one frequency, or pair of frequencies in the paired frequency mode of operation, will be assigned for mobile service operations by a single applicant in a given area. The assignment of an additional frequency or pair of frequencies will be made only upon a satisfactory showing of need, except that:

(1) Additional frequencies above 25 MHz may be assigned in connection with operation of mobile repeaters in accordance with § 90.247, notwithstanding this limitation.

(2) Frequencies in the ranges 30.56–30.57 MHz, 35.00–35.01 MHz, 35.99–36.00 MHz and 37.00–37.01 MHz are available for assignment to applicants in this service subject to the provisions of subpart Q.

(3) Frequencies in the 457 and 467 MHz bands may be assigned collectively as provided by paragraph (c)(23) of this section notwithstanding this limitation.

(4) Frequencies in the 25–50 MHz, 150–170 MHz, 450–512 MHz and 902–928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M of this part, notwithstanding this limitation.

(f) *Limitation on itinerant operation.* Base or mobile stations being utilized in itinerant operation will be authorized only on base or mobile frequencies designated for itinerant operation under § 90.75(c)(3), or on other frequencies not designated for permanent use.

(Secs. 4(i) and 303(r), Communications Act of 1934, as amended, §§ 0.131 and 0.331 of the Commission's Rules and 5 U.S.C. 553 (b)(3)(B) and (d)(3); 47 U.S.C. 154(i) and 303)

[43 FR 54791, Nov. 22, 1978]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 90.75, see the List of CFR Sections Affected in the Finding Aids section of this volume.