

§ 80.40

clearly indicate the safety information prescribed in paragraph (b) of this section for each vessel, but unnecessary repetition is not required.

(e) Each brochure, pamphlet, schedule, and similar publication required in paragraph (a) of this section to contain safety information must—

(1) State the safety information prescribed in paragraph (b) of this section at least once for each vessel named; and

(2) Include a reference in the index of contents or the cover regarding the page number where the safety information for each vessel is located.

(f) The section does not apply to—

(1) An advertising sign that is towed, displayed, or written by aircraft;

(2) An advertisement in a trade publication that is directed to the professional counselors in the travel industry and not intended or used for general

46 CFR Ch. I (10–1–98 Edition)

distribution to the public for solicitation of passage on a vessel; or

(3) An advertisement within a magazine, newspaper, periodical, or similar publication that is—

(i) Produced outside of the United States;

(ii) Not an American edition; and

(iii) Primarily distributed in the country in which it is produced.

§ 80.40 Civil penalty.

For each violation of the regulations in this part, the owner, operator, agent, or other person involved is subject to the penalties prescribed in 46 U.S.C. 3504.

[CGFR 72–187R, 38 FR 9081, Apr. 10, 1973, as amended by CGD 95–028, 62 FR 51205, Sept. 30, 1997]

PARTS 81–89 [RESERVED]

INDEX

SUBCHAPTER H—PASSENGER VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled by the Coast Guard, Department of Transportation.

In general, references in this index pertain to new construction or installations.
For existing vessels or installations, see the "application" in the text covering the particular referenced part, subpart, section, etc.

Part, subpart, or section

A

Access:

General. (*See Means of escape*)

Manholes in doubles bottoms. (*See Double bottom*)

On weather decks..... 72.10-45

Plan of displayed..... 78.45-1

Prohibited location of openings (*See Bulkheads*)

To fire extinguishing valves and controls:

Automatic sprinkling 76.25(a)

Carbon dioxide..... 76.15-10(i)

Foam..... 76.17-10(b)

Manual sprinkling 76.23-15(a)

To lifeboats..... 72.10-40

To tanks from crew accommodations..... 72.20-10(e)

Trucks and tunnels through bulkheads. (*See Bulkhead.*)

Accident, reports of 78.07, 78.33

Accommodation space:

Bulkheads and decks 72.05-10

Carbon dioxide piping in 76.15-15(i)

Definition of, for structural fire protection..... 72.05-5(b)

Fire protection equipment required 76.05

Officer. (*See Officer accommodations.*)

Passenger. (*See Passenger accommodations.*)

Smoke openings in corridor bulkheads 72.05-10(m)

Ventilation 72.05-50

Windows and airports 72.05-30

After peak bulkhead (*See Bulkhead.*)

Aids to navigation 78.05

Airport:

Fire protection 72.05-30

Insect screens in, crew accommodations 72.20-55

Kept closed at sea..... 78.17-35

Testing..... 78.17-5

Air Tank:

Annual inspection in lifesaving appliances 71.25-15(a)(1)

Alarm:

Automatic sprinkling system..... 76.25-35

Carbon dioxide extinguishing system..... 76.15-30

46 CFR Ch. I (10–1–98 Edition)

Electric fire detecting system.....	76.27-15
General alarm system. (See General alarm system.)	
Manual alarm system. (See Manual alarm system.)	
Markings.....	78.47
Miscellaneous machinery	77.05
Pneumatic fire detecting system.....	76.30-15
Refrigerated space	77.05
Smoke detecting system	76.33-20
Alteration:	
Notice of	71.55
Plans required	71.65-10
American Bureau of Shipping.....	70.10-7, 70.10-41, 70.35, 71.15, 71.65-5, 72.01-15, 72.01-20
American Society for Testing Materials (ASTM)	76.01-2, 76.10-10, 77.01-3, 77.35-5(c), 78.17-75
Anchor:	
General requirements	77.07
Sea anchor. (See Sea anchor.)	
Annual inspection.....	71.25
Appeal, right of.....	70.01-7
Application of subchapter.....	70.05
Applicator:	
For combination nozzle. (See Fire hose nozzle.)	
Approved:	
Definition of.....	70.10-1
Fire protection equipment to be	76.01-5, 76.05
Plans required to be.....	71.65
Arrangements:	
Authority for regulations	70.01
Equivalents for	70.15
Initial inspection.....	71.20
Plans required.....	71.65-5
Assignment of regulations	70.01-5
Authority for regulations	70.01-1
Automatic fire damper. (See Fire damper.)	
Automatic sprinkling system:	
Access to controls	76.25-25(a)
Controls.....	76.25-25
Electrical requirements.....	76.25-35
General details.....	76.25
Inspection. (See Fire detecting system.)	
Markings	76.25-25, 76.25-35
Operation and installation	76.25-35
Piping	76.25-30
Plans to be displayed	78.45
Pressure tank	76.25-20
Pumps and water supply.....	76.25-15
Size and arrangement of pumps and pipe sizes	76.25-10
Where required	72.05-90(b)(3), 76.05-1, 76.05-20
Zoning	76.25-5
Automatic ventilator:	
In vessel's sides.....	73.40-10
Availability of water for fire extinguishing.....	76.10-3
B	
Baggage room. (See Service space.)	
Balconies	72.05-5(m)

Index

Ballast system	77.03
Barge:	
Definition.....	70.10-2
Basin. (See Washroom.)	
Bath tubs. (See Washroom.)	
Bell, markings on.....	78.47-7
Berth. (See Furniture.)	
Berth light in crew spaces.....	72.20-45(b)
Bilge system	77.03
Blocks. (See Falls.)	
Boat drill. (See Fire and boat drill.)	
Boiler:	
Accident to or repair of.....	78.33
Carrying excess steam	78.55
Examination of.....	78.17-30
General	77.03
Boiler space. (See Machinery space.)	
Bottom, double. (See Double bottom.)	
Bread. (See Provisions.)	
Breathing apparatus. (See Self contained breathing apparatus.)	
Breeches buoy instructions, placard of.....	78.53
Bulkhead:	
Annual inspection of.....	71.25-25(1)
Class B-15, Method of erection.....	72.05-10(h)-(j)
Construction and testing of.....	72.01-25, 72.05-10
Doors closed at sea	78.15
Door in, other than watertight.....	72.05-25
Minimum requirements.....	72.05-10(e)
Subdivision.....	71.25-25, 76.27-5, 76.30-5, 78.15-1, 78.17-3, 78.47-37, 78.47-43
Type of watertight doors required in. (See Watertight door.)	
Buoyant heaving line. (See Heaving line.)	
Bunker doors. (See Bulkheads.)	

C

Cable, through bulkheads. (See Bulkheads.)	
Cable traveler	78.35
Carbon dioxide extinguishing system:	
Access to supply and controls.....	76.15-10
Alarms.....	76.15-30
Alternate, if fire pumps in same space	76.10-5(h)
Controls.....	76.15-10
Discharge outlets.....	76.15-25
Enclosure openings.....	76.15-35
For cargo spaces.....	76.15-5(c)
For enclosed ventilating systems for rotating electrical equipment	76.15-5(d)
For machinery spaces, paint lockers, tanks, etc	76.15-5(e)
General details.....	76.15
Installation test.....	76.15-15(j)
Markings.....	76.15-10(c), (d), (h), 76.15-30
Openings in living quarters not permitted.....	76.15-15(i)
Operating instructions.....	76.15-10(h)
Piping	76.15-15
Plans to be displayed.....	78.45
Pressure relief.....	76.15-40
Quantity, pipe size, discharge rates	76.15-5
Storage	76.15-20
Type of system required	76.15-1(b)

46 CFR Ch. I (10–1–98 Edition)

Where required	76.05-20
Cargo:	
General (<i>See Freight.</i>)	
Ports. (<i>See Openings in vessel's sides.</i>)	
Cargo gear:	
Causing blind sector	72.04-1
Inspection of	71.25-25, 71.47
Plans and specifications for new construction	71.65-5
Cargo gear plans approved by a recognized cargo gear organization	71.47-23
Cargo gear plans required when plans are not approved by a classification society or recognized cargo gear organization	71.47-15
Cargo in bulk:	
Combustible and flammable liquidTable	70.05-1(a), 70.05-30
Combustible liquid and chemicals	71.60-1
Grain or other combustible	78.70
In portable tanks	70.05-25
Cargo space:	
Bulkheads and decks	72.05-10
Definition, for structural fire protection	72.05(e)
Fire protection equipment required	76.05
Hatch covers and shifting boards	72.05-35
Ventilation	72.05-50
Windows and airports	72.05-30
Carpenter shop. (<i>See Service space.</i>)	
Carpet. (<i>See Rug.</i>)	
Carrying freight for hire, definition of	70.10-5
Carrying passengers for hire:	
Definition of	70.10-3
Gross tonnage as a criterion for requirements	70.05-20
Vessels	70.05-1
Casing, machinery. (<i>See Machinery space.</i>)	
Casualty, notice and reporting of	78.07
Ceiling, construction of	72.05-10(h), 72.05-15
Certificate:	
Exemption. (<i>See Exemption certificate.</i>)	
Of inspection. (<i>See Certificate of inspection.</i>)	
Safety. (<i>See Safety certificate.</i>)	
Temporary. (<i>See Temporary certificate.</i>)	
Certificate of inspection (COI):	
Annual inspection prerequisite for reissuance	71.25-1
Compliance with provisions of	78.60
General	71.01
Initial inspection, prerequisite for	71.20-1
Period of validity of	71.01-10
Certificates under the International Convention for Safety of Life at Sea, 1960 (SOLAS):	
Application	71.75-1
Duration of certificates	71.75-20
Exemption certificate	71.75-10
Passenger Ship Safety Certificate	71.75-5
Posting of Convention certificates	71.75-15
Chain, anchor	77.07
Chart, required	78.05-5
Children's life preservers. (<i>See Life preservers.</i>)	
Classed vessel, defined	70.10-7
Coast Guard District Commander, defined	70.10-11
Coastwise:	

Index

Definition	70.10-13
Service; anchors, chains and hawsers for	77.07-5
Collision bulkhead. (See Bulkhead.)	
Combination nozzle. (See Fire hose nozzle.)	
Combustible liquid cargo in bulkTable.....	70.05-1(a), 70.05-30
Commandant, defined	70.10-9
Communication system:	
Installation and details.....	77.05-1
Testing	78.17-15
Compartmentation. (See Subdivision.)	
Construction:	
Authority for regulations	70.01-1
Class B-15 bulkheads	72.05-10(i)
Crew accommodations	72.20-15
Doors, other than watertight	72.05-25
Double Watertight. (See Watertight doors.)	
Double bottom. (See Double bottom.)	
Fire control bulkheads and decks.....	72.05-10
Fire protection, general.....	72.03
Inspection:	
Annual	71.25-20
Initial.....	71.20-15
New, plans and specifications required	71.65-5
Structural requirements and standards	71.65-5, 72.01-15, 72.01-20, 72.01-25, 72.05-10, 72.05-90, 72.20-90
Structural subdivision.....	72.01-25
Container:	
Drinking water. (See Drinking water.)	
Portable tanks, interpretive rulings.....	70.05-25
Provisions. (See Provisions)	
Contracted for, defined	70.05-5
Controls:	
Fire-extinguishing systems:	
Automatic sprinkling	76.25-25
Carbon dioxide	76.15-10
Fire main	76.10-15(c)
Foam.....	76.17-10
Manual sprinkling.....	76.23-15
Miscellaneous machinery	77.05
Corridor (See also Safety area):	
Dead end	72.10-30
Fire-resistant furnishings in	72.05-55(c)
Passenger and crew.....	72.05-5(k)
Coupling:	
Fire hose. (See Fire hose.)	
Cover, protecting:	
Lifeboat equipment:	
Description	75.20-15(oo)
Required.....	75.20-10
Crew Accommodations. (See also Accommodation space):	
Construction.....	72.20-15
Corridors.....	72.05-5(k)
General	72.20
Heating and cooling.....	72.20-50
Hospital space.....	72.20-35
Insect screens	72.20-55
Laundry facilities.....	72.20-40
Lighting.....	72.20-45

46 CFR Ch. I (10–1–98 Edition)

Location	72.20-10
Messrooms	72.20-30
Recreation facilities.....	72.20-40(d)
Sanitary inspections. (See Sanitation.)	
Sleeping Accommodations.....	72.20-20
Ventilation	72.15
Washrooms and toilet spaces.....	72.20-25
Cup. (See Drinking cup.)	
Customs regulations:	
Required markings	78.50

D

Damage	78.07
Damaged stability. (See Stability.)	
Damper, automatic fire. (See Fire dampers.)	
Davit:	
Annual inspection.....	71.25-15(5)
Daylight signaling lamp	77.05
Orange smoke. (See Smoke signal.)	
Dead cover. (See Airport.)	
Deck covering:	
Fire-protection	72.05-10(n)-(p)
In way of doors	72.05-25(b)(6), (c)(5)
Deck:	
Fire-protection classification.....	72.05-10
Minimum requirements	72.05-10(a)-(g)
De-energizing of cargo hold lighting circuits when grain or other combustible bulk cargo is carried:	
Master's responsibility.....	78.70-1
Warning notice posted.....	78.70-5
Definitions:	
Relating to hull examinations	71.50-1
Terms used in subchapter.....	70.10
Terms used in subchapter 72.05, structural fire protection.....	72.05-5
Detecting, fire. (See Fire detecting.)	
Direction finder. (See Radio.)	
Discharge, overboard. (See Overboard discharge.)	
Disclosure of safety standards and country of registry	80
Applicability.....	80.10
Civil penalty.....	80.40
Exemption to requirements.....	80.20
Notification of safety standards.....	80.25
Ocean voyage.....	80.15
Persons subject to regulation.....	80.10
Promotional literature or advertising.....	80.30
Disengaging apparatus:	
Markings on.....	78.47-60(e)
Distress signal:	
Orange smoke. (See Smoke signal.)	
Red hand flare. (See Hand flare.)	
Red parachute flare. (See Parachute flare.)	
Door:	
Bunker. (See Bulkhead.)	
In collision bulkhead. (See Bulkhead.)	
Insect screens to crew accommodations.....	72.20-55
Kept closed at sea.....	78.15, 78.17-35
Loading. (See Loading doors.)	

Index

Locking of required means of escape.....	72.10-20
Magnetically controlled fire. (See Magnetically controlled fire doors)	
Other than watertight.....	72.05-25
To crew accommodations.....	72.20-10(d)
To machinery space. (See Bulkhead.)	
Watertight. (See Watertight door.)	
Double bottom:	
Construction and testing.....	72.01-25
Draft:	
Logged when leaving port.....	78.17-20
Required to be marked on vessel.....	78.50-10
Draft stops:	
Where required.....	72.05-10(h)
Drain:	
Automatic, for lifeboats. (See Plug.)	
Crew spaces.....	72.20-15(g)
Fire protection equipment:	
Automatic sprinkling.....	76.25
Carbon dioxide.....	76.15-15(g)
Fire main.....	76.10-10(e)
Foam.....	76.17
Manual sprinkling.....	76.23
Smoke detecting.....	76.33
Wells in double bottom. (See Double bottom.)	
Dry docking:	
At any time.....	71.50-5
Periodical.....	71.50-3
Drydock examination:	
Definition.....	71.50-1
Intervals.....	71.50-3
Notice and plans required.....	71.50-5

E

Electrical engineering:	
General requirements.....	70.25
Initial inspection of equipment.....	71.20-20(a)(4)
System, installations and details.....	77.05-1
Vessels subject to regulations.....	70.05-1
Electrical fire detecting system:	
Alarm.....	76.27-15
Electrical requirements.....	76.27-15(e)
General details.....	76.27
Instructions.....	76.27-15(f)
Location and spacing of detectors.....	76.27-10
Operation and installation.....	76.27-15
Plans to be displayed.....	78.45
Where required.....	76.05-1
Zoning.....	76.27-5
Electrical propulsion machinery:	
Enclosed ventilation systems for:	
Fire extinguishing system required.....	76.05-20
Elevator, enclosure.....	72.05-20
Emergency equipment.....	77.30
Emergency light:	
Marking.....	78-47-33
Required.....	77.05-1
Emergency lighting and powering:	

46 CFR Ch. I (10–1–98 Edition)

Installation and details	77.05
Testing	78.17-45
Emergency loudspeaker system. (<i>See</i> Loudspeaker system.)	
Emergency squad:	
Marking equipment stowage space	78.47-25
Enclosed locations, operating vessels in.....	78.83
Engine order telegraph system	77.05-1
Engineroom. (<i>See</i> Machinery space.)	
Equipment:	
Emergency. (<i>See</i> Emergency equipment.)	
Equivalents for	70.15
For buoyant apparatus. (<i>See</i> Buoyant apparatus.)	
Installations made during unlimited emergency	70.30-5
Lifesaving. (<i>See also</i> Lifesaving equipment.)	
In vessels covered under the Act of August 9, 1954	70.30-1(b)
Sounding. (<i>See</i> Sounding equipment.)	
Equivalents.....	70.15
Equivalent plane bulkhead. (<i>See</i> Bulkhead.)	
Escape. (<i>See</i> Means of escape.)	
Examination:	
Integral fuel oil tank	71.35
Intervals, drydocks and internal structural	71.50-3
Excursion, permit to engage in.....	71.10
Exemption certificate.....	71.75-10
Exit. (<i>See</i> Means of escape.)	
Expired certificate of inspection	71.01-20
Extinguisher:	
(<i>See</i> Hand portable fire extinguishers.)	
(<i>See</i> Semi-portable fire extinguishing systems.)	
Extinguishing system. (<i>See</i> Fire extinguishing system.)	

F

Federal Communications Commission:	
Annual inspection of radio installation.....	71.25-10
Initial inspection of radio installation.....	71.20-15
Ferry:	
Chains or barriers in vehicular space	72.40-15
Definition of	70.10-15
Railroad passenger car. (<i>See</i> Railroad passenger car ferry.)	
Rails.....	72.40
Vehicular spaces. (<i>See</i> Vehicular space.)	
Washing and toilet facilities for	72.25-15
Film stowage rooms. (<i>See</i> Projection rooms.)	
Fire alarm system. (<i>See</i> Manual alarm system.)	
Fire axe:	
Location	76.60-10
Number required	76.60-5
Fire bulkhead. (<i>See</i> Structural fire protection.)	
Fire damper:	
Annual inspection	71.25-25(a)(3)
General	72.05-50(b)
Markings	78.47-53
Plans displayed showing location.....	78.45
Fire detecting system:	
Annual inspection.....	71.25-20
Details:	
(<i>See</i> Automatic sprinkling system.)	

Index

(See Electrical fire detecting system.)	
(See Manual alarm system.)	
(See Pneumatic fire detecting system.)	
(See Smoke detecting system.)	
(See Supervised patrol.)	
Markings.....	78.47
When required.....	72.05-90(b), 76.05-1
Fire door. (See Magnetically controlled fire door.)	
Fire extinguisher:	
(See Hand portable fire extinguisher.)	
(See Semi-portable fire extinguishing system.)	
Fire extinguishing system:	
Annual inspection.....	71.25-20
Details:	
(See Automatic sprinkling system.)	
(See Carbon dioxide extinguishing system.)	
(See Fire main system.)	
(See Foam extinguishing system.)	
(See Manual sprinkling system.)	
(See Steam smothering system.)	
(See Water spray extinguishing system.)	
Initial inspection.....	71.20-15
Markings.....	78.47
When required.....	76.05-20
Fire-fighting equipment, general	78.17-80
Fire hazard, annual inspection for	71.25-45
Fire hose:	
Additional, when foam extinguishing system used	76.17-25
Couplings	76.10-10(1)
Inspection	71.25-20
Ports.....	72.05-25(a)(6)
Size, length, and stowage	76.10-10
When and where required. (See Fire main system.)	
Fire hose nozzle:	
Additional combination nozzles required, when foam extinguishing system used	76.17-25
Combination nozzles required	76.10-10(j)
Type and size required	76.10-10(j)
Fire hose rack	76.10-10(g)
Fire hydrant:	
Additional required, when foam extinguishing system used	76.17-25
Size and location	76.10-10
Fire main system:	
Additional requirements, when foam extinguishing system used	76.17-25
Couplings. (See Fire hose.)	
General details.....	76.10
Hose. (See Fire hose.)	
Hose ports.....	72.05-25(a)(6)
Inspection. (See Fire extinguishing system.)	
Marking of valves.....	76.10-15(b)
Piping	76.10-15
Protection from freezing	76.10-10(e)
Pumps (See Fire pump.)	
Shore connection.....	76.10-10(c)
When required.....	76.05-15
Fire protection equipment:	
Annual inspection.....	71.25-20
Equipment installed, but not required.....	76.01-5

46 CFR Ch. I (10–1–98 Edition)

General	Part 76
Initial inspection	71.20
Installations made during unlimited emergency	70.30-5
On vessels acquired or documented under Act of August 9, 1954	70.30-1
Fire protection, general:	
Application	72.03-1
Fire hazards to be minimized	72.03-5
Lamp room construction	72.03-15
Woodwork insulated from heated surfaces	72.03-10
Fire protection, structural. (See Structural fire protection.)	
Fire pump:	
Number, type, size, and location	76.10-5
Used for other purposes	76.10-5(f)
Fire test. (See Standard fire test.)	
Fire watch:	
General	78.30-20
Supervised patrol. (See Supervised patrol.)	
Watchmen. (See Watchmen.)	
Fireman's outfit	77.35
Application	77.35-1
General	77.35-5
Outfit	77.35-10
Spare charges	77.35-20
Stowage	77.35-15
Fixed fire extinguishing system. (See Fire extinguishing system.)	
Fixed hooks. (See Disengaging apparatus.)	
Fixed light. (See Airport.)	
Flame safety lamp	77.30-5(c)
Flammable liquid cargo in bulkTable	70.05-1(a), 70.05-30
Flare. (See Hand flare)	
Float:	
Wood. (See Wood float.)	
Foam extinguishing system:	
Access to supply and controls	76.17-10(b)
Additional protection required	76.17-25
Controls	76.17-10
Discharge outlets	76.17-20
General details	76.17
Inspection. (See Fire extinguishing system.)	
Markings	76.17-10(d)
Piping	76.17-15
Plans to be displayed	78.45
Quantity of foam required	76.17-5
Where required	76.05-20
Fog nozzle. (See Fire hose nozzle.)	
Food. (See Provisions.)	
Fore peak bulkhead. (See Bulkhead.)	
Foreign vessels subject to the requirements of this subchapter	70.05-3
Freight:	
Carriage for hire	70.10-5
Friction matches. (See Matches.)	
Fuel:	
Oil tanks, integral examination of	71.53
Requirements for fuel oil	78.17-75
Fuel oil units:	
Fire extinguishing system required in spaces containing	76.05-20

Index

Furnishings. (*See* Furniture.)

Furniture:

Crew accommodations	72.20-20(c)
Crew hospital	72.20-35
Insect screens	72.05-55
Mess rooms	72.20-30

G

Galley (*See also* Service space):

Ventilation	72.05-50
-------------------	----------

Gangway, openings. (*See* Openings in vessel's sides.)

Gas freeing..... 71.60

Gas mask:

Marking of Stowage space	78.47-27
Required	77.30

Gasoline, when using as fuel:

Ventilation	72.15-10
Vessel construction	72.01-10

General alarm system:

Details	77.05
Markings	78.47-5, 78.47-7

Glass:

Wire inserted. (*See* Wire inserted glass)

Gravity davit. (*See* Davits.)

Great Lakes:

Definition of	70.10-17
Service; anchors, chains and hawsers for	77.07-5

Gross tonnage as a criterion for requirements..... 70.05-20

Grounding:

Notice of	78.07
-----------------	-------

Guard. (*See* Rail.)

H

Hand portable fire extinguishers:

Annual inspection.....	71.25-20
Classification	76.50-5
Location	76.50-10
Markings	76.50-10(d)
Spare charges	76.50-15
When required.....	76.05-25

Hatch:

Closure of.....	78.17-35
Material for covers	72.05-35
To crew accommodations	72.20-10(d)

Hawse pipe in crew accommodations..... 72.20-10(c)

Hawser pipe

.....	70.10-19, 77.07
-------	-----------------

Headquarters, definition of..... 70.10.19

Heating, crew spaces..... 72.20-50

Heat insulation. (*See* Insulation.)

Hinged watertight door. (*See* Watertight doors.)

Hook. (*See* Disengaging apparatus.)

Horn. (*See also* Whistle and Fog horn.)

Hose:

Fire. (<i>See</i> Fire hose.)
Nozzle. (<i>See</i> Fire hose nozzle.)
Outlets. (<i>See</i> Fire hydrants.)

46 CFR Ch. I (10–1–98 Edition)

Ports.....	72.05-25(a)(6)
Rack. (See Fire hose rack.)	
Semiportable fire extinguishing systems. (See Seimiportable fire extinguishing system.)	
Hospital:	
Crew.....	72.20-35
Deck covering.....	72.05-10(p)
Hull markings.....	78.50-5
Hull structure. (See Construction.)	
Hydrant. (See Fire hydrant.)	

I

Incorporation by reference.....	76.01-2, 77.01-3
Initial inspection.....	71.20
Inner bottom. (See Double bottom.)	
Inspection:	
After accident.....	71.40
Alterations and repairs.....	71.55
Annual. (See Annual inspection.)	
Carbon dioxide cylinders.....	76.15-20(g)
Certificate of. (See Certificate of inspection.)	
Initial. (See Initial inspection.)	
Installation of carbon dioxide extinguishing system.....	76.15-15(j)
Lifesaving equipment.....	71.25-15
Sanitary. (See Sanitary inspection.)	
Standards of.....	71.15-1
Tests, drills, and inspections by vessel personnel.....	78.17
Vessels for ocean or unlimited coastwise routes.....	70.05-7
Vessels, generally.....	71.15
Inspection and certification:	
Generally.....	71.01
Period of validity.....	71.01-10
Inspection of cargo gear:	
Additions to gear.....	71.47-60
Advance notice that cargo gear testing is desired.....	71.47-80
Alterations, renewals, or repairs of cargo gear.....	71.47-65
Annealing.....	71.47-55
Cargo gear of special design and limited use.....	71.47-10
Cargo gear plans approved by a classification society.....	71.47-20
Cargo gear plans required when plans are not approved by a classification society.....	71.47-15
Definition of terms and words used in Subpart 71.....	71.47-3
Factors of safety.....	71.47-25
Loose gear certificates and tests.....	71.47-30
Marking of booms and cranes.....	71.47-45
Proof test of cargo gear as a unit.....	71.47-40
Records regarding cargo gear.....	71.47-75
Responsibility of conducting required tests and examinations.....	71.47-85
Responsibility of ship's officer for inspection of cargo gear.....	71.47-70
Test and certification of wire rope.....	71.47-35
Tests and examinations of shipboard cargo gear.....	71.47-5
Use of wire rope and chains.....	71.47-50
When made.....	71.47-1
Inspector. (See Marine inspector.)	
Inspector not limited.....	71.25-50
Instructions:	

Index

For changing steering gear.....	78.47-55
Operation of fire extinguishing systems:	
Automatic sprinkling.....	76.25-35(j)
Carbon dioxide.....	76.15-10(h)
Foam.....	76.17-10(c)
Operation of fire detecting systems.....	76.25-35(j)
Electrical detecting.....	76.27-15(f)
Manual alarm.....	76.35-15(e)
Pneumatic detecting.....	76.30-15(f)
Smoke detecting.....	76.33-20(g)
Routing.....	78.57
Use of breeches buoy and lifesaving signals.....	78.53
Use of emergency equipment.....	77.30-5(d)
Insulation:	
Crew spaces.....	72.20-15(e)
For Class "A" bulkheads and decks.....	72.05-10(c)(1)
For Class "B" bulkheads.....	72.05-10(c)(2)
Heat and refrigeration.....	72.05-40
In doors.....	72.05-25
Intact stability. (<i>See</i> Stability.)	
Securing of.....	72.05-10(k)
Integral fuel oil tank examinations.....	71.53
Interior communication. (<i>See</i> Communication system.)	
Internal structural examination:	
Definition.....	71.50-1
Intervals.....	71.50-3
Notice and plans required.....	71.50-5
International conventions.....	70.01-1, Table 70.05-1(a) note 6, 70.05-3, 70.05-10, 71.75, 78.53-5, 80.20
International voyage:	
Application of regulations to vessels on.....	70.05-10
Short.....	70.10-43

J

Jacobs ladder. (<i>See</i> ladder.)	
Joiner door. (<i>See</i> Doors other than watertight.)	
Joiner work:	
Ceilings, linings, trim and decorations.....	72.05-15
Construction.....	72.05-10
Doors.....	72.05-25
Stairways and elevators.....	72.05-20
Windows.....	72.05-30

K

Knife. (*See* Jackknife.)

L

Ladder. (<i>See also</i> Stairway):	
Lifeboat gunwale. (<i>See</i> Lifeboat gunwale ladder.)	
Vertical, as means of escape.....	72.10-15
Lakes, bays, and sounds:	
Definition of.....	70.10-23
Lamp Locker. (<i>See</i> Paint locker.)	
Laundry, crew.....	72.20-40
License, exhibition of.....	78.65
Lifeboat:	

46 CFR Ch. I (10–1–98 Edition)

Access to.....	72.10-40
Annual inspection.....	71.25-15
Lifeboat winch:	
Annual inspection.....	71.25-15
Lifepreserver:	
Annual inspection.....	71.25-15
Lifesaving Appliances and Arrangements.....	70.28, 77.06
Installation.....	77.06-1
Markings for.....	78.47-45
Lifesaving equipment:	
Annual inspection.....	71.25
Initial inspection.....	71.20
Inspection of.....	71.25-15
Installations made during unlimited emergency.....	70.30-5
On vessels acquired or documented under Act of August 9, 1954.....	70.30-1
Required on excursions.....	71.10-10
Specific tests.....	71.20-20
Lifesaving signals, placard of.....	78.53
Light screens.....	77.17-5
Lighting:	
Crew spaces.....	72.20-45
Emergency system. (See Emergency lighting.)	
Illumination of exit signs.....	78.47-40
Lighting and powering systems.....	77.05
Linings.....	72.05-10(h)-(i), 72.05-15
Loading doors.....	78.17-33, 78.37-5
Load line:	
Logging of position relative to water.....	78.17-20
Marking.....	78.50-15
Structural requirements for.....	72.01-5
Subdivision.....	78.17-20
Vessels subject to regulations.....	70.05-1
Log:	
Actions required to be logged.....	78.37-5
Entries to be made.....	78.37
Lookout, required.....	78.30-20
Loudspeaker system.....	78.17-10
Louvers in doors.....	72.05-10(m), 72.05-25

M

Machinery:	
Accidents to or repairs of.....	78.33
Boilers. (See Boiler.)	
Examination of.....	78.17-30
Machinery space:	
Definition, for structural fire protection.....	72.05-5(d)
Fire extinguishing equipment required.....	76.05
Ventilation.....	72.05-50
Windows and airports.....	72.05-30
Magazine chest. (See Portable magazine chest.)	
Magnetically controlled fire doors:	
Annual inspection.....	71.25-25
General requirements.....	72.05-25
Marking.....	72.05-25(b)(9)(i)
Plans displayed showing location of.....	78.45
Main vertical zone:	
Definition.....	72.05-5(h)

Index

Doors	72.05-25(b)(9)
Requirements	72.05-10(b)
Manholes:	
In double bottom. (<i>See</i> Double bottom.)	
Prohibited location in bulkheads. (<i>See</i> Bulkheads.)	
Manifold. (<i>See</i> Valve.)	
Manila falls. (<i>See</i> Falls.)	
Manual alarm system:	
Electrical requirements	76.35-15(d)
General details.....	76.35
Inspection. (<i>See</i> Fire detecting system.)	
Instructions	76.35-15(e)
Location and spacing of boxes	76.35-10
Marking	76.35-15(f)
Operation and installation	76.35-15
Plans to be displayed.....	78.45
Where required.....	76.05-5
Zoning.....	76.35-5
Manual propelled lifeboat. (<i>See</i> Hand propelled lifeboat.)	
Manual sprinkling system:	
Access to supply and control.....	76.23-15(a)
Controls.....	76.23-15
General detail.....	76.23
Inspection. (<i>See</i> Fire extinguishing system.)	
Markings	76.23-15
Piping	76.23-20
Plans to be displayed.....	78.45
Quantity, pipe size, and discharge rates.....	76.23-10
Sprinkler heads	76.23-25
Where required	76.05-20
Zoning.....	76.23-5
Marine engineering:	
Annual inspection of equipment.....	71.25-35
General requirements	70.20
Initial inspection of equipment.....	71.20-20(a)(3)
Systems, installations and details.....	77.03
Vessels subject to regulations	70.05
Marine inspector:	
Definition	70.10-25
Maritime Administration, U.S.:	
Vessels subject to inspection	70.05-1(a)(3)
Markings:	
On fire and emergency equipment, etc	78.47
On fire detecting systems:	
Alarm, ventilation failure	78.47-75
Automatic sprinkling.....	76.25-25, 76.25-35(k)
Carbon dioxide alarm	78.47-9
Electric.....	76.27-15(g)
Fire detecting and manual alarm, automatic sprinkler, and smoke detecting alarm bells	78.47-13
Fire doors.....	78.47-35
Fire extinguishing system branch lines.....	78.47-15
Lifesaving Appliances	78.47-45
Manual alarm	76.35-15(f)
Manual alarm boxes.....	78.47-10
Pneumatic	76.30-15(g)
Smoke.....	76.33-20(h)
Supervised patrol.....	78.30-10(d)

46 CFR Ch. I (10–1–98 Edition)

Supervised patrol stations	78.47-23
On fire extinguishing systems:	
Automatic sprinkling	76.25-25
Carbon dioxide	76.15-10, 76.15-30
Fire extinguishing system controls	78.47-17
Fire hose stations	78.47-20
Fire main	76.10-15
Foam	76.17-10
Hand portable fire extinguishers	78.47-30
Manual sprinkling	76.23-15
Valves and closing appliances	78.47-38
On vessels	78.50
Draft marks	78.50-10
Hull markings	78.50-5
Load line marks	78.50-15
Mask. (See Gas mask.)	
Means of escape:	
Doors	72.05-25(a)
Elevators	72.05-20(f)
Exit signs	78.47-40
From main vertical zones	72.05-20
General requirements	72.10
Mechanical davit. (See Davit.)	
Mechanical disengaging apparatus. (See Disengaging apparatus.)	
Mechanical ventilation. (See Ventilation.)	
Medical kit. (See First aid kit.)	
Messroom. (See also Accommodation space)	72.20-30
Milk, condensed (See Condensed milk.)	
Mirror, signaling (See Signaling mirror.)	
Miscellaneous spaces for structural fire protection	72.05-5(f)
Motion picture projection rooms. (See Projection rooms.)	
Motorboat:	
Motor vessel	70.10-29
Motor vessel, definition of	70.10-29
Muster list (Station bill)	78.13-1, 78.17-50

N

Name of vessel:	
On equipment	78.47
On vessel	78.50-5
Natural ventilation. (See Ventilation.)	
Navigation bridge visibility	72.04
Net tonnage marked on main beam	78.50
New construction, plans and specifications required for	71.65-5
Notice of casualty. (See Casualty.)	
Notice to mariners	78.05
Notices. (See markings.)	
Nozzle, fire hose. (See Fire hose nozzle.)	

O

Ocean:	
Definition of	70.10-31
Inland routes	70.05-7
Service; anchors, chains and hawsers for	77.07-5
Office. (See Accommodation space.)	
Officer accommodations. (See also Accommodation space)	72.20

Index

Officer in Charge, Marine Inspection, defined	70.10-33
Official log. (<i>See</i> Log.)	
Official number on main beam.....	78.50-5
Oil:	
Illuminating. (<i>See</i> Illuminating oil)	
Lockers. (<i>See</i> Paint lockers)	
Storm. (<i>See</i> Storm oil.)	
Tanks. (<i>See</i> Tanks.)	
Oil lockers. (<i>See</i> Paint lockers.)	
OMB control numbers.....	70.01-15
Openings:	
Doors. (<i>See</i> Door.)	
In watertight bulkheads. (<i>See</i> Bulkhead.)	
Keep closed at sea.....	78.17-35
Manholes in double bottoms. (<i>See</i> Double bottom.)	
Operation of vehicles in enclosed locations	78.83
Special operating conditions.....	78.83-1
Operations:	
Breeches buoy instructions.....	78.53
Cable traveler	78.35
Carrying of excess steam	78.55
Compliance with provisions of certificate of inspection.....	78.60
Display of plans	78.45
Doors closed at sea	78.15
Drills.....	78.13-1, 78.17-50
Emergency training.....	78.13-1, 78.17-50
Exhibition of license.....	78.65
General	Part 78
Improper use of searchlight	78.27
Instructions to passengers.....	78.47-45
Logbook entries	78.37
Lookout, pilothouse watch, supervised patrol, and watchmen.....	78.30
Markings for lifesaving appliances.....	78.47-45
Markings on equipment	78.47
Markings on vessel	78.50
Musters	78.13-1, 78.17-50
Notice of casualty and voyage records	78.07
Notice to mariners and aids to navigation	78.05
Persons allowed in pilothouse and on navigation bridge.....	78.10
Precautions for vehicular ferries.....	78.40
Reports of accidents, repairs, and unsafe equipment.....	78.33
Routing instructions	78.57
Stowage locations.....	78.47-45
Tests, drills, and inspections	78.17
Unnecessary whistling.....	78.23
Oxygen breathing apparatus. (<i>See</i> Self-contained breathing apparatus.)	

P

Paint:	
Fire protection	72.05-45
In crew accommodations	72.20-15(e)
Paint locker (<i>See also</i> Service space)	
Pantry:	
General. (<i>See</i> Service space.)	
Isolated. (<i>See</i> Accommodation space.)	
Passageways. (<i>See</i> Corridors.)	

46 CFR Ch. I (10–1–98 Edition)

Passenger:	
Barges. (See Barges.)	
Carrying on excursions	71.10
Carrying when proceeding to another port for repair.....	71.05-10
Corridors, dead end.....	72.10-30
Definition	70.10-34
Passenger for hire, definition.....	70.10-34(b)
Steerage.....	72.25
Passenger Accommodations. (See also Accommodations space.)	
General	72.25
Location of	72.25-10
Sanitary inspection of (See Sanitary inspection.)	
Separate from crew	72.20-10(f)
Steerage.....	72.25
Toilet facilities, excursion boats, ferryboats, and barges.....	72.25-15
Ventilation	72.15-20
Passenger space (See Passenger accommodations.)	
Passenger vessel	70.10-35
Patrol. (See Supervised patrol.)	
Peak bulkhead. (See Bulkhead.)	
Penetration. (See opening.)	
Period of validity of certificate of inspection	71.01-10
Permit:	
To engage in excursions.....	71.10
To proceed to another port for repair.....	71.05
Photographic shop. (See Service space.)	
Pilot boarding equipment:	
Annual inspection of.....	71.25-10
Definition of	70.10-36
General requirements.....	77.40, 78.90-1
Initial inspection of.....	71.20-15
Maintenance of	78.90-1(a)
Pilot boarding operation.....	78.90-1
Pilothouse. (See also Safety Area):	
Persons allowed in	78.10
Watch	78.30-5
Pilot ladder. (See Ladder)	
Piping:	
Fire extinguishing systems:	
Automatic sprinkling.....	76.25
Carbon dioxide	76.15
Fire main	76.10-15
Foam.....	76.17-15
Manual sprinkling.....	76.23-20
Smoke detecting.....	76.33-15
Systems, general.....	77.03
Through bulkheads (See Bulkheads.)	
Placard of lifesaving signals and breeches buoy instructions.....	78.53
Plan:	
Approval required before inspection.....	71.20-10
Display of.....	78.45
Procedure for approval	71.65
Procedure for submittal	71.65-15
Required for alterations.....	71.55-1
Required, general.....	71.65
Pneumatic fire detecting system:	
Alarm	76.30-15(g)

Index

Electrical requirements.....	76.30-15(e)
General details.....	76.30
Inspection (<i>See</i> Fire detecting system.)	
Location and spacing of tubing	76.30-10
Marking.....	76.30-15(g)
Operation and installation	76.30-15
Plans to be displayed.....	78.45
Where required.....	76.05-1
Zoning.....	76.30-5
Point of access:	
Definition	70.10-36
Pilot boarding equipment	77.40-1
Pilot boarding operations	78.90-1
Port:	
Gangway, cargo, and coaling. (<i>See</i> Openings in vessel's sides.)	
Lights	78.16
Portable extinguisher. (<i>See</i> Hand portable fire extinguisher)	
Portable magazine chest:	
Marking of.....	78.47-70
Portable plate:	
Manholes in double bottom. (<i>See</i> Double bottom)	
Prohibited location in bulkheads. (<i>See</i> Bulkhead.)	
Portable tanks, interpretive rulings	70.05-25
Posting:	
Certificates:	
Exemption.....	71.75-10
Inspection.....	71.01-5
Safety	71.75-5
Temporary	71.01-15
Instructions for fire detecting systems:	
Automatic sprinkling.....	76.25-35(j)
Electric.....	76.27-15(f)
Manual alarm.....	76.35-15(e)
Pneumatic	76.30-15(f)
Smoke.....	76.33-15(g)
Instructions for fire extinguishing systems:	
Automatic sprinkling.....	76.25-35(j)
Carbon dioxide	76.15-10(h)
Foam.....	76.17-10(c)
Licenses	78.65
Permit to engage in excursions	71.10-15
Permit to proceed to another port for repair	71.05-15
Placard of lifesaving signals and breeches buoy instructions.....	78.53
Placards of instructions for launching and inflating liferafts.....	78.49
Plans.....	78.45
Stability letter.....	78.12-1
Station bill.....	78.13-1
Station bills, Drills, and Reports of Master form (Form CG-809)	78.17-50(e)
Printing shop. (<i>See</i> Service space.)	
Projection room. (<i>See also</i> Service space)	
Construction.....	72.05-10
Ventilation	72.05-50
Proof test of cargo gear as a unit	71.47-40
Propulsion machinery, fire extinguishing systems required for spaces containing	76.05-20
Public space. (<i>See also</i> Accommodation space):	

46 CFR Ch. I (10–1–98 Edition)

Means of escape from.....	72.10-35
Pump:	
Automatic sprinkling system	76.25-15, 76.25-20, 76.25-35
Fire. (See Fire pump)	
Foam extinguishing system.....	76.17-5(c), 76.17-10(b)
Fuel oil. (See Fuel oil unit)	
Manual sprinkling system.....	76.23-10, 76.23-15
Purpose of regulations	70.01-1

Q

Quarters. (See Accommodations.)

R

Radial davit. (See Davit.)	
Radio:	
Annual inspection.....	71.25
Initial inspection	71.20
Radio room. (See Safety area.)	
Rail, type and size required	72.40
Railroad passenger car ferry, special precautions	78.43
Rations. (See Provisions.)	
Recessed bulkhead. (See Bulkhead.)	
Recognized classification society, defined.....	70.10-41
Records, voyage. (See Voyage records.)	
Red hand flare. (See Hand flare.)	
Refrigerated cargo space. (See Cargo space.)	
Refrigerated space alarm system.....	77.05
Refrigerated store room. (See Store room.)	
Refrigeration gas mask. (See Gas mask.)	
Refrigeration insulation. (See Insulation.)	
Register tonnage, gross	70.05-20
Regulations:	
Authority and purpose	70.01
Application	70.05
Reinspection	71.30
Releasing gear (See Disengaging apparatus.) repair:	
After accident	71.40
Notice of	71.55
Permit to proceed to another port for	71.05
Report of accident	78.33
Repairs of boilers and pressure vessels	78.33-1
Accidents to machinery	78.33-5
Notice required before repairs	78.33-10
Reporting of casualty. (See Casualty.)	
Respiratory protection. (See Emergency equipment.)	
Right of appeal.....	70.01-7
Rivers:	
Definition of	70.10-39
Round bar davit. (See Davit.)	
Routing instructions	78.57
Rudder angle indicator system	77.05
Rug:	
Fire protection	72.05-10(o)
Passing through doors	72.05-25(b)(6), (c)(5)
With fire resistant furnishings	72.05-55(a)(4)

Index

S

Safety certificate:	
Foreign vessels.....	70.05-3
Required	71.75
Safety standards, disclosure of (<i>See Disclosure of Safety Standards.</i>)	
Safety valve:	
Breaking of.....	78.33-20
Prohibition against tampering with.....	78.55
Sailing vessel, definition of.....	70.10-42
Sales room. (<i>See Accommodation space.</i>)	
Sanitation:	
Annual inspection.....	71.25-40
Crew accommodations.....	72.20-15(g)
Master and chief engineer responsible for	78.17-25
Monthly inspection.....	71.45
Searchlight:	
Improper use prohibited.....	78.27
Self-contained breathing apparatus:	
As emergency equipment.....	77.30
Marking of stowage space for	78.47-27
Self-igniting water light. (<i>See Water light.</i>)	
Semiportable fire extinguishing system:	
Annual inspection.....	71.25-20
Classification	76.50-5
Hose and nozzle for.....	76.50-5(c)
Location	76.50-10
When required.....	76.05-25
Service space:	
Bulkheads and decks	72.05-10
Definitions, for structural fire protection	72.05-5(c)
Fire protection equipment for	76.05
Windows and airports	72.05-30
Shell connections.....	77.03
Shifting boards in tonnage opening.....	72.05-35
Shipboard cargo gear, tests and examinations.....	71.47-5
Shore connection, fire main	76.10-10(c)
Short international voyage, defined.....	70.10-43
Shower. (<i>See Washroom.</i>)	
Signal:	
Emergency. (<i>See Emergency signal.</i>)	
Mirror. (<i>See Signaling mirror.</i>)	
Orange smoke distress. (<i>See Smoke signal.</i>)	
Red hand flare. (<i>See Hand flare.</i>)	
Red parachute flare. (<i>See Parachute flare.</i>)	
Signaling lamp, daylight	77.05
Sliding watertight door. (<i>See Watertight door.</i>)	
Smoke detecting system:	
Alarm	76.33-20
Electrical requirements.....	76.33-20(f)
General. (<i>See Fire detecting system.</i>)	
General details.....	76.33
Inspection, periodic	78.17-65
Instructions.....	76.33-20(g)
Locations and spacing of accumulators.....	76.33-10
Operation and installation	76.33-20
Plans to be displayed.....	78.45
Piping	76.33-15

46 CFR Ch. I (10–1–98 Edition)

Where required.....	76.05-1
Zoning.....	76.33-5
Sounding equipment.....	77.27
Sounding tube, opening in crew accommodations.....	72.20-10(e)
Spaces specially suitable for vehicles, definition of.....	70.10-44
Spanner, required at fire hydrant.....	76.10-10(g)
Specifications required for new construction.....	71.65-5
Spray nozzle. (<i>See</i> Fire hose nozzle.)	
Sprinkling system:	
(<i>See</i> Automatic sprinkling system.)	
(<i>See</i> Manual sprinkling system.)	
Stability:	
Letter, posting of.....	78.12-1
Requirements, verification of vessel compliance with.....	78.17-22
Stairway. (<i>See also</i> Safety area):	
Doors to.....	72.05-25(b)
Enclosures.....	72.05-20
Fire resisting furnishings in.....	72.05-55(c)
Ventilation.....	72.05-50(f)
Width of.....	72.10-25
Standard fire test, defined.....	72.05-5(g)
Stateroom:	
(<i>See</i> Crew accommodations.)	
(<i>See</i> Passenger accommodations.)	
Station bill (Muster list):	
Master's responsibility to prepare and post.....	78.13-1
Muster lists, emergency signals, and manning.....	78.17-50
Steam smothering system:	
General details.....	76.13
Inspection. (<i>See</i> Fire extinguishing system.)	
Steel or other equivalent metal:	
Definition.....	72.05-5(i)
Steering oar, for lifeboat. (<i>See</i> Oar.)	
Steering system:	
Details.....	77.03
Instructions for changing gear.....	78.47-55
Notice for rudder orders.....	78.47-57
Rudder angle indicating system.....	77.05
Testing.....	78.17-15
Step:	
Bulkhead. (<i>See</i> Bulkhead.)	
Deck. (<i>See</i> Deck.)	
Stern tube. (<i>See</i> Shaft tunnel.)	
Storage space:	
Generally. (<i>See</i> Service space.)	
Isolated. (<i>See</i> Accommodation space.)	
Storm rail. (<i>See</i> Rail.)	
Stowage:	
Buoyant apparatus. (<i>See</i> Buoyant apparatus.)	
Emergency equipment.....	77.30-10
Fire hose.....	76.10-10(g)
Stranding, notice of.....	78.07
Structural fire protection.....	72.05, 72.15-5
Structural insulation. (<i>See</i> Insulation.)	
Structure. (<i>See</i> Construction.)	
Subdivision:	
Plans and specifications for new construction.....	71.65-5

Index

Structural requirements	72.01-25
Subdivision bulkhead. (<i>See Bulkhead.</i>)	
Subdivision load lines. (<i>See Load lines.</i>)	
Supervised patrol:	
Details	78.30-10
Inspection. (<i>See Fire detecting system.</i>)	
Markings	78.30-10(d)
When required.....	76.05-10
Survey:	
Generally. (<i>See Inspection.</i>)	
Special. (<i>See Special survey.</i>)	

T

Tank:	
Cargo, fire extinguishing system required	76.05-20
Construction.....	72.01-25
Double bottom. (<i>See Double bottom.</i>)	
Portable.....	70.05-25
Pressure, automatic sprinkling.....	76.25-20
Vent and sounding systems	77.03
Telephone, sound powered	77.05
Temporary certificate of inspection.....	71.01-15
Test. (<i>See Inspection.</i>)	
Tiller. (<i>See Rudder.</i>)	
Toilet space. (<i>See Washroom.</i>)	
Tonnage opening:	
Considered closed for carbon dioxide extinguishing calculations	76.15-5(c)(2)
Shifting boards	72.05-35
Tool kit.....	75.20-15(kk)
Trim joiner	72.05-15
Trunk:	
Through bulkhead. (<i>See Bulkhead.</i>)	
To cargo space. (<i>See Cargo space.</i>)	
To machinery space (<i>See Machinery space</i>)	
Tunnel:	
Access through bulkheads. (<i>See Bulkhead.</i>)	
Shaft. (<i>See Shaft tunnel.</i>)	

U

Underwriters' Laboratories, Inc	76.10-10(1)(3)
United States flag vessels	70.05-1

V

Valet shop. (<i>See Service space.</i>)	
Validity, period of, for certificate of inspection.....	71.01-10
Valve. (<i>See also piping.</i>)	
Fire detecting systems:	
Automatic sprinkling	76.25-25, 76.25-30
Smoke detecting	76.33-15, 76.33-20
Fire extinguishing system:	
Automatic sprinkling	76.25-25, 76.25-30
Carbon dioxide	76.15-10, 76.15-15
Fire main	76.10-5, 76.10-10, 76.10-15
Foam.....	76.17-10, 76.17-15
Manual sprinkling	76.23-15, 76.23-20
In bulkheads. (<i>See Bulkhead.</i>)	
Safety. (<i>See Safety valve.</i>)	

46 CFR Ch. I (10–1–98 Edition)

Testing, for subdivision.....	78.17-5
Vehicles in enclosed location, operation of	78.83
Special operating conditions.....	78.83-1
Vehicles, spaces specially suitable for.....	70.10-44
Vehicular space. (<i>See also</i> Cargo space):	
Chains or barriers required.....	72.40-15
On ferries	78.40
Specially suitable	70.10-44
Veneer:	
Combustible on bulkheads.....	72.05-15
Combustible on doors	72.05-25(a)(7)
Ventilation:	
Fire protection	72.05-50
General	72.15
Insulation for ducts	72.05-40
Plans displayed.....	78.45
Stopping of, when carbon dioxide extinguishing system used.....	76.15-35
Vents in doors	72.05-10(m), 72.05-25
Vents opening into crew accommodations	72.20-10(e)
Ventilation for closed spaces.....	72.15-15
Verification of vessel compliance with applicable stability require- ments.....	78.17-22
Vessel:	
Acquired or documented under Act of August 9, 1954.....	70.30-1
Definition of	70.10-45
Foreign.....	70.05-3
Inspection and certification	71
Inspection standards.....	71.15
International voyages, applicability of subchapter to vessels on.....	70.05-10
Laid up, dismantled, and out of commission	70.05-1(a)(2)
Markings on equipment	78.47
Passenger vessel, definition.....	70.10-35
Public.....	70.05-1(a)(3)
Subject to the Act of May 10, 1956	70.05-15
Subject to regulations	70.05
United States flag.....	70.05-1
U.S. Maritime Administration.....	70.05-1(a)(3)
Verification of compliance with stability requirements	78.17-22
Vessels contracted for.....	70.05-5(a)
Vessels for ocean or unlimited coastwise routes.....	70.05-7
Visibility from navigation bridge.....	72.04
Voice tube.....	77.05
Void spaces	72.05-10(1)
Voyage records	78.07

W

Wash basin. (<i>See</i> Washroom.)	
Washroom. (<i>See also</i> Accommodation space):	
Construction.....	72.20-15
Crew hospital.....	72.20-35
General requirements	72.20-25
Passenger accommodations of excursion boats, ferry boats, and barges	72.25-15
Watchmen.....	78.30-15
Water:	
Availability for fire extinguishment.....	76.10-3

Index

Drinking. (See Drinking water.)	
Water spray extinguishing system:	
Plans displayed.....	78.45
Where required	76.05-20
Watertight bulkheads. (See Bulkheads.)	
Watertight door:	
Annual inspection.....	71.25-25
Daily and weekly inspection and operation	78.17-3
Kept closed at sea.....	78.15, 78.17-35
Location of (See Bulkhead)	
Marking.....	78.47-37
Power operated substituted for magnetically controlled doors.....	72.05-25(b)(9)(ii)
Prohibited location for access. (See Bulkhead.)	
To machinery space or bunker. (See Bulkhead.)	
Weather deck, access to.....	72.10-45
Well, in double bottom. (See Double bottom.)	
Wheelhouse. (See Pilot house.)	
Whistle:	
Testing.....	78.17
Unnecessary whistling prohibited	78.23
Window, fire protection	72.05-30
Wire falls. (See Falls.)	
Wire inserted glass:	
In doors.....	72.05-25
In windows and airports	72.05-30
Wireless. (See Radio.)	
Wiring through bulkheads. (See Bulkheads.)	
Wood float:	
Annual inspection.....	71.25-15
Workboat. (See Boat.)	
Work vests:	
Application	78.36-1
Approved types.....	78.36-5
Hybrid.....	78.36-25
Shipboard inspections.....	78.36-20
Shipboard stowage.....	78.36-15
Use	78.36-10
Work space, defined.....	72.05-5(j)

Z

Zone:	
Fire detecting and extinguishing systems:	
Automatic sprinkling.....	76.25-5
Electric.....	76.27-5
Manual alarm	76.35-5
Manual sprinkling	76.23-5
Pneumatic	76.30-5
Smoke	76.33-5
Horizontal. (See Horizontal zone.)	
Main vertical. (See Main vertical zone.)	