

## § 381.39

the basic workweek, the nearest workday within that week shall be the holiday.

[40 FR 45801, Oct. 3, 1975, as amended at 43 FR 51754, Nov. 7, 1978; 50 FR 51513, Dec. 18, 1985; 52 FR 5, Jan. 2, 1987; 53 FR 13398, Apr. 22, 1988; 54 FR 6390, Feb. 10, 1989]

### **§ 381.39 Basis of billing for overtime and holiday services.**

(a) Each recipient of overtime or holiday inspection service, or both, shall be billed as provided for in § 381.38(a) and at the rate specified in § 391.3, in increments of quarter hours. For billing purposes, 8 or more minutes shall be considered a full quarter hour. Billing will be for each quarter hour of service rendered by each Inspection Service employee.

(b) Official establishments, importers, or exporters requesting and receiving the services of an Inspection Service employee after he has completed his day's assignment and left the premises, or called back to duty during any overtime or holiday period, shall be billed for a minimum of 2 hours overtime or holiday inspection service at the established rate.

(c) Bills are payable upon receipt and become delinquent 30 days from the date of the bill. Overtime or holiday inspection will not be performed for anyone having a delinquent account.

[40 FR 45801, Oct. 3, 1975, as amended at 54 FR 6390, Feb. 10, 1989]

## Subpart H—Sanitation

### **§ 381.45 Minimum standards for sanitation, facilities, and operating procedures in official establishments.**

The provisions of §§ 381.46 and 381.61, inclusive, and part 416 of this chapter shall apply with respect to all official establishments.

[61 FR 38866, July 25, 1996]

### **§ 381.46 Buildings.**

(a) *General.* The buildings shall be of sound construction and kept in good repair.

(b) *Outside openings.* (1) The doors, windows, skylights, and other outside openings of the plant, except in receiving rooms and feeding rooms, shall be protected by properly fitted screens or

## 9 CFR Ch. III (1–1–98 Edition)

other suitable devices against the entrance of flies and other insects.

(2) Outside doors, except in receiving rooms and feeding rooms, shall be so hung as to be close fitting when closed. Doors shall be provided with self-closing devices where necessary to prevent the entry of vermin into processing and storage rooms.

### **§ 381.47 Rooms and compartments.**

(a) *General.* Rooms or compartments used for edible poultry products shall be separate and distinct from inedible products departments and from rooms where live poultry is held or slaughtered. Separate rooms shall be provided when required for conducting processing operations in a sanitary manner; and all rooms shall be of sufficient size to permit the installation of the necessary equipment for processing operations and the conduct of such operations in a sanitary manner.

(b) *Refuse rooms.* A separate refuse room, or other equally adequate facilities, shall be provided in official establishments where accumulations of refuse occur. Refuse rooms shall be entirely separate from other rooms in the establishment, have tight-fitting doors, be properly ventilated, and have adequate drainage and cleanup facilities, and the floors and walls to a height of 6 feet above the floor shall be impervious to moisture, and walls above that height, and ceilings shall be moisture resistant.

(c) *Rooms for holding carcasses for further inspection.* Rooms or other acceptable facilities in which carcasses or parts thereof are held for further inspection shall be in such numbers and such locations as the needs of the inspection in the establishment may require. These rooms or facilities shall be equipped with hasps for locking.

(d) *Coolers and freezers.* Coolers and freezers shall be of such size and capacity as are required for compliance with the provisions set forth in § 381.66. Freezing rooms, other than those for plate freezers or liquid freezing, shall have forced air circulation, and freezers and coolers shall be equipped with floor racks, pallets or other means which will assure that the poultry products will not be adulterated.