

§ 80.40

clearly indicate the safety information prescribed in paragraph (b) of this section for each vessel, but unnecessary repetition is not required.

(e) Each brochure, pamphlet, schedule, and similar publication required in paragraph (a) of this section to contain safety information must—

(1) State the safety information prescribed in paragraph (b) of this section at least once for each vessel named; and

(2) Include a reference in the index of contents or the cover regarding the page number where the safety information for each vessel is located.

(f) The section does not apply to—

(1) An advertising sign that is towed, displayed, or written by aircraft;

(2) An advertisement in a trade publication that is directed to the professional counselors in the travel industry and not intended or used for general

46 CFR Ch. I (10–1–99 Edition)

distribution to the public for solicitation of passage on a vessel; or

(3) An advertisement within a magazine, newspaper, periodical, or similar publication that is—

(i) Produced outside of the United States;

(ii) Not an American edition; and

(iii) Primarily distributed in the country in which it is produced.

§ 80.40 Civil penalty.

For each violation of the regulations in this part, the owner, operator, agent, or other person involved is subject to the penalties prescribed in 46 U.S.C. 3504.

[CGFR 72–187R, 38 FR 9081, Apr. 10, 1973, as amended by CGD 95–028, 62 FR 51205, Sept. 30, 1997]

PARTS 81–89 [RESERVED]

INDEX

SUBCHAPTER H—PASSENGER VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U. S. Coast Guard, Department of Transportation.

In general, references in this index pertain to new construction or installations.
For existing vessels or installations, see the “application” in the text covering the particular referenced part, subpart, section, etc.

Part, subpart, or section

A

Access:

- General. (See Means of escape)
- Manholes in doubles bottoms. (See Double bottom)
- On weather decks..... 72.10-45
- Plan of displayed..... 78.45-1
- Prohibited location of openings (See Bulkheads)
- To fire extinguishing valves and controls:
 - Automatic sprinkling 76.25(a)
 - Carbon dioxide..... 76.15-10(i)
 - Foam..... 76.17-10(b)
 - Manual sprinkling 76.23-15(a)
- To lifeboats..... 72.10-40
- Trucks and tunnels through bulkheads (See Bulkhead)
- Accident, reports of 78.07, 78.33
- Accommodation space:
 - Bulkheads and decks 72.05-10
 - Carbon dioxide piping in 76.15-15(i)
 - Definition of, for structural fire protection..... 72.05-5(b)
 - Fire protection equipment required 76.05
 - Officer. (See Officer accommodations)
 - Passenger. (See Passenger accommodations)
 - Ventilation 72.05-50
 - Windows and airports 72.05-30
- After peak bulkhead (See Bulkhead)
- Aids to navigation 78.05
- Airport:
 - Fire protection 72.05-30
 - Insect screens in, crew accommodations 72.20-55
 - Kept closed at sea..... 78.17-35
 - Testing 78.17-5
- Air Tank: Annual inspection in lifesaving appliances..... 71.25-15
- Alarm:
 - Automatic sprinkling system..... 76.25-35
 - Carbon dioxide extinguishing system..... 76.15-30
 - Electric fire detecting system..... 76.27-15
 - General alarm system. (See General alarm system)
 - Manual alarm system. (See Manual alarm system)
 - Markings..... 78.47

46 CFR Ch. I (10–1–99 Edition)

| | |
|--|--|
| Miscellaneous machinery | 77.05 |
| Pneumatic fire detecting system..... | 76.30-15 |
| Refrigerated space | 77.05 |
| Smoke detecting system | 76.33-20 |
| Alteration: | |
| Notice of | 71.55 |
| Plans required | 71.65-10 |
| American Bureau of Shipping..... | 70.10-7, 70.10-41, 70.35, 71.15, 71.65-5, 72.01-15, 72.01-20 |
| American Society for Testing Materials (ASTM) | 76.01-2, 76.10-10, 77.01-3, 77.35-5(c), 78.17-75 |
| Anchor: | |
| General requirements | 77.07 |
| Sea anchor. (See Sea anchor) | |
| Annual inspection..... | 71.25 |
| Appeal, right of | 70.01-7 |
| Application of subchapter..... | 70.05 |
| Applicator: For combination nozzle. (See Fire hose nozzle) | |
| Approved: | |
| Definition of..... | 70.10-1 |
| Fire protection equipment to be | 76.01-5, 76.05 |
| Plans required to be..... | 71.65 |
| Arrangements: | |
| Authority for regulations | 70.01 |
| Equivalents for | 70.15 |
| Initial inspection | 71.20 |
| Plans required | 71.65-5 |
| Authority for regulations | 70.01-1 |
| Automatic fire damper. (See Fire damper) | |
| Automatic sprinkling system: | |
| Access to controls | 76.25-25(a) |
| Controls | 76.25-25 |
| Electrical requirements..... | 76.25-35 |
| General details..... | 76.25 |
| Inspection. (See Fire detecting system) | |
| Markings | 76.25-25, 76.25-35 |
| Operation and installation | 76.25-35 |
| Piping | 76.25-30 |
| Plans to be displayed | 78.45 |
| Pressure tank | 76.25-20 |
| Pumps and water supply..... | 76.25-15 |
| Size and arrangement of pumps and pipe sizes | 76.25-10 |
| Where required | 72.05-90(b)(3), 76.05-1, 76.05-20 |
| Zoning | 76.25-5 |
| Availability of water for fire extinguishing..... | 76.10-3 |

B

| | |
|-----------------------------------|-------------|
| Baggage room. (See Service space) | |
| Balconies | 72.05-5(m) |
| Ballast system | 77.03 |
| Barge: Definition..... | 70.10-2 |
| Basin. (See Washroom) | |
| Bath tubs. (See Washroom) | |
| Bell, markings on..... | 78.47-7 |
| Berth. (See Furniture) | |
| Berth light in crew spaces..... | 72.20-45(b) |
| Bilge system | 77.03 |

Subchapter H Index

| | |
|---|--------------------|
| Blocks. (See Falls) | |
| Boat drill. (See Fire and boat drill) | |
| Boiler: | |
| Accident to or repair of | 78.33 |
| Carrying excess steam | 78.55 |
| Examination of | 78.17-30 |
| General | 77.03 |
| Boiler space. (See Machinery space) | |
| Bottom, double. (See Double bottom) | |
| Bread. (See Provisions) | |
| Breathing apparatus. (See Self-contained breathing apparatus) | |
| Bulkhead: | |
| Annual inspection of | 71.25-25(1) |
| Class B-15, Method of erection | 72.05-10(h)-(j) |
| Construction and testing of | 72.01-25, 72.05-10 |
| Doors closed at sea | 78.15 |
| Door in, other than watertight | 72.05-25 |
| Minimum requirements | 72.05-10(e) |
| Type of watertight doors required in. (See Watertight door) | |
| Buoyant heaving line. (See Heaving line) | |
| Bunker doors. (See Bulkheads) | |

C

| | |
|---|---------------------------------|
| Cable, through bulkheads. (See Bulkheads) | |
| Carbon dioxide extinguishing system: | |
| Access to supply and controls | 76.15-10 |
| Alarms | 76.15-30 |
| Alternate, if fire pumps in same space | 76.10-5(h) |
| Controls | 76.15-10 |
| Discharge outlets | 76.15-25 |
| Enclosure openings | 76.15-35 |
| For cargo spaces | 76.15-5(c) |
| For machinery spaces, paint lockers, tanks, etc. | 76.15-5(e) |
| General details | 76.15 |
| Installation test | 76.15-15(j) |
| Markings | 76.15-10(c), (d), (h), 76.15-30 |
| Openings in living quarters not permitted | 76.15-15(i) |
| Operating instructions | 76.15-10(h) |
| Piping | 76.15-15 |
| Plans to be displayed | 78.45 |
| Pressure relief | 76.15-40 |
| Quantity, pipe size, discharge rates | 76.15-5 |
| Storage | 76.15-20 |
| Type of system required | 76.15-1(b) |
| Where required | 76.05-20 |
| Cargo: | |
| General. (See Freight) | |
| Ports. (See Openings in vessel's sides) | |
| Cargo gear: | |
| Causing blind sector | 72.04-1 |
| Plans and specifications for new construction | 71.65-5 |
| Cargo in bulk: | |
| Combustible and flammable liquid | Table 70.05-1(a), 70.05-30 |
| Grain or other combustible | 78.70 |
| Cargo space: | |
| Bulkheads and decks | 72.05-10 |
| Definition, for structural fire protection | 72.05-5(e) |

46 CFR Ch. I (10–1–99 Edition)

| | |
|--|----------------------------|
| Fire protection equipment required | 76.05 |
| Hatch covers and shifting boards | 72.05-35 |
| Ventilation | 72.05-50 |
| Windows and airports | 72.05-30 |
| Carpenter shop. (See Service space) | |
| Carpet. (See Rug) | |
| Carrying freight for hire, definition of..... | 70.10-5 |
| Carrying passengers for hire: | |
| Definition of..... | 70.10-34(b) |
| Gross tonnage as a criterion for requirements | 70.05-20 |
| Vessels | 70.05-1 |
| Casing, machinery. (See Machinery space) | |
| Casualty, notice and reporting of | 78.07 |
| Ceiling, construction of | 72.05-10(h), 72.05-15 |
| Certificate: | |
| Exemption. (See Exemption certificate) | |
| Of inspection. (See Certificate of inspection) | |
| Safety. (See Safety certificate) | |
| Temporary. (See Temporary certificate) | |
| Certificate of Inspection (COI): | |
| Annual inspection prerequisite for reissuance..... | 71.25-1 |
| Compliance with provisions of..... | 78.60 |
| General | 71.01 |
| Initial inspection, prerequisite for..... | 71.20-1 |
| Period of validity of | 71.01-10 |
| Certificates under the International Convention for Safety of Life at Sea, 1960 (SOLAS): | |
| Application | 71.75-1 |
| Duration of certificates..... | 71.75-20 |
| Exemption certificate..... | 71.75-10 |
| Passenger Ship Safety Certificate | 71.75-5 |
| Posting of Convention certificates..... | 71.75-15 |
| Chain, anchor..... | 77.07 |
| Chart, required..... | 78.05-5 |
| Children's life preservers. (See Life preservers) | |
| Classed vessel, defined | 70.10-7 |
| Coast Guard District Commander, defined | 70.10-11 |
| Coastwise: | |
| Definition | 70.10-13 |
| Service; anchors, chains and hawsers for | 77.07-5 |
| Collision bulkhead. (See Bulkhead) | |
| Combination nozzle. (See Fire hose nozzle) | |
| Combustible liquid cargo in bulk..... | Table 70.05-1(a), 70.05-30 |
| Commandant, defined | 70.10-9 |
| Communication system: | |
| Installation and details..... | 77.05-1 |
| Testing | 78.17-15 |
| Compartmentation. (See Subdivision) | |
| Construction: | |
| Authority for regulations | 70.01-1 |
| Class B-15 bulkheads | 72.05-10(i) |
| Crew accommodations | 72.20-15 |
| Doors, other than watertight | 72.05-25 |
| Double Watertight. (See Watertight doors) | |
| Double bottom. (See Double bottom) | |
| Fire control bulkheads and decks..... | 72.05-10 |
| Fire protection, general..... | 72.03 |
| Inspection: Annual | 71.25-20 |

Subchapter H Index

| | |
|--|---|
| Initial | 71.20-15 |
| New, plans and specifications required | 71.65-5 |
| Structural requirements and standards | 71.65-5, 72.01-15, 72.01-20, 72.01-25, 72.05-10, 72.05-90, 72.20-90 |
| Structural subdivision..... | 72.01-25 |
| Container: | |
| Drinking water. (See Drinking water) | |
| Provisions. (See Provisions) | |
| Contracted for, defined | 70.05-5 |
| Controls: | |
| Fire-extinguishing systems: | |
| Automatic sprinkling | 76.25-25 |
| Carbon dioxide | 76.15-10 |
| Fire main | 76.10-15(c) |
| Foam..... | 76.17-10 |
| Manual sprinkling..... | 76.23-15 |
| Miscellaneous machinery..... | 77.05 |
| Corridor. (See also Safety area): | |
| Dead end | 72.10-30 |
| Fire-resistant furnishings in | 72.05-55(c) |
| Passenger and crew..... | 72.05-5(k) |
| Coupling: Fire hose. (See Fire hose) | |
| Crew Accommodations. (See also Accommodation space): | |
| Construction..... | 72.20-15 |
| Corridors..... | 72.05-5(k) |
| General..... | 72.20 |
| Heating and cooling..... | 72.20-50 |
| Hospital space..... | 72.20-35 |
| Insect screens..... | 72.20-55 |
| Laundry facilities | 72.20-40 |
| Lighting..... | 72.20-45 |
| Location..... | 72.20-10 |
| Messrooms | 72.20-30 |
| Recreation facilities | 72.20-40(b) |
| Sanitary inspections. (See Sanitation) | |
| Sleeping Accommodations..... | 72.20-20 |
| Ventilation | 72.15-20 |
| Washrooms and toilet spaces | 72.20-25 |
| Cup. (See Drinking cup) | |
| Customs regulations: Required markings..... | 78.50 |

D

| | |
|--|------------------------|
| Damage..... | 78.07 |
| Damaged stability. (See Stability) | |
| Damper, automatic fire. (See Fire dampers) | |
| Daylight signaling lamp | 77.05 |
| Orange smoke. (See Smoke signal) | |
| Dead cover. (See Airport) | |
| Deck covering: | |
| Fire-protection | 72.05-10(n)-(p) |
| In way of doors | 72.05-25(b)(6), (c)(5) |
| Deck: | |
| Fire-protection classification..... | 72.05-10 |
| Minimum requirements | 72.05-10(a)-(g) |
| De-energizing of cargo hold lighting circuits when grain or other combustible bulk cargo is carried: | |
| Master's responsibility | 78.70-1 |

46 CFR Ch. I (10–1–99 Edition)

| | |
|--|-----------------|
| Warning notice posted..... | 78.70-5 |
| Definitions: | |
| Relating to hull examinations | 71.50-1 |
| Terms used in subchapter | 70.10 |
| Terms used in subchapter 72.05, structural fire protection | 72.05-5 |
| Detecting, fire. (See Fire detecting) | |
| Direction finder. (See Radio) | |
| Discharge, overboard. (See Overboard discharge) | |
| Disclosure of safety standards and country of registry | Part 80 |
| Applicability..... | 80.10 |
| Civil penalty | 80.40 |
| Exemption to requirements | 80.20 |
| Notification of safety standards | 80.25 |
| Ocean voyage | 80.15 |
| Persons subject to regulation | 80.10 |
| Promotional literature or advertising..... | 80.30 |
| Distress signal: | |
| Orange smoke. (See Smoke signal) | |
| Red hand flare. (See Hand flare) | |
| Red parachute flare. (See Parachute flare) | |
| Door: | |
| Bunker. (See Bulkhead) | |
| In collision bulkhead. (See Bulkhead) | |
| Insect screens to crew accommodations..... | 72.20-55 |
| Kept closed at sea..... | 78.15, 78.17-35 |
| Loading. (See Loading doors) | |
| Locking of required means of escape..... | 72.10-20 |
| Magnetically controlled fire. (See Magnetically controlled fire doors) | |
| Other than watertight | 72.05-25 |
| To machinery space. (See Bulkhead) | |
| Watertight. (See Watertight door) | |
| Double bottom: | |
| Construction and testing..... | 72.01-25 |
| Draft: | |
| Logged when leaving port..... | 78.17-20 |
| Required to be marked on vessel | 78.50-10 |
| Draft stops: | |
| Where required | 72.05-10(h) |
| Drain: | |
| Automatic, for lifeboats. (See Plug) | |
| Fire protection equipment: | |
| Automatic sprinkling..... | 76.25 |
| Carbon dioxide | 76.15-15(g) |
| Fire main | 76.10-10(e) |
| Foam | 76.17 |
| Manual sprinkling..... | 76.23 |
| Smoke detecting | 76.33 |
| Wells in double bottom. (See Double bottom) | |
| Dry docking: | |
| At any time..... | 71.50-5 |
| Periodical..... | 71.50-3 |
| Drydock examination: | |
| Definition..... | 71.50-1 |
| Intervals..... | 71.50-3 |
| Notice and plans required | 71.50-5 |

E

Electrical engineering:

Subchapter H Index

| | |
|--|-------------|
| General requirements | 70.25 |
| System, installations and details | 77.05-1 |
| Vessels subject to regulations..... | 70.05-1 |
| Electrical fire detecting system: | |
| Alarm | 76.27-15 |
| Electrical requirements..... | 76.27-15(e) |
| Instructions | 76.27-15(f) |
| Location and spacing of detectors | 76.27-10 |
| Operation and installation | 76.27-15 |
| Plans to be displayed | 78.45-1 |
| Where required..... | 76.05-1 |
| Zoning | 76.27-5 |
| Elevator, enclosure..... | 72.05-20 |
| Emergency equipment | 77.30 |
| Emergency light: | |
| Marking..... | 78-47-33 |
| Required..... | 77.05-1 |
| Emergency lighting and powering: | |
| Installation and details | 77.05 |
| Testing | 78.17-45 |
| Emergency loudspeaker system. (See Loudspeaker system) | |
| Emergency squad: Marking equipment stowage space | 78.47-25 |
| Enclosed locations, operating vessels in..... | 78.83 |
| Engine order telegraph system | 77.05-1 |
| Engineroom. (See Machinery space) | |
| Equipment: | |
| Emergency. (See Emergency equipment) | |
| Equivalents for | 70.15 |
| For buoyant apparatus. (See Buoyant apparatus) | |
| Installations made during unlimited emergency | 70.30-5 |
| Lifesaving. (See also Lifesaving equipment) | |
| In vessels covered under the Act of August 9, 1954..... | 70.30-1(b) |
| Sounding. (See Sounding equipment) | |
| Equivalents..... | 70.15 |
| Equivalent plane bulkhead. (See Bulkhead) | |
| Escape. (See Means of escape) | |
| Examination: Intervals, drydocks and internal structural | 71.50-3 |
| Excursion, permit to engage in..... | 71.10 |
| Exemption certificate..... | 71.75-10 |
| Exit. (See Means of escape) | |
| Expired certificate of inspection | 71.01-20 |
| Extinguisher. (See Hand portable fire extinguishers; Semi-portable fire extinguishing systems) | |
| Extinguishing system. (See Fire extinguishing system) | |

F

| | |
|--|----------|
| Federal Communications Commission: | |
| Annual inspection of radio installation..... | 71.25-10 |
| Initial inspection of radio installation..... | 71.20-15 |
| Ferry: | |
| Chains or barriers in vehicular space | 72.40-15 |
| Definition of | 70.10-15 |
| Railroad passenger car. (See Railroad passenger car ferry) | |
| Rails..... | 72.40 |
| Vehicular spaces. (See Vehicular space) | |
| Washing and toilet facilities for | 72.25-15 |
| Film stowage rooms. (See Projection rooms) | |

46 CFR Ch. I (10–1–99 Edition)

Fire alarm system. (See Manual alarm system)

Fire axe:

- Location 76.60-10
- Number required 76.60-5

Fire bulkhead. (See Structural fire protection)

Fire damper:

- Annual inspection 71.25-25(a)(3)
- General 72.05-50(b)
- Markings 78.47-53
- Plans displayed showing location 78.45

Fire detecting system:

- Annual inspection 71.25-20
- Details. (See Automatic sprinkling system; Electrical fire detecting system; Manual alarm system; Pneumatic fire detecting system; Smoke detecting system; Supervised patrol)
- Markings 78.47
- When required 72.05-90(b), 76.05-1

Fire door. (See Magnetically controlled fire door)

Fire extinguisher. (See Hand portable fire extinguisher; Semi-portable fire extinguishing system)

Fire extinguishing system:

- Annual inspection 71.25-20
- Details. (See Automatic sprinkling system; Carbon dioxide extinguishing system; Fire main system; Foam extinguishing system; Manual sprinkling system; Steam smothering system; Water spray extinguishing system)
- Initial inspection 71.20-15
- Markings 78.47
- When required 76.05-20

Fire-fighting equipment, general 78.17-80

Fire hazard, annual inspection for 71.25-45

Fire hose:

- Additional, when foam extinguishing system used 76.17-25
- Couplings 76.10-10(1)
- Inspection 71.25-20
- Ports 72.05-25(a)(6)
- Size, length, and stowage 76.10-10
- When and where required. (See Fire main system)

Fire hose nozzle:

- Additional combination nozzles required, when foam extinguishing system used 76.17-25
- Combination nozzles required 76.10-10(j)
- Type and size required 76.10-10(j)

Fire hose rack 76.10-10(g)

Fire hydrant:

- Additional required, when foam extinguishing system used 76.17-25
- Size and location 76.10-10

Fire main system:

- Additional requirements, when foam extinguishing system used 76.17-25
- Couplings. (See Fire hose)
- General details 76.10
- Hose. (See Fire hose)
- Hose ports 72.05-25(a)(6)
- Inspection. (See Fire extinguishing system)
- Marking of valves 76.10-15(b)
- Piping 76.10-15
- Protection from freezing 76.10-10(e)
- Pumps. (See Fire pump)
- Shore connection 76.10-10(c)

Subchapter H Index

| | |
|---|----------------------------|
| When required..... | 76.05-15 |
| Fire protection equipment: Annual inspection | 71.25-20 |
| Equipment installed, but not required..... | 76.01-5 |
| General | 76.01 |
| Initial inspection | 71.20 |
| Fire protection, general: | |
| Application | 72.03-1 |
| Fire hazards to be minimized..... | 72.03-5 |
| Lamp room construction..... | 72.03-15 |
| Woodwork insulated from heated surfaces | 72.03-10 |
| Fire protection, structural. (See Structural fire protection) | |
| Fire pump: | |
| Number, type, size, and location..... | 76.10-5 |
| Used for other purposes | 76.10-5(f) |
| Fire test. (See Standard fire test) | |
| Fire watch: | |
| General | 78.30-20 |
| Supervised patrol. (See Supervised patrol) | |
| Watchmen. (See Watchmen) | |
| Fireman's outfit | 77.35 |
| Application | 77.35-1 |
| General..... | 77.35-5 |
| Outfit..... | 77.35-10 |
| Spare charges | 77.35-20 |
| Stowage..... | 77.35-15 |
| Fixed fire extinguishing system. (See Fire extinguishing system) | |
| Fixed hooks. (See Disengaging apparatus) | |
| Fixed light. (See Airport) | |
| Flame safety lamp | 77.30-5(c) |
| Flammable liquid cargo in bulk | Table 70.05-1(a), 70.05-30 |
| Flare. (See Hand flare) | |
| Float, wood. (See Wood float) | |
| Foam extinguishing system: | |
| Access to supply and controls | 76.17-10(b) |
| Additional protection required..... | 76.17-25 |
| Controls..... | 76.17-10 |
| Discharge outlets..... | 76.17-20 |
| General details..... | 76.17 |
| Inspection. (See Fire extinguishing system) | |
| Markings | 76.17-10(d) |
| Piping | 76.17-15 |
| Plans to be displayed | 78.45 |
| Quantity of foam required | 76.17-5 |
| Where required | 76.05-20 |
| Fog nozzle. (See Fire hose nozzle) | |
| Food. (See Provisions) | |
| Fore peak bulkhead. (See Bulkhead) | |
| Foreign vessels subject to the requirements of this subchapter | 70.05-3 |
| Freight: Carriage for hire | 70.10-5 |
| Friction matches. (See Matches) | |
| Fuel: | |
| Oil tanks, integral examination of | 71.53 |
| Requirements for fuel oil..... | 78.17-75 |
| Fuel oil units: Fire extinguishing system required in spaces con- taining..... | 76.05-20 |
| Furnishings. (See Furniture) | |
| Furniture: | |
| Crew accommodations..... | 72.20-20(c) |

46 CFR Ch. I (10-1-99 Edition)

Crew hospital..... 72.20-35
Insect screens 72.20-55
Mess rooms 72.20-30

G

Galley. (See also Service space):
 Ventilation..... 72.05-50(h)
Gangway, openings. (See Openings in vessel's sides)
Gas freeing..... 71.60
Gas mask:
 Marking of Stowage space 78.47-27
 Required 77.30
Gasoline, when using as fuel:
 Ventilation 72.01
 Vessel construction 72.01-10
General alarm system:
 Details 77.05
 Markings 78.47-5, 78.47-7
Glass, wire inserted. (See Wire inserted glass)
Gravity davit. (See Davits)
Great Lakes:
 Definition of 70.10-17
 Service; anchors, chains and hawsers for 77.07-5
Gross tonnage as a criterion for requirements 70.05-20
Grounding: Notice of..... 78.07
Guard. (See Rail)

H

Hand portable fire extinguishers:
 Annual inspection..... 71.25-20
 Classification 76.50-5
 Location 76.50-10
 Markings 76.50-10(d)
 Spare charges 76.50-15
 When required..... 76.05-25
Hatch:
 Closure of..... 78.17-35
 Material for covers 72.05-35
Headquarters, definition of..... 70.10.19
Heating, crew spaces..... 72.20-50
Heat insulation. (See Insulation)
Hinged watertight door. (See Watertight doors)
Hook. (See Disengaging apparatus)
Horn. (See also Whistle and Fog horn)
Hose:
 Fire. (See Fire hose)
 Nozzle. (See Fire hose nozzle)
 Outlets. (See Fire hydrants)
 Ports..... 72.05-25(a)(6)
 Rack. (See Fire hose rack)
 Semiportable fire extinguishing systems. (See Semiportable fire extinguishing system)
Hospital:
 Crew..... 72.20-35
 Deck covering..... 72.05-10(p)
Hull markings 78.50-5
Hull structure. (See Construction)

Subchapter H Index

Hydrant. (See Fire hydrant)

I

| | |
|--|---|
| Incorporation by reference..... | 76.01-2, 77.01-3 |
| Initial inspection..... | 71.20 |
| Inner bottom. (See Double bottom) | |
| Inspection: | |
| After accident..... | 71.40 |
| Alterations and repairs..... | 71.55 |
| Annual. (See Annual inspection) | |
| Carbon dioxide cylinders..... | 76.15-20(g) |
| Certificate of. (See Certificate of inspection) | |
| Initial. (See Initial inspection) | |
| Installation of carbon dioxide extinguishing system..... | 76.15-15(j) |
| Lifesaving equipment..... | 71.25-15 |
| Sanitary. (See Sanitary inspection) | |
| Standards of..... | 71.15-1 |
| Tests, drills, and inspections by vessel personnel..... | 78.17 |
| Vessels for ocean or unlimited coastwise routes..... | 70.05-7 |
| Vessels, generally..... | 71.15 |
| Inspection and certification: | |
| Generally..... | 71.01 |
| Period of validity..... | 71.01-10 |
| Inspector. (See Marine inspector) | |
| Inspector not limited..... | 71.25-50 |
| Instructions: | |
| For changing steering gear..... | 78.47-55 |
| Electrical detecting..... | 76.27-15(f) |
| Manual alarm..... | 76.35-15(e) |
| Operation of fire extinguishing systems: | |
| Automatic sprinkling..... | 76.25-35(j) |
| Carbon dioxide..... | 76.15-10(h) |
| Foam..... | 76.17-10(c) |
| Operation of fire detecting systems..... | 76.25-35(j) |
| Pneumatic detecting..... | 76.30-15(f) |
| Smoke detecting..... | 76.33-20(g) |
| Routing..... | 78.57 |
| Use of emergency equipment..... | 77.30-5(d) |
| Insulation: | |
| For Class "A" bulkheads and decks..... | 72.05-10(c)(1) |
| For Class "B" bulkheads..... | 72.05-10(c)(2) |
| Heat and refrigeration..... | 72.05-40 |
| In doors..... | 72.05-25 |
| Intact stability. (See Stability) | |
| Securing of..... | 72.05-10(k) |
| Integral fuel oil tank examinations..... | 71.53 |
| Interior communication. (See Communication system) | |
| Internal structural examination: | |
| Definition..... | 71.50-1 |
| Intervals..... | 71.50-3 |
| Notice and plans required..... | 71.50-5 |
| International conventions..... | 70.01-1, Table 70.05-1(a) note 6, 70.05-3, 70.05-10, 71.75, 80.20 |
| International voyage: | |
| Application of regulations to vessels on..... | 70.05-10 |
| Short..... | 70.10-43 |

J

| | |
|--|----------|
| Jacob's ladder. (See Ladder) | |
| Joiner door. (See Doors other than watertight) | |
| Joiner work: | |
| Ceilings, linings, trim and decorations | 72.05-15 |
| Construction..... | 72.05-10 |
| Doors | 72.05-25 |
| Stairways and elevators | 72.05-20 |
| Windows..... | 72.05-30 |

K

Knife. (See Jackknife)

L

| | |
|---|---------------------------|
| Ladder. (See also Stairway): | |
| Lifeboat gunwale. (See Lifeboat gunwale ladder) | |
| Vertical, as means of escape..... | 72.10-15 |
| Lakes, bays, and sounds: Definition of..... | 70.10-23 |
| Lamp Locker. (See Paint locker) | |
| Laundry, crew..... | 72.20-40 |
| License, exhibition of | 78.65 |
| Lifeboat: | |
| Access to..... | 72.10-40 |
| Annual inspection..... | 71.25-15 |
| Lifeboat winch: Annual inspection..... | 71.25-15 |
| Lifepreserver: Annual inspection | 71.25-15 |
| Lifesaving Appliances and Arrangements..... | 70.28, 77.06 |
| Installation..... | 77.06-1 |
| Markings for..... | 78.47-45 |
| Lifesaving equipment: | |
| Annual inspection..... | 71.25 |
| Initial inspection..... | 71.20 |
| Inspection of..... | 71.25-15 |
| Required on excursions..... | 71.10-10 |
| Specific tests | 71.20-20 |
| Lighting: | |
| Crew spaces..... | 72.20-45 |
| Emergency system. (See Emergency lighting) | |
| Illumination of exit signs..... | 78.47-40 |
| Lighting and powering systems | 77.05 |
| Linings | 72.05-10(h)-(i), 72.05-15 |
| Loading doors | 78.17-33, 78.37-5 |
| Load line: | |
| Logging of position relative to water | 78.17-20 |
| Marking..... | 78.50-15 |
| Structural requirements for | 72.01-5 |
| Subdivision..... | 78.17-20 |
| Vessels subject to regulations..... | 70.05-1 |
| Log: | |
| Actions required to be logged | 78.37-5 |
| Entries to be made..... | 78.37 |
| Lookout, required..... | 78.30-20 |
| Loudspeaker system | 78.17-10 |
| Louvers in doors | 72.05-25 |

Subchapter H Index

M

| | |
|--|-------------------|
| Machinery: | |
| Accidents to or repairs of | 78.33 |
| Boilers. (See Boiler) | |
| Examination of | 78.17-30 |
| Machinery space: | |
| Definition, for structural fire protection..... | 72.05-5(d) |
| Fire extinguishing equipment required | 76.05 |
| Ventilation | 72.05-50 |
| Windows and airports | 72.05-30 |
| Magazine chest. (See Portable magazine chest) | |
| Magnetically controlled fire doors: | |
| Annual inspection..... | 71.25-25 |
| General requirements | 72.05-25 |
| Marking | 72.05-25(b)(9)(i) |
| Plans displayed showing location of..... | 78.45 |
| Main vertical zone: | |
| Definition | 72.05-5(h) |
| Doors | 72.05-25(b)(9) |
| Requirements | 72.05-10(b) |
| Manholes: | |
| In double bottom. (See Double bottom) | |
| Prohibited location in bulkheads. (See Bulkheads) | |
| Manifold. (See Valve) | |
| Manila falls. (See Falls) | |
| Manual alarm system: | |
| Electrical requirements | 76.35-15(d) |
| General details..... | 76.35 |
| Inspection. (See Fire detecting system) | |
| Instructions | 76.35-15(e) |
| Location and spacing of boxes | 76.35-10 |
| Marking | 76.35-15(f) |
| Operation and installation | 76.35-15 |
| Plans to be displayed..... | 78.45 |
| Where required..... | 76.05-5 |
| Zoning | 76.35-5 |
| Manual propelled lifeboat. (See Hand propelled lifeboat) | |
| Manual sprinkling system: | |
| Access to supply and control..... | 76.23-15(a) |
| Controls..... | 76.23-15 |
| General detail | 76.23 |
| Inspection. (See Fire extinguishing system) | |
| Markings | 76.23-15 |
| Piping | 76.23-20 |
| Plans to be displayed | 78.45 |
| Quantity, pipe size, and discharge rates..... | 76.23-10 |
| Sprinkler heads | 76.23-25 |
| Where required | 76.05-20 |
| Zoning..... | 76.23-5 |
| Marine engineering: | |
| Annual inspection of equipment..... | 71.25-35 |
| General requirements | 70.20 |
| Systems, installations and details..... | 77.03 |
| Vessels subject to regulations | 70.05 |
| Marine inspector: | |
| Definition | 70.10-25 |

46 CFR Ch. I (10–1–99 Edition)

| | |
|--|-----------------------|
| Maritime Administration, U.S.: Vessels subject to inspection | 70.05-1(a)(3) |
| Markings: | |
| On fire and emergency equipment, etc | 78.47 |
| On fire detecting systems: | |
| Alarm, ventilation failure | 78.47-75 |
| Automatic sprinkling | 76.25-25, 76.25-35(k) |
| Carbon dioxide alarm | 78.47-9 |
| Electric | 76.27-15(g) |
| Fire detecting and manual alarm, automatic sprinkler, and smoke detecting alarm bells | 78.47-13 |
| Fire doors | 78.47-35 |
| Fire extinguishing system branch lines | 78.47-15 |
| Lifesaving Appliances | 78.47-45 |
| Manual alarm | 76.35-15(f) |
| Manual alarm boxes | 78.47-10 |
| Pneumatic | 76.30-15(g) |
| Smoke | 76.33-20(h) |
| Supervised patrol | 78.30-10(d) |
| Supervised patrol stations | 78.47-23 |
| On fire extinguishing systems: | |
| Automatic sprinkling | 76.25-25 |
| Carbon dioxide | 76.15-10, 76.15-30 |
| Fire extinguishing system controls | 78.47-17 |
| Fire hose stations | 78.47-20 |
| Fire main | 76.10-15 |
| Foam | 76.17-10 |
| Hand portable fire extinguishers | 78.47-30 |
| Manual sprinkling | 76.23-15 |
| Valves and closing appliances | 78.47-38 |
| On vessels | 78.50 |
| Draft marks | 78.50-10 |
| Hull markings | 78.50-5 |
| Load line marks | 78.50-15 |
| Mask. (See Gas mask) | |
| Means of escape: | |
| Doors | 72.05-25(a) |
| Elevators | 72.05-20(f) |
| Exit signs | 78.47-40 |
| From main vertical zones | 72.05-20 |
| General requirements | 72.10 |
| Mechanical davit. (See Davit) | |
| Mechanical disengaging apparatus. (See Disengaging apparatus) | |
| Mechanical ventilation. (See Ventilation) | |
| Medical kit. (See First aid kit) | |
| Messroom. (See also Accommodation space) | 72.20-30 |
| Milk, condensed (See Condensed milk) | |
| Mirror, signaling (See Signaling mirror) | |
| Miscellaneous spaces for structural fire protection | 72.05-5(f) |
| Motion picture projection rooms. (See Projection rooms) | |
| Motorboat: Motor vessel | 70.10-29 |
| Motor vessel, definition of | 70.10-29 |
| Muster list (Station bill) | 78.13-1, 78.17-50 |

N

| | |
|--|---------|
| Name of vessel: | |
| On equipment | 78.47 |
| On vessel | 78.50-5 |
| Natural ventilation. (See Ventilation) | |

Subchapter H Index

| | |
|---|---------|
| Navigation bridge visibility..... | 72.04 |
| Net tonnage marked on main beam | 78.50-5 |
| New construction, plans and specifications required for | 71.65-5 |
| Notice of casualty. (See Casualty) | |
| Notice to mariners..... | 78.05 |
| Notices. (See markings) | |
| Nozzle, fire hose. (See Fire hose nozzle) | |

O

| | |
|---|-------------------|
| Ocean: | |
| Definition of | 70.10-31 |
| Inland routes..... | 70.05-7 |
| Service; anchors, chains and hawsers for | 77.07-5 |
| Office. (See Accommodation space) | |
| Officer accommodations. (See also Accommodation space)..... | 72.20 |
| Officer in Charge, Marine Inspection, defined | 70.10-33 |
| Official log. (See Log) | |
| Official number on main beam..... | 78.50-5 |
| Oil: | |
| Illuminating. (See Illuminating oil) | |
| Lockers. (See Paint lockers) | |
| Storm. (See Storm oil) | |
| Tanks. (See Tanks) | |
| Oil lockers. (See Paint lockers) | |
| OMB control numbers..... | 70.01-15 |
| Openings: | |
| Doors. (See Door) | |
| In watertight bulkheads. (See Bulkhead) | |
| Keep closed at sea..... | 78.17-35 |
| Manholes in double bottoms. (See Double bottom) | |
| Operation of vehicles in enclosed locations | 78.83 |
| Special operating conditions..... | 78.83-1 |
| Operations: | |
| Carrying of excess steam | 78.55 |
| Compliance with provisions of certificate of inspection..... | 78.60 |
| Display of plans | 78.45 |
| Doors closed at sea | 78.15 |
| Drills..... | 78.13-1, 78.17-50 |
| Emergency training..... | 78.13-1, 78.17-50 |
| Exhibition of license..... | 78.65 |
| General | Part 78 |
| Improper use of searchlight | 78.27 |
| Instructions to passengers..... | 78.47-45 |
| Logbook entries | 78.37 |
| Lookout, pilothouse watch, supervised patrol, and watchmen..... | 78.30 |
| Markings for lifesaving appliances..... | 78.47-45 |
| Markings on equipment | 78.47 |
| Markings on vessel | 78.50 |
| Musters | 78.13-1, 78.17-50 |
| Notice of casualty and voyage records | 78.07 |
| Notice to mariners and aids to navigation | 78.05 |
| Persons allowed in pilothouse and on navigation bridge..... | 78.10 |
| Precautions for vehicular ferries..... | 78.40 |
| Reports of accidents, repairs, and unsafe equipment..... | 78.33 |
| Routing instructions | 78.57 |
| Stowage locations..... | 78.47-45 |
| Tests, drills, and inspections | 78.17 |

46 CFR Ch. I (10–1–99 Edition)

Unnecessary whistling..... 78.23
 Oxygen breathing apparatus. (See Self-contained breathing apparatus)

P

Paint: Fire protection 72.05-45
 Paint locker. (See also Service space)
 Pantry:
 General. (See Service space)
 Isolated. (See Accommodation space)
 Passageways. (See Corridors)
 Passenger:
 Barges. (See Barges)
 Carrying on excursions 71.10
 Carrying when proceeding to another port for repair..... 71.05-10
 Corridors, dead end..... 72.10-30
 Definition 70.10-34
 Passenger for hire, definition..... 70.10-34(b)
 Steerage..... 72.25
 Passenger Accommodations. (See also Accommodations space)
 General 72.25
 Location of 72.25-10
 Sanitary inspection of (See Sanitary inspection)
 Separate from crew 72.25-15(a)
 Steerage..... 72.25
 Toilet facilities, excursion boats, ferryboats, and barges..... 72.25-15
 Ventilation 72.15-20
 Passenger space (See Passenger accommodations)
 Passenger vessel 70.10-35
 Patrol. (See Supervised patrol)
 Peak bulkhead. (See Bulkhead)
 Penetration. (See Opening)
 Period of validity of certificate of inspection 71.01-10
 Permit:
 To engage in excursions..... 71.10
 To proceed to another port for repair 71.05
 Photographic shop. (See Service space)
 Pilot boarding equipment:
 Annual inspection of..... 71.25-10
 Definition of 70.10-36
 General requirements..... 77.40, 78.90-1
 Initial inspection of..... 71.20-15
 Maintenance of 78.90-1(a)
 Pilot boarding operation..... 78.90-1
 Pilothouse. (See also Safety Area):
 Persons allowed in 78.10
 Watch 78.30-5
 Pilot ladder. (See Ladder)
 Piping:
 Fire extinguishing systems:
 Automatic sprinkling..... 76.25
 Carbon dioxide 76.15
 Fire main 76.10-15
 Foam..... 76.17-15
 Manual sprinkling 76.23-20
 Smoke detecting 76.33-15
 Systems, general 77.03
 Through bulkheads (See Bulkheads)
 Plan:

Subchapter H Index

| | |
|--|-------------|
| Approval required before inspection..... | 71.20-10 |
| Display of..... | 78.45 |
| Procedure for approval | 71.65 |
| Procedure for submittal | 71.65-15 |
| Required for alterations..... | 71.55-1 |
| Required, general..... | 71.65 |
| Pneumatic fire detecting system: | |
| Alarm | 76.30-15(g) |
| Electrical requirements..... | 76.30-15(e) |
| General details..... | 76.30 |
| Inspection (See Fire detecting system) | |
| Location and spacing of tubing | 76.30-10 |
| Marking..... | 76.30-15(g) |
| Operation and installation | 76.30-15 |
| Plans to be displayed | 78.45 |
| Where required..... | 76.05-1 |
| Zoning..... | 76.30-5 |
| Point of access: Definition | 70.10-36 |
| Pilot boarding equipment | 77.40-1 |
| Pilot boarding operations | 78.90-1 |
| Port: | |
| Gangway, cargo, and coaling. (See Openings in vessel's sides) | |
| Lights | 78.16 |
| Portable extinguisher. (See Hand portable fire extinguisher) | |
| Portable magazine chest: Marking of..... | 78.47-70 |
| Portable plate: Manholes in double bottom. (See Double bottom) | |
| Prohibited location in bulkheads. (See Bulkhead) | |
| Posting: | |
| Certificates: | |
| Exemption..... | 71.75-10 |
| Inspection..... | 71.01-5 |
| Safety | 71.75-5 |
| Temporary | 71.01-15 |
| Instructions for fire detecting systems: | |
| Automatic sprinkling..... | 76.25-35(j) |
| Electric..... | 76.27-15(f) |
| Manual alarm..... | 76.35-15(e) |
| Pneumatic | 76.30-15(f) |
| Smoke..... | 76.33-20(g) |
| Instructions for fire extinguishing systems: | |
| Automatic sprinkling..... | 76.25-35(j) |
| Carbon dioxide..... | 76.15-10(h) |
| Foam..... | 76.17-10(c) |
| Licenses..... | 78.65 |
| Permit to engage in excursions | 71.10-15 |
| Permit to proceed to another port for repair | 71.05-15 |
| Plans..... | 78.45 |
| Stability letter..... | 78.12-1 |
| Station bill..... | 78.13-1 |
| Printing shop. (See Service space) | |
| Projection room. (See also Service space) | |
| Construction..... | 72.05-10 |
| Ventilation | 72.05-50 |
| Propulsion machinery, fire extinguishing systems required for spaces | |
| containing | 76.05-20 |
| Public space. (See also Accommodation space): | |
| Means of escape from..... | 72.10-35 |
| Pump: | |

46 CFR Ch. I (10–1–99 Edition)

Automatic sprinkling system 76.25-15, 76.25-20, 76.25-35
Fire. (See Fire pump)
Foam extinguishing system..... 76.17-5(c), 76.17-10(b)
Fuel oil. (See Fuel oil unit)
Manual sprinkling system..... 76.23-10, 76.23-15
Purpose of regulations 70.01-1

Q

Quarters. (See Accommodations)

R

Radial davit. (See Davit)
Radio:
 Annual inspection..... 71.25
 Initial inspection..... 71.20
Radio room. (See Safety area)
Rail, type and size required 72.40
Rations. (See Provisions)
Recessed bulkhead. (See Bulkhead)
Recognized classification society, defined..... 70.10-41
Records, voyage. (See Voyage records)
Red hand flare. (See Hand flare)
Refrigerated cargo space. (See Cargo space)
Refrigerated space alarm system..... 77.05
Refrigerated store room. (See Store room)
Refrigeration gas mask. (See Gas mask)
Refrigeration insulation. (See Insulation)
Register tonnage, gross 70.05-20
Regulations:
 Authority and purpose..... 70.01
 Application 70.05
Reinspection 71.30
Releasing gear. (See Disengaging apparatus)
Repair:
 After accident..... 71.40
 Notice of 71.55
 Permit to proceed to another port for 71.05
Report of accident 78.33
Repairs of boilers and pressure vessels 78.33-1
 Accidents to machinery 78.33-5
 Notice required before repairs..... 78.33-10
Reporting of casualty. (See Casualty)
Respiratory protection. (See Emergency equipment)
Right of appeal..... 70.01-7
Rivers:
 Definition of 70.10-39
Round bar davit. (See Davit)
Routing instructions 78.57
Rudder angle indicator system 77.05
Rug:
 Fire protection..... 72.05-10(n)
 Passing through doors 72.05-25(b) (6), (c) (5)
 With fire resistant furnishings..... 72.05-55(a) (4)

S

Safety certificate:

Subchapter H Index

| | |
|---|-------------|
| Foreign vessels..... | 70.05-3 |
| Required | 71.75 |
| Safety standards, disclosure of. (See Disclosure of Safety Standards) | |
| Safety valve: prohibition against tampering with..... | 78.55 |
| Sailing vessel, definition of..... | 70.10-42 |
| Sales room. (See Accommodation space) | |
| Sanitation: | |
| Annual inspection..... | 71.25-40 |
| Crew accommodations..... | 72.20-15 |
| Master and chief engineer responsible for | 78.17-25 |
| Monthly inspection..... | 71.45 |
| Searchlight: | |
| Improper use prohibited..... | 78.27 |
| Self-contained breathing apparatus: | |
| As emergency equipment..... | 77.30 |
| Marking of stowage space for | 78.47-27 |
| Self-igniting water light. (See Water light) | |
| Semiportable fire extinguishing system: | |
| Annual inspection..... | 71.25-20 |
| Classification | 76.50-5 |
| Hose and nozzle for..... | 76.50-5(c) |
| Location | 76.50-10 |
| When required..... | 76.05-25 |
| Service space: | |
| Bulkheads and decks | 72.05-10 |
| Definitions, for structural fire protection | 72.05-5(c) |
| Fire protection equipment for | 76.05 |
| Windows and airports | 72.05-30 |
| Shell connections..... | 77.03 |
| Shifting boards in tonnage opening..... | 72.05-35 |
| Shore connection, fire main | 76.10-10(c) |
| Short international voyage, defined..... | 70.10-43 |
| Shower. (See Washroom) | |
| Signal: | |
| Emergency. (See Emergency signal) | |
| Mirror. (See Signaling mirror) | |
| Orange smoke distress. (See Smoke signal) | |
| Red hand flare. (See Hand flare) | |
| Red parachute flare. (See Parachute flare) | |
| Signaling lamp, daylight | 77.05 |
| Sliding watertight door. (See Watertight door) | |
| Smoke detecting system: | |
| Alarm | 76.33-20 |
| Electrical requirements | 76.33-20(f) |
| General. (See Fire detecting system) | |
| General details..... | 76.33 |
| Inspection, periodic | 78.17-65 |
| Instructions..... | 76.33-20(g) |
| Locations and spacing of accumulators..... | 76.33-10 |
| Operation and installation | 76.33-20 |
| Piping | 76.33-15 |
| Plans to be displayed | 78.45 |
| Where required..... | 76.05-1 |
| Zoning..... | 76.33-5 |
| Sounding equipment | 77.27 |
| Spaces specially suitable for vehicles, definition of..... | 70.10-44 |
| Spanner, required at fire hydrant | 76.10-10(g) |
| Specifications required for new construction | 71.65-5 |

46 CFR Ch. I (10–1–99 Edition)

Spray nozzle. (See Fire hose nozzle)

Sprinkling system. (See Automatic sprinkling system; Manual sprinkling system)

Stability:

 Letter, posting of 78.12-1

 Requirements, verification of vessel compliance with 78.17-22

Stairway. (See also Safety area):

 Doors to 72.05-25(b)

 Enclosures 72.05-20

 Fire resisting furnishings in 72.05-55(c)

 Ventilation 72.05-50(f)

 Width of 72.10-25

Standard fire test, defined 72.05-5(g)

Stateroom. (See Crew accommodations; Passenger accommodations)

Station bill. (Muster list):

 Master's responsibility to prepare and post 78.13-1

 Muster lists, emergency signals, and manning 78.17-50

Steam smothering system:

 General details 76.13

 Inspection. (See Fire extinguishing system)

Steel or other equivalent metal: Definition 72.05-5(i)

Steering oar, for lifeboat. (See Oar)

Steering system:

 Details 77.03

 Instructions for changing gear 78.47-55

 Notice for rudder orders 78.47-57

 Rudder angle indicating system 77.05

 Testing 78.17-15

Step:

 Bulkhead. (See Bulkhead)

 Deck. (See Deck)

Stern tube. (See Shaft tunnel)

Storage space:

 Generally. (See Service space)

 Isolated. (See Accommodation space)

Storm rail. (See Rail)

Stowage:

 Buoyant apparatus. (See Buoyant apparatus)

 Emergency equipment 77.30-10

 Fire hose 76.10-10(g)

Stranding, notice of 78.07

Structural fire protection 72.05, 72.15-5

Structural insulation. (See Insulation)

Structure. (See Construction)

Subdivision: Plans and specifications for new construction 71.65-5

Structural requirements 72.01-25

Subdivision bulkhead. (See Bulkhead)

Subdivision load lines. (See Load lines)

Supervised patrol:

 Details 78.30-10

 Inspection. (See Fire detecting system)

 Markings 78.30-10(d)

 When required 76.05-10

Survey: Generally. (See Inspection)

Special. (See Special survey)

Subchapter H Index

T

| | |
|---|---------------|
| Tank: | |
| Cargo, fire extinguishing system required | 76.05-20 |
| Construction..... | 72.01-25 |
| Double bottom. (See Double bottom) | |
| Pressure, automatic sprinkling..... | 76.25-20 |
| Vent and sounding systems | 77.03 |
| Telephone, sound powered | 77.05 |
| Temporary certificate of inspection..... | 71.01-15 |
| Test. (See Inspection) | |
| Tiller. (See Rudder) | |
| Toilet space. (See Washroom) | |
| Tonnage opening: | |
| Considered closed for carbon dioxide extinguishing calculations | 76.15-5(c)(2) |
| Shifting boards | 72.05-35 |
| Trim joiner | 72.05-15 |
| Trunk: | |
| Through bulkhead. (See Bulkhead) | |
| To cargo space. (See Cargo space) | |
| To machinery space. (See Machinery space) | |
| Tunnel: | |
| Access through bulkheads. (See Bulkhead) | |
| Shaft. (See Shaft tunnel) | |

U

| | |
|---------------------------------------|-------------|
| Underwriters' Laboratories, Inc | 76.10-10(2) |
| United States flag vessels | 70.05-1 |

V

| | |
|---|-----------------------------|
| Valet shop. (See Service space) | |
| Validity, period of, for certificate of inspection..... | 71.01-10 |
| Valve. (See also piping): | |
| Fire detecting systems: | |
| Automatic sprinkling | 76.25-25, 76.25-30 |
| Smoke detecting | 76.33-15, 76.33-20 |
| Fire extinguishing system: | |
| Automatic sprinkling | 76.25-25, 76.25-30 |
| Carbon dioxide | 76.15-10, 76.15-15 |
| Fire main | 76.10-5, 76.10-10, 76.10-15 |
| Foam..... | 76.17-10, 76.17-15 |
| Manual sprinkling | 76.23-15, 76.23-20 |
| In bulkheads. (See Bulkhead) | |
| Safety. (See Safety valve) | |
| Testing, for subdivision..... | 78.17-5 |
| Vehicles in enclosed location, operation of | 78.83 |
| Special operating conditions..... | 78.83-1 |
| Vehicles, spaces specially suitable for..... | 70.10-44 |
| Vehicular space. (See also Cargo space): | |
| Chains or barriers required..... | 72.40-15 |
| On ferries | 78.40 |
| Specially suitable | 70.10-44 |
| Veneer: | |
| Combustible on bulkheads..... | 72.05-15 |
| Combustible on doors | 72.05-25(a)(7) |
| Ventilation: | |
| Fire protection | 72.05-50 |

46 CFR Ch. I (10–1–99 Edition)

| | |
|--|---------------|
| General | 72.15 |
| Insulation for ducts | 72.05-40 |
| Plans displayed | 78.45 |
| Stopping of, when carbon dioxide extinguishing system used | 76.15-35 |
| Vents in doors | 72.05-25 |
| Vents opening into crew accommodations | 72.15-20 |
| Ventilation for closed spaces | 72.15-15 |
| Verification of vessel compliance with applicable stability requirements | 78.17-22 |
| Vessel: | |
| Definition of | 70.10-45 |
| Foreign | 70.05-3 |
| Inspection and certification | 71.01 |
| Inspection standards | 71.15 |
| International voyages, applicability of subchapter to vessels on | 70.05-10 |
| Laid up, dismantled, and out of commission | 70.05-1(a)(2) |
| Markings on equipment | 78.47 |
| Passenger vessel, definition | 70.10-35 |
| Public | 70.05-1(a)(3) |
| Subject to regulations | 70.05 |
| United States flag | 70.05-1 |
| U.S. Maritime Administration | 70.05-1(a)(3) |
| Verification of compliance with stability requirements | 78.17-22 |
| Vessels contracted for | 70.05-5(a) |
| Vessels for ocean or unlimited coastwise routes | 70.05-7 |
| Visibility from navigation bridge | 72.04 |
| Voice tube | 77.05 |
| Void spaces | 72.05-10(1) |
| Voyage records | 78.07 |

W

| | |
|--|--------------------|
| Wash basin. (See Washroom) | |
| Washroom. (See also Accommodation space): | |
| Construction | 72.20-15 |
| Crew hospital | 72.20-35 |
| General requirements | 72.20-25 |
| Passenger accommodations of excursion boats, ferry boats, and barges | 72.25-15 |
| Watchmen | 78.30-15 |
| Water: | |
| Availability for fire extinguishment | 76.10-3 |
| Drinking. (See Drinking water) | |
| Water spray extinguishing system: | |
| Plans displayed | 78.45 |
| Where required | 76.05-20 |
| Watertight bulkheads. (See Bulkheads) | |
| Watertight door: | |
| Annual inspection | 71.25-25 |
| Daily and weekly inspection and operation | 78.17-3 |
| Kept closed at sea | 78.15, 78.17-35 |
| Location of. (See Bulkhead) | |
| Marking | 78.47-37 |
| Power operated substituted for magnetically controlled doors | 72.05-25(b)(9)(ii) |
| Prohibited location for access. (See Bulkhead) | |
| To machinery space or bunker. (See Bulkhead) | |
| Weather deck, access to | 72.10-45 |
| Well, in double bottom. (See Double bottom) | |

Subchapter H Index

| | |
|---|------------|
| Wheelhouse. (See Pilot house) | |
| Whistle: | |
| Testing..... | 78.17 |
| Unnecessary whistling prohibited | 78.23 |
| Window, fire protection | 72.05-30 |
| Wire falls. (See Falls) | |
| Wire inserted glass: | |
| In doors..... | 72.05-25 |
| In windows and airports | 72.05-30 |
| Wireless. (See Radio) | |
| Wiring through bulkheads. (See Bulkheads) | |
| Wood float: Annual inspection | 71.25-15 |
| Workboat. (See Boat) | |
| Work vests: | |
| Application | 78.36-1 |
| Approved types..... | 78.36-5 |
| Hybrid..... | 78.36-25 |
| Shipboard inspections..... | 78.36-20 |
| Shipboard stowage..... | 78.36-15 |
| Use..... | 78.36-10 |
| Work space, defined..... | 72.05-5(j) |

Z

| | |
|---|---------|
| Zone: | |
| Fire detecting and extinguishing systems: | |
| Automatic sprinkling..... | 76.25-5 |
| Electric..... | 76.27-5 |
| Manual alarm | 76.35-5 |
| Manual sprinkling | 76.23-5 |
| Pneumatic | 76.30-5 |
| Smoke | 76.33-5 |
| Horizontal. (See Horizontal zone) | |
| Main vertical. (See Main vertical zone) | |