

(3) With the office that issued the initial certificate or original laboratory analysis report.

(d) The duplicate certificates or re-issued analysis reports shall show the following:

(1) The terms “Duplicate Original,” and the copies shall show “Duplicate Copy.”

(2) A statement that the certificate or letter report was issued in lieu of a lost or destroyed or otherwise not obtainable certificate or laboratory analysis report; and

(3) The same statements and information, including permissive statements, that were shown on the original certificate or the initial analysis report shall be shown on the duplicate form.

(e) Duplicate certificates or duplicate analysis reports shall be issued as promptly as possible and distributed as the original certificates or original analysis reports and their copies.

(f) Duplicate certificates shall not be issued for certificates that have been superseded.

**§ 91.30 Maintenance and retention of copies of certificates or analysis reports.**

(a) At least one copy of each certificate or analysis report shall be filed in the laboratory for a period of not less than 3 years either from the date of issuance of the document, from the date of voiding a certificate, or from the date last payment is made by the applicant for a reported laboratory determination, whichever is later.

(b) Whenever any document, because of its condition, becomes unsuitable for its intended or continued use, the laboratory personnel shall make a copy of the original document.

(c) True copies shall be retained as photocopies, microfilm, microfiche, or other accurate reproductions and durable forms of the original document. Where reduction techniques, such as microfilming are used, suitable reader and photocopying equipment shall be readily available. Such reproductions shall be treated and considered for all purposes as though they were the original documents.

(d) All documents required to be maintained under this part shall be

kept confidential and shall be disclosed only to the applicants or other persons with the applicants’ knowledge and permission. Only such information as the Administrator deems relevant shall be disclosed to the public without the applicants’ permission, and then, only in a suit or administrative hearing brought at the direction, or on the request, of the Administrator, or to which the Administrator or any other officer of the United States is a party.

**Subpart H—Appeal of Laboratory Services**

**§ 91.31 When an appeal of a laboratory service may be requested.**

(a) An application for an appeal of a laboratory service may be made by any interested party who is dissatisfied with the results of an analysis as stated in a certificate or laboratory report, if the lot of the commodity can be positively identified by the laboratory service as the lot from which originally drawn samples were previously analyzed.

(b) An application for an appeal of a laboratory service shall be made within thirty (30) days following the day on which the previous analysis was performed. However, upon approval by the Deputy Administrator, the filing time for an appeal application may be extended.

[58 FR 42415, Aug. 9, 1993, as amended at 65 FR 64311, Oct. 26, 2000]

**§ 91.32 Where to file for an appeal of a laboratory service and information required.**

(a) Application for an appeal of a laboratory service may be filed with the supervisor in the office or the director of the laboratory facility that issued the certificate or laboratory report on which the appeal analysis covering the commodity product is requested.

(b) The application for an appeal of a laboratory service shall state the location of the lot of the commodity product and the reasons for the appeal; and date and serial number of the certificate covering the laboratory service of the commodity product on which the appeal is requested. In addition, such application shall be accompanied by