

Pt. 197, Subpt. C, App. F

46 CFR Ch. I (10-1-05 Edition)

(C) Integration by calculation of the area under the individual peak for each exercise. This includes computerized integration.

(10) Interpretation of test results. The fit factor established by the quantitative fit testing must be the lowest of the three fit factor values calculated from the three required fit tests.

(11) The test subject must not be permitted to wear a half mask or a full facepiece respirator unless a minimum fit factor equivalent to at least ten times the hazardous exposure level is obtained.

(12) Filters used for quantitative fit testing must be replaced at least weekly, whenever increased breathing resistance is encountered, or whenever the test agent has altered the integrity of the filter media. When used, organic vapor cartridges and canisters must be replaced daily or whenever there is an indication of a breakthrough by a test agent.

APPENDIX F TO SUBPART C OF PART 197—SAMPLE WORKER CERTIFICATION FORM

BENZENE WORKER'S CERTIFICATION

I, _____ (Name of worker), certify in accordance with 46 CFR 197.530—

(1) That I have had, within the previous twelve months, at least one medical examination in compliance with 46 CFR 197.560 or 29 CFR 1910.1028;

(2) That the physician conducting the latest medical examination in compliance with paragraph (1) of this certification did not recommend that I be excluded from areas where personal exposure may exceed the action level as defined in 46 CFR 197.505;

(3) That all respirators and personal protective clothing and equipment that I will use while on the vessel meet the requirements of 46 CFR 197.550(b) and 197.555(c) or of 29 CFR 1910.1028; and

(4) That all respirators that I will use while on the vessel have been fitted and fit tested in accordance with 46 CFR 197.550 (c) and (d) or with 29 CFR 1910.1028.

(signature of worker)

(printed name of worker)

(date signed by worker)

APPENDIX A TO PART 197—AIR NO-DECOMPRESSION LIMITS

The following table gives the depth versus bottom time limits for single, no-decompression, air dives made within any 12-hour period. The limit is the maximum bottom time in minutes that a diver can spend at that depth without requiring decompression beyond that provided by a normal ascent rate of 60 fsw per minute. (Although bottom time is concluded when ascent begins, a slower ascent rate would increase the bottom time thereby requiring decompression.) An amount of nitrogen remains in the tissues of a diver after any air dive, regardless of whether the dive was a decompression or no-decompression dive. Whenever another dive is made within a 12-hour period, the nitrogen remaining in the blood and body tissues of the diver must be considered when calculating his decompression.

AIR NO-DECOMPRESSION LIMITS

Depth (feet):	<i>No-decompression limits (minutes)</i>
35	310
40	200
50	100
60	60
70	50
80	40
90	30
100	25
110	20
120	15
130	10

(Source: U.S. Navy Diving Manual, 1 September 1973.)

PART 198 [RESERVED]

INDEX

SUBCHAPTER V—MARINE OCCUPATIONAL SAFETY AND HEALTH STANDARDS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U.S. Coast Guard, Department of Homeland Security. This index is updated as of October 1, 2005.

Part, subpart, or section

A

Access to Records	197.580, Appendix A(VII)
ACFM.....	197.204
Action level	197.505
Additional examinations and referrals.....	197.560(d)
Additional exposure monitoring.....	197.540(c)
Air compressor output.....	197.450(a)
Air compressor system	197.310
Air diving, surface supplied	197.432
Air No-decompression limits.....	197.346(e), 197.482(a)(9), 197.580, Appendix A
Air purifying element.....	197.550(f)(3)
American Red Cross Standard First Aid handbook	197.314(a)(2)
Analysis of samples	197.580, Appendix D (II)(6)
ANSI address	197.205(b)(1), 197.510(a)
ANSI Code	197.204, 197.336(a)
Apparatus.....	197.580, Appendix D(I)(3), 197.580, Appendix D(II)(3), 197.580, Appendix D(III)(c)
Appeal, right of.....	197.203
Appendices	197.580
Appendix A - Sample Substance Safety Data Sheet, Benzene	
Appendix B - Substance Technical Guidelines, Benzene	
Appendix C - Medical Surveillance Guidelines for Benzene	
Appendix D - Sampling and Analytical Methods for Benzene Monitoring-Measurement Procedures	
Appendix E - Respirator Fit Tests	
Applicability, benzene	197.501
Applicability, equipment	197.300
Applicability, general.....	197.200
Applicability, operations	197.400
ASME address.....	197.205(b)(2)
ASME Code	197.204
ATA	197.204
Authorized person.....	197.505
Availability of records.....	197.570(c)
Availability of standards	197.205

B

Backup data.....	197.580, Appendix D(I)(8), 197.580, Appendix D(II)(8)
Bell	197.204, 197.432(e)(3), 197.434(c), 197.434(d)
Bell, open diving	197.334
Benzene.....	197.505

46 CFR Ch. I (10–1–05 Edition)

Benzene Worker's Certification 197.580, Appendix F
Bottom time 197.204, 197.410(a)(4)
Breathing gas/breathing mixture 197.204, 197.410(a)(8), 197.410(a)(9)(i)(B)
Breathing gas supply 197.340, 197.410(a)(2)
Breathing gas tests 197.450
Breathing supply hoses 197.312, 197.456
Breathing supply system 197.450(c)
Breathing zone 197.505
Bunks 197.332(f)
Buoyancy-changing devices 197.342
Bursting pressure 197.204, 197.312(a)(2)

C

Casualty 197.484, 197.486, 197.488
Chamber, decompression 197.204, 197.332
Check valve 197.310(a)(i)
Closed bell 197.434(d), 197.434(h)
Coast Guard 197.200, 197.202(a), 197.203, 197.206(a), 197.328, 197.488(c), 197.501(a),
197.510(a), 197.545(e), 197.575(a)
Commandant 197.206(b)
Commercial diver 197.204
Commercial diving operations 197.200, 197.204
Communications 197.322(a)(3), 197.346(b)(3), 197.402(b)(1), 197.410(a)(5), 197.410(a)(6)
Compressed gas cylinders 197.338
Confidentiality of records 197.570(e)
Corrosion-resistant material 197.320(a)(5)
Cylinder 197.204

D

Decompression chamber 197.204, 197.314(c)(1)
Decompression sickness 197.204, 197.314(c)(3)
Decompression table 197.204, 197.314(c)(2)
Deepwater port 197.202(a)
Deepwater port safety zone 197.202(a)
Definitions 197.204, 197.505
Depth 197.204
Depth gage 197.346(a)(B)(8), 197.458
Designation in writing 197.208(a), 197.210(a)
Designation of diving supervisor 197.210
Designation of person-in-charge 197.208
Determination of personal exposure 197.540
Dive location 197.204, 197.314(a)
Dive procedures 197.410
Dive team 197.204
Diver 197.204
Diver-carried reserve breathing gas 197.204, 197.340
Diver's equipment 197.346
Diver's safety harness 197.324
Diving equipment 197.346, 197.460
Diving installation 197.204
Diving ladder and stage 197.320
Diving mode 197.204
Diving operations 197.202(b)
Diving stage 197.204
Diving supervisor 197.204, 197.404
Diving, SCUBA 197.430
Drain valve 197.310(a)(1)(iv)

Subchapter V Index

Dry suit 197.342(a)

E

Electrical systems..... 197.328(d)(18)
Electrically powered respiratory protective equipment..... 197.550(b)(3)
Emergency 197.505
Emergency locating device..... 197.330(a)(6)
Emergency medical examination 197.560(e)
Employee 197.505
Employer 197.505
Engineering controls 197.545(b)(1)
Environmental monitoring..... 197.535(a)
Equipment, diver's..... 197.346, 197.460
Equipment, first aid..... 197.314
Exhaust valve 197.322(a)(2)

F

Face mask..... 197.346(a)(B)(2)
Facility..... 197.204
Federal Register 197.510(a)
Filtration system 197.310(c)
Fins..... 197.346(a)(B)(6)
First aid and treatment equipment 197.314, 197.454
Fit tests, respirator 197.580 Appendix E
Fsw 197.204

G

Gages and timekeeping devices 197.318
Gas diving, mixed surface supplied..... 197.434
Gas embolism..... 197.204

H

Heavy-weight diving outfit..... 197.204, 197.346(b)
Helmet cushion..... 197.346(b)(4)
Hydrostatic test..... 197.328(c)(2)(iii)
Hyperbaric conditions..... 197.204

I

Illumination..... 197.328(d)(10), 197.332(e)
Incorporation by reference 197.510
Inflatable flotation devices..... 197.344, 197.346(a)(B)(3)
Information provided to the physician 197.560(f)
Initial exposure monitoring 197.540(b)
Injurious corrosion 197.204
Intakes 197.310(b)
Inwater decompression 197.436(c)(6)

J

J-valve 197.346(a)(A)

K

Kink resistant 197.312(a)(4)(i)
Knife 197.346(a)(B)(5)

46 CFR Ch. I (10–1–05 Edition)

L

Lifting equipment 197.330(a)(3), 197.334(b)
Liveboating..... 197.204, 197.436
Logbooks 197.480, 197.482
Logbook entries..... 197.482

M

Manually activated inflation device..... 197.344(b)
Manually operated exhaust valve 197.344(e)
Marine scientific research and development purposes by educational in-
stitutions..... 197.202(a)(1)
Master..... 197.208
Material Safety Data Sheets (MSDS)..... 197.565(a)
Maximum allowable working pressure 197.310(d)
Maximum working pressure 197.204, 197.312(a)(1), (i), (iii)
Medical kit 197.314(a)(1), 197.314(c)(4), 197.454
Medical examination, initial 197.560(b)
Medical record..... 197.570(b)
Medical requirements..... 197.580, Appendix A(V)
Medical surveillance 197.560
Mine Safety and Health Administration (MSHA)..... 197.550(b)
Mixed gas diving, surface supplied..... 197.434
Mobile Offshore Drilling Unit..... 197.202(a)

N

National Institute for Occupational Safety and Health (NIOSH) 197.580,
Appendix A(III)
No-decompression limits 197.204
Non-return valve..... 197.322(a)(1)
Notice of casualty..... 197.484
Notification of exposure monitoring results 197.540(e)
Notifying personnel of benzene hazards..... 197.565

O

Observation of monitoring..... 197.575
Officer-in-Charge, Marine Inspection 197.462, 197.484(a), 197.486, 197.488
Open diving bells..... 197.324
Operations involving benzene 197.505
Operations manual (contents) 197.420
Oral inflation device..... 197.344(c)
Outer Continental Shelf 197.202(a)
Over-pressure relief device 197.344(d)
Oxygen cleaning..... 197.452
Oxygen safety 197.326

P

Performance standard..... 197.505, 197.520
Periodic exposure monitoring..... 197.540(c)
Periodic medical examinations 197.560(c)
Permissible exposure limits (PELs) 197.505, 197.515, 197.530(a)
Person-in-charge..... 197.402, 197.505, 197.525
Personal exposure 197.505, 197.540
Personal protective clothing and equipment..... 197.555
Persons other than employees 197.530
Physician's written opinion 197.560(g)

Subchapter V Index

Platform, open grating	197.320(b)(2)
Pneumatic test	197.328(2)(iii)(B), 197.462(d)(2)(3)
Pneumofathometer	197.346(b)(3)
Pressure gage	197.310(a)(1)(ii)
Pressure piping	197.336, 197.462
Pressure vessel.....	197.204, 197.462
Pressure vessel, repairs and modifications.....	197.300(c)(d)
Program to reduce personal exposure.....	197.545
Propellers, vessel.....	197.436(a)(3)
Psi(g)	197.204
Purpose of subpart	197.200
PVHO	197.204, 197.328, 197.330, 197.332, 197.462

R

Radiographic.....	197.328(c)(ii)
Record keeping	197.570
Record of personal exposure monitoring	197.570(a)
Regulated area.....	197.505, 197.535
Relief valve.....	197.310(a)(1)(iii)
Removal from exposure	197.560(h)
Repetitive dive	197.482(b)(5)
Research and development for the advancement of diving equipment and technology	197.202(a)(2)
Respirators	197.530(a)(3)
Respirator selection	197.550(b)
Respirator fit tests.....	197.580, Appendix E, 197.550(c), 197.550(d)
Respirator inspection.....	197.550(f)
Respirator maintenance	197.550(g)
Respirator storage.....	197.550(h)
Respirator use.....	197.550(e)
Respiratory protection	197.550
Responsibilities of the diving supervisor.....	197.404
Responsibilities of the person-in-charge.....	197.402, 197.525
Restricted visibility	197.436(b)
Resuscitator	197.314(a)(3)
Retention of records after casualty	197.488
Revised work practices.....	197.545(b)(2)
Right of appeal	197.203

S

Safety, oxygen	197.326
Saturation diving	197.204
SCUBA diving	197.430
Search and rescue	197.202(a)(3)
Short-term exposure limit (STEL)	197.505, 197.515(b)
Shut-off valves.....	197.310(d)
Sound-powered headset	197.332(m)
Speech unscrambler	197.328(d)(17)
Standby diver	197.204, 197.340
Substitutes	197.206
Surface supplied air diving	197.204, 197.432
Surface-supplied helmets and masks	197.322
Surface-supplied mixed-gas diving	197.204
Swim fins	197.346(a)(B)(6)

46 CFR Ch. I (10–1–05 Edition)

T

Timekeeping device	197.204, 197.458
Time-weighted average exposure limit (TWA)	197.505, 197.515(a)
Toxicology	197.580, Appendix C(II)
Training.....	197.565(b)
Transfer of records	197.570(d)
Treatment table.....	197.204
Two-way communications.....	197.314(b), 197.322(a)(3), 197.328(d)(5), 197.328(d)(6), 197.410(a)(5), 197.410(a)(6)

U

Umbilical.....	197.204, 197.312(b), 197.322(a)(1), 197.330
----------------	---

V

Valves	197.310.(a)(i), 197.310(a)(1)(iii), 197.310(a)(1)(iv), 197.310(d), 197.322(a)(1), 197.310(a)(2)
Vessel.....	197.204
Vessel propellers.....	197.436(a)(3)
Visibility, restricted.....	197.436(b)
Volume tank.....	197.204, 197.310(a)

W

Weight belt	197.346(a)(B)(4)
Weighted shoes	197.346(b)(4)
Welded joints	197.328(c)(ii)
Working pressure.....	197.204
Wristwatch, diver's	197.346(a)(B)(7)
Written report of casualty.....	197.486