

and 1018-0094. The Service may not conduct or sponsor, and you are not required to respond to, a collection of information unless it displays a currently valid OMB control number. We are collecting this information to provide information necessary to evaluate permit applications. We will use this information to review permit applications and make decisions, according to criteria established in various Federal wildlife conservation statutes and regulations, on the issuance, suspension, revocation, or denial of permits. You must respond to obtain or retain a permit. We estimate the public reporting burden for these reporting requirements to vary from 2 to 2½ hours per response, including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the forms. Direct comments regarding the burden estimate or any other aspect of these reporting requirements to the Service Information Collection Control Officer, MS-222 ARLSQ, U.S. Fish and Wildlife Service, Washington, DC 20240, or the Office of Management and Budget, Paperwork Reduction Project (1018-0093/0094), Washington, DC 20603.

[63 FR 52635, Oct. 1, 1998. Redesignated at 72 FR 48446, Aug. 23, 2007]

Subpart B—Lists

§ 17.11 Endangered and threatened wildlife.

(a) The list in this section contains the names of all species of wildlife which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of wildlife treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see § 17.50 *et seq.*).

(b) The columns entitled “Common Name,” “Scientific Name,” and “Vertebrate Population Where Endangered or Threatened” define the species of wildlife within the meaning of the Act. Thus, differently classified geographic populations of the same vertebrate subspecies or species shall be identified by their differing geographic boundaries, even though the other two columns are identical. The

term “Entire” means that all populations throughout the present range of a vertebrate species are listed. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the extent practicable on the *International Code of Zoological Nomenclature*.

(c) In the “Status” column the following symbols are used: “E” for Endangered, “T” for Threatened, and “E [or T] (S/A)” for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species’ names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries, neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The “historic range” indicates the known general distribution of the species or subspecies as reported in the current scientific literature. The present distribution may be greatly reduced from this historic range. This column does not imply any limitation on the application of the prohibitions in the Act or implementing rules. Such prohibitions apply to all individuals of the species, wherever found.

(f)(1) A footnote to the FEDERAL REGISTER publication(s) listing or reclassifying a species is indicated under the column “When listed.” Footnote numbers to §§ 17.11 and 17.12 are in the same numerical sequence, since plants and animals may be listed in the same FEDERAL REGISTER document. That document, at least since 1973, includes a statement indicating the basis for the listing, as well as the effective date(s) of said listing.

§ 17.11

(2) The “Special rules” and “Critical habitat” columns provide a cross reference to other sections in parts 17, 222, 226, or 227. The “Special rules” column will also be used to cite the special rules that describe experimental populations and determine if they are essential or nonessential. Separate listing will be made for experimental populations, and the status column will include the following symbols: “XE” for an essential experimental population and “XN” for a nonessential experimental population. The term “NA” (not applicable) appearing in either of these two columns indicates that there are no special rules and/or critical habitat for that particular species. However, all other appropriate rules in parts 17, 217 through 227, and 402 still apply to that species. In addition, there may be other rules in this title that relate to such wildlife, e.g., port-of-entry requirements. It is not intended that the references in the “Special rules”

50 CFR Ch. I (10–1–09 Edition)

column list all the regulations of the two Services which might apply to the species or to the regulations of other Federal agencies or State or local governments.

(g) The listing of a particular taxon includes all lower taxonomic units. For example, the genus *Hylobates* (gibbons) is listed as Endangered throughout its entire range (China, India, and SE Asia); consequently, all species, subspecies, and populations of that genus are considered listed as Endangered for the purposes of the Act. In 1978 (43 FR 6230–6233) the species *Haliaeetus leucocephalus* (bald eagle) was listed as Threatened in “USA (WA, OR, MN, WI, MI)” rather than its entire population; thus, all individuals of the bald eagle found in those five States are considered listed as Threatened for the purposes of the Act.

(h) The “List of Endangered and Threatened Wildlife” is provided below:

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
MAMMALS							
Addax	<i>Addax nasomaculatus</i>	North Africa	Entire	E		NA	NA
Anoa, lowland	<i>Bubalus depressicornis</i>	Indonesiado	E	3	NA	NA
Anoa, mountain	<i>Bubalus quarlesi</i>dodo	E	15	NA	NA
Antelope, giant sable	<i>Hippotragus niger variani</i>	Angolado	E	15	NA	NA
Antelope, Tibetan	<i>Panthalops hodgsonii</i>	China, India, Nepal	Entire except Kyrgyzstan, Mongolia, and Tajikistan.	E	15, 475	NA	NA
Argali	<i>Ovis ammon</i>dodo	E			
Dodo	Kazakhstan, Kyrgyzstan, Mongolia, Nepal, Pakistan, Russia, Tajikistan, Uzbekistan.	Kyrgyzstan, Mongolia, and Tajikistan.	T	15, 475	NA	17.40(i)
Armadillo, giant	<i>Protonotus maximus</i>	Venezuela and Guyana to Argentina.do	E	15	NA	NA
Armadillo, pink fairy	<i>Chlamyphorus truncatus</i>	Argentinado	E	3	NA	NA
Ass, African wild	<i>Equus asinus</i>	Somalia, Sudan, Ethiopiado	E	3, 22	NA	NA
Ass, Asian wild	<i>Equus hemionus</i>	Southwestern and Central Asiado	E	3	NA	NA
Avahi	<i>Avahi laniger</i> (=entire genus)	Malagasy Republicdo	E	3	NA	NA
Aye-aye	<i>Daubentonia madagascariensis</i>dodo	E	3	NA	NA
Babirusa	<i>Babirusa babirusa</i>	Indonesiado	E	15	NA	NA
Baboon, gelada	<i>Theropithecus gelada</i>	Ethiopiado	T	16	NA	17.40(c)
Bandicoot, barred	<i>Perameles bougainville</i>	Australiado	E	4	NA	NA
Bandicoot, desert	<i>Perameles eremiana</i>dodo	E	6	NA	NA
Bandicoot, lesser rabbit	<i>Macrotis leucura</i>dodo	E	4	NA	NA
Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i>dodo	E	4	NA	NA
Bandicoot, rabbit	<i>Macrotis lagotis</i>dodo	E	4	NA	NA
Bantieng	<i>Bos javanicus</i>	Southeast Asiado	E	3	NA	NA
Bat, Bulmer's fruit (flying fox)	<i>Aproteles bulmerae</i>	Papua New Guineado	E	139	NA	NA
Bat, bumblebee	<i>Craseonycteris thonglongyai</i>	Thailanddo	E	139	NA	NA
Bat, gray	<i>Myotis grisescens</i>	Central and southeastern U.S.A.do	E	13	NA	NA
Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	U.S.A. (HI)do	E	2	NA	NA
Bat, Indiana	<i>Myotis sodalis</i>	Eastern and Midwestern U.S.A.do	E	1	17.95(a)	NA
Bat, lesser long-nosed	<i>Leptonycteris curasoae v. yerbabuena</i>	U.S.A. (AZ, NM), Mexico, Central Americado	E	336	NA	NA
Bat, little Mariana fruit	<i>Pteropus tokuda</i>	Western Pacific Ocean—U.S.A. (Guam)do	E	156	NA	NA
Fruit Bat, Mariana (=fanhi, Mariana flying fox)	<i>Pteropus mariannus mariannus</i>	Western Pacific Ocean—U.S.A. (GU, MP)do	T	156	Guam	NA
Bat, Mexican long-nosed	<i>Leptonycteris nivalis</i>	U.S.A. (NM, TX), Mexico, Central Americado	E	336	17.95(a)	NA
Bat, Ozark big-eared	<i>Corynorhinus</i> (=Plecotus) <i>townsendii</i> <i>ingens</i>	U.S.A. (MO, OK, AR)do	E	85	NA	NA
Bat, Rodrigues fruit (flying fox)	<i>Pteropus rodrigensis</i>	Indian Ocean—Rodrigues Islanddo	E	139	NA	NA
Bat, Singapore roundleaf horse-shoe	<i>Hipposideros nleyi</i>	Malaysiado	E	139	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Bat, Virginia big-eared	<i>Corynorhinus (=Plecotus) townsendii virginianus</i>	U.S.A. (KY, NC, WV, VA)	U.S.A. (LA, all counties; MS, TX, only within the historic county range of the Louisiana black bear).	E	85	17.95(a)	NA
Bear, American black	<i>Ursus americanus</i>	North America	Entire	T(S/A)	456	NA	17.40(f)
Bear, Baluchistan	<i>Ursus thibetanus gedrosianus</i>	Iran, Pakistan	Entire	E	233	NA	NA
Bear, brown	<i>Ursus arctos arctos</i>	Palaearctic	Italy	E	15, 15A	NA	NA
Do	<i>Ursus arctos pruinosus</i>	China (Tibet)	Entire	E	15	NA	NA
Bear, grizzly	<i>Ursus arctos horribilis</i>	North America	U.S.A., continuous (lower 48) States, except—(1) where listed as an experimental population; and (2) that portion of Idaho that is east of Interstate Highway 15 and north of U.S. Highway 30; that portion of Montana that is east of Interstate Highway 15 and south of Interstate Highway 90; that portion of Wyoming south of Interstate Highway 90, west of Interstate Highway 25, Wyoming State Highway 220, and U.S. Highway 287 south of Three Forks (at the 220 and 287 intersection), and north of Interstate Highway 80 and U.S. Highway 30.	T	759	NA	17.40(b)
Dododo	U.S.A. (portions of ID and MT, see 17.84(l)).	XN	706	NA	17.84(l)
Bear, Louisiana black	<i>Ursus americanus luteolus</i>	U.S.A. (LA—all counties; MS—all counties south of or touching a line from Greenville, Washington County, to Meridian, Lauderdale County, TX—all counties east of or touching a line from Linden, Cass County, SW to Bryan, Brazos County, thence SSW to Rockport, Aransas County).	Entire	T	456	17.95(a)	17.40(f)
Bear, Mexican grizzly	<i>Ursus arctos</i>	Holarctic	Mexico	E	3	NA	NA
Bear, polar	<i>Ursus maritimus</i>	U.S.A. (AK), Canada, Russia, Denmark (Greenland), Norway, Mongolia	Entire	Tdo	NA	17.40(q)
Beaver	<i>Castor fiber birtulal</i>	Canada, northwestern U.S.A.do	E	15	NA	NA
Bison, wood	<i>Bison bison athabasca</i>	Canada, northwestern U.S.A.	Canada	E	3	NA	NA
Bobcat, Mexican	<i>Lynx (=Felis) rufus escuinapae</i>	Central Mexico	Entire	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Bontebok (antelope)		South Africado	E	15	NA	NA
Camel, Bactrian	<i>Damaliscus pygargus (=dorcax)</i>	Mongolia, Chinado	E	15	NA	NA
Caribou, woodland	<i>Camelus bactrianus</i> <i>Rangifer tarandus caribou</i>	U.S.A. (AK, ID, ME, MI, MN, MT, NH, VT, WA, WI), Canada.do	E	128E, 136, 143	NA	NA
Cat, Andean	<i>Felis jacobita</i>	Chile, Peru, Bolivia, Argentinado	E	15	NA	NA
Cat, Asian golden (=Temminck's)	<i>Catopuma (=Felis) temminckii</i>	Nepal, China, Southeast Asia, Indonesia (Sumatra).do	E	15	NA	NA
Cat, black-footed	<i>Felis nigripes</i>	Southern Africado	E	15	NA	NA
Cat, flat-headed	<i>Prionailurus (=Felis) planiceps</i>	Malaysia, Indonesiado	E	15	NA	NA
Cat, fromote	<i>Prionailurus (=Felis) bengalensis iriomotensis</i>	Japan (Iriomote Island, Ryukyu Islands)do	E	50	NA	NA
Cat, leopard	<i>Prionailurus (=Felis) bengalensis bengalensis</i>	India, Southeast Asiado	E	15	NA	NA
Cat, marbled	<i>Pardofelis (=Felis) marmorata</i>	Nepal, Southeast Asia, Indonesiado	E	15	NA	NA
Cat, Pakistan sand	<i>Felis margarita schefelli</i>	Pakistando	E	139	NA	NA
Cat, tiger	<i>Leopardus (=Felis) tigrinus</i>	Costa Rica to northern Argentinado	E	5	NA	NA
Chamois, Apennine	<i>Rupicapra rupicapra ornata</i>	Italydo	E	15	NA	NA
Cheetah	<i>Acinonyx jubatus</i>	Africa to Indiado	E	3, 5	NA	NA
Chimpanzee	<i>Pan troglodytes</i>	Africa—see 17.40(c)(3)do	E	16, 376	NA	NA
Dodo	Wherever found in the wilddo	T	16, 376	NA	17.40(c)
Chimpanzee, pygmy	<i>Pan paniscus</i>	Zairedo	E	16, 376	NA	NA
Chinchilla	<i>Chinchilla brevicaudata boliviana</i>	Boliviado	E	15	NA	NA
Civet, Malabar large-spotted	<i>Viverra civetina (=megaspilla c.)</i>	Indiado	E	50	NA	NA
Cochito	<i>Phocoena sinus</i>	Mexico (Gulf of California)do	E	169	NA	NA
Deer, Bactrian	<i>Cervus elaphus bactrianus</i>	Tajikistan, Uzbekistan, Afghanistan.do	E	50	NA	NA
Deer, Barbary	<i>Cervus elaphus barbarus</i>	Morocco, Tunisia, Algeriado	E	50	NA	NA
Deer, Calamianes (=Philippine)	<i>Axis porcinus calamianensis</i>	Philippines (Calamian Islands)do	E	15	NA	NA
Deer, Cedros Island mule	<i>Odocoileus hemionus cedrosensis</i>	Mexico (Cedros Island)do	E	10	NA	NA
Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	U.S.A. (WA, OR)do	E	1,738	NA	NA
Deer, Corsican red	<i>Cervus elaphus corsicanus</i>	Corsica, Sardiniado	E	50	NA	NA
Deer, Eld's brow-antlered	<i>Cervus eldi</i>	India to Southeast Asiado	E	3	NA	NA
Deer, Formosan sika	<i>Cervus nippon taiouanus</i>	Taiwando	E	50	NA	NA
Deer, Indochina hog	<i>Axis (=Cervus) porcinus annamiticus</i>	Thailand, Indochinado	E	15	NA	NA
Deer, key	<i>Odocoileus virginianus clavium</i>	U.S.A. (FL)do	E	1	NA	NA
Deer, Kuhl's (=Bawean)	<i>Axis porcinus kuhli</i>	Indonesiado	E	3	NA	NA
Deer, marsh	<i>Blastocerus dichotomus</i>	Argentina, Uruguay, Paraguay, Bolivia, Brazil.do	E	3	NA	NA
Deer, McNeill's	<i>Cervus elaphus macneilli</i>	China (Sinkiang, Tibet)do	E	3	NA	NA

Species		Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name								
Deer, musk		<i>Moschus</i> spp. (all species)	Central and eastern Asia	Afghanistan, Bhutan, Burma, China (Tibet, Yunnan), India, Nepal, Pakistan, Sikkim.	E	15	NA	NA
Deer, North China sika		<i>Cervus nippon mandchuricus</i>	China (Shantung and Chihai Provinces)do	E	50	NA	NA
Deer, pampas		<i>Ozotoceros bezoaricus</i>	Brazil, Argentina, Uruguay, Bolivia, Paraguay.do	E	15	NA	NA
Deer, Persian fallow		<i>Dama mesopotamica</i> (=dama m.)	Iraq, Irando	E	3	NA	NA
Deer, Ryukyu sika		<i>Cervus nippon keramae</i>	Japan (Ryukyu Islands)do	E	50	NA	NA
Deer, Shansi sika		<i>Cervus nippon grassianus</i>	China (Shansi Province)do	E	50	NA	NA
Deer, South China sika		<i>Cervus nippon kopschi</i>	Southern Chinado	E	50	NA	NA
Deer, swamp		<i>Cervus duvaucelli</i>	India, Nepaldo	E	3	NA	NA
Deer, Visayan		<i>Cervus alfredi</i>	Philippinesdo	E	320	NA	NA
Deer, Yarkand		<i>Cervus elaphus yarkandensis</i>	China (Sinkiang)do	E	50	NA	NA
Dhole		<i>Cuon alpinus</i>	C.I.S., Korea, China, India, Southeast Asia.do	E	3	NA	NA
Dibbler		<i>Antechinus apicalis</i>	Australiado	E	4	NA	NA
Dog, African wild		<i>Lycyaon pictus</i>	Sub-Saharan Africado	E	139	NA	NA
Dolphin, Chinese river		<i>Lipotes vexillifer</i>	Chinado	E	350	NA	NA
Dolphin, Indus River		<i>Platanista minor</i>	Pakistan (Indus R. and tributaries).do	E	417	NA	NA
Drill		<i>Mandrillus</i> (=Papio) <i>leucophaeus</i>	Equatorial West Africado	E	16	NA	NA
Dugong		<i>Dugong dugon</i>	East Africa to southern Japan, including Palau.do	E	4, 740	NA	NA
Duiker, Jentink's		<i>Cephalophus jentinki</i>	Sierra Leone, Liberia, Ivory Coast.do	E	50	NA	NA
Elephant, western giant		<i>Taurotragus derbianus derbianus</i>	Senegal to Ivory Coastdo	E	50	NA	NA
Elephant, African		<i>Loxodonta africana</i>	Africado	T	40	NA	17.40(e)
Elephant, Asian		<i>Elephas maximus</i>	South-central and southeastern Asia.do	E	15	NA	NA
Ferret, black-footed		<i>Mustela nigripes</i>	Western U.S.A., Western Canada.	Entire, except where listed as an experimental population.	E	1, 3, 433, 545, 546, 582, 646, 703, 737	NA	NA
	dodo	U.S.A. (specified portions of AZ, CO, MT, SD, UT, and WY, see 17.84(g)(9)).	XN	433, 545, 546, 582, 646, 703, 737	NA	17.84(g)
Fox, northern swift		<i>Vulpes velox hebes</i>	U.S.A. (northern plains), Canadado	E	3	NA	NA
Fox, San Joaquin kit		<i>Vulpes macrotis mutica</i>	U.S.A. (CA)do	E	1	NA	NA
Fox, San Miguel Island		<i>Urocyon littoralis littoralis</i>dodo	E	742	17.95(a)	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Fox, Santa Catalina Islanddodo	E	742	17.95(a)	NA
Fox, Santa Cruz Islanddodo	E	742	17.95(a)	NA
Fox, Santa Rosa Islanddodo	E	742	17.95(a)	NA
Fox, Smitan	Ethiopiado	E	50	NA	NA
Gazelle, Arabian	Arabian Peninsula, Palestine, Sinaido	E	50	NA	NA
Gazelle, Clark's	Somalia, Ethiopiado	E	3	NA	NA
Gazelle, dama	North Africado	E	3	NA	NA
Gazelle, Moroccan	Morocco, Algeria, Tunisiado	E	3	NA	NA
Gazelle, mountain (=Cuvier's)dodo	E	3	NA	NA
Gazelle, pelzein's	Somaliado	E	50	NA	NA
Gazelle, sand	Jordan, Arabian Peninsulado	E	50	NA	NA
Gazelle, Saudi Arabian	Israel, Iraq, Jordan, Syria, Arabian Peninsulado	E	50	NA	NA
Gazelle, slender-horned	Sudan, Egypt, Algeria, Libyado	E	3	NA	NA
Gibbons	China, India, Southeast Asiado	E	3, 15	NA	NA
Gorilla	East Asiado	E	15	NA	NA
Gorilla	Central and western Africado	E	3	NA	NA
Hare, hispid	India, Nepal, Bhutando	E	15	NA	NA
Hartebeest, Swayne's	Ethiopia, Somaliado	E	3, 50	NA	NA
Hartebeest, Tora	Ethiopia, Sudan, Egyptdo	E	50	NA	NA
Hog, pygmy	India, Nepal, Bhutan, Sikkimdo	E	3	NA	NA
Horse, Przewalski's	Mongolia, Chinado	E	15	NA	NA
Huemul, north Andean	Ecuador, Peru, Chile, Bolivia, Argentinado	E	15	NA	NA
Huemul, south Andean	Chile, Argentinado	E	15	NA	NA
Hutia, Cabrera's	Cubado	E	233	NA	NA
Hutia, dwarfdodo	E	233	NA	NA
Hutia, large-eareddodo	E	233	NA	NA
Hutia, little earthdodo	E	233	NA	NA
Hyena, Barbary	Morocco, Algeria, Tunisiado	E	3	NA	NA
Hyena, brown	Southern Africado	E	3	NA	NA
Ibex, Pyrenean	Spaindo	E	3	NA	NA
Ibex, Walia	Ethiopiado	E	3	NA	NA
Impala, black-faced	Namibia, Angolado	E	3	NA	NA
Indri	Madagascardo	E	3	NA	NA
Indri	U.S.A. (AZ, CA, LA, NM, TX, =Madagascar)do	E	3	NA	NA
Jaguar	U.S.A. (AZ, CA, LA, NM, TX, Mexico, Central and South America)do	E	5, 622	NA	NA
Jaguarundi, Guatemalan	Mexico, Nicaraguado	E	15	NA	NA
Jaguarundi, Gulf Coast	U.S.A. (TX), Mexicodo	E	15	NA	NA
Jaguarundi, Panamanian	Nicaragua, Costa Rica, Panamado	E	15	NA	NA
Jaguarundi, Sinaloa	U.S.A. (AZ), Mexicodo	E	15	NA	NA
Kangaroo rat, Fresno	U.S.A. (CA)do	E	170	17.95(a)	NA
<i>Urocyon littoralis catalinae</i>dodo	E	742	17.95(a)	NA
<i>Urocyon littoralis santacruzae</i>dodo	E	742	17.95(a)	NA
<i>Urocyon littoralis santarosae</i>	Ethiopiado	E	50	NA	NA
<i>Canis simensis</i>	Arabian Peninsula, Palestine, Sinaido	E	50	NA	NA
<i>Gazella gazella</i>	Somalia, Ethiopiado	E	3	NA	NA
<i>Ammodorcas clarkei</i>	North Africado	E	3	NA	NA
<i>Gazella dama</i>	Morocco, Algeria, Tunisiado	E	3	NA	NA
<i>Gazella dorcas massaeyia</i>dodo	E	3	NA	NA
<i>Gazella cuvieri</i>	Somaliado	E	50	NA	NA
<i>Gazella dorcas pelzein</i>	Jordan, Arabian Peninsulado	E	50	NA	NA
<i>Gazella subgutturosa marica</i>	Israel, Iraq, Jordan, Syria, Arabian Peninsulado	E	50	NA	NA
<i>Gazella dorcas saudiya</i>	Sudan, Egypt, Algeria, Libyado	E	3	NA	NA
<i>Gazella leptoceros</i>	China, India, Southeast Asiado	E	3, 15	NA	NA
<i>Hylobates</i> spp. (including <i>Nomascus</i>)	East Asiado	E	15	NA	NA
<i>Nemorhaedus goral</i>	Central and western Africado	E	3	NA	NA
<i>Gorilla gorilla</i>	India, Nepal, Bhutando	E	15	NA	NA
<i>Caprolagus hispidus</i>	Ethiopia, Somaliado	E	3, 50	NA	NA
<i>Acelaphus buselaphus swaynei</i>	Ethiopia, Sudan, Egyptdo	E	50	NA	NA
<i>Alcelaphus buselaphus tora</i>	India, Nepal, Bhutan, Sikkimdo	E	3	NA	NA
<i>Sus salvanius</i>	Mongolia, Chinado	E	15	NA	NA
<i>Sus przewalskii</i>	Ecuador, Peru, Chile, Bolivia, Argentinado	E	15	NA	NA
<i>Hippocamelus antisensis</i>	Chile, Argentinado	E	15	NA	NA
<i>Hippocamelus bisulcus</i>	Cubado	E	233	NA	NA
<i>Capromys angelcabrerai</i>dodo	E	233	NA	NA
<i>Capromys nana</i>dodo	E	233	NA	NA
<i>Capromys auritus</i>dodo	E	233	NA	NA
<i>Capromys santelpensis</i>dodo	E	233	NA	NA
<i>Hyaina hyaena barbara</i>	Morocco, Algeria, Tunisiado	E	3	NA	NA
<i>Parahyaena (=Hyaena) brunnea</i>	Southern Africado	E	3	NA	NA
<i>Capra pyrenaica pyrenaica</i>	Spaindo	E	3	NA	NA
<i>Capra walle</i>	Ethiopiado	E	3	NA	NA
<i>Aepyceros melampus petersi</i>	Namibia, Angolado	E	3	NA	NA
<i>Indri indri</i> (=entire genus)	Madagascardo	E	3	NA	NA
<i>Panthera onca</i>	U.S.A. (AZ, CA, LA, NM, TX, Mexico, Central and South America)do	E	5, 622	NA	NA
<i>Herpailurus (=Felis) yagouaroundi fossata</i>	Mexico, Nicaraguado	E	15	NA	NA
<i>Herpailurus (=Felis) yagouaroundi fossata</i>	U.S.A. (TX), Mexicodo	E	15	NA	NA
<i>Herpailurus (=Felis) yagouaroundi cacomilii</i>	Nicaragua, Costa Rica, Panamado	E	15	NA	NA
<i>Herpailurus (=Felis) yagouaroundi panamensis</i>	U.S.A. (AZ), Mexicodo	E	15	NA	NA
<i>Herpailurus (=Felis) yagouaroundi tolteca</i>	U.S.A. (CA)do	E	170	17.95(a)	NA
<i>Dipodomys nitratoides exilis</i>	U.S.A. (CA)do	E	170	17.95(a)	NA

Species		Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name								
Kangaroo rat, giant	<i>Dipodomys ingens</i>dododo	E	251	NA	NA
Kangaroo rat, Morro Bay	<i>Dipodomys heermanni morroensis</i>dododo	E	2	17.95(a)	NA
Kangaroo rat, San Bernardino Merriam's	<i>Dipodomys merriami parvus</i>dododo	E	632E, 645	17.95(a)	NA
Kangaroo rat, Stephens'	<i>Dipodomys stephensi</i> (incl. <i>D. cascus</i>)dododo	E	338	NA	NA
Kangaroo rat, Tipton	<i>Dipodomys nitratoides nitratoides</i>dododo	E	312	NA	NA
Kangaroo, Tasmanian forester	<i>Macropus giganteus tasmaniensis</i>	Australia (Tasmania)dodo	E	6	NA	NA
Koala	<i>Phascolarctos cinereus</i>	Australiado	Australia	T	698	NA	NA
Kouprey	<i>Bos sauveli</i>	Vietnam, Laos, Cambodia, Thailand.do	Entire	E	3	NA	NA
Langur, capped	<i>Trachypithecus</i> (=Presbytis) <i>pileatus</i>	India, Burma, Bangladeshdodo	E	15	NA	NA
Langur, Douc	<i>Pygathrix nemaeus</i>	Cambodia, Laos, Vietnamdodo	E	3	NA	NA
Langur, Francois'	<i>Trachypithecus</i> (=Presbytis) <i>francoisi</i>	China (Kwangs), Indochinadodo	E	16	NA	NA
Langur, golden	<i>Trachypithecus</i> (=Presbytis) <i>geei</i>	India (Assam), Bhutandodo	E	15	NA	NA
Langur, gray (=entellus)	<i>Semnopithecus</i> (=Presbytis) <i>entellus</i>	China (Tibet), India, Pakistan, Kashmir, Sri Lanka, Sikkim, Bangladesh.dodo	E	15	NA	NA
Langur, long-tailed	<i>Presbytis potenziani</i>	Indonesiadodo	T	16	NA	17.40(c)
Langur, Pagi Island	<i>Nasalis concolor</i>dododo	E	3	NA	NA
Langur, purple-faced	<i>Presbytis senex</i>	Sri Lankadodo	T	16	NA	17.40(c)
Lechwe, red	<i>Kobus lechwe</i>	Southern Africadodo	T	3, 15, 106	NA	NA
Lemurs	Lemuridae (incl. genera <i>Lemur</i> , <i>Phaner</i> , <i>Haplemur</i> , <i>Lepliemur</i> , <i>Microcebus</i> , <i>Allocebus</i> , <i>Chirogaleus</i> , <i>Varecia</i>).	Malagasy Republic (=Madagascar).dodo	E	3, 15, 15A	NA	NA
Leopard	<i>Panthera pardus</i>	Africa, Asiado	Wherever found, except where it is listed as Threatened as set forth below.	E	3, 5, 114	NA	NA
Dodododo	In Africa, in the wild, south of and including, the following countries: Gabon, Congo, Zaire, Uganda, Kenya.	T	3, 5, 114	NA	17.40(f)
Leopard, clouded	<i>Neofelis nebulosa</i>	Southeastern and south-central Asia, Taiwan.do	Entire	E	3, 15	NA	NA
Leopard, snow	<i>Uncia</i> (=Panthera) <i>uncia</i>	Central Asiadodo	E	5	NA	NA
Linsang, spotted	<i>Prionodon pardicolor</i>	Nepal, Assam, Vietnam, Cambodia, Laos, Burma.dodo	E	15	NA	NA
Lion, Asiatic	<i>Panthera leo persica</i>	Turkey to Indiadodo	E	3	NA	NA
Loris, lesser slow	<i>Nycticebus pygmaeus</i>	Indochinadodo	T	16	NA	17.40(c)

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Monkey, red-backed squirrel	<i>Saimiri oerstedii</i>	Costa Rica, Panama	.do	E	3	NA	NA
Monkey, red-bellied	<i>Cercopithecus erythrogaster</i>	Western Nigeria	.do	E	16	NA	NA
Monkey, red-eared nose-spotted	<i>Cercopithecus erythrolas</i>	Nigeria, Cameroon, Fernando Po	.do	E	16	NA	NA
Monkey, Sichuan snub-nosed	<i>Rhinopithecus roxellana</i>	China	.do	E	400	NA	NA
Monkey, spider	<i>Ateles geoffroyi frontatus</i>	Costa Rica, Nicaragua	.do	E	3	NA	NA
Do	<i>Ateles geoffroyi panamensis</i>	Costa Rica, Panama	.do	E	3	NA	NA
Monkey, Tana River red colobus	<i>Procolobus (=Colobus) rufomitralis</i>	Kenya	.do	E	3	NA	NA
Monkey, Tonkin snub-nosed	<i>Rhinopithecus avunculus</i>	Vietnam	.do	E	16, 400	NA	NA
Monkey, woolly spider	<i>Brachyteles arachnoides</i>	Brazil	.do	E	3	NA	NA
Monkey, yellow-tailed woolly	<i>Lagothrix flavicauda</i>	Andes of northern Peru	.do	E	16	NA	NA
Monkey, Yunnan snub-nosed	<i>Rhinopithecus bieti</i>	China	.do	E	400	NA	NA
Monkey, Zanzibar red colobus	<i>Procolobus (=Colobus) pennantii (=kiriki) kiriki</i>	Tanzania	.do	E	3	NA	NA
Mountain beaver, Point Arena	<i>Aplodontia rufa nigra</i>	U.S.A. (CA)	.do	E	454	NA	NA
Mouse, Alabama beach	<i>Peromyscus polionotus ammobates</i>	U.S.A. (AL)	.do	E	183	17.95(a)	NA
Mouse, Anastasia Island beach	<i>Peromyscus polionotus phasma</i>	U.S.A. (FL)	.do	E	349	NA	NA
Mouse, Australian native	<i>Notomys aquilo</i>	Australia	.do	E	15	NA	NA
Do	<i>Zyzomys pedunculatus</i>	.do	.do	E	15	NA	NA
Mouse, Choctawhatchee beach	<i>Peromyscus polionotus allophrys</i>	U.S.A. (FL)	.do	E	183	17.95(a)	NA
Mouse, Field's	<i>Pseudomys fieldi</i>	Australia	.do	E	4	NA	NA
Mouse, Gould's	<i>Pseudomys gouldii</i>	.do	.do	E	6	NA	NA
Mouse, Key Largo cotton	<i>Peromyscus gossypinus alapaicola</i>	U.S.A. (FL)	.do	E	131E, 160	NA	NA
Mouse, New Holland	<i>Pseudomys novaehollandiae</i>	Australia	.do	E	4	NA	NA
Mouse, Pacific pocket	<i>Perognathus longimembris pacificus</i>	U.S.A. (CA)	.do	E	526E, 554	NA	NA
Mouse, Perdido Key beach	<i>Peromyscus polionotus trissyllepsis</i>	U.S.A. (AL, FL)	.do	E	183	17.95(a)	NA
Mouse, Preble's meadow jumping	<i>Zapus hudsonius preblei</i>	U.S.A. (CO, WY)	.do	T	636	17.95(a)	17.40(f)
Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	U.S.A. (CA)	U.S.A., north-central CO (that portion of Colorado west of 103 degrees 40 minutes West, north of 38 degrees 30 minutes North, and east of 105 degrees 50 minutes West).	E	2	NA	NA
Mouse, Shark Bay	<i>Pseudomys praeconis</i>	Australia	Entire	E	4	NA	NA
Mouse, Shortridge's	<i>Pseudomys shortridgei</i>	.do	.do	E	4	NA	NA
Mouse, smoky	<i>Pseudomys fumeus</i>	.do	.do	E	4	NA	NA
Mouse, southeastern beach	<i>Peromyscus polionotus niveiventris</i>	U.S.A. (FL)	.do	T	349	NA	NA
Mouse, St. Andrew beach	<i>Peromyscus polionotus peninsularis</i>	.do	.do	E	655	17.95(a)	NA
Mouse, western	<i>Pseudomys occidentalis</i>	Australia	.do	E	4	NA	NA
Muntjac, Fea's	<i>Muntiacus feae</i>	Northern Thailand, Burma	.do	E	50	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Native-cat, eastern	<i>Dasyurus viverrinus</i>	Australiado	E	6	NA
Numbat	<i>Myrmecobius fasciatus</i>dodo	E	4, 6	NA
Ocelot	<i>Leopardus (=Felis) pardalis</i>	U.S.A. (AZ, TX) to Central and South America.do	E	5, 119	NA
Orangutan	<i>Pongo pygmaeus</i>	Borneo, Sumatrado	E	3	NA
Oryx, Arabian	<i>Oryx leucorox</i>	Arabian Peninsulado	E	3	NA
Oryx, scimitar-horned	<i>Oryx dammah</i>	North Africado	E	3	NA
Otter, Cameroon clawless	<i>Aonyx congicus (=congiac) microdon</i>	Cameroon, Nigeriado	E	3	NA
Otter, giant	<i>Pteronura brasiliensis</i>	South Americado	E	3	NA
Otter, long-tailed	<i>Lontra (=Lutra) longicaudis</i> (incl. <i>platensis</i>).dodo	E	3, 15	NA
Otter, marine	<i>Lontra (=Lutra) felina</i>	Peru south to Straits of Magellando	E	15	NA
Otter, northern sea	<i>Enhydra lutris kenyoni</i>	U.S.A. (AK, WA)	Southwest Alaska, from Attu Island to Western Cook Inlet, including Bristol Bay, the Kodiak Archipelago, and the Barren Islands.	T		NA
Otter, southern river	<i>Lontra (=Lutra) provocax</i>	Chile, Argentinado	E	15	NA
Otter, southern sea	<i>Enhydra lutris nereis</i>	West Coast, U.S.A. (CA, OR, WA) south to Mexico (Baja California).	Entire, except where listed below	T	21, 284	NA 17.84(d)
Dododo	All areas subject to U.S. jurisdiction south of Pt. Conception, CA (34°26.9' N. Lat.) [Note—status governed by Pub. L. 99-625, 100 Stat. 3500].	XN	284	NA 17.84(d)
Panda, giant	<i>Ailuropoda melanoleuca</i>	Chinado	E	139	NA
Pangolin, Temnick's ground	<i>Manis temmincki</i>	Africado	E	15	NA
Panther, Florida	<i>Puma (=Felis) concolor coryi</i>	U.S.A. (LA and AR east to SC and FL).do	E	1	NA
Planigale, little	<i>Planigale ingrami subtilissima</i>	Australiado	E	4	NA
Planigale, southern	<i>Planigale tenuirostris</i>	Brazildo	E	4	NA
Porcupine, thin-spined	<i>Chaetomys subspinosus</i>dodo	E	3	NA
Possum, Leadbeater's	<i>Gymnobelideus leadbeateri</i>	Australiado	E	233	NA
Possum, mountain pygmy	<i>Burrhamys parvus</i>dodo	E	4	NA
Possum, scaly-tailed	<i>Wyulda squamicaudata</i>dodo	E	4	NA
Prairie dog, Mexican	<i>Cynomys mexicanus</i>	Mexicodo	E	3	NA
Prairie dog, Utah	<i>Cynomys parvidens</i>	U.S.A. (UT)do	T	6, 149	NA 17.40(g)
Pronghorn, peninsular	<i>Antilocapra americana peninsularis</i> .	Mexico (Baja California)do	E	10	NA
Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i> .	U.S.A. (AZ), Mexicodo	E	1, 3	NA
Pudu	<i>Pudu pudu</i>	Southern South Americado	E	15	NA
Puma (=mountain lion)	<i>Puma (=Felis) concolor</i> (all subsp. except <i>coryi</i>).	Canada to South America	U.S.A. (FL)	T(S/A)	432	NA 17.40(h)
Puma, Costa Rican	<i>Puma (=Felis) concolor costaricensis</i> .	Nicaragua, Panama, Costa Rica	Entire	E	15	NA
Puma (=cougar), eastern	<i>Puma (=Felis) concolor cougar</i>	Eastern North Americado	E	6	NA
Quokka	<i>Setonix brachyurus</i>	Australiado	E	6	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Rabbit, Columbia Basin pygmy	<i>Brachylagus idahoensis</i>	U.S.A. (western conterminous U.S.).	U.S.A. (WA—Douglas, Grant, Lincoln, Adams, Benton Counties).	E		NA	NA
Rabbit, Lower Keys	<i>Sylvilagus palustris hefneri</i>	U.S.A. (FL)	Entire	E	390	NA	NA
Rabbit, riparian brush	<i>Sylvilagus bachmani riparius</i>	U.S.A. (CA)	Entire	E	687	NA	NA
Rabbit, Ryukyu	<i>Penelagius fumeus</i>	Japan (Ryukyu Islands)	Entire	E	50	NA	NA
Rabbit, volcano	<i>Fomoterolagus diazi</i>	Mexico	Entire	E	3	NA	NA
Rat, false water	<i>Xeromys myoides</i>	Australia	Entire	E	4	NA	NA
Rat, stick-nest	<i>Leporillus conditor</i>	do	Entire	E	6	NA	NA
Rat-kangaroo, brush-tailed	<i>Bettongia penicillata</i>	do	Entire	E	4	NA	NA
Rat-kangaroo, desert (splain)	<i>Caloprymnus campestris</i>	do	Entire	E	4	NA	NA
Rat-kangaroo, Gaimard's	<i>Bettongia gaimardi</i>	do	Entire	E	6	NA	NA
Rat-kangaroo, Lesuer's	<i>Bettongia lesueur</i>	do	Entire	E	4	NA	NA
Rat-kangaroo, Queensland	<i>Bettongia tropica</i>	do	Entire	E	4	NA	NA
Rhinoceros, black	<i>Diceros bicornis</i>	Sub-Saharan Africa	Entire	E	97	NA	NA
Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>	India, Nepal	Entire	E	4	NA	NA
Rhinoceros, Javan	<i>Rhinoceros sondaicus</i>	Indonesia, Indochina, Burma, Thailand, Sikkim, Bangladesh, Malaysia.	Entire	E	3	NA	NA
Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i>	Zaire, Sudan, Uganda, Central African Republic.	Entire	E	3	NA	NA
Rhinoceros, Sumatran	<i>Dicerorhinus sumatrensis</i>	Bangladesh to Vietnam to Indonesia (Borneo).	Entire	E	3	NA	NA
Rice rat	<i>Oryzomys palustris natator</i>	U.S.A. (FL)	Lower FL Keys (west of Seven Mile Bridge).	E	421	17.95(e)	NA
Saiga, Mongolian (antelope)	<i>Saiga tatarica mongolica</i>	Mongolia	Entire	E	15	NA	NA
Saki, southern bearded	<i>Chiropotes satanas satanas</i>	Brazil	Entire	E	233	NA	NA
Saki, white-nosed	<i>Chiropotes albinasus</i>	do	Entire	E	3	NA	NA
Sea-lion, Steller	<i>Eumetopias jubatus</i>	U.S.A. (AK, CA, OR, WA), Canada, Russia; North Pacific Ocean.	Entire, except the population segment west of 144° W. Long.	T	384E, 408, 614	226.202	223.102, 223.202
Do	do	do	Population segment west of 144° W. Long.	E	384E, 408, 614	226.202	NA
Seal, Caribbean monk	<i>Monachus tropicalis</i>	Caribbean Sea, Gulf of Mexico	Entire	E	1, 2D, 45	NA	NA
Seal, Guadalupe fur	<i>Arctocephalus townsendi</i>	U.S.A. (Farallon Islands of CA) south to Mexico (Islas Revillagigedo).	Entire	T	1, 2D, 212	NA	223.201
Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	U.S.A. (HI)	Entire	E	18	226.201	NA
Seal, Mediterranean monk	<i>Monachus monachus</i>	Mediterranean, Northwest African Coast and Black Sea.	Entire	E	3	NA	NA
Seal, Saimaa	<i>Phoca hispida saimensis</i>	Finland (Lake Saimaa)	Entire	E	508	NA	NA
Seledang	<i>Bos gaurus</i>	Bangladesh, Southeast Asia, India.	Entire	E	3	NA	NA
Serow	<i>Naemohedus (=Capricornis) sumatraensis.</i>	East Asia, Sumatra	Entire	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Serval, Barbary	Algeriado	E	3	NA	NA
Shapo	Kashmirdo	E	15	NA	NA
Sheep, Peninsular bighorn	U.S.A. (western continental States), Canada (southwestern), Mexico (northern), U.S.A. (CA)—Sierra Nevada	U.S.A. (CA) Peninsular Ranges	E	634	17.95(a)	NA
Sheep, Sierra Nevada bighorn	U.S.A. (CA)—Sierra Nevada	U.S.A. (CA)—Sierra Nevada	E	660E, 675	17.95(a)	NA
Shou	Tibet, Bhutan	Entire	E	3	NA	NA
Shrew, Buena Vista Lake	U.S.A. (CA)do	E	725	17.95(a)	NA
Siamang	Malaysia, Indonesiado	E	15	NA	NA
Sifakas	Malagasy Republic (=Madagascar)do	E	4	NA	NA
Sloth, Brazilian three-toed	Brazildo	E	3	NA	NA
Solenodon, Cuban	Cubado	E	3	NA	NA
Solenodon, Haitian	Dominican Republic, Haitido	E	3	NA	NA
Squirrel, Carolina northern flying	U.S.A. (NC, TN)do	E	189	NA	NA
Squirrel, Delmarva Peninsula fox	U.S.A. (Delmarva Peninsula to southeast PA)	Entire, except Sussex Co., DE	E	1, 161, 168	NA	NA
Do	U.S.A. (AZ)	U.S.A. (DE—Sussex Co.)	XN	161	NA	17.84(a)
Squirrel, Mount Graham red	Tamiasciurus hudsonicus grahamensis	Entire	E	268	17.95(a)	NA
Squirrel, northern Idaho ground	Spermophilus brunneus brunneusdo	T	693	NA	NA
Stag, Barbary	Tunisia, Algeriado	E	3	NA	NA
Stag, Kashmir	Kashmirdo	E	3	NA	NA
Suni, Zanzibar	Neotragus moschatus moschatusdo	E	50	NA	NA
Tahr, Arabian	Omando	E	50	NA	NA
Tamaraw	Hemiragus jayakarido	E	4	NA	NA
Tamarin, golden-rumped	Bubalus mindorensisdo	E	3	NA	NA
Tamarin, pied	Leontopithecus spp.do	E	3	NA	NA
Tamarin, white-footed	Saguinus bicolordo	E	16	NA	NA
Tapir, Asian	Saguinus leucopusdo	T	16	NA	17.40(c)
Tapir, Central American	Tapirus indicusdo	E	15	NA	NA
Tapir, mountain	Tapirus bairdiido	E	3	NA	NA
Tapir, South American (=Brazilian)	Tapirus pinchaquedo	E	3	NA	NA
Tarsier, Philippine	Tapirus terrestrisdo	E	3	NA	NA
Tiger	Tarsylus syrichtado	T	16	NA	17.40(c)
Tiger, Tasmanian	Panthera tigrisdo	E	3, 5	NA	NA
Uakari (all species)	Thylacynus cynocephalusdo	E	3	NA	NA
Urial	Cacaajao spp.do	E	3	NA	NA
Vicuña	Ovis musimon ophion	Venezuela	E	15	NA	NA
Do	Vicugna vicugna	Cyprus	T	3, 724	NA	17.40 (m)
do	Entire, except Ecuador	E	3, 724	NA	NA
do	Ecuador	E	3, 724	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Vole, Amargosa	<i>Microtus californicus scirpensis</i>	U.S.A. (CA)	Entire	E	166	17.95(a)	NA
Vole, Florida salt marsh	<i>Microtus pennsylvanicus dukecampbelli</i>	U.S.A. (FL)do	E	415	NA	NA
Vole, Hualapai Mexican	<i>Microtus mexicanus hualpaiensis</i>	U.S.A. (AZ)do	E	292	NA	NA
Wallaby, banded hare	<i>Lagostrophus fasciatus</i>	Australiado	E	4	NA	NA
Wallaby, bridled nail-tailed	<i>Onychogalea fraenata</i>dodo	E	4	NA	NA
Wallaby, crescent nail-tailed	<i>Onychogalea lunata</i>dodo	E	4	NA	NA
Wallaby, Parma	<i>Macropus parma</i>dodo	E	4	NA	NA
Wallaby, western hare	<i>Lagorchestes hirsutus</i>dodo	E	4	NA	NA
Wallaby, yellow-footed rock	<i>Petrogale xanthopus</i>dodo	E	6	NA	NA
Whale, blue	<i>Balaenoptera musculus</i>	Oceanicdo	E	3	NA	NA
Whale, bowhead	<i>Balaena mysticetus</i>	Oceanic (north latitudes only)do	E	3	NA	NA
Whale, finback	<i>Balaenoptera physalus</i>	Oceanicdo	E	3	NA	NA
Whale, gray	<i>Eschrichtius robustus</i>	North Pacific Ocean—coastal and Bering Sea, formerly North Atlantic Ocean.	Entire, except eastern North Pacific Ocean—coastal and Bering, Beaufort, and Chukchi Seas.	E	3, 540	NA	NA
Whale, humpback	<i>Megaptera novaeangliae</i>	Oceanic	Entire	E	3	NA	224, 101, 224, 103
Whale, killer	<i>Orcinus orca</i>	Pacific Ocean	Southern Resident DPS, which consists of whales from the J, K, and L pods, wherever they are found in the wild.	E	756	NA	NA
Whale, North Atlantic right	<i>Eubalaena glacialis</i>	Oceanic	Entire	E	3	226, 203	224, 103
Whale, North Pacific right	<i>Eubalaena japonica</i>dodo	E	3	NA	NA
Whale, Southern right	<i>Eubalaena australis</i>dodo	E	3	NA	NA
Whale, Sei	<i>Balaenoptera borealis</i>dodo	E	3	NA	NA
Whale, sperm	<i>Physeter catodon</i> (=macrocephalus).dodo	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Wolf, gray	<i>Canis lupus</i>	Holarctic	U.S.A., contiguous (lower 48) States, except (1) Where listed as an experimental population below; (2) Minnesota; and (3) MT, ID, WY (however, see experimental population designation below), eastern WA (that portion of WA east of the centerline of Highway 97 and Highway 17 north of Mesa and that portion of WA east of the centerline of Highway 395 south of Mesa), eastern OR (that portion of OR east of the centerline of Highway 395 and Highway 78 north of Burns Junction and that portion of OR east of the centerline of Highway 95 south of Burns Junction), and north central UT (that portion of UT east of the centerline of Highway 84 and north of Highway 80), Mexico...	E	1, 6, 13, 15, 35	17.95(a)	N/A
Dodododo	T	35	17.95(a)	17.40(d)
Dodododo	XN	631	N/A	17.84(k)
Wolf, gray (Northern Rocky Mountain DPS)	<i>Canis lupus</i>	U.S.A. (MT, ID, WY, eastern WA, eastern OR, and north central UT)	U.S.A. (portions of AZ, NM, and TX—see § 17.84(k)). U.S.A. (WY—see § 17.84(i) and § 17.84(n)).	XN	561, 562	N/A	17.84(l) 17.84(n)
Wolf, maned	<i>Chrysocyon brachyurus</i>	Argentina, Bolivia, Brazil, Paraguay, Uruguay.	Entire	E	4	NA	NA
Wolf, red	<i>Canis rufus</i>	U.S.A. (SE U.S.A., west to central TX).	Entire, except where listed as experimental populations below.	E	1, 248, 449, 579	NA	NA
Dododo	U.S.A. (portions of NC and TN—see 17.84(c)(9)).	XN	449, 579	NA	17.84(c)
Wombat, Queensland hairy-nosed (incl. Barnard's)	<i>Lasiorhinus krefftii</i> (formerly <i>L. barnardi</i>) and <i>L. gillespiei</i> .	Australia	Entire	E	4, 6	NA	NA
Woodrat, Key Largo	<i>Nectoma floridana smalli</i>	U.S.A. (FL)do	E	131E	NA	NA
Woodrat, riparian (San Joaquin Valley)	<i>Neotoma fuscipes riparia</i>	U.S.A. (CA)do	E	160	NA	NA
Yak, wild	<i>Bos mutus</i> (=grunniens m.)	China (Tibet), Indiado	E	687	NA	NA
Zebra, Grevy's	<i>Equus grevyi</i>	Kenya, Ethiopia, Somaliado	T	3	NA	NA
Zebra, Hartmann's mountain	<i>Equus zebra hartmannae</i>	Namibia, Angolado	T	54	NA	NA
Zebra, mountain	<i>Equus zebra zebra</i>	South Africado	E	15, 111	NA	NA
'Akepa, Hawaii (honeycreeper)	<i>Loxops coccineus coccineus</i>	U.S.A. (HI)do	E	2	NA	NA
'Akepa, Maui (honeycreeper)	<i>Loxops coccineus ochraceus</i>dodo	E	2	NA	NA
'Akiapola, Kauai (honeycreeper)	<i>Hemignathus procerus</i>dodo	E	1	NA	NA
'Akiapolaau (honeycreeper)	<i>Hemignathus munroi</i>dodo	E	1	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Albatross, Amsterdam	<i>Diomedea amsterdamensis</i>	Indian Ocean—Amsterdam Island.do	E	571	NA	NA
Albatross, short-tailed	<i>Phoebastria (=Diomedea) albatrus</i>	North Pacific Ocean and Bering Sea—Canada, China, Japan, Mexico, Russia, Taiwan, U.S.A. (AK, CA, HI, OR, WA), Malawi, Mozambiquedo	E	3, 700	NA	NA
Alethe, Thyolo	<i>Alethe cholobensis</i>	U.S.A. (PR)do	E	571	NA	NA
Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	U.S.A. (AZ), Mexico (Sonora)do	E	1, 3	17.95(b)	NA
Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	Indian Ocean—Christmas Islanddo	E	15	NA	NA
Booby, Abbott's	<i>Papasula (=Sula) abbotti</i>	Australiado	E	3	NA	NA
Bristlebird, western	<i>Dasyornis longirostris</i> (<i>=brachypterus</i> l.)dodo	E	15	NA	NA
Bristlebird, western rufous	<i>Dasyornis broadbenti littoralis</i>	Indian Ocean—Mauritiusdo	E	3	NA	NA
Bulbul, Mauritius oliveaceous	<i>Hypsipetes borbonicus olivaceus</i>	Eastern Atlantic Ocean—Azoresdo	E	3	NA	NA
Bullfinch, Sao Miguel (finch)	<i>Pyrrhula pyrrhula murina</i>	Tanzaniado	T	571	NA	NA
Bush-shrike, Ulugura	<i>Malaconotus alius</i>	New Zealanddo	E	3	NA	NA
Bushwren, New Zealand	<i>Xenicus longipes</i>	India, Pakistando	E	3	NA	NA
Bustard, great Indian	<i>Ardeotis (=Choriotis) nigricaps</i>	North Atlantic Ocean—Bermuda south to Panama; Cuba.do	E	3	NA	NA
Canow	<i>Pterodroma catow</i>	U.S.A. (AZ, FL, LA, NM, TX) south to Panama; Cuba.do	T	280	NA	NA
Caracara, Audubon's crested	<i>Polyborus pliancus audubonii</i>	U.S.A. (AZ, CA, OR), Mexico (Baja California).do	E	4	NA	NA
Condor, Andean	<i>Vultur gryphus</i>	Colombia to Chile and Argentina	Entire	E	1, 597	17.95(b)	NA
Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (AZ, CA, OR), Mexico (Baja California).	U.S.A. only, except where listed as an experimental population below.	E	1, 597	17.95(b)	NA
Dododo	U.S.A. (specific portions of Arizona, Nevada, and Utah).	XN	597	NA	17.84(f)
Coot, Hawaiian	<i>Fulica americana alai</i>	U.S.A. (HI)	Entire	E	2	NA	NA
Cotinga, banded	<i>Cotinga maculata</i>	Brazildo	E	15	NA	NA
Cotinga, white-winged	<i>Xiphopena atrapurpurea</i>dodo	E	15	NA	NA
Crane, black-necked	<i>Grus nigricollis</i>	China (Tibet)do	E	15	NA	NA
Crane, Cuba sandhill	<i>Grus canadensis nesiotis</i>	West Indies—Cubado	E	15	NA	NA
Crane, hooded	<i>Grus monacha</i>	Japan, Russiado	E	4	NA	NA
Crane, Japanese	<i>Grus japonensis</i>	China, Japan, Korea, Russiado	E	3	NA	NA
Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	U.S.A. (MS)do	E	6	17.95(b)	NA
Crane, Siberian white	<i>Grus leucogeranus</i>	C.I.S. (Siberia) to India, including Iran and China.do	E	4	NA	NA
Crane, white-necked	<i>Grus vipio</i>	Mongoliado	E	15	NA	NA
Crane, whooping	<i>Grus americana</i>	Canada, U.S.A. (Rocky Mountains east to Carolinas), Mexico.	Entire, except where listed as an experimental population.	E	1, 3	17.95(b)	NA
Dododo	U.S.A. (AL, AR, CO, FL, GA, ID, IL, IN, IA, KY, LA, MI, MN, MS, MO, NC, NM, OH, SC, TN, UT, VA, WI, WV, WY).	XN	487, 621, 710	NA	17.84(h)
Creepier, Hawaii	<i>Oreomys mana</i>	U.S.A. (HI)	Entire	E	10	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Creepers, Molokai	Paroreomyza flammeadodo	E	2	NA	NA
Creepers, Oahu	Paroreomyza maculatadodo	E	2	NA	NA
Crow, Hawaiian	Corvus hawaiiensisdodo	E	1	NA	NA
Crow, Mariana	Corvus kubaryi	Western Pacific Ocean USA (Guam, Rota)do	E	156	17.95(b)	NA
Crow, white-necked	Corvus leucognaphalus	U.S.A. (PR), Dominican Republic, Haitido	E	419	NA	NA
Cuckoo-shrike, Mauritius	Coereba typicus	Indian Ocean—Mauritiusdo	E	3	NA	NA
Cuckoo-shrike, Reunion	Coereba newtoni	Indian Ocean—Reuniondo	E	3	NA	NA
Curassow, razor-billed	Mitu mitu mitu	Brazil (Eastern)do	E	15	NA	NA
Curassow, red-billed	Crax blumenbachii	Brazildo	E	4	NA	NA
Curassow, Trinidad white-headed	Pipile pipile pipile	West Indies—Trinidaddo	E	3	NA	NA
Curlew, Eskimo	Numenius borealis	Alaska and northern Canada to Argentinado	E	1, 3	NA	NA
Dove, cloven-feathered	Drepanoptila holosericea	Southwest Pacific Ocean—New Caledoniado	E	3	NA	NA
Dove, Grenada gray-fronted	Leptotila rufaxilla wellsi	West Indies—Grenadado	E	3	NA	NA
Duck, Hawaiian	Anas wyvilliana	U.S.A. (HI)do	E	1	NA	NA
Duck, Laysan	Anas laysanensisdodo	E	1	NA	NA
Duck, pink-headed	Rhodonessa caryophyllacea	Indiado	E	15	NA	NA
Duck, white-winged wood	Cairina scutulata	India, Malaysia, Indonesia, Thailanddo	E	3	NA	NA
Eagle, bald	Haliaeetus leucocephalus	North Arizona: South to northern Mexico	Arizona: (1) Yavapai, Gila, Graham, Pinal, and Maricopa Counties; and (2) Southern Mohave County (that portion south and east of the center of Interstate Highway 40 and east of Arizona Highway 95), eastern LaPaz County (that portion east of the centerline of U.S. and Arizona Highways 95), and north of the centerline of Interstate Highway 8).	T	NA	17.41(a)
Eagle, Greenland white-tailed	Haliaeetus albicilla groenlandicus	Greenland and adjacent Atlantic islands	Entire	E	15	NA	NA
Eagle, harpy	Harpia harpyja	Mexico south to Argentinado	E	15	NA	NA
Eagle, Madagascar sea	Haliaeetus vociferoides	Madagascardo	E	571	NA	NA
Eagle, Madagascar serpent	Eurhynchus asturdodo	E	571	NA	NA
Eagle, Philippine	Pithecophaga jefferyi	Philippinesdo	E	3	NA	NA
Eagle, Spanish imperial	Aquila heliaca adalberti	Spain, Morocco, Algeriado	E	3	NA	NA
Egret, Chinese	Egretta eulophotes	China, Koreado	E	3	NA	NA
Eider, spectacled	Somateria fischeri	U.S.A. (AK), Russiado	T	503	17.95(b)	NA
Eider, Steller's	Polysticta stellerido	U.S.A. (AK breeding population only)	T	616	17.95(b)	NA
Elepaio, Oahu	Chasiempis sandwichensis ibidis (Chasiempis sandwichensis gayi)	U.S.A. (HI)	Entire	E	696	17.95(b)	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Falcon, Eurasian peregrine	<i>Falco peregrinus peregrinus</i>	Europe, Eurasia south to Africa and Mideast.do	E	15	NA	NA
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	U.S.A. (AZ, NM, TX), Mexico, Guatemala.	Entire, except where listed as an experimental population.	E	216	NA	NA
Falcon, northern aplomado	<i>Falco femoralis septentrionalis</i>	U.S.A. (HI)	U.S.A. (AZ, NM)	XN	758	NA	17.84(p)
Finch, Laysan (honeycreeper)	<i>Telespiza canians</i>	U.S.A. (HI)	Entire	E	1	NA	NA
Finch, Nihoa (honeycreeper)	<i>Telespiza ultima</i>	U.S.A. (HI)do	E	1	NA	NA
Flycatcher, Euler's	<i>Empidonax euleri johnstonel</i>	West Indies—Grenadado	E	3	NA	NA
Flycatcher, Seychelles paradise	<i>Terpsiphone corvina</i>	Indian Ocean—Seychellesdo	E	3	NA	NA
Flycatcher, southwestern willow	<i>Empidonax trailii extimus</i>	U.S.A. (AZ, CA, CO, NM, TX, UT), Mexicodo	E	577	17.95(b)	NA
Flycatcher, Tahiti	<i>Pomarea nigra</i>	South Pacific Ocean—Tahitido	E	3	NA	NA
Fody, Mauritius	<i>Foudia rubra</i>	Indian Ocean—Mauritiusdo	E	571	NA	NA
Fody, Rodrigues	<i>Foudia flavicans</i>	Indian Ocean—Rodrigues Island (Mauritius)do	E	571	NA	NA
Fody, Seychelles (weaver-finch)	<i>Foudia sechellarum</i>	Indian Ocean—Seychellesdo	E	3	NA	NA
Francolin, Dيبouti	<i>Francolinus ochorpectus</i>	Dيبoutido	E	571	NA	NA
Frigatebird, Andrew's	<i>Fregata andrewsi</i>	East Indian Oceando	E	15	NA	NA
Gnatcatcher, coastal California	<i>Poliopitla californica californica</i>	U.S.A. (CA), Mexicodo	T	496	17.95(b)	17.41 (b)
Goose, Hawaiian	<i>Branta (=Nesochen) sandvicensis</i>	U.S.A. (HI)do	E	1	NA	NA
Goshawk, Christmas Island	<i>Accipiter fasciatus natalis</i>	Indian Ocean—Christmas Islanddo	E	3	NA	NA
Grackle, slender-billed	<i>Quiscalus palustris</i>	Mexicodo	E	3	NA	NA
Grasswren, Eyrean (flycatcher)	<i>Amytornis goulderi</i>	Australiado	E	3	NA	NA
Grebe, Aloutra	<i>Tachybaptus rufiflavatus</i>	Madagascardo	E	571	NA	NA
Grebe, Aititan	<i>Podilymbus gigas</i>	Guatemalado	E	3	NA	NA
Greenshank, Nordmann's	<i>Tinga guttifer</i>	Russia, Japan, south to Malaya, Borneo.do	E	15	NA	NA
Guan, homed	<i>Oreophasis derbianus</i>	Guatemala, Mexicodo	E	3	NA	NA
Guan, white-winged	<i>Penelope albipennis</i>	Perudo	E	401	NA	NA
Guineafowl, white-breasted	<i>Agelastes meleagrides</i>	West Africado	T	571	NA	NA
Gull, Audouin's	<i>Larus audouinii</i>	Mediterranean Seado	E	3	NA	NA
Gull, relict	<i>Larus relictus</i>	India, Chinado	E	15	NA	NA
Hawk, Galapagos	<i>Buteo galapagoensis</i>	Ecuador (Galapagos Islands)do	E	3	NA	NA
Hawk, Hawaiian	<i>Buteo solitarius</i>	U.S.A. (HI)do	E	1	NA	NA
Hawk, Puerto Rican broad-winged	<i>Buteo platypterus brunnescens</i>	U.S.A. (PR)do	E	550	NA	NA
Hawk, Puerto Rican sharp-shinned	<i>Accipiter striatus venator</i>	U.S.A. (PR)do	E	550	NA	NA
Hermit, hook-billed (hummingbird)	<i>Ramphodon (=Glaucis) dohrnii</i>	Brazildo	E	15	NA	NA
Honeycreeper, crested	<i>Palmeria dolei</i>	U.S.A. (HI)do	E	1	NA	NA
Honeyeater, helmeted	<i>Lichenostomus melanops cassidix (=Meliophaga c.)</i>	Australiado	E	4	NA	NA
Hornbill, helmeted	<i>Pseudibis gigantea</i>	Thailand, Malaysiado	E	15	NA	NA
Ibis, giant	<i>Pseudibis gigantea</i>	Cambodia, Lao PDR, Thailand, Vietnam.do	E	760	NA	NA
Ibis, Japanese crested	<i>Nipponia nippon</i>	China, Japan, Russia, Koreado	E	3	NA	NA
Ibis, northern bald	<i>Geroniticus eremita</i>	Southern Europe, southwestern Asia, northern Africa.do	E	401	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Kagu	<i>Rhynochetos jubatus</i>	South Pacific Ocean—New Cal- edoniado	E	3	NA	NA
Kakapo	<i>Strigops habroptilus</i>	New Zealanddo	E	3	NA	NA
Kestrel, Mauritius	<i>Falco punctatus</i>	Indian Ocean—Mauritiusdo	E	3	NA	NA
Kestrel, Seychelles	<i>Falco araea</i>	Indian Ocean—Seychelles Is- landsdo	E	3	NA	NA
Kingfisher, Guam	<i>Halcyon cinnamomina</i>	Western Pacific Ocean USA (Guam)do	E	156	17.95(b)	NA
Kite, Cuba hook-billed	<i>Chondrohierax uncinatus wilsonii</i>	West Indies—Cubado	E	3	NA	NA
Kite, Everglade snail	<i>Rostrhamus sociabilis plumbeus</i>	U.S.A. (FL), Cuba	U.S.A. (FL)	E	1	17.95(b)	NA
Kite, Grenada hook-billed	<i>Chondrohierax uncinatus mirus</i>	West Indies—Grenada	Entire	E	3	NA	NA
Kokako (wattlebird)	<i>Callaeas cinerea</i>	New Zealanddo	E	3	NA	NA
Lark, Raso	<i>Aldaia razae</i>	Atlantic Ocean—Raso Island (Cape Verde)do	E	571	NA	NA
Macaw, glaucous	<i>Anodorhynchus glaucus</i>	Paraguay, Uruguay, Brazildo	E	15	NA	NA
Macaw, indigo	<i>Anodorhynchus leari</i>	Brazildo	E	15	NA	NA
Macaw, little blue	<i>Cyanopsitta spixii</i>dodo	E	15	NA	NA
Magpie-robin, Seychelles (thrush)	<i>Copsychus sechellarum</i>	Indian Ocean—Seychelles Is- landsdo	E	3	NA	NA
Malimbe, Ibadan	<i>Malimbus ibadanensis</i>	Nigeriado	E	571	NA	NA
Malkoha, red-faced (cuckoo)	<i>Phaenicophaeus pyrhocephalus</i>	Sri Lanka (=Ceylon)do	E	3	NA	NA
Megapode, Maleo	<i>Macrocephalon maleo</i>	Indonesia (Celebes)do	E	3	NA	NA
Megapode, Micronesian (=La Perouse's)	<i>Megapodius laperouse</i>	West Pacific Ocean—Palau Is- lands, U.S.A. (Mariana Islands), U.S.A. (HI)do	E	3	NA	NA
Millerbird, Nihoa (old world war- bler)	<i>Acrocephalus familiaris kingi</i>	U.S.A. (HI)do	E	1	NA	NA
Mockingbird, Socorro	<i>Mimus graysoni</i>	Mexicodo	E	760	NA	NA
Moorhen, Hawaiian common	<i>Gallinula chloropus sandvicensis</i>	U.S.A. (HI)do	E	1	NA	NA
Moorhen, Mariana common	<i>Gallinula chloropus guami</i>	West Pacific Ocean—U.S.A. (Guam, Tinian, Saipan, Pagan), U.S.A. (AK, CA, OR, WA), Can- ada (B.C.)do	E	156	NA	NA
Murrelet, marbled	<i>Brachyramphus marmoratus</i>	U.S.A. (PR)	U.S.A. (CA, OR, WA)	T	479	17.95(b)	NA
Nighthawk, Puerto Rican	<i>Caprimulgus vociferus</i>	U.S.A. (HI)	Entire	E	6	NA	NA
Nukupu'u (honeycreeper)	<i>Hemignathus lucidus</i>	U.S.A. (HI)do	E	1,2	NA	NA
Nuthatch, Algerian	<i>Sitta ledardi</i>	Algeriado	E	571	NA	NA
'O'o, Kauai (honeyeater)	<i>Molho braccatus</i>	U.S.A. (HI)do	E	1	NA	NA
Ostrich, Arabian	<i>Struthio camelus syriacus</i>	Jordan, Saudi Arabiado	E	3	NA	NA
Ostrich, West African	<i>Struthio camelus spatzi</i>	Spanish Saharado	E	3	NA	NA
'O'u (honeycreeper)	<i>Psittirostra psittacea</i>	U.S.A. (HI)do	E	1	NA	NA
Owl, Aniouan scops	<i>Otus rufilus capnodes</i>	Indian Ocean—Comoro Islanddo	E	3	NA	NA
Owl, giant scops	<i>Mimizuku (=Otus gurneyi)</i>	Philippines—Marinduque and Mindanao Islanddo	E	15	NA	NA
Owl, Madagascar red	<i>Tyto soumagnei</i>	Madagascardo	E	401	NA	NA
Owl, Mexican spotted	<i>Strix occidentalis lucida</i>	U.S.A. (AZ, CO, NM, TX, UT), Mexicodo	T	494	17.95(b)	NA
Owl, northern spotted	<i>Strix occidentalis caurina</i>	U.S.A. (CA, OR, WA), Canada (B.C.)do	T	393	17.95(b)	NA
Owl, Seychelles scops	<i>Otus magicus (=insularis)</i>	Indian Ocean—Seychelles Is- landsdo	E	3	NA	NA
Owlet, Morden's	<i>Otus ireneae</i>	Kenyado	E	3	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Oystercatcher, Canarian black	<i>Haematopus meadewaldi</i>	Atlantic Ocean—Canary Islandsdo	E	571	NA	NA
Pallid (honeycreeper)	<i>Loxioides bailleui</i>	U.S.A. (HI)do	E	1	NA	NA
Paradise-flycatcher, caerulean	<i>Eutrichomyias rowleyi</i>	Indonesiado	E	760	NA	NA
Parakeet, blue-throated (=ochre-marked)	<i>Pyrrhura orientata</i>	Brazildo	E	3	NA	NA
Parakeet, Forbes'	<i>Cyanoramphus auriceps forbesi</i>	New Zealanddo	E	3	NA	NA
Parakeet, golden	<i>Aratinga guarouba</i>	Brazildo	E	15	NA	NA
Parakeet, golden-shouldered	<i>Psephenus chrysopterygius</i>	Australiado	E	3	NA	NA
Parakeet, Mauritius	<i>Psittacula echo</i>	Indian Ocean—Mauritiusdo	E	3	NA	NA
Parakeet, Norfolk Island	<i>Cyanoramphus cookii</i> (= <i>novaezelandiae</i> c.)	Australia (Norfolk Island)do	E	401	NA	NA
Parakeet, orange-bellied	<i>Neophema chrysogaster</i>	Australiado	E	4	NA	NA
Parakeet, paradise	<i>Psephenus pulcherimus</i>dodo	E	4	NA	NA
Parakeet, scarlet-chested	<i>Neophema splendida</i>dodo	E	4	NA	NA
Parakeet, turquoise	<i>Neophema pulchella</i>dodo	E	3	NA	NA
Parrot, Bahaman or Cuban	<i>Amazona leucoccephala</i>	West Indies—Cuba, Bahamas, Caymansdo	E	3, 15	NA	NA
Parrot, ground	<i>Pezoporus wallicus</i>	Australiado	E	6	NA	NA
Parrot, imperial	<i>Amazona imperialis</i>	West Indies—Dominicado	E	3	NA	NA
Parrot, night (=Australian)	<i>Geopsittacus occidentalis</i>	Australiado	E	3	NA	NA
Parrot, Puerto Rican	<i>Amazona vittata</i>	U.S.A. (PR)do	E	1	NA	NA
Parrot, red-browed	<i>Amazona rhodocorytha</i>	Brazildo	E	3	NA	NA
Parrot, red-capped	<i>Pionopsitta pileata</i>dodo	E	15	NA	NA
Parrot, red-necked	<i>Amazona arausiaca</i>	West Indies—Dominicado	E	50	NA	NA
Parrot, red-spectacled	<i>Amazona pretrei pretrei</i>	Brazil, Argentinado	E	15	NA	NA
Parrot, red-tailed	<i>Amazona brasiliensis</i>	Brazildo	E	401	NA	NA
Parrot, Seychelles lesser vasa	<i>Coracopsis nigra barklyi</i>	Indian Ocean—Seychelles (Praslin Island)do	E	571	NA	NA
Parrot, St. Vincent	<i>Amazona guildingii</i>	West Indies—St. Vincentdo	E	3	NA	NA
Parrot, St. Lucia	<i>Amazona versicolor</i>	West Indies—St. Luciado	E	3	NA	NA
Parrot, thick-billed	<i>Rhyncopsitta pachyrhyncha</i>	Mexico, U.S.A. (AZ, NM)do	E	3	NA	NA
Parrot, vinaceous-breasted	<i>Amazona vinacea</i>	Brazil	Entire	E	15	NA	NA
Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	U.S.A. (HI)do	E	1	NA	NA
Pelican, brown	<i>Pelecanus occidentalis</i>	U.S.A. (Carolinas to TX, CA, OR, WA), West Indies, coastal Central and South America, Ecuador (Galapagos Islands)	Entire, except U.S. Atlantic coast, FL, AL	E	2, 3, 171	NA	NA
Penguin, Galapagos	<i>Spheniscus mendiculus</i>	Central and South America, Ecuador (Galapagos Islands)	Entire	E	3	NA	NA
Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	U.S.A. (HI)do	E	1	NA	NA
Petrel, Madeira	<i>Pterodroma madeira</i>	Atlantic Ocean—Madeira Islanddo	E	571	NA	NA
Petrel, Mascarene black	<i>Pterodroma aterrima</i>	Indian Ocean—Mauritius (Reunion Island)do	E	571	NA	NA
Pheasant, bar-tailed	<i>Symaticus humiae</i>	Burma, Chinado	E	3	NA	NA
Pheasant, Blyth's tragopan	<i>Tragopan blythii</i>	Burma, China, Indiado	E	3	NA	NA
Pheasant, brown eared	<i>Crossoptilon manchuricum</i>	Chinado	E	3	NA	NA
Pheasant, Cabot's tragopan	<i>Tragopan caboti</i>dodo	E	3	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Pheasant, cheer	<i>Catreux wallchil</i>	India, Nepal, Pakistando	E	401	NA	NA
Pheasant, Chinese monal	<i>Lophophorus lhuysii</i>	Chinado	E	3	NA	NA
Pheasant, Edward's	<i>Lophura edwardsi</i>	Vietnamdo	E	3	NA	NA
Pheasant, Elliot's	<i>Symaticus ellioti</i>	Chinado	E	15	NA	NA
Pheasant, imperial	<i>Lophura imperialis</i>	Vietnamdo	E	3	NA	NA
Pheasant, Mikado	<i>Symaticus mikado</i>	Taiwando	E	3	NA	NA
Pheasant, Palawan peacock	<i>Polyplectron emphanum</i>	Philippinesdo	E	3	NA	NA
Pheasant, Scaler's monal	<i>Lophophorus sclateri</i>	Burma, China, Indiado	E	3	NA	NA
Pheasant, Swinhoe's	<i>Lophura swinhoii</i>	Taiwando	E	3	NA	NA
Pheasant, western tragopan	<i>Tragopan melanoccephalus</i>	India, Pakistando	E	3	NA	NA
Pheasant, white eared	<i>Crossoptilon crossoptilon</i>	China (Tibet), Indiado	E	4	NA	NA
Pigeon, Azores wood	<i>Columba palumbus azorica</i>	East Atlantic Ocean—Azoresdo	E	3	NA	NA
Pigeon, Chatham Island	<i>Hemiphaga novaeseelandiae</i>	New Zealanddo	E	3	NA	NA
Pigeon, Mindoro imperial (=zone-tailed)	<i>Ducula mindorensis</i>	Philippinesdo	E	15	NA	NA
Pigeon, pink	<i>Columba mayeri</i>	Indian Ocean—Mauritiusdo	E	571	NA	NA
Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	U.S.A. (PR)do	E	2	NA	NA
Pigeon, white-tailed laurel	<i>Columba lunoniae</i>	Atlantic Ocean—Canary Islandsdo	T	571	NA	NA
Piping-guan, black-fronted	<i>Pipile jacuringa</i>	Argentinado	E	15	NA	NA
Pitta, Gurney's	<i>Pitta gurneyi</i>	Myanmar, Thailanddo	E	760	NA	NA
Pitta, Koch's	<i>Pitta kochi</i>	Philippinesdo	E	15	NA	NA
Plover, New Zealand shore	<i>Thimornis novaeseelandiae</i>	New Zealanddo	E	3	NA	NA
Plover, piping	<i>Charadrius melodus</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI), Canada, Mexico, Bahamas, West Indiesdo	E	211	17.95(b)	17.95(b)
Plover, piping	<i>Charadrius melodus</i>	U.S.A. (Great Lakes, northern Great Plains, Atlantic and Gulf Coasts, PR, VI), Canada, Mexico, Bahamas, West Indies	Entire, except those areas where listed as endangered above.	T	211	17.95(b)	17.95(b)
Plover, western snowy	<i>Charadrius alexandrinus nivosus</i>	U.S.A. (AZ, CA, CO, KS, NM, NV, OK, OR, TX, UT, WA), Mexico	U.S.A. (CA, OR, WA), Mexico (within 50 miles of Pacific coast).	T	493	17.95(b)	17.95(b)
Pochard, Madagascar	<i>Aythya innotata</i>	Madagascar	Entire	E	571	NA	NA
Po'ouli (honeycreeper)	<i>Melanerops phaeosoma</i>	U.S.A. (HI)do	E	10	NA	NA
Prairie-chicken, Atwater's greater	<i>Tympanuchus cupido atwateri</i>	U.S.A. (TX)do	E	1	NA	NA
Quail, Merriam's Montezuma	<i>Cyrtonyx montezumae merriami</i>	Mexico (Vera Cruz)do	E	15	NA	NA
Quetzal, resplendent	<i>Pharomachus mocino</i>	Mexico to Panamado	E	15	NA	NA
Rail, Aukland Island	<i>Rallus pectoralis muelleri</i>	New Zealanddo	E	3	NA	NA
Rail, California clapper	<i>Rallus longirostris obsoletus</i>	U.S.A. (CA)do	E	2	NA	NA
Rail, Guam	<i>Rallus owstoni</i>	Western Pacific Ocean—U.S.A. (Guam)	Entire, except Rota	E	146E, 156, 371	NA	NA
Do			Rota	XN	17,84(f)	NA	NA
Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. (CA), Mexico (Baja California)	U.S.A. only	E	2	NA	NA
Rail, Lord Howe wood	<i>Gallirallus (=Tricholimnas) sylvestris</i>	Australia (Lord Howe Island)	Entire	E	15	NA	NA
Rail, Yuma clapper	<i>Rallus longirostris yumanensis</i>	Mexico, U.S.A. (AZ, CA)	U.S.A. only	E	1	NA	NA
Rhea, lesser (incl. Darwin's)	<i>Rhea (=Pterocnemia) pinnata</i>	Argentina, Bolivia, Peru, Uruguay	Entire	E	3	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Robin, Chatham Island	<i>Petroica traversi</i>	New Zealanddo	E	3	NA	NA
Robin, dappled mountain	<i>Arcanator orostrifus</i>	Mozambique, Tanzaniado	T	571	NA	NA
Robin, scarlet-breasted (flycatcher)	<i>Petroica multicolor multicolor</i>	Australia (Norfolk Island)do	E	3	NA	NA
Rocklowi, grey-necked	<i>Picathartes oreas</i>	Cameroun, Gabondo	E	3	NA	NA
Rocklowi, white-necked	<i>Picathartes gymnocephalus</i>	Africa—Togo to Sierra Leonedo	E	3	NA	NA
Roller, long-tailed ground	<i>Uratalornis chimaera</i>	Malagasy Republic (=Madagascar)do	E	3	NA	NA
Scrub-bird, noisy	<i>Atrichornis clamosus</i>	Australiado	E	3	NA	NA
Scrub-jay, Florida	<i>Aphelocoma coerulescens</i>	U.S.A. (FL)do	T	267	NA	NA
Shama, Cebu black (thrush)	<i>Coosynchus niger cebuensis</i>	Philippinesdo	E	3	NA	NA
Shearwater, Newell's Townsend's	<i>Puffinus auricularis newelli</i>	U.S.A. (HI)do	T	10	NA	NA
Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	U.S.A. (CA)do	E	26	NA	NA
Siskin, red	<i>Carduelis cucullata</i>	South Americado	E	15	NA	NA
Sparrow, Cape Sable seaside	<i>Ammodramus maritimus mirabilis floridanus</i>	U.S.A. (FL)do	E	1	17.95(b)	NA
Sparrow, Florida grasshopper	<i>Ammodramus savannarum floridanus</i>dodo	E	239	NA	NA
Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	U.S.A. (CA)do	T	26	NA	NA
Sparrowhawk, Antjauan Island	<i>Accipiter francesii pusillus</i>	Indian Ocean—Comoro Islandsdo	E	3	NA	NA
Starling, Ponape mountain	<i>Aplonis pelzelni</i>	West Pacific Ocean—Federated States of Micronesiado	E	3	NA	NA
Starling, Rothschild's (myna)	<i>Leucopsar rothschildi</i>	Indonesia (Bali)do	E	3	NA	NA
Stilt, black	<i>Himantopus novaezelandiae</i>	New Zealanddo	E	760	NA	NA
Stilt, Hawaiian	<i>Himantopus mexicanus (=himantopus) knudseni</i>	U.S.A. (HI)do	E	2	NA	NA
Stork, oriental white	<i>Ciconia boyciana (=ciconia b)</i>	China, Japan, Korea, Russiado	E	3	NA	NA
Stork, wood	<i>Mycteria americana</i>	U.S.A., (CA, AZ, TX, to Carolina), Mexico, C. and S. Americado	E	142	NA	NA
Sunbird, Marungu	<i>Nectarinia prigoginei</i>	Zaire	Entire	E	571	NA	NA
Swiftlet, Mariana gray	<i>Aerodramus vanikorensis barschi</i>	Western Pacific Ocean—U.S.A. (Guam, Rota, Tinian, Saipan, Agiguan)do	E	156	NA	NA
Teal, Campbell Island flightless	<i>Anas aucklandica nesiotis</i>	New Zealand (Campbell Island)do	E	15	NA	NA
Tern, California least	<i>Sterna antillarum browni</i>	Mexico, U.S.A. (CA)do	E	2, 3	NA	NA
Tern, least	<i>Sterna antillarum</i>	U.S.A. (Atlantic and Gulf coasts, Miss. R. Basin, CA), Greater and Lesser Antilles, Bahamas, Mexico; winters Central America, northern South America	U.S.A. (AR, CO, IA, IL, IN, KS, KY, LA—Miss. R. and tribs. N of Baton Rouge, MS—Miss. R., MO, MT, ND, NE, NM, OK, SD, TN, TX—except within 50 miles of coast)	E	182	NA	NA
Tern, roseate	<i>Sterna dougallii dougallii</i>	Tropical and temperate coasts of Atlantic Basin and East Africa.	U.S.A. (Atlantic Coast south to NC), Canada (Newf., N.S., Que.), Bermuda	E	296	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
White-eye, Seychelles	<i>Zosterops modesta</i>	Indian Ocean—Seychellesdo	E	3	NA	NA
Woodpecker, imperial	<i>Campephilus imperialis</i>	Mexicodo	E	3	NA	NA
Woodpecker, ivory-billed	<i>Campephilus principalis</i>	U.S.A. (southeastern and southern), Cubado	E	1, 3	NA	NA
Woodpecker, red-cockaded	<i>Picoides borealis</i>	U.S.A. (southeastern and southern)do	E	2	NA	NA
Woodpecker, Tristram's	<i>Dryocopus javensis richardsi</i>	Koreado	E	3	NA	NA
Wren, Guadeloupe house	<i>Troglodytes aedon guadeloupensis</i>	West Indies—Guadeloupedo	E	3	NA	NA
Wren, St. Lucia house	<i>Troglodytes aedon mesoleucus</i>	West Indies—St. Luciado	E	3	NA	NA
REPTILES							
Alligator, American	<i>Alligator mississippiensis</i>	Southeastern U.S.A.do	T(S/A)	1, 11, 20, 51, 60, 113, 134, 186, 269	NA	17.42(a)
Alligator, Chinese	<i>Alligator sinensis</i>	Chinado	E	15	NA	NA
Anole, Culebra island giant	<i>Anolis roosevelti</i>	U.S.A. (PR—Culebra Island)do	E	25	17.95(c)	NA
Boa, Jamaican	<i>Epicrates subflavus</i>	Jamaicado	E	3	NA	NA
Boa, Mona	<i>Epicrates monensis monensis</i>	U.S.A. (PR)do	T	33	17.95(c)	NA
Boa, Puerto Rican	<i>Epicrates inornatus</i>dodo	E	2	NA	NA
Boa, Round Island [unnamed]	<i>Bolyeria multocarinata</i>	Indian Ocean—Mauritiusdo	E	88	NA	NA
Do	<i>Casarea dussumieri</i>dodo	E	88	NA	NA
Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	U.S.A. (PR), British Virgin Islandsdo	E	2, 86	NA	NA
Caiman, Apaporis River	<i>Caiman crocodilus apaporisensis</i>	Colombiado	E	15	NA	NA
Caiman, black	<i>Melanosuchus niger</i>	Amazon basindo	E	15	NA	NA
Caiman, broad-snouted	<i>Caiman latirostris</i>	Brazil, Argentina, Paraguay, Uruguaydo	E	15	NA	NA
Caiman, brown	<i>Caiman crocodilus fuscus</i> (includes <i>Caiman crocodilus chiapasius</i>)	Mexico, Central America, Colombia, Ecuador, Venezuela, Perudo	T(S/A)	695	NA	17.42(g)
Caiman, common	<i>Caiman crocodilus crocodilus</i>	Brazil, Colombia, Ecuador, French Guiana, Guyana, Suriname, Venezuela, Bolivia, Perudo	T(S/A)	695	NA	17.42(g)
Caiman, yacare	<i>Caiman yacare</i>	Argentina, Bolivia, Brazil, Paraguaydo	T	3, 695	NA	17.42(g)
Chuckwalla, San Esteban Island	<i>Sauromalus varius</i>	Mexicodo	E	88	NA	NA
Crocodile, African dwarf	<i>Osteolaemus tetraspis tetraspis</i>	West Africado	E	15, 15A	NA	NA
Crocodile, African slender-snouted	<i>Crocodylus cataphractus</i>	Western and central Africado	E	5	NA	NA
Crocodile, American	<i>Crocodylus acutus</i>	U.S.A. (FL), Mexico, Caribbean, Central and South America	Entire, except in U.S.A. (FL)	E	87	NA	NA
Dodo	U.S.A. (FL)	U.S.A. (FL)	T	10	17.95(c)	NA
Crocodile, American	<i>Crocodylus acutus</i>	U.S.A. (FL), Mexico, Caribbean, Central and South America	Entire	E	10, 87	17.95(c)	NA
Crocodile, Ceylon mugger	<i>Crocodylus palustris kimbula</i>	Sri Lankado	E	15	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Crocodile, Congo dwarf	Congo R. drainagedo	E	15	NA	NA
Crocodile, Cuban	Cubado	E	3	NA	NA
Crocodile, Morelet's	Mexico, Belize, Guatemalado	E	3	NA	NA
Crocodile, mugger	India, Pakistan, Iran, Bangladeshdo	E	15	NA	NA
Crocodile, Nile	Africa, Middle Eastdo	T	3, 279, 334, 514, 585	NA	17.42(c)
Crocodile, Orinoco	South America—Orinoco R. basin,do	E	3	NA	NA
Crocodile, Philippine	Philippine Islandsdo	E	15	NA	NA
Crocodile, saltwater	Southeast Asia, Australia, Papua New Guinea, Islands of the West Pacific Ocean.	Entire, except Papua New Guinea and Australia.	E	87, 585	NA	NA
Do	do	Australia	T	87, 585	NA	17.42(c)
Crocodile, Siamese	Southeast Asia, Malay Peninsula	Entire	E	15	NA	NA
Gavial	Pakistan, Burma, Bangladesh, India, Nepal.do	E	3	NA	NA
Gecko, day	Indian Ocean—Mauritiusdo	E	3	NA	NA
Gecko, Monto	U.S.A. (PR)do	E	125	17.95(c)	NA
Gecko, Round Island day	Indian Ocean—Mauritiusdo	E	3	NA	NA
Gecko, Serpent Island	dodo	T	129	NA	NA
Iguana, Ackins ground	West Indies—Bahamasdo	T	129	NA	NA
Iguana, Allen's Cay	dodo	T	129	NA	NA
Iguana, Andros Island ground	dodo	T	129	NA	NA
Iguana, Aneгада ground	West Indies—British Virgin Islands (Aneгада Island)do	T	3	NA	NA
Iguana, Barrington land	Ecuador (Galapagos Islands)do	E	3	NA	NA
Iguana, Cayman Brac ground	West Indies—Cayman Islandsdo	T	129	NA	NA
Iguana, Cuban ground	Cubado	T	129	NA	NA
Iguana, Exuma Island	West Indies—Bahamasdo	T	129	NA	NA
Iguana, Fiji banded	Pacific—Fiji, Tongado	E	88	NA	NA
Iguana, Fiji crested	dodo	E	88	NA	NA
Iguana, Grand Cayman ground	West Indies—Cayman Islandsdo	E	129	NA	NA
Iguana, Jamaican	dodo	E	129	NA	NA
Iguana, Mayaguana	West Indies—Jamaicado	E	129	NA	NA
Iguana, Mona ground	West Indies—Bahamasdo	T	129	NA	NA
Iguana, Turks and Caicos	U.S.A. (PR—Mona Island)do	T	33	17.95(c)	NA
Iguana, Watling Island ground	West Indies—Turks and Caicos Islands.do	T	129	NA	NA
Iguana, White Cay ground	West Indies—Bahamasdo	E	129	NA	NA
Lizard, blunt-nosed leopard	dodo	T	129	NA	NA
Lizard, Coachella Valley fringe-toed.	U.S.A. (CA)do	E	1	NA	NA
Lizard, Hierro giant	dodo	T	105	17.95(c)	NA
Lizard, Ibiza wall	Spain (Canary Islands)do	E	144	NA	NA
Lizard, island night	Spain (Balearic Islands)do	T	144	NA	NA
Lizard, Maria Island ground	U.S.A. (CA)do	T	26	NA	NA
Lizard, St. Croix ground	West Indies—St. Lucia (Maria Islands).do	E	443	NA	NA
Lizard, St. Croix ground	U.S.A. (VI)do	E	24	17.95(c)	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Monitor, desert	<i>Varanus griseus</i>	North Africa to Aral Sea, through Central Asia to Pakistan, Northwest India.do	E	15	NA	NA
Monitor, Indian (=Bengal)	<i>Varanus bengalensis</i>	Iran, Iraq, India, Sri Lanka, Malaysia, Afghanistan, Burma, Vietnam, Thailand.do	E	15	NA	NA
Monitor, Komodo Island	<i>Varanus komodoensis</i>	Indonesia (Komodo, Rinjia, Padar, and western Flores Island).do	E	15	NA	NA
Monitor, yellow	<i>Varanus flavescens</i>	West Pakistan through India to Bangladesh.do	E	15	NA	NA
Python, Indian	<i>Python molurus molurus</i>	Sri Lanka and Indiado	E	15	NA	NA
Rattlesnake, Aruba Island	<i>Crotalus unicolor</i>	Aruba Island (Netherlands Antilles).do	T	129	NA	NA
Rattlesnake, New Mexican ridgenosed.	<i>Crotalus willardi obscurus</i>	U.S.A. (AZ, NM), Mexicodo	T	43	17.95(c)	NA
Sea turtle, green	<i>Chelonia mydas</i>	Circumglobal in tropical and temperate seas and oceans.	Breeding colony populations in FL and on Pacific coast of Mexico.	E	42	NA	224,104
Dododo	Breeding colony populations in FL and on Pacific coast of Mexico.	T	42	226,208	17.42(b), 223,205, 223,206, 223,207, 224,104
Sea turtle, hawksbill	<i>Eretmochelys imbricata</i>	Tropical seas	Entire	E	3	17.95(c), 226,209	224,104
Sea turtle, Kemp's ridley	<i>Lepidochelys kempii</i>	Tropical and temperate seas in Atlantic Basin, incl. Gulf of Mexico.do	E	4	NA	224,104
Sea turtle, leatherback	<i>Dermochelys coriacea</i>	Tropical, temperate, and subpolar seas.do	E	3	17.95(c), 226,207	224,104
Sea turtle, loggerhead	<i>Caretta caretta</i>	Circumglobal in tropical and temperate seas and oceans.do	T	42	NA	17.42(b), 223,205, 223,206, 223,207
Sea turtle, olive ridley	<i>Lepidochelys olivacea</i>	Circumglobal in tropical and temperate seas.	Wherever found except where listed as endangered below.	T	42	NA	17.42(b), 223,205, 223,206, 223,207
Dododo	Wherever found except where listed as endangered below.	E	42	NA	224,104
Skink, bluetail mole	<i>Eumeces egregius lividus</i>	U.S.A. (FL)	Breeding colony populations on Pacific coast of Mexico.	T	299	NA	17.42(d)
Skink, Round Island	<i>Leiolopisma telfairi</i>	Indian Ocean—Mauritius	Entire	T	129	NA	NA
Skink, sand	<i>Neoseps reynoldsi</i>	U.S.A. (FL)do	T	299	NA	17.42(d)
Snake, Atlantic salt marsh	<i>Nerodia clarkii taeniata</i>dodo	T	30	NA	NA
Snake, Concho water	<i>Nerodia paucimaculata</i>	U.S.A. (TX)do	T	241	17.95(c)	NA
Snake, copperbelly water	<i>Nerodia erythrogaster neglecta</i>	U.S.A. (IL, IN, KY, MI, OH)	IN north of 40° N. Lat., MI, OH	T	607	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Snake, eastern indigo	U.S.A. (AL, FL, GA, MS, SC)	Entire	T	32	NA	NA
Snake, giant garter	U.S.A. (CA)	do	T	522	NA	NA
Snake, Lake Erie water	U.S.A. (OH), Canada (Ont.)	Lake Erie offshore islands and their adjacent waters (located more than 1 mile from mainland)—U.S.A. (OH), Canada (Ont.)	T	665	NA	NA
Snake, Maria Island	West Indies—St. Lucia (Maria Islands)	Entire	E	443	NA	NA
Snake, San Francisco garter	U.S.A. (CA)	do	E	1	NA	NA
Tarantula	South America—Orinoco R. and Amazon R. basins	do	E	3	NA	NA
Terrapin, river	Malaysia, Bangladesh, Burma, India, Indonesia	do	E	3	NA	NA
Tomistoma	Malaysia, Indonesia	do	E	15	NA	NA
Tortoise, angulated	Malagasy Republic	do	E	15	NA	NA
Tortoise, Bolson	Mexico	do	E	46	NA	NA
Tortoise, desert	U.S.A. (AZ, CA, NV, UT), Mexico	Entire, except AZ south and east of Colorado R., and Mexico	E	103, 357E	NA	NA
Do	do	AZ south and east of Colorado R., and Mexico, when found outside of Mexico or said range in AZ	T(S/A)	378	NA	17.42(e)
Tortoise, Galapagos	Ecuador (Galapagos Islands)	Entire	E	3	NA	NA
Tortoise, gopher	U.S.A. (AL, FL, GA, LA, MS, SC)	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA	T	281	NA	NA
Tortoise, Madagascar radiated	Madagasy Republic (=Madagascar)	Entire	E	3	NA	NA
Tracaja	South America—Orinoco R. and Amazon R. basins	do	E	3	NA	NA
Tuatara	New Zealand	do	E	3, 630	NA	NA
Tuatara, Brother's Island	New Zealand (N. Brother's Island)	do	E	3, 630	NA	NA
Turtle, Alabama redbelly	U.S.A. (AL)	do	E	278	NA	NA
Turtle, aquatic box	Mexico	do	E	6	NA	NA
Turtle, black softshell	Bangladesh	do	E	15	NA	NA
Turtle, bog (=Muhlenberg)	U.S.A. (CT, DE, GA, MA, MD, NC, NJ, NY, PA, SC, TN, VA)	Entire, except GA, NC, SC, TN, VA	T	626	NA	NA
Do	Brazil	U.S.A. (GA, NC, SC, TN, VA)	T(S/A)	626	NA	17.42(f)
Turtle, Brazilian sideneck	Brazil	Entire	E	443	NA	NA
Turtle, Burmese peacock	Burma	do	E	15	NA	NA
Turtle, Cat Island	West Indies—Jamaica, Bahamas	Cat Island in the Bahamas	E	443	NA	NA
Turtle, Central American river	Mexico, Belize, Guatemala	Entire	E	129	NA	NA
Turtle, Cuatro Ciénegas softshell	Mexico	do	E	15	NA	NA
Turtle, flattened musk	U.S.A. (AL)	Black Warrior R. system up-stream from Bankhead Dam	T	272	NA	NA

Species		Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name								
Turtle, geometric		<i>Psammodates geometricus</i>	South Africa	Entire	E	15	NA	NA
Turtle, Inagua Island		<i>Trachemys siejnegeri malonei</i>	West Indies—Bahamas (Great Inagua Island)do	E	443	NA	NA
Turtle, Indian sawback		<i>Kachuga tecta tecta</i>	Indiado	E	15	NA	NA
Turtle, Indian softshell		<i>Trionyx gangeticus</i>	Pakistan, Indiado	E	15	NA	NA
Turtle, peacock softshell		<i>Trionyx hurum</i>	India, Bangladeshdo	E	15	NA	NA
Turtle, Plymouth redbelly		<i>Pseudemys rubriventris bangsi</i>	U.S.A. (MA)do	E	90	17.95(c)	NA
Turtle, ringed map		<i>Graptemys oculifera</i>	U.S.A. (LA, MS)do	T	250	NA	NA
Turtle, short-necked or western swamp		<i>Pseudemys urimbina</i>	Australiado	E	3	NA	NA
Turtle, South American red-lined		<i>Trachemys scripta callirostris</i>	Colombia, Venezuelado	E	443	NA	NA
Turtle, spotted pond		<i>Geoclemys hamiltoni</i>	North India, Pakistando	E	15	NA	NA
Turtle, three-keeled Asian		<i>Melanochelys tricarinata</i>	Central India to Bangladesh and Burmado	E	15	NA	NA
Turtle, yellow-blotched map		<i>Graptemys flavimaculata</i>	U.S.A. (MS)do	T	416	NA	NA
Viper, Lar Valley		<i>Vipera latifii</i>	Irando	E	129	NA	NA
Whipsnake, Alameda (=striped racer)		<i>Masticophis lateralis euryxanthus</i>	U.S.A. (CA)do	T	628	17.95(c)	NA
AMPHIBIANS								
Frog, golden		<i>Eleutherodactylus jasperi</i>	U.S.A. (PR)do	T	29	17.95(d)	NA
Frog, California red-legged		<i>Rana aurora draytonii</i>	U.S.A. (CA), Mexicodo	T	583	17.95(d)	17.43
Frog, Chiricahua leopard		<i>Rana chiricahuensis</i>	U.S.A. (AZ, NM), Mexicodo	T	726	NA	§ 17.43(b)
Frog, Goliath		<i>Conraua goliath</i>	Cameroon, Equatorial Guinea, Gabondo	T	566	NA	NA
Frog, Israel painted		<i>Discoglossus nigriventer</i>	Israeldo	E	3	NA	NA
Frog, Mississippi gopher		<i>Rana capitol sevoza</i>	U.S.A. (AL, FL, LA, MS)	Wherever found west of Mobile and Tombigbee Rivers in AL, MS, and LA.	E	718	NA	NA
Frog, mountain yellow-legged (southern California DPS)		<i>Rana muscosa</i>	U.S.A. (California, Nevada)	U.S.A., southern California	E	728	17.95(d)	NA
Frog, Panamanian golden		<i>Atelopus varius zeteki</i>	Panama	Entire	E	15	NA	NA
Frog, Stephen Island		<i>Leiopelma hamiltoni</i>	New Zealanddo	E	3	NA	NA
Guajón		<i>Eleutherodactylus cooki</i>	U.S.A. (PR)do	T	617	17.95(d)	NA
Salamander, Barton Springs		<i>Eurycea sosorum</i>	U.S.A. (TX)do	E	612	NA	NA
Salamander, California tiger		<i>Ambystoma californiense</i>	U.S.A. (CA)	U.S.A. (CA—California)	T	667E	17.95(d)	17.43(c)
Salamander, Cheat Mountain		<i>Plethodon nettingi</i>	U.S.A. (WV)	Entire	T	702, 744	NA	NA
Salamander, Chinese giant		<i>Andrias davidianus</i> (=davidianus d.)	Western Chinado	E	358	NA	NA
Salamander, desert slender		<i>Batrachoseps aridus</i>	U.S.A. (CA)do	E	15	NA	NA
Salamander, frosted flatwoods		<i>Ambystoma cingulatum</i>	U.S.A. (FL, GA, SC)do	E	6	NA	NA
Salamander, Japanese giant		<i>Andrias japonicus</i> (=davidianus j.)	Japando	E	658	17.95(d)	NA
Salamander, Red Hills		<i>Phaeognathus hubrichti</i>	U.S.A. (AL)do	T	19	NA	NA
Salamander, reticulated flatwoods		<i>Ambystoma bishopi</i>	U.S.A. (FL, GA)do	E	17.95(d)	NA	NA
Salamander, San Marcos		<i>Eurycea nana</i>	U.S.A. (TX)do	T	98	17.95(d)	17.43(a)

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(m)(1)(iii)).	XN	NA	17.84(m)
Chub, Virgin River	<i>Gila robusta semidnuda</i>	U.S.A. (AZ, NV, UT)	Entire	E	361	17.95(e)	NA
Chub, Yaqui	<i>Gila purpurea</i>	U.S.A. (AZ), Mexicodo	E	157	17.95(e)	NA
Cick (minnow)	<i>Acanthorutilus handfischeri</i>	Turkeydo	E	3	NA	NA
Cu-ki	<i>Chasmistes cibus</i>	U.S.A. (NV)do	E	1	NA	NA
Dace, Ash Meadows speckled	<i>Rhinichthys osculus nevadensis</i>dodo	E	117E, 127E	17.95(e)	NA
Dace, blackside	<i>Phoxinus cumberlandensis</i>	U.S.A. (KY, TN)do	T	130	NA	NA
Dace, Clover Valley speckled	<i>Rhinichthys osculus oligoporus</i>	U.S.A. (NV)do	E	273	NA	NA
Dace, desert	<i>Eremichthys acros</i>dodo	T	370	17.95(e)	17.44(m)
Dace, Fostett speckled	<i>Rhinichthys osculus ssp.</i>	U.S.A. (OR)do	T	210	NA	17.44(j)
Dace, Independence Valley speckled	<i>Rhinichthys osculus lethoporus</i>	U.S.A. (NV)do	E	174, 370, 372	NA	NA
Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	U.S.A. (WY)do	E	2	NA	NA
Dace, Moapa	<i>Moapa coriacea</i>	U.S.A. (NV)do	E	1	NA	NA
Darter, amber	<i>Percina amesella</i>	U.S.A. (AL, GA, TN)do	E	196	17.95(e)	NA
Darter, bayou	<i>Etheostoma rubrum</i>	U.S.A. (MS)do	T	10	NA	17.44(b)
Darter, bluemask	<i>Etheostoma sp.</i>	U.S.A. (TN)do	E	525	NA	NA
Darter, boulder	<i>Etheostoma wapiti</i>	U.S.A. (AL, TN)	Entire, except where listed as an experimental population.	E	322	NA	NA
Dododo	Shoal Creek (from Shoal Creek mile 41.7 (66.7 km)) at the mouth of Long Branch, Lawrence County, TN, downstream to the backwaters of Wilson Reservoir (Shoal Creek mile 14 (22 km)) at Goose Shoals, Lauderdale County, AL, including the lower 5 miles (8 km) of all tributaries that enter this reach.	XN	747	NA	17.84(o)
Darter, Cherokee	<i>Etheostoma scotti</i>	U.S.A. (GA)	Entire	T	569	NA	NA
Darter, duskytail	<i>Etheostoma percnurum</i>	U.S.A. (TN, VA)	Entire, except where listed as an experimental population.	E	502	NA	NA
Dododo	U.S.A. (TN—specified portions of the Tellico River; see 17.84(p)(1)(i)).	XN	732	NA	17.84(q)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.84(q)(1)(ii)).	XN	NA	17.84(q)
Darter, Etowah	<i>Etheostoma etowahae</i>	U.S.A. (GA)	Entire	E	569	NA	NA
Darter, fountain	<i>Etheostoma fonticola</i>	U.S.A. (TX)do	E	2	17.95(e)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Darter, goldline	U.S.A. (AL, GA, TN)do	T	462	NA	NA
Darter, leopard	U.S.A. (AR, OK)do	T	31	17.95(e)	17.44(d)
Darter, Maryland	U.S.A. (MD)do	E	1	17.95(e)	NA
Darter, Niangua	U.S.A. (MO)do	T	185	17.95(e)	17.44(k)
Darter, Okaloosa	U.S.A. (FL)do	E	6	NA	NA
Darter, relic	U.S.A. (KY)do	E	525	NA	NA
Darter, slackwater	U.S.A. (AL, TN)do	T	28	17.95(e)	17.44(c)
Darter, snail	U.S.A. (AL, GA, TN)do	T	12, 150	NA	NA
Darter vermilion	U.S.A. (AL)do	E	715	NA	NA
Darter, watercressdodo	E	2	NA	NA
Gambusia, Big Bend	U.S.A. (TX)do	E	1	NA	NA
Gambusia, Clear Creekdodo	E	1	NA	NA
Gambusia, Pecos	U.S.A. (NM, TX)do	E	2	NA	NA
Gambusia, San Marcos	U.S.A. (TX)do	E	98	17.95(e)	NA
Goby, tidewater	U.S.A. (CA)do	E	527	17.95(e)	NA
Logperch, Conasauga	U.S.A. (GA, TN)do	E	196	17.95(e)	NA
Logperch, Roanoke	U.S.A. (VA)do	E	359	NA	NA
Madtom, Neosho	U.S.A. (KS, MO, OK)do	T	388	NA	NA
Madtom, pygmy	U.S.A. (TN)	Entire, except where listed as an experimental population.	E	502	NA	NA
Dodo	Entire, except where listed as an experimental population.	XN	NA	17.84(t)
Madtom, Scioto	U.S.A. (OH)	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.84(f)(1)(i).	E	10	NA	NA
Madtom, smoky	U.S.A. (TN)	Entire	E	163	17.95(e)	NA
Dodo	Entire, except where listed as an experimental population.	XN	732	NA	17.84(r)
Madtom, yellowfin	U.S.A. (TN, VA)	U.S.A. (TN)—specified portions of the Tellico River, see 17.84(r)(1)(ii).	T	28	17.95(e)	17.44(c)
Dodo	Entire, except where listed as an experimental population.	XN	317	NA	17.84(e)
Dodo	U.S.A. (TN, VA)—specified portions of the Holston River and watershed; see 17.84(e)(1)(i).	XN	732	NA	17.84(e)
Dodo	U.S.A. (TN)—specified portions of the Tellico River, see 17.84(e)(1)(ii).	XN	NA	17.84(e)
Dodo	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.84(e)(1)(iii).	XN	NA	17.84(e)
Mimnow, Devils River	U.S.A. (TX), Mexico	Entire	T	669	17.95(e)	NA
Mimnow, loach	U.S.A. (AZ, NM), Mexicodo	T	247	17.95(e)	17.44(q)
Mimnow, Rio Grande silvery	U.S.A. (NM, TX), Mexico	Entire, except where listed as an experimental population.	E	543	17.95(e)	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Do	Dodo	Rio Grande, from Little Box Canyon (approximately 10.4 river miles downstream of Fort Quitman, TX) to Amistad Dam; and on the Pecos River, from its confluence with Independence Creek to its confluence with the Rio Grande.	XN	761	NA	17.84(u)
Nekogigi (catfish)	<i>Coreobagnus ichikawai</i>	Japan	Entire	E	3	NA	NA
Pikeminnow (=squawfish), Colorado	<i>Ptychocheilus lucius</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico.	Entire, except Salt and Verde R. drainages, AZ	E	1, 193	17.95(e)	NA
Poolfish, Pahumpdo	U.S.A. (NV)	Salt and Verde R. drainages, AZ	XN	193	NA	17.84(b)
Pupfish, Ash Meadows Amargosa	<i>Empetrichthys latos</i>do	Entire	E	1	NA	NA
	<i>Cyprinodon nevadensis mionectes</i>dodo	E	117E, 127E	17.95(e)	NA
Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	U.S.A. (TX)do	E	130	NA	NA
Pupfish, desert	<i>Cyprinodon maculatus</i>	U.S.A. (AZ, CA) Mexicodo	E	1	17.95(e)	NA
Pupfish, Devils Hole	<i>Cyprinodon diabolis</i>	U.S.A. (NV)do	E	222	NA	NA
Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	U.S.A. (TX)do	E	1	17.95(e)	NA
Pupfish, Owens	<i>Cyprinodon radiolosus</i>	U.S.A. (CA)do	E	102	NA	NA
Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	U.S.A. (NV)do	E	1	NA	NA
Salmon, Atlantic, Gulf of Maine	<i>Salmo salar</i>	U.S.A., Canada, Greenland, western Europe.	U.S.A., ME; Gulf of Maine Distinct Population Segment. The GOM DPS includes all anadromous Atlantic salmon whose freshwater range occurs in the watersheds from the Androscoggin River northward along the Maine coast to the Denny's River, and wherever these fish occur in the estuarine and marine environment.	E	2	NA	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

The following impassable falls delimit the upstream extent of the freshwater range: Rumford Falls in the town of Rumford on the Androscoggin River; Snow Falls in the town of West Paris on the Little Androscoggin River; Grand Falls in Township 3 Range 4 BKP WKR, on the Dead River in the Kennebec Basin; the unnamed falls (impounded by Indian Pond Dam) immediately above the Kennebec River Gorge in the town of Indian Stream Township on the Kennebec River; Big Niagara Falls on Nesowadnehunk Stream in Township 3 Range 10 WELS in the Penobscot Basin; Grand Pitch on Webster Brook in Trout Brook Township in the Penobscot Basin; and Grand Falls on the Passadumkeag River in Grand Falls Township in the Penobscot Basin. The marine range of the GOM DPS extends from the Gulf of Maine, throughout the Northwest Atlantic Ocean, to the coast of Greenland. Included are all associated conservation hatchery populations used to supplement these natural populations; currently, such conservation hatchery populations are maintained at Green Lake National Fish Hatchery (GLNFH) and Craig Brook National Fish Hatchery (CBNFH). Excluded are landlocked salmon and those salmon raised in commercial hatcheries for aquaculture.

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Salmon, chinook	<i>Oncorhynchus (=Salmo) tshawytscha.</i>	North America from Ventura R. in California to Point Hope, Alaska, and the Mackenzie R. area in Canada; Northeast Asia from Hokkaido, Japan, to the Anadyr R., Russia.	Sacramento R. (U.S.A.-CA) winter run, wherever found.	E	383E, 407, 534	226.204	NA
Dododo	Snake R. (U.S.A.—ID, OR, WA) mainstem and the following subbasins—Tucannon R., Grande Ronde R., Imnaha R., Salmon R., and Clearwater R.; fall run, natural population(s), wherever found.	T	516, 557E	226.205	NA
Dododo	Snake R. (U.S.A.—ID,OR,WA) mainstem and the following subbasins—Tucannon R., Grande Ronde R., Imnaha R., and Salmon R.; spring/summer run, natural population(s), wherever found.	T	516, 557E	226.205	NA
Dododo	U.S.A.(OR, WA) all naturally spawned populations from the Columbia R. and its tributaries upstream from its mouth to a point east of the Hood R. and White Salmon R. to Willamette Falls in Oregon, excluding the spring run in the Clackamas R.	T	664	226.212	223.203
Dododo	U.S.A.(WA) all naturally spawned populations in the Columbia R. tributaries upstream of Rock Island Dam and downstream of Chief Joseph Dam, excluding the Okanogan R., and the Columbia R. from a line between the west end of Clatsop jetty, OR, and the west end of Peacock jetty, WA, upstream to Chief Joseph Dam, including spring-run hatchery stocks (and their progeny) in Chiwawa R., Methow R., Twisp R., Chewuch R., White R. and Nason Creek.	T	664	226.212	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Dodododo	U.S.A.(CA) from Redwood Creek south to Russian R., inclusive, all naturally spawned populations in mainstems and tributaries.	T	674	226.212	NA
Dodododo	U.S.A.(CA) all naturally spawned spring-run populations from the Sacramento-San Joaquin R. mainstem and its tributaries.	T	674	226.212	NA
Dodododo	U.S.A.(OR) all naturally spawned populations in the Clackamas R. and the Willamette R. and its tributaries above Willamette Falls.	T	664	226.212	223.203
Dodododo	U.S.A.(WA) all naturally spawned populations from rivers and streams flowing into Puget Sound, including the Straits of Juan De Fuca from the Elwha R. eastward, and Hood Canal, South Sound, North Sound and the Strait of Georgia.	T	664	226.212	223.203
Salmon, chumdo	<i>Oncorhynchus (=Salmo) keta</i>	North Pacific Rim from Korea and the Japanese Island of Honshu east to Monterey Bay California; Arctic Ocean from the Laptev Sea in Russia to Mackenzie R. in Canada.	T	664	226.212	223.203	
Dodododo	U.S.A. (WA) all naturally spawned summer-run populations in Hood Canal and its tributaries and Olympic Peninsula rivers between Hood Canal and Dungeness Bay.	T	664	226.212	223.203
Salmon, cohodo	<i>Oncorhynchus (=Salmo) kisutch</i>	North Pacific Basin from U.S.A. (CA to AK) to Russia and Japan.	T	598	NA	NA	
Dodododo	U.S.A. (CA), naturally spawning populations in streams between Punta Gorda, Humboldt Co., CA and the San Lorenzo River, Santa Cruz Co., CA.	T	618	226.212	NA
Salmon, sockeyedo	<i>Oncorhynchus (=Salmo) nerka</i>	North Pacific Basin from U.S.A. (CA) to Russia.	E	455	226.205	NA	
Dodododo	U.S.A. (WA) all naturally spawned populations in Ozette Lake and its tributary streams.	T	664	226.212	223.203

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Sawfish, smalltooth	<i>Pristis pectinata</i>	North Atlantic (Mediterranean, U.S. Atlantic and Gulf of Mexico) and the Southwest Atlantic.	U.S.A. (Gulf of Mexico from Texas to Florida and along the east coast from Florida to Cape Hatteras).	E	748	NA	NA
Sculpin, pygmy	<i>Cottus pygmaeus</i>	U.S.A. (AL)	Entire	T	365	NA	17.44(u)
Shiner, Arkansas River	<i>Notropis girardi</i>	U.S.A. (AR, KS, NM, OK, TX)	Arkansas River Basin (AR, KS, NM, OK, TX).	T	653	17.95(e)	NA
Shiner, beautiful	<i>Cyprinella formosa</i>	U.S.A. (AZ, NM), Mexico	Entire	T	157	17.95(e)	17.44(n)
Shiner, blue	<i>Cyprinella caerulea</i>	U.S.A. (AL, GA, TN)	Entire	T	462	NA	NA
Shiner, Cahaba	<i>Notropis cahabae</i>	U.S.A. (AL)	Entire	E	405	NA	NA
Shiner, Cape Fear	<i>Notropis mekistocholas</i>	U.S.A. (NC)	Entire	E	290	17.95(e)	NA
Shiner, palezone	<i>Notropis albizonatus</i>	U.S.A. (AL, KY, TN)	Entire	E	502	NA	NA
Shiner, Pecos bluntnose	<i>Notropis simus pecosensis</i>	U.S.A. (NM)	Entire	T	258	17.95(e)	17.44(r)
Shiner, Topeka	<i>(Notropis topeka = tristis)</i>	U.S.A. (IA, KS, MN, MO, NE, SD)	Entire	E	654	17.95(e)	NA
Silverside, Waccamaw	<i>Menidia extensa</i>	U.S.A. (NC)	Entire	T	265	17.95(e)	17.44(s)
Smelt, delta	<i>Hypomesus transpacificus</i>	U.S.A. (CA)	Entire	T	492	17.95(e)	NA
Spikedace	<i>Meia tigrada</i>	U.S.A. (AZ, NM), Mexico	Entire	T	236	17.95(e)	17.44(p)
Spinedace, Big Spring	<i>Lepidomeda mollispinis pratensis</i>	U.S.A. (NV)	Entire	T	173	17.95(e)	17.44(i)
Spinedace, Little Colorado	<i>Lepidomeda vittata</i>	U.S.A. (AZ)	Entire	T	1, 2D, 287	17.95(e)	17.44(t)
Spinedace, White River	<i>Lepidomeda albivallis</i>	U.S.A. (NV)	Entire	E	203	17.95(e)	NA
Springfish, Hiko White River	<i>Crenichthys baileyi grandis</i>	Entire	Entire	E	206	17.95(e)	NA
Springfish, Railroad Valley	<i>Crenichthys nevadæ</i>	Entire	Entire	T	224	17.95(e)	17.44(n)
Springfish, White River	<i>Crenichthys baileyi baileyi</i>	Entire	Entire	E	206	17.95(e)	NA
Steelhead	<i>Oncorhynchus (=Salmo) mykiss</i>	North Pacific Ocean from the Kamchatka Peninsula in Asia to the northern Baja Peninsula.	All naturally spawned populations (and their progeny) in rivers from the Santa Maria R., San Luis Obispo County, CA (inclusive) to Malibu Cr., Los Angeles County, CA (inclusive).	E	638	226.212	NA
Dododo	All naturally spawned populations (and their progeny) in the Upper Columbia R. Basin upstream from the Yakima R., WA, to the U.S./Canada border, and also including the Wells Hatchery stock.	E	638	226.212	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Dodododo	T	638	226.212	223.203
			All naturally spawned populations (and their progeny) in streams from the Russian R. to Aptos Cr., Santa Cruz County, CA (inclusive), and the drainages of San Francisco and San Pablo Bays eastward to the Napa R. (inclusive), Napa County, CA, excluding the Sacramento-San Joaquin R. Basin of the Central Valley of CA.				
Dodododo	T	638	226.212	223.203
			All naturally spawned populations (and their progeny) in streams from the Pajaro R. (inclusive) located in Santa Cruz County, CA, to (but not including) the Santa Maria R.				
Dodododo	T	638	226.212	223.203
			All naturally spawned populations (and their progeny) in streams in the Snake R. Basin of southeast WA, northeast OR, and ID.				
Dodododo	T	638	226.212	223.203
			All naturally spawned populations (and their progeny) in streams and tributaries to the Columbia R. between the Cowlitz and Wind Rivers, WA, inclusive, and the Willamette and Hood Rivers, OR, inclusive, excluding the Upper Willamette River Basin above Willamette Falls and excluding the Little and Big White Salmon Rivers in WA.				
Dodododo	T	638	226.212	223.203
			All naturally spawned populations (and their progeny) in the Sacramento and San Joaquin Rivers and their tributaries, excluding San Francisco and San Pablo Bays and their tributaries.				

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Dododo	U.S.A. (OR, WA) All naturally spawned populations in streams above and excluding the Wind R. in Washington, and the Hood R. in Oregon, upstream to, and including, the Yakima R. Excluded are steelhead from the Snake R. Basin.	T	664	226.212	223.203
Dododo	U.S.A. (OR) All naturally spawned winter-run populations in the Willamette R. and its tributaries from Willamette Falls to the Calapooya R., inclusive.	T	664	226.212	223.203
Dododo	All naturally spawned populations (and their progeny) in river basins from Redwood Creek in Humboldt County, CA, to the Gualala River, in Mendocino County, CA (inclusive).	T	701	NA	NA
Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsoni</i>	U.S.A. (CA)	Entire	E	2	NA	NA
Sturgeon, Alabama	<i>Scaphirhynchus suttkusi</i>	U.S.A. (AL, MS)	Entire	E	697	17.95(e)	NA
Sturgeon, beluga	<i>Huso huso</i>	Azerbaijan, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Georgia, Hungary, Islamic Republic of Iran, Italy, Kazakhstan, Republic of Moldova, Romania, Russian Federation, Serbia and Montenegro, Turkey, Turkmenistan, Ukraine	Entire	T	743	NA	17.44 (v)
Sturgeon, Gulf	<i>Acipenser oxyrinchus (=oxyrinchus) desotoi</i>	U.S.A. (AL, FL, GA, LA, MS)do	T	444	17.95(e), 226.214	17.44(v)
Sturgeon, North America green	<i>Acipenser medirostris</i>	U.S.A. (CA)	U.S.A. (CA) Southern Distinct Population Segment, which includes all spawning populations south of the Eel River (exclusive), principally including the Sacramento River spawning population.	T	756	NA	NA
Sturgeon, pallid	<i>Scaphirhynchus albus</i>	U.S.A. (AR, IA, IL, KS, KY, LA, MO, MS, MT, ND, NE, SD, TN)	Entire	E	399	NA	NA

U.S. Fish and Wildlife Serv., Interior

\$ 17.11

Species	Code	State/Region	Count	Value	Notes
Sturgeon, shortnose	E	U.S.A. and Canada (Atlantic Coast)	1	NAdo
Sturgeon, white	E	U.S.A. (AK, CA, ID, MT, OR, WA), Canada (BC)	549	17.95(e)	U.S.A. (ID, MT), Canada (BC), (Kootenai R. system).
Sucker, June	E	U.S.A. (UT)	223	17.95(e)	Entire
Sucker, Lost River	E	U.S.A. (CA, OR)	313	NAdo
Sucker, Modoc	E	U.S.A. (CA)	184	17.95(e)do
Sucker, razorback	E	U.S.A. (AZ, CA, CO, NM, NV, UT, WY), Mexico	447	17.95(e)do
Sucker, Santa Ana	T	U.S.A. (CA)	694	17.95(e)	Los Angeles River basin, San Gabriel River basin, Santa Ana River basin.
Sucker, shortnose	E	U.S.A. (CA, OR)	313	NA	Entire
Sucker, Warner	T	U.S.A. (OR)	205	17.95(e)do
Tango, Miyako (Tokyo bitterling)	E	Japan	3	NAdo
Temoleh, Ikan (minnow)	E	Thailand, Cambodia, Vietnam, Malaysia, Laos	15	NAdo
Topminnow, Gila (incl. Yaqui)	E	U.S.A. (AZ, NM), Mexico	1	NA	U.S.A. only
Totaba (seatrout or weakfish)	E	Mexico (Gulf of California)	48	NA	Entire
Trout, Apache	T	U.S.A. (AZ)	1, 8	17.44(a)do
Trout, bull	T	U.S.A. (AK, Pacific NW into CA, ID, NV, MT), Canada (NW Territories)	637, 639E, 659, 670	17.44(w), 17.44(x)	U.S.A. coterminous (lower 48 states).
Trout, Gila	T	U.S.A. (AZ, NM)	1, 757	17.44(z)	Entire
Trout, greenback cutthroat	T	U.S.A. (CO)	1, 38	NAdo
Trout, Lahontan cutthroat	T	U.S.A. (CA, NV, OR, UT)	2, 8	NAdo
Trout, Little Kern golden	T	U.S.A. (CA)	37	17.95(e)do
Trout, Paiute cutthroat	Tdo	1, 8	NAdo
Woundfin	E	U.S.A. (AZ, NV, UT)	2, 193	17.95(e)	Entire, except Gila R. drainage, AZ, NM.
Do	XNdo	193	NA	Gila R. drainage, AZ, NM
Abalone, white	E	North America (West coast from Point Conception, CA, U.S.A., to Punta Abreojos, Baja California, Mexico)	748	NA	NA
Acomshell, southern	E	U.S.A. (AL, GA, TN)	495	17.95(f)	NA
Banklamber, purple (mussel)	T	U.S.A. (AL, FL, GA)	633	17.95(f)	NA
Bean, Cumberland (pearlymussel)	E	U.S.A. (AL, KY, TN, VA)	15	NA	NA
Do	XNdo	709	NA	U.S.A. (AL)—specified portions of the Tennessee River, see 17.85(a)(1).
Do	XNdo	NA	U.S.A. (TN)—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1).
Bean, Purple	E	U.S.A. (TN, VA)	602	17.95(f)	NA
Blossom, green (pearlymussel)	Edo	15	NA	Entire
Blossom, tubercled (pearlymussel)	E	U.S.A. (AL, IL, IN, KY, TN, WV)	15	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Blossom, turgid (pearlymussel)	<i>Epioblasma turgidula</i>	U.S.A. (AL, TN)	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E	15	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Blossom, yellow (pearlymussel)	<i>Epioblasma florentina florentina</i>do	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E	15	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Catspaw, (=purple cat's paw pearlymussel)	<i>Epioblasma</i>	U.S.A. (AL, IL, IN, KY, OH, TN)	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E	394	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Catspaw, white (pearlymussel)	<i>Epioblasma obliquata perobliqua</i>	U.S.A. (IN, MI, OH)	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E	15	NA	NA
Clubshell	<i>Pleurobema clava</i>	U.S.A. (AL, IL, IN, KY, MI, OH, PA, TN, WV)	Entire	E	488	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Clubshell, black	<i>Pleurobema curtum</i>	U.S.A. (AL, MS)	Entire	E	262	NA	NA
Clubshell, ovate	<i>Pleurobema perovatatum</i>	U.S.A. (AL, TN, GA, MS)	U.S.A. (AL, MS)	E	495	17.95(f)	NA
Clubshell, southern	<i>Pleurobema decisum</i>do	U.S.A. (AL, TN, GA, MS)	E	495	17.95(f)	NA
Combshell, Cumberlandian	<i>Epioblasma brevidens</i>	U.S.A. (AL, KY, MS, TN, VA)	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E	602	17.95(f)	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Combshell, southern	<i>Epioblasma (=Dysnomia) penita</i>	U.S.A. (AL, MS)	Entire	E	262	NA	NA
Combshell, upland	<i>Epioblasma metastrata</i>	U.S.A. (AL, GA, TN)	U.S.A. (AL, GA, TN)	E	495	17.95(f)	NA
Elktoe, Appalachian	<i>Alasmidonta raveneliana</i>	U.S.A. (NC, TN)	Entire	E	563	17.95(f)	NA
Elktoe, Cumberlandian	<i>Alasmidonta atropurpurea</i>	U.S.A. (KY, TN)	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E	602	17.95(f)	NA
Fanshell	<i>Cyprogenia stegana (=Irrorata)</i>	U.S.A. (AL, IL, IN, KY, OH, PA, TN, VA, WV)	U.S.A. (AL, IL, IN, KY, OH, PA, TN, VA, WV)	E	391	NA	NA
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Fatmucket, Arkansas	<i>Lampsilis powelli</i>	U.S.A. (AR)	Entire	T	382	NA	NA
Heelsplitter, Alabama (=initiated)	<i>Potamitus initiatus</i>	U.S.A. (AL, LA, MS)do	T	404	NA	NA
Heelsplitter, Carolina	<i>Lasimigona decorata</i>	U.S.A. (NC, SC)do	E	505	17.95(f)	NA
Higgins eye (pearlymussel)	<i>Lampsilis higginsii</i>	U.S.A. (IA, IL, MN, MO, NE, WI)do	E	15	NA	NA
Kidneyshell, triangular	<i>Ptychobranchus greenii</i>	U.S.A. (AL, GA, TN)	U.S.A. (AL, GA, TN)	E	495	17.95(f)	NA

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Lampmussel, Alabama Do	<i>Lampsilis virescens</i> do	U.S.A. (AL, TN) do	NA U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E XN	15 709	NA NA	NA 17.85(a)
Liliput, pale (pearlymussel) Mapleleaf, winged (mussel) Do	<i>Toxolasma cylindrellus</i> <i>Quadrula fragosa</i> do	U.S.A. (AL, IA, IL, IN, KY, MN, MO, NE, OH, OK, TN, WI) do	Entire NA U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E E XN	15 426 709	NA NA NA	NA NA 17.85(a)
Moccasinshell, Alabama Moccasinshell, Coosa Moccasinshell, Gulf Moccasinshell, Ochlockonee Monkeyface, Appalachian (pearlymussel) Do	<i>Medionidus acutissimus</i> <i>Medionidus parvulus</i> <i>Medionidus penicillatus</i> <i>Medionidus simpsonianus</i> <i>Quadrula sparsa</i> do	U.S.A. (AL, GA, MS) U.S.A. (AL, GA, TN) U.S.A. (AL, FL, GA) U.S.A. (FL, GA) U.S.A. (TN, VA) do	NA NA NA NA NA U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	T E E E E XN	495 495 633 633 15	17.95(f) 17.95(f) 17.95(f) 17.95(f) NA	NA NA NA NA NA 17.85(b)
Monkeyface, Cumberland (pearlymussel) Do	<i>Quadrula intermedia</i> do	U.S.A. (AL, TN, VA) do	NA U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E XN	15 709	NA NA	NA 17.85(a)
Do	do	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN		NA	17.85(b)
Mucket, orange-naere Mucket, pink (pearlymussel) Mussel, oyster Do	<i>Lampsilis perovialis</i> <i>Lampsilis abrupta</i> <i>Epioblasma capsaeformis</i> do	U.S.A. (AL, MS) U.S.A. (AL, AR, IL, IN, KY, LA, MO, OH, PA, TN, VA, WV) U.S.A. (AL, GA, KY, MS, NC, TN, VA) do	NA Entire NA U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	T E E XN	495 15 602 709	17.95(f) NA 17.95(f) NA	NA NA NA 17.85(a)
Do	do	do	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN		NA	17.85(a)
Do	do	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN		NA	17.85(b)
Mussel, scaleshell Pearshell, Louisiana Pearlymussel, birdwing Do	<i>Leptodea leptodon</i> <i>Margaritifera hembeli</i> <i>Lemiox rimosus</i> do	U.S.A. (AL, AR, IA, IL, IN, KY, MN, MO, OH, OK, SD, TN, WI) U.S.A. (LA) U.S.A. (AL, TN, VA) do	NA Entire NA U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	E T E XN	714 304, 518 15 709	NA NA NA NA	NA NA NA 17.85(a)
Do	do	do	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN		NA	17.85(b)
Pearlymussel, cracking	<i>Hemistena lata</i>	U.S.A. (AL, IL, IN, KY, OH, TN, VA)	NA	E	366	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pearlymussel, Curtis	<i>Epioblasma florentina curtisii</i>	U.S.A. (AR, MO)	E	15	NA	NA
Pearlymussel, dromedary	<i>Dromus dromas</i>	U.S.A. (AL, KY, TN, VA)	E	15	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pearlymussel, little-wing	<i>Pegias tabula</i>	U.S.A. (AL, KY, NC, TN, VA)	E	342	NA	NA
Pearlymussel, Nicklin's	<i>Megalonias nicklineana</i>	Mexico	E	15	NA	NA
Pearlymussel, Tampico	<i>Cyrtornaias tampicoensis tecomatensis</i>do	E	15	NA	NA
Pigtoe, Cumberlandland	<i>Pleurobema gibberum</i>	U.S.A. (TN)	E	423	NA	NA
Pigtoe, dark	<i>Pleurobema furvum</i>	U.S.A. (AL)	E	495	17.95(f)	NA
Pigtoe, fine-rayed	<i>Fusconaia cuneolus</i>	U.S.A. (AL, TN, VA)	E	15	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pigtoe, flat	<i>Pleurobema marshalli</i>	U.S.A. (AL, MS)	E	262	NA	NA
Pigtoe, heavy	<i>Pleurobema taitianum</i>do	E	262	NA	NA
Pigtoe, oval	<i>Pleurobema pyriforme</i>	U.S.A. (AL, FL, GA)	E	633	17.95(f)	NA
Pigtoe, rough	<i>Pleurobema plenum</i>	U.S.A. (AL, IN, KY, PA, TN, VA)	E	15	NA	NA
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pigtoe, shiny	<i>Fusconaia cor</i>	U.S.A. (AL, TN, VA)	E	15	NA	NA
Dododo	U.S.A. (AL—specified portions of the Tennessee River, see 17.85(a)(1)).	XN	709	NA	17.85(a)
Dododo	U.S.A. (TN—specified portions of the French Broad and Holston Rivers; see 17.85(b)(1)).	XN	NA	17.85(b)
Pigtoe, southern Pimpleback, orangefoot (pearlymussel).	<i>Pleurobema georgianum</i> <i>Plethobasus cooperianus</i>	U.S.A. (AL, GA, TN) U.S.A. (AL, IA, IL, IN, KY, OH, PA, TN)	E	495	17.95(f)	NA
			E	15	NA	NA

Species		Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
Rocksnaail, plicate	<i>Leptoxis plicata</i>dodo	E	651	NA	NA
Rocksnaail, round	<i>Leptoxis ampla</i>dodo	T	651	NA	NA
Shagreen, Magazine Mountain	<i>Mesodon magazinensis</i>	U.S.A. (AR)do	T	348	NA	NA
Snail, armored	<i>Pyrgulopsis (=Marstonia) pachyla</i>	U.S.A. (AL)do	E	688	NA	NA
Snail, Bliss Rapids	<i>Taylorconcha serpenticola</i>	U.S.A. (ID)do	T	485	NA	NA
Snail, Chittanango ovate amber	<i>Succinea chittanangoensis</i>	U.S.A. (NY)do	T	41	NA	NA
Snail, flat-spired three-toothed	<i>Triodopsis platysayoides</i>	U.S.A. (WV)do	T	41	NA	NA
Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	U.S.A. (IA, IL)do	E	41	NA	NA
Snail, Manus Island tree	<i>Papustyla pulcherrima</i>	Pacific Ocean—Admiralty Is. (Manus Is.)do	E	3	NA	NA
Snail, Morro shoulderband (—Banded dune)	<i>Helminthoglypta waikeriana</i>	U.S.A. (CA)	NA	E	567	17,95(f)	NA
Snail, Newcomb's	<i>Erina newcombi</i>	U.S.A. (HI)	Entire	T	680	17,95(f)	NA
Snail, noonday	<i>Mesodon clarki nantahala</i>	U.S.A. (NC)do	T	41	NA	NA
Snail, painted snake coiled forest	<i>Angulospira picta</i>	U.S.A. (TN)do	T	41	NA	NA
Snail, Snake River physa	<i>Physa natricina</i>	U.S.A. (ID)do	E	485	NA	NA
Snail, Stock Island tree	<i>Orthalicus reses</i> (not incl. nesodryas)	U.S.A. (FL)do	T	41	NA	NA
Snail, tubotoma	<i>Tulotoma magnifica</i>	U.S.A. (AL)do	E	412	NA	NA
Snail, Utah valvata	<i>Valvata utahensis</i>	U.S.A. (ID)do	E	485	NA	NA
Snail, Virginia fringed mountain	<i>Polygyris virginianus</i>	U.S.A. (VA)do	E	41	NA	NA
Snails, Oahu tree	<i>Achatinella</i> spp.	U.S.A. (HI)do	E	108, 112	NA	NA
Springsnaail, Alamosa	<i>Tyonia alamosae</i>	U.S.A. (NM)do	E	442	NA	NA
Springsnaail, Bruneau Hot	<i>Pyrgulopsis bruneauensis</i>	U.S.A. (ID)do	E	489	NA	NA
Springsnaail, Koster's	<i>Jurama kosteri</i>	U.S.A. (NM)	NA	E	NA	NA	NA
Springsnaail, Roswell	<i>Pyrgulopsis roswellensis</i>do	NA	E	NA	NA	NA
Springsnaail, Socorro	<i>Pyrgulopsis neomexicana</i>do	Entire	E	442	NA	NA
INSECTS							
Beetle, American burying	<i>Microphorus americanus</i>	U.S.A. (eastern States south to FL, west to SD and TX), eastern Canadado	E	351	NA	NA
Beetle, Coffin Cave mold	<i>Batrissodes texanus</i>	U.S.A. (TX)do	E	327, 513	NA	NA
Beetle, Comal Springs dryopid	<i>Stygoparnus comalensis</i>do	NA	E	629	17,95(f)	NA
Beetle, Comal Springs riffle	<i>Heterelmis comalensis</i>do	NA	E	629	17,95(f)	NA
Beetle, delta green ground	<i>Elaphrus viridis</i>	U.S.A. (CA)	Entire	T	100	17,95(f)	NA
Beetle, Helioles mold	<i>Batrissodes ventyviri</i>	U.S.A. (TX)	Entire	E	706	17,95(f)	NA
Beetle, Hungerford's crawling water	<i>Brychius hungerfordi</i>	U.S.A. (MI, Canada)	Entire	E	533	NA	NA
Beetle, Kretschmarr Cave mold	<i>Texanuroops reddell</i>	U.S.A. (TX)do	E	327, 513	NA	NA
Beetle, Mount Hermon June	<i>Polyphylla barbata</i>	U.S.A. (CA)do	E	605	NA	NA
Beetle, [no common name]	<i>Rhadine exilis</i>	U.S.A. (TX)	NA	E	706	17,95(f)	NA
Beetle, [no common name]	<i>Rhadine infernalis</i>do	NA	E	706	17,95(f)	NA
Beetle, northeastern beach tiger	<i>Cicindela dorsalis dorsalis</i>	U.S.A. (CT, MA, MD, NJ, NY, PA, RI, VA)	Entire	T	396	NA	NA
Beetle, Ohlone tiger	<i>Cicindela ohlone</i> (CA)	U.S.A. (CA)	NA	E	713	NA	NA
Beetle, Puritan tiger	<i>Cicindela puritana</i>	U.S.A. (CT, MA, MD, NH, VT)	Entire	T	396	NA	NA

Species		Scientific name	Historic Range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name								
Fly, Hawaiian picture-wing	<i>Drosophila tarphitricha</i>do	NA	E	756	17.95(i)	NA	
Grasshopper, Zayante band-winged	<i>Trimerotropis infantilis</i>	U.S.A. (CA)	NA	E	605	17.95(i)	NA	
Moth, Blackburn's sphinx	<i>Manduca blackburni</i>	U.S.A. (HI)	NA	E	682	17.95(i)	NA	
Moth, Kern pitmose sphinx	<i>Euproserpinus eulterpe</i>	U.S.A. (CA)	Entire	T	91	NA	NA	
Nauoridi, Ash Meadows	<i>Ambrysus amargosus</i>	U.S.A. (NV)do	T	181	17.95(i)	NA	
Skipper, Carson wandering	<i>Pseudocapaedotes eunus obscurus</i>	U.S.A. (CA, NV)	U.S.A., (Lassen County, CA; Washoe County, NV)	E	730	NA	NA	
Skipper, Laguna Mountains	<i>Pyrgus ruralis lagunae</i>	U.S.A. (CA)	Entire	E	604	17.95(i)	NA	
Skipper, Pawnee montane	<i>Hesperia leonardus montana</i>	U.S.A. (CO)do	T	289	NA	NA	
AFACHNIDS								
Harvestman, Bee Creek Cave	<i>Texella reddelli</i>	U.S.A. (TX)do	E	327, 513	NA	NA	
Harvestman, Bone Cave	<i>Texella reyesi</i>dodo	E	327, 513	NA	NA	
Harvestman, Cokendolpher cave	<i>Texella cokendolpheri</i>do	NA	E	706	17.95(g)	NA	
Meshweaver, Braken Bat Cave	<i>Circurina venii</i>do	NA	E	706	17.95(g)	NA	
Meshweaver, Government Canyon Bat Cave	<i>Circurina vespera</i>do	NA	E	706	NA	NA	
Meshweaver, Madia Cave	<i>Cicurina madia</i>do	NA	E	706	17.95(g)	NA	
Meshweaver, Robber/Baron Cave	<i>Cicurina baronia</i>do	NA	E	706	17.95(g)	NA	
Pseudoscorpion, Tooth Cave	<i>Tantiarocragis texana</i>do	Entire	E	327	NA	NA	
Spider, Government Canyon Bat Cave	<i>Neoleptoneta microps</i>do	NA	E	706	NA	NA	
Spider, Kauai cave wolf	<i>Adelocosa anops</i>	U.S.A. (HI)	NA	E	676	17.95(g)	NA	
Spider, spruce-fr moss	<i>Microhexura montivaga</i>	U.S.A. (NC, TN)do	E	576	17.95(g)	NA	
Spider, Tooth Cave	<i>Neoleptoneta myopica</i>	U.S.A. (TX)	Entire	E	327	NA	NA	
CRUSTACEANS								
Amphipod, Hay's Spring	<i>Stygobromus hayi</i>	U.S.A. (DC)do	E	115	NA	NA	
Amphipod, Illinois cave	<i>Gammarus acherondyles</i>	U.S.A. (IL)do	E	642	NA	NA	
Amphipod, Kauai cave	<i>Spelaeorchestia koloana</i>	U.S.A. (HI)	NA	E	676	17.95(h)	NA	
Amphipod, Noel's	<i>Gammarus desperatus</i>	U.S.A. (NM)	NA	E	NA	NA	NA	
Amphipod, Peck's cave	<i>Stygobromus (=Stygonectes) Pecki</i>	U.S.A. (TX)	NA	E	629	17.95(h)	NA	
Crayfish, cave	<i>Cambarus aculabrum</i>	U.S.A. (AR)	Entire	E	499	NA	NA	
Do	<i>Cambarus zophonastes</i>dodo	E	263	NA	NA	
Crayfish, Nashville	<i>Oreonectes shoupi</i>	U.S.A. (TN)do	E	242	NA	NA	
Crayfish, Shasta	<i>Pacifastacus fortis</i>	U.S.A. (CA)do	E	337	NA	NA	
Fairy shrimp, Conservancy	<i>Branchinecta conservatio</i>dodo	E	552	17.95(h)	NA	
Fairy shrimp, longhorn	<i>Branchinecta longiantenna</i>dodo	E	552	17.95(h)	NA	
Fairy shrimp, Riverside	<i>Streptocephalus woolfoni</i>dodo	E	512	17.95(h)	NA	
Fairy shrimp, San Diego	<i>Branchinecta sandlegonensis</i>do	NA	E	608	17.95(h)	NA	
Fairy shrimp, vernal pool	<i>Branchinecta lynchi</i>	U.S.A. (CA, OR)	Entire	E	552	17.95(h)	NA	
Isopod, Lee County cave	<i>Lireus usdagalun</i>	U.S.A. (VA)do	E	483	NA	NA	
Isopod, Madison Cave	<i>Antrolana lira</i>dodo	T	123	NA	17.46(a)	
Isopod, Socorro	<i>Thermosphaeroma thermophilus</i>	U.S.A. (NM)do	E	36	NA	NA	
Shrimp, Alabama cave	<i>Palaemonias alabamiae</i>	U.S.A. (AL)do	E	323	NA	NA	
Shrimp, California freshwater	<i>Syrncaenis pacifica</i>	U.S.A. (CA)do	E	340	NA	NA	

U.S. Fish and Wildlife Serv., Interior

§ 17.11

Shrimp, Kentucky cave	<i>Palaemonias gantieri</i>	U.S.A. (KY)do	E	135	17.95(h)	NA
Shrimp, Squirrel Chimney Cave	<i>Palaemonetes cummingsi</i>	U.S.A. (FL)do	T	390	NA	NA
Tadpole shrimp, vernal pool	<i>Lepidurus packardii</i>	U.S.A. (CA)do	E	552	17.95(h)	NA
Coral, eikhorn	<i>Acropora palmata</i>	U.S.A. (FL, PR, VI, Navassa); and wider Caribbean-Belize, Colombia, Costa Rica, Guate- mala, Honduras, Mexico, Nica- ragua, Panama, Venezuela, and all the islands of the West Indies.	NA	T	756	NA	NA
Coral, staghorn	<i>Acropora cervicornis</i>	U.S.A. (FL, PR, VI, Navassa); and wider Caribbean-Belize, Colombia, Costa Rica, Guate- mala, Honduras, Mexico, Nica- ragua, Panama, Venezuela, and all the islands of the West Indies.	NA	T	756	NA	NA

Symbols used in the four left columns:
 "Do..." or "...do..." (Ditto) indicates the entry is the same as the column entry directly above.
 Symbols used in the "When listed" column:
 A—Indicates a correction to the publication with the same "When listed" number.
 D—Indicates FR where species was Deleted; relisting of the species is indicated by subsequent number(s).
 E—Indicated Emergency rule publication (see FR document for effective dates), subsequent number(s) indicate FR final rule, if applicable, under "When listed".

§ 17.11**50 CFR Ch. I (10–1–09 Edition)**

- 1–32 FR 4001; March 11, 1967.
2–35 FR 16047; October 13, 1970.
3–35 FR 8495; June 2, 1970.
4–35 FR 18320; December 2, 1970.
5–37 FR 6176; March 28, 1972.
6–38 FR 14678; June 4, 1973.
7–39 FR 44991; December 30, 1974.
8–40 FR 29864; July 16, 1975.
9–40 FR 31736; July 28, 1975.
10–40 FR 44151; September 25, 1975.
11–40 FR 44418; September 26, 1975.
12–40 FR 47506; October 9, 1975.
13–41 FR 17740; April 28, 1976.
14–41 FR 22044; June 1, 1976.
15–41 FR 24064; June 14, 1976.
15A–41 FR 26019; June 24, 1976.
16–41 FR 45993; October 19, 1976.
17–41 FR 51021; November 19, 1976.
18–41 FR 51612; November 23, 1976.
19–41 FR 53034; December 3, 1976.
20–42 FR 2076; January 10, 1977.
21–42 FR 2968; January 14, 1977.
22–42 FR 15971; March 24, 1977.
24–42 FR 28545; June 3, 1977.
25–42 FR 37373; July 21, 1977.
26–42 FR 40685; August 11, 1977.
27–42 FR 42353; August 23, 1977.
28–42 FR 45528; September 9, 1977.
29–42 FR 58757; November 11, 1977.
30–42 FR 60745; November 29, 1977.
31–43 FR 3715; January 27, 1978.
32–43 FR 4028; January 31, 1978.
33–43 FR 4621; February 3, 1978.
34–43 FR 6233; February 14, 1978.
35–43 FR 9612; March 9, 1978.
36–43 FR 12691; March 27, 1978.
37–43 FR 15429; April 13, 1978.
38–43 FR 16345; April 18, 1978.
40–43 FR 20504; May 12, 1978.
41–43 FR 28932; July 3, 1978.
42–43 FR 32808; July 28, 1978.
43–43 FR 34480; August 4, 1978.
45–44 FR 21289; April 10, 1979.
46–44 FR 23064; April 17, 1979.
48–44 FR 29480; May 21, 1979.
50–44 FR 37126; June 25, 1979.
51–44 FR 37132; June 25, 1979.
52–44 FR 42911; July 20, 1979.
54–44 FR 49220; August 21, 1979.
60–44 FR 59084; October 12, 1979.
85–44 FR 69208; November 30, 1979.
86–44 FR 70677; December 7, 1979.
87–44 FR 75076; December 18, 1979.
88–45 FR 18010; March 20, 1980.
90–45 FR 21833; April 2, 1980.
91–45 FR 24090; April 8, 1980.
92–45 FR 27713; April 23, 1980.
93–45 FR 28722; April 30, 1980.
94–45 FR 35823; May 28, 1980.
95–45 FR 44938; July 2, 1980.
96–45 FR 44942; July 2, 1980.
97–45 FR 47353; July 14, 1980.
98–45 FR 47363; July 14, 1980.
99–45 FR 52806; August 8, 1980.
100–45 FR 52810; August 8, 1980.
102–45 FR 54680; August 15, 1980.
103–45 FR 55666; August 20, 1980.
105–45 FR 63820; September 25, 1980.
106–45 FR 65134; October 1, 1980.
108–46 FR 3182; January 13, 1981.
111–46 FR 11665; February 10, 1981.
112–46 FR 40025; August 6, 1981.
113–46 FR 40669; August 10, 1981.
114–47 FR 4211; January 28, 1982.
115–47 FR 5427; February 5, 1982.
117–47 FR 19999; May 10, 1982.
119–47 FR 31672; July 21, 1982.
123–47 FR 43701; October 4, 1982.
124–47 FR 43962; October 5, 1982.
125–47 FR 46093; October 15, 1982.
127–48 FR 612; January 5, 1983.
128–48 FR 1726; January 14, 1983.
129–48 FR 28464; June 22, 1983.
130–48 FR 40184; September 2, 1983.
131–48 FR 43043; September 21, 1983.
132–48 FR 46057; October 11, 1983.
134–48 FR 46336; October 12, 1983.
135–48 FR 46341; October 12, 1983.
136–48 FR 49249; October 25, 1983.
138–49 FR 1994; January 17, 1984.
139–49 FR 2783; January 23, 1984.
142–49 FR 7335; February 28, 1984.
143–49 FR 7394; February 29, 1984.
144–49 FR 7398; February 29, 1984.
145–49 FR 10526; March 20, 1984.
146–49 FR 14356; April 11, 1984.
149–49 FR 22330; May 29, 1984.
150–49 FR 27514; July 5, 1984.
156–49 FR 33885; August 27, 1984.
157–49 FR 34494; August 31, 1984.
159–49 FR 34504; August 31, 1984.
160–49 FR 34510; August 31, 1984.
161–49 FR 35954; September 13, 1984.
163–49 FR 43069; October 26, 1984.
164–49 FR 43969; November 1, 1984.
166–49 FR 45163; November 15, 1984.
168–49 FR 49639; December 21, 1984.
169–50 FR 1056; January 9, 1985.
170–50 FR 4226; January 30, 1985.
171–50 FR 4945; February 4, 1985.
173–50 FR 12302; March 28, 1985.
174–50 FR 12305; March 28, 1985.
181–50 FR 20786; May 20, 1985.
182–50 FR 21792; May 28, 1985.
183–50 FR 23884; June 6, 1985.
184–50 FR 24530; June 11, 1985.
185–50 FR 24653; June 12, 1985.
186–50 FR 25678; June 20, 1985.
188–50 FR 26575; June 27, 1985.
189–50 FR 27002; July 1, 1985.
193–50 FR 30194; July 24, 1985.
195–50 FR 31596; August 5, 1985.
196–50 FR 31603; August 5, 1985.
203–50 FR 37198; September 12, 1985.
205–50 FR 39117; September 27, 1985.
206–50 FR 39123; September 27, 1985.
210–50 FR 50308; December 10, 1985.
211–50 FR 50733; December 11, 1985.
212–50 FR 51252; December 16, 1985.
216–51 FR 6690; February 25, 1986.
222–51 FR 10850; March 31, 1986.
223–51 FR 10857; March 31, 1986.
224–51 FR 10864; March 31, 1986.
227–51 FR 16047; April 30, 1986.

U.S. Fish and Wildlife Serv., Interior

§ 17.11

- 228—51 FR 16482; May 2, 1986.
 233—51 FR 17980; May 16, 1986.
 236—51 FR 23781; July 1, 1986.
 239—51 FR 27495; July 31, 1986.
 241—51 FR 31422; September 3, 1986.
 242—51 FR 34412; September 26, 1986.
 246—51 FR 34425; September 26, 1986.
 247—51 FR 39478; October 28, 1986.
 248—51 FR 41796; November 19, 1986.
 250—51 FR 45910; December 23, 1986.
 251—52 FR 28; January 5, 1987.
 258—52 FR 5302; February 20, 1987.
 262—52 FR 11169; April 7, 1987.
 263—52 FR 11172; April 7, 1987.
 265—52 FR 11286; April 8, 1987.
 267—52 FR 20719; June 3, 1987.
 268—52 FR 20999; June 3, 1987.
 269—52 FR 21063; June 4, 1987.
 272—52 FR 22430; June 11, 1987.
 273—52 FR 22585; June 12, 1987.
 278—52 FR 22943; June 16, 1987.
 279—52 FR 23151; June 17, 1987.
 280—52 FR 25232; July 6, 1987.
 281—52 FR 25380; July 7, 1987.
 282—52 FR 28785; August 3, 1987.
 283—52 FR 28831; August 4, 1987.
 284—52 FR 29780; August 11, 1987.
 287—52 FR 35040; September 16, 1987.
 288—52 FR 35378; September 18, 1987.
 289—52 FR 36180; September 25, 1987.
 290—52 FR 36038; September 25, 1987.
 292—52 FR 36779; October 1, 1987.
 294—52 FR 37423; October 6, 1987.
 296—52 FR 42068; November 2, 1987.
 299—52 FR 42662; November 6, 1987.
 304—53 FR 3570; February 5, 1988.
 312—53 FR 25611; July 8, 1988.
 313—53 FR 27134; July 18, 1988.
 316—53 FR 27693; July 22, 1988.
 317—53 FR 29337; August 4, 1988.
 320—53 FR 33992; September 1, 1988.
 322—53 FR 33998; September 1, 1988.
 323—53 FR 34698; September 7, 1988.
 327—53 FR 36033; September 16, 1988.
 328—53 FR 37970; September 28, 1988.
 334—53 FR 38453; September 30, 1988.
 336—53 FR 38460; September 30, 1988.
 337—53 FR 38465; September 30, 1988.
 338—53 FR 38469; September 30, 1988.
 340—53 FR 43889; October 31, 1988.
 342—53 FR 45865; November 14, 1988.
 345—54 FR 8341; February 28, 1989.
 348—54 FR 15208; April 17, 1989.
 349—54 FR 20602; May 12, 1989.
 350—54 FR 22906; May 30, 1989.
 351—54 FR 29655; July 13, 1989.
 357—54 FR 32331; August 4, 1989.
 358—54 FR 34468; August 18, 1989.
 359—54 FR 34472; August 18, 1989.
 361—54 FR 35311; August 24, 1989.
 364—54 FR 38951; September 21, 1989.
 365—54 FR 39849; September 28, 1989.
 366—54 FR 39853; September 28, 1989.
 369—54 FR 40112; September 29, 1989.
 370—54 FR 41453; October 10, 1989.
 371—54 FR 43969; October 30, 1989.
 372—54 FR 47861; November 17, 1989.
 376—55 FR 9136; March 12, 1990.
 377—55 FR 9451; March 14, 1990.
 378—55 FR 12191; April 2, 1990.
 382—55 FR 12801; April 5, 1990.
 383—55 FR 12832; April 6, 1990.
 384—55 FR 13488; April 10, 1990.
 387—55 FR 18845; May 4, 1990.
 388—55 FR 21153; May 22, 1990.
 390—55 FR 25591; June 21, 1990.
 391—55 FR 25595; June 21, 1990.
 393—55 FR 26194; June 26, 1990.
 394—55 FR 28213; July 10, 1990.
 396—55 FR 32094; August 7, 1990.
 399—55 FR 36647; September 6, 1990.
 400—55 FR 39416; September 27, 1990.
 401—55 FR 39860; September 28, 1990.
 404—55 FR 39872; September 28, 1990.
 405—55 FR 42966; October 25, 1990.
 407—55 FR 49623; November 30, 1990.
 408—55 FR 50006; December 4, 1990.
 410—55 FR 51112; December 12, 1990.
 411—55 FR 53160; December 27, 1990.
 412—56 FR 800; January 9, 1991.
 415—56 FR 1459; January 14, 1991.
 416—56 FR 1463; January 14, 1991.
 417—56 FR 1463; January 14, 1991.
 419—56 FR 13600; April 3, 1991.
 421—56 FR 19814; April 30, 1991.
 423—56 FR 21087; May 7, 1991.
 426—56 FR 28349; June 20, 1991.
 427—56 FR 28717; June 24, 1991.
 428—56 FR 28828; June 25, 1991.
 431—56 FR 37671; August 8, 1991.
 432—56 FR 40267; August 14, 1991.
 433—56 FR 41488; August 21, 1991.
 442—56 FR 49649; September 30, 1991.
 443—56 FR 49653; September 30, 1991.
 444—56 FR 49658; September 30, 1991.
 446—56 FR 54957; October 23, 1991.
 447—56 FR 54967; October 23, 1991.
 449—56 FR 56333; November 4, 1991.
 454—56 FR 64723; December 12, 1991.
 455—57 FR 213; January 3, 1992.
 456—57 FR 594; January 7, 1992.
 459—57 FR 13661; April 17, 1992.
 462—57 FR 14790; April 22, 1992.
 469—57 FR 21569; May 20, 1992.
 472—57 FR 27858; June 22, 1992.
 475—57 FR 28024; June 23, 1992.
 477—57 FR 44340; September 25, 1992.
 479—57 FR 45337; October 1, 1992.
 483—57 FR 54726; November 20, 1992.
 484—57 FR 59244; December 14, 1992.
 485—57 FR 59257; December 14, 1992.
 486—58 FR 4359; January 14, 1993.
 487—58 FR 5657; January 22, 1993.
 488—58 FR 5642; January 22, 1993.
 489—58 FR 5946; January 25, 1993.
 492—58 FR 12863; March 5, 1993.
 493—58 FR 12874; March 5, 1993.
 494—58 FR 14271; March 16, 1993.
 495—58 FR 14339; March 17, 1993.
 496—58 FR 16757; March 30, 1993.
 499—58 FR 25746; April 27, 1993.
 502—58 FR 25763; April 27, 1993.
 503—58 FR 27480; May 10, 1993.
 505—58 FR 34931; June 30, 1993.

§ 17.11**50 CFR Ch. I (10–1–09 Edition)**

- 508–58 FR 40538; July 28, 1993.
512–58 FR 41391; August 3, 1993.
513–58 FR 43819; August 18, 1993.
514–58 FR 49874; September 23, 1993.
516–58 FR 49880; September 23, 1993.
517–58 FR 49887; September 23, 1993.
518–58 FR 49937; September 24, 1993.
520–58 FR 53804; October 18, 1993.
522–58 FR 54065; October 20, 1993.
525–58 FR 68486; December 27, 1993.
526–59 FR 5310; February 3, 1994.
527–59 FR 5498; February 4, 1994.
533–59 FR 10584; March 7, 1994.
534–59 FR 13836; March 23, 1994.
538–59 FR 17998; April 15, 1994.
539–59 FR 18327; April 18, 1994.
540–59 FR 31095; June 16, 1994.
543–59 FR 36995; July 20, 1994.
545–59 FR 42691; August 18, 1994.
546–59 FR 42711; August 18, 1994.
549–59 FR 46002; September 6, 1994.
550–59 FR 46715; September 9, 1994.
552–59 FR 48153; September 19, 1994.
554–59 FR 49764; September 29, 1994.
557–59 FR 54841; November 2, 1994.
561–59 FR 60264; November 22, 1994.
562–59 FR 60279; November 22, 1994.
563–59 FR 60334; November 23, 1994.
566–59 FR 63264; December 8, 1994.
567–59 FR 64623; December 15, 1994.
568–59 FR 64866; December 16, 1994.
569–59 FR 65512; December 20, 1994.
571–60 FR 2903; January 12, 1995.
573–60 FR 5273; January 26, 1995.
574–60 FR 5267; January 26, 1995.
576–60 FR 6974; February 6, 1995.
577–60 FR 10715; February 27, 1995.
579–60 FR 18947; April 13, 1995.
580–60 FR 36010; July 12, 1995.
582–61 FR 11332; March 20, 1996.
583–61 FR 25832; May 23, 1996.
585–61 FR 32366; June 24, 1996.
588–61 FR 48413; September 13, 1996.
597–61 FR 54056; October 16, 1996.
598–61 FR 59028; November 20, 1996.
600–62 FR 689; January 6, 1997.
602–62 FR 1657; January 10, 1997.
604–62 FR 2322; January 16, 1997.
605–62 FR 3628; January 24, 1997.
607–62 FR 4191; January 29, 1997.
608–62 FR 4939; February 3, 1997.
610–62 FR 10746; March 10, 1997.
612–62 FR 23392; April 30, 1997.
614–62 FR 30772; June 5, 1997.
616–62 FR 31757; June 11, 1997.
617–62 FR 31761; June 11, 1997.
618–62 FR 33038; June 18, 1997.
621–62 FR 38939; July 21, 1997.
622–62 FR 39157; July 22, 1997.
626–62 FR 59622; November 4, 1997.
628–62 FR 64320; December 5, 1997.
629–62 FR 66303; December 18, 1997.
630–63 FR 694; January 7, 1998.
631–63 FR 1763; January 12, 1998.
632–63 FR 3843; January 27, 1998.
633–63 FR 12687; March 16, 1998.
634–63 FR 13150; March 18, 1998.
636–63 FR 26530; May 13, 1998.
637–63 FR 31674; June 10, 1998.
638–63 FR 32997; June 17, 1998.
639–63 FR 42762; August 11, 1998.
642–63 FR 46909; September 3, 1998.
645–63 FR 51016; September 24, 1998.
646–63 FR 52837; October 1, 1998.
651–63 FR 57619; October 28, 1998.
653–63 FR 64799; November 23, 1998.
654–63 FR 69021; December 15, 1998.
655–63 FR 70062; December 18, 1998.
656–64 FR 5981; February 8, 1999.
658–64 FR 15704; April 1, 1999.
659–64 FR 17124; April 8, 1999.
660–64 FR 19308; April 20, 1999.
664–64 FR 41836; August 2, 1999.
665–64 FR 47134; August 30, 1999.
669–64 FR 56608; October 20, 1999.
670–64 FR 58932; November 1, 1999.
674–64 FR 72960; December 29, 1999.
675–65 FR 30; January 3, 2000.
676–65 FR 2357; January 14, 2000.
677–65 FR 3109; January 19, 2000.
679–65 FR 3890; January 25, 2000.
680–65 FR 4169; January 26, 2000.
682–65 FR 4779; February 1, 2000.
687–65 FR 8889; February 23, 2000.
688–65 FR 10039; February 25, 2000.
692–65 FR 16085; March 24, 2000.
693–65 FR 17786; April 5, 2000.
694–65 FR 19698; April 12, 2000.
695–65 FR 25879; May 4, 2000.
696–65 FR 20769; April 18, 2000.
697–65 FR 26461; May 5, 2000.
698–65 FR 26771; May 9, 2000.
700–65 FR 46654; July 31, 2000.
701–65 FR 51478; September 7, 2000.
702–65 FR 57264; September 21, 2000.
703–65 FR 60885; October 13, 2000.
705–65 FR 69481; November 17, 2000.
706–65 FR 69637; November 17, 2000.
707–65 FR 81433; December 26, 2000.
709–66 FR 32257; June 14, 2001.
710–66 FR 33915; June 26, 2001.
713–66 FR 50350; October 3, 2001.
714–66 FR 51339; October 9, 2001.
715–66 FR 59373; November 28, 2001.
716–66 FR 59545; November 29, 2001.
718–66 FR 63002; December 4, 2001.
719–66 FR 66811; December 27, 2001.
724–67 FR 37721; May 30, 2002.
725–70 FR 3459; January 24, 2005.
726–67 FR 40811; June 13, 2002.
728–67 FR 44392; July 2, 2002.
729–67 FR 47739; July 22, 2002.
730–67 FR 51129; August 7, 2002.
731–67 FR 52889; August 14, 2002.
732–67 FR 52426; August 12, 2002.
734–68 FR 13520; March 19, 2003.
735–68 FR 15872; April 1, 2003.
738–68 FR 43658; July 24, 2003.
740–69 FR 70190; December 17, 2003.
741–69 FR 3028; January 22, 2004.
742–70 FR 67928; November 9, 2005.
743–70 FR 10485; March 4, 2005.
744–69 FR 47248; August 4, 2004.
745–70 FR 1285; January 6, 2005.

U.S. Fish and Wildlife Serv., Interior

§ 17.12

747—70 FR 17916; April 8, 2005.
 748—70 FR 69465; November 16, 2005.
 754—70 FR 58350; October 6, 2005.
 755—70 FR 66706; November 2, 2005.
 756—71 FR 26851; May 9, 2006.
 757—71 FR 40673; July 18, 2006.
 758—71 FR 42314; July 26, 2006.
 759—72 FR 14938; March 29, 2007.
 760—73 FR 3178; January 16, 2008.
 761—73 FR 74370; December 8, 2008.

EDITORIAL NOTE 1: For FEDERAL REGISTER citations affecting the table in §17.11(h), see the listing above.

EDITORIAL NOTE 2: For FEDERAL REGISTER citations affecting §17.11, see the List of CFR Sections Affected, which appears in the

Finding Aids section of the printed volume and on GPO Access.

EFFECTIVE DATE NOTE: At 74 FR 46930, Sept. 14, 2009, §17.11(h) was amended by adding new entries for “Petrel, Chatham,” “Petrel, Fiji,” and “Petrel, magenta” in alphabetical order under “Birds” to the List of Endangered and Threatened Wildlife, effective Oct. 14, 2009. For the convenience of the user, the added text is set forth as follows:

§ 17.11 Endangered and threatened wildlife.

* * * * *

(h) * * *

Species		Historic range	Vertebrate population where endangered or threatened	Status	When listed	Critical habitat	Special rules
Common name	Scientific name						
*	*	*	*	*	*	*	*
BIRDS							
*	*	*	*	*	*	*	*
Petrel, Chatham.	<i>Pterodroma axillaris</i>	Pacific Ocean—New Zealand (Chatham Islands).	Entire	E ...	763	NA	NA
Petrel, Fiji	<i>Pseudobulweria macgillivrayi</i>	Pacific Ocean—Fiji (Gau Island)	Entire	E ...	763	NA	NA
*	*	*	*	*	*	*	*
Petrel, magenta.	<i>Pterodroma magentae</i>	Pacific Ocean—New Zealand (Chatham Islands).	Entire	E ...	763	NA	NA
*	*	*	*	*	*	*	*

§ 17.12 Endangered and threatened plants.

(a) The list in this section contains the names of all species of plants which have been determined by the Services to be Endangered or Threatened. It also contains the names of species of plants treated as Endangered or Threatened because they are sufficiently similar in appearance to Endangered or Threatened species (see §17.50 *et seq.*).

(b) The columns entitled “Scientific name” and “Common name” define the species of plant within the meaning of the Act. Although common names are included, they cannot be relied upon for identification of any specimen, since they may vary greatly in local usage. The Services shall use the most recently accepted scientific name. In cases in which confusion might arise, a synonym(s) will be provided in parentheses. The Services shall rely to the

extent practicable on the *International Code of Botanical Nomenclature*.

(c) In the “Status” column the following symbols are used: “E” for Endangered, “T” for Threatened, and “E [or T] (S/A)” for similarity of appearance species.

(d) The other data in the list are non-regulatory in nature and are provided for the information of the reader. In the annual revision and compilation of this title, the following information may be amended without public notice: the spelling of species’ names, historical range, footnotes, references to certain other applicable portions of this title, synonyms, and more current names. In any of these revised entries, neither the species, as defined in paragraph (b) of this section, nor its status may be changed without following the procedures of part 424 of this title.

(e) The “Historic range” indicates the known general distribution of the