Environmental Protection Agency

Table 11 to Subpart FFFF of Part 63—Requirements for Reports

As required in $\S63.2520(a)$ and (b), you must submit each report that applies to you on the schedule shown in the following table:

You must submit a(n)	The report must contain	You must submit the report
Precompliance report	The information specified in § 63.2520(c).	At least 6 months prior to the compliance date; or for new sources, with the application for approval of construction or reconstruction.
Notification of compliance status report.	The information specified in §63.2520(d).	No later than 150 days after the compliance date specified in § 63.2445.
3. Compliance report	The information specified in §63.2520(e).	Semiannually according to the requirements in § 63.2520(b).

Table 12 to Subpart FFFF of Part 63—Applicability of General Provisions to Subpart FFFF

As specified in $\S63.2540$, the parts of the General Provisions that apply to you are shown in the following table:

Citation	Subject	Explanation
§ 63.1	Applicability	Yes.
63.2		Yes.
63.3		Yes.
63.4		Yes.
63.5		Yes.
63.6(a)		Yes.
		Yes.
63.6(b)(1)–(4)	sources.	
63.6(b)(5)		Yes.
63.6(b)(6)		
63.6(b)(7)	Compliance Dates for New and Reconstructed Area Sources That Become Major.	Yes.
63.6(c)(1)-(2)	Compliance Dates for Existing Sources	Yes.
63.6(c)(3)–(4)		
63.6(c)(5)		Yes
. ,,,,	That Become Major.	
63.6(d)		l.,
§63.6(e)(1)–(2)		Yes.
63.6(e)(3)(i), (ii), and (v)	Startup, Shutdown, Malfunction Plan (SSMP)	Yes, except information regarding Group 2 emi
through (viii).		sion points and equipment leaks is not r quired in the SSMP, as specified § 63.2525(j).
§63.6(e)(3)(iii) and (iv)	Recordkeeping and Reporting During SSM	No, §63.998(d)(3) and 63.998(c)(1)(ii)(i through (G) specify the recordkeeping requirment for SSM events, and §63.2520(e)(specifies reporting requirements.
63.6(e)(3)(ix)	SSMP incorporation into title V permit	Yes.
63.6(f)(1)		Yes.
63.6(f)(2)–(3)		Yes.
63.6(g)(1)–(3)		Yes.
63.6(h)	Opacity/Visible Emission (VE) Standards	Only for flares for which Method 22 observation are required as part of a flare compliance a sessment.
63.6(i)(1)-(14)	Compliance Extension	Yes.
63.6(j)		Yes.
63.7(a)(1)–(2)		Yes, except substitute 150 days for 180 days.
63.7(a)(3)	Section 114 Authority	Yes, and this paragraph also applies to fla compliance assessments as specified und §63.997(b)(2).
60 7/b)/1)	Notification of Performance Test	9 63.997(b)(2). Yes.
63.7(b)(1)		1
63.7(b)(2)		Yes.
63.7(c)	Quality Assurance/Test Plan	Yes, except the test plan must be submitted wi the notification of the performance test if the control device controls batch process vents.
63.7(d)	Testing Facilities	Yes.
63.7(e)(1)		Yes, except that performance tests for bate process vents must be conducted under wors case conditions as specified in §63.2460.
1 CO 7(a)(0)	Conditions for Conduction Devicement - Tt-	
63.7(e)(2)		Yes.
63.7(e)(3)	Test Run Duration	Yes.
§ 63.7(f)	Alternative Test Method	Yes.
§ 63.7(g)	Performance Test Data Analysis	Yes.

Pt. 63, Subpt. FFFF, Table 12

\$63.8(a)(1) \$63.8(a)(1) \$63.8(a)(2) Performance Specifications \$63.8(a)(2) \$63.8(a)(3) Monitoring Misserved], \$63.8(a)(4) Monitoring Wisserved], \$63.8(a)(4) Monitoring Wisserved], \$63.8(a)(4) Monitoring Wisserved], \$63.8(a)(4) Monitoring Wisserved], \$63.8(a)(5) Monitoring Wisserved], \$63.8(a)(1) Reserved], \$63.8(a)(1) Roserved], \$63.8(a)(1) R	Citation	Subject	Explanation
\$63.8(a)(1) Applicability of Monitoring Requirements	8.63.7(h)	Waiver of Tests	Ves
\$63.8(a)(2) Performance Specifications Yes. \$63.8(a)(3) Reserved. Reserved. Yes. \$63.8(a)(4) Monitoring with Flares Yes. \$63.8(a)(4) Monitoring with Flares Yes. \$63.8(a)(1) Monitoring System Operation and Maintenance Yes. \$63.8(a)(1) Solar of in SMP Yes. \$63.8(a)(a)(ii) Compliance with Operation and Maintenance Flaquirements for CMS are specified in referenced subparts G and SS of part 53. Requirements for COMS of not apply because subpart FFF does not require COMS. \$63.8(a)(b) COMS Measurement and Recording Frequency Se3.8(a)(b)(ii) CEMS Requirements Se3.8(a)(a)(b)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)			1
\$63.8(a)(3)	\$63.0(a)(1) \$63.9(a)(2)		
\$63.8(a)(4) Monitoring with Flares			165.
\$63.8(b)(1) Monitoring Yes. Yes. S63.8(b)(2) Monitoring Systems. Yes. Ye			Vee
\$63.8(c)(1)—(3)			
Sea Sec Common Sea Sec Sea S			1
\$63.8(c)(1)(i) Solidity Solid	§ 63.8(b)(2)–(3)		Yes.
\$63.8(c)(1)(ii) Compliance with Operation and Maintenance Requirements. \$63.8(c)(2)–(3) Monitoring System Installation CMS Requirements. \$63.8(c)(2)–(3) Monitoring System Installation CMS Requirements. \$63.8(c)(4)(ii) Compliance with Operation and Maintenance Requirements for CDMS are specified in referenced subparts G and SS of part 63. Requirements for CDMS do not apply because subpart FFFF does not require constitution. \$63.8(c)(6) COMS Measurement and Recording Frequency COMS (and apply of the part of	§ 63.8(c)(1)	Monitoring System Operation and Maintenance	Yes.
\$63.8(c)(2)—(3) \$63.8(c)(2)—(3) \$63.8(c)(2)—(3) \$63.8(c)(4) \$63.8(c)(4) \$63.8(c)(4) \$63.8(c)(4) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(4)(1) \$63.8(c)(5) \$63.8(c)(6) \$63.8(c)(6) \$63.8(c)(6) \$63.8(c)(6) \$63.8(c)(6) \$63.8(c)(7)—(8)	§ 63.8(c)(1)(i)	Routine and Predictable SSM	Yes.
\$63.8(c)(2)—(3) \$63.8(c)(4) CMS Requirements CMS Requirements CMS Requirements CMS Requirements CONJ for CEMS. Requirements for CPMS are specified in referenced subparts G and SS of part 63. Requirements for COMS do not apply because subpart FFFF does not require continuous opacity monitoring systems (CDMS) \$63.8(c)(4)(ii) COMS Measurement and Recording Frequency CEMS Measurements CEMS Requirements CMS Requirements COMS. CMS Requirements CMS Requirements for CPMS are specified in referenced subparts G and SS of this part 63.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 63.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 63.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 63.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 63.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 63.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 64.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 64.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 64.8 Requirements for CPMS are specified in referenced subparts G and SS of this part 64.8 Requiremen	§ 63.8(c)(1)(ii)	SSM not in SSMP	Yes.
\$63.8(c)(2)—(3) Monitoring System Installation Offs or CMS. Requirements for CPMS are specified in referenced subparts G and SS of part 63. Requirements for CPMS are specified in referenced subparts G and SS of part 63. Requirements for CPMS are specified in referenced subparts G and SS of part 63. Requirements for CPMS on the apply because subpart FFFF does not require CPMS. (S) 63.8(c)(4)(ii) CEMS Measurement and Recording Frequency COMS Minimum Procedures No. Subpart FFFF does not contain opacity or VE limits. \$63.8(c)(6) CMS Requirements Offs Requirements No. Subpart FFFF does not contain opacity or VE limits. Only for CEMS. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for CPMS are specified in referenced subpart FFFF does not require CPMS. \$63.8(f)(1)—(5) Alternative Monitoring Method Yes, except you may also request approval using the precompliance report. Alternative to Relative Accuracy Test Only applicable when using CEMS to demonstrate compliance, including the alternative standard in §63.2505. Only when using CEMS, including for the alternative standard in §63.2505. Only when using CEMS, including for the alternative standard in §63.2505. Only when using CEMS, including for the alternative standard in §63.2506. Notification of Special Compliance Requirements or CEMS are specified in §63.2450(j). Notification of Special Compliance Requirements or CEMS are s	§ 63.8(c)(1)(iii)		Yes.
\$63.8(c)(4) CMS Requirements or CPMS are specified in referenced subpart FFFF does not require COMS. (2014) (1) CMS Measurement and Recording Frequency CEMS Measurements or COMS Minimum Procedures Only for CEMS; requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for COMS do not apply because subpart FFFF does not require COMS. CMS Requirements COMS. CMS Requirements or COMS and the specified in referenced subparts G and SS of part 63. Requirements for COMS and the specified in referenced subparts G and SS of part 63. Requirements for COMS and the specified in referenced subparts G and SS of part 63. Requirements for COMS. CMS Quality Control CMS Performance Evaluation Only for CEMS. CMS Quality Control CMS Performance Evaluation Only for CEMS. CMS Performance Evaluation Only for CEMS. Alternative Monitoring Method Yes, except you may also request approval using the precompliance report. Alternative to Relative Accuracy Test Only with part of the part of th	§ 63.8(c)(2)-(3)		Yes.
\$63.8(c)(4)(i) COMS Measurement and Recording Frequency \$63.8(c)(4)(ii) CEMS Measurement and Recording Frequency COMS Measurement and Recording Frequency No. Subpart FFFF does not contain opacity or VE limits. 683.8(c)(6) CMS Requirements CMS Requirements CMS Requirements Only for CEMS. Requirements for COMS do not apply because subpart FFFF does not require COMS. 683.8(c) CMS Quality Control CMS Performance Evaluation Only for CEMS. Section 63.8(c)(5)(ii) does not require COMS. 683.8(f) CMS Performance Evaluation CMS Performance P			I and the second
\$63.8(c)(4)(ii)			specified in referenced subparts G and SS of part 63. Requirements for COMS do not apply because subpart FFFF does not require continuous opacity monitoring systems (COMS).
\$63.8(c)(6) CMS Requirements		CEMS Measurement and Recording Frequency	Yes.
\$63.8(c)(6) CMS Requirements			No. Subpart FFFF does not contain opacity or
\$63.8(c)(f) CMS Requirements			
\$63.8(d) CMS Quality Control CMS (CMS Performance Evaluation COMS. \$63.8(e) CMS Performance Evaluation CMS Performance Evaluation COMS. \$63.8(f)(1)-(5) Alternative Monitoring Method P63.8(f)(6) Alternative to Relative Accuracy Test S63.8(f)(1)-(4) Data Reduction S63.8(g)(1)-(4) Data Reduction S63.8(g)(5) Data Reduction S63.8(g)(6) Notification of Special Compliance Extension S63.8(g)(7) Requirements for CEMS are specified in \$63.2450(g). Requirements for CEMS are specified in Sea.2450(g). Requirements	§ 63.8(c)(6)		Only for CEMS; requirements for CPMS are specified in referenced subparts G and SS of this part 63. Requirements for COMS do not apply because subpart FFFF does not require COMS.
\$63.8(d) CMS Quality Control CMS Performance Evaluation CMS Performance Evaluation CMS Performance Evaluation CMS Performance Evaluation Only for CEMS. Section 63.8(e)(5)(ii) does not apply because subpart FFFF does not require COMS. \$63.8(f)(1)—(5) Alternative Monitoring Method Yes, except you may also request approval using the precompliance report. \$63.8(f)(6) Alternative to Relative Accuracy Test Only applicable when using CEMS to demonstrate compliance, including the alternative standard in §63.2505, except that the requirements for COMS do not apply because subpart FFFF has no opacity or VE limits, and §63.8(g)(2) does not apply because data reduction requirements for CEMS are specified in §63.2450(j). Requirements for CEMS are specified in §63.2450(j). Requirements for CEMS are specified in §63.2450(j). Requirements for CEMS are specified in seferenced subparts G and SS of this part 63. \$63.9(a) Notification Requirements Yes, Yes, Yes, Second Notification of Performance Test Yes, Second Notification of Performance Test Yes, Second Notification of Performance Test Yes, Second Notification of VE/Opacity Test Yes, Notification of VE/Opacity Test Yes, Notification of VE/Opacity Test Yes, Notification of Compliance Status	§ 63.8(c)(7)–(8)	CMS Requirements	Only for CEMS. Requirements for CPMS are
\$63.8(f)(1)—(5) Alternative Monitoring Method		·	specified in referenced subparts G and SS of part 63. Requirements for COMS do not apply because subpart FFFF does not require COMS.
\$63.8(f)(1)—(5) Alternative Monitoring Method \$63.8(f)(6) Alternative to Relative Accuracy Test Only applicable when using CEMS to demonstrate compliance, including the alternative standard in \$63.2505. Only when using CEMS, including for the alternative standard in \$63.2505, except that the requirements for COMS do not apply because subpart FFFF has no opacity or VE limits, and \$63.8(g)(2) does not apply because data reduction requirements for CCMS are specified in \$63.2450(j). Requirements for CEMS are specified in \$63.2450(j). Requirements for CPMS are specified in referenced subparts G and SS of this part 63. \$63.9(a)	§ 63.8(d)		Only for CEMS.
\$63.8(f)(6)	- ,,		apply because subpart FFFF does not require COMS.
\$63.8(g)(1)-(4) Data Reduction Data Reductio	- ,,,,,,	Alternative Monitoring Method	
hative standard in § 63.2505, except that the requirements for COMS do not apply because subpart FFFF has no opacity or VE limits, and § 63.8(g)(2) does not apply because data reduction requirements for CEMS are specified in § 63.2450(j). Data Reduction		,	onstrate compliance, including the alternative standard in § 63.2505.
\$63.9(a) Notification Requirements Se3.9(b)(1)-(5) Initial Notifications Yes. \$63.9(c) Requirements Yes. \$63.9(d) Notification of Special Compliance Extension Yes. \$63.9(e) Notification of Performance Test Yes. \$63.9(f) Notification of Ve/Opacity Test Yes. \$63.9(g) Additional Notifications When Using CMS Yes. \$63.9(g) Yes. Yes. \$63.9(g) Additional Notifications When Using CMS Yes. \$63.9(g) Yes Yes Yes. \$63.9(g) Yes Yes Yes. \$63.9(g) Yes Yes Yes. \$63.9(g) Yes Yes Yes Yes \$63.9(g) Yes Yes Yes Yes	§ 63.8(g)(1)–(4)	Data Heduction	native standard in §63.2505, except that the requirements for COMS do not apply because subpart FFFF has no opacity or VE limits, and §63.8(g)(2) does not apply because data reduction requirements for CEMS are specified
\$63.9(a) Notification Requirements Yes. Yes. Se3.9(b)(1)-(5) Initial Notifications Yes.	§ 63.8(g)(5)	Data Reduction	§63.2450(j). Requirements for CPMS are specified in referenced subparts G and SS of
\$63.9(b)(1)–(5)	863 9(a)	Notification Requirements	
\$63.9(c) Request for Compliance Extension Yes. \$63.9(d) Notification of Special Compliance Requirements for New Source. Notification of Performance Test Yes. Notification of VE/Opacity Test Notification of VE/Opacity Test VE limits. Additional Notifications When Using CMS Only for CEMS. Section 63.9(g)(2) does not apply because subpart FFFF does not require COMS. Notification of Compliance Status Yes. No. Subpart FFFF does not contain opacity or VE limits. Only for CEMS. Section 63.9(g)(2) does not apply because subpart FFFF does not require COMS. Yes, except subpart FFFF has no opacity or VE limits, and 63.9(h)(2)(i)(A) through (G) and (ii) do not apply because 63.2520(d) specifies the required contents and due date of the notification of compliance status report. \$63.9(i) Adjustment of Submittal Deadlines Yes. Change in Previous Information Yes. No, §63.2520(e) specifies reporting requirements for process changes. Yes.			
\$63.9(d)			
\$ 63.9(e) Source. Notification of Performance Test Notification o			
\$63.9(e)	8 po.9(a)		res.
\$63.9(f)	0000(-)		l v
\$ 63.9(g)			
\$ 63.9(g)	§ 63.9(f)	Notification of VE/Opacity Test	
63.9(h)(1)–(6) Notification of Compliance Status Yes, except subpart FFFF has no opacity or VE limits, and 63.9(h)(2)(i)(A) through (G) and (ii) do not apply because 63.2520(d) specifies the required contents and due date of the notification of compliance status report. § 63.9(i) Adjustment of Submittal Deadlines Yes. Change in Previous Information Previous Security S	§ 63.9(g)	Additional Notifications When Using CMS	Only for CEMS. Section 63.9(g)(2) does not apply because subpart FFFF does not require
\$63.9(i) Adjustment of Submittal Deadlines Yes. \$63.9(j) Change in Previous Information No, \$63.2520(e) specifies reporting requirements for process changes. \$63.10(a) Recordkeeping/Reporting Yes.	63.9(h)(1)-(6)	Notification of Compliance Status	Yes, except subpart FFFF has no opacity or VE limits, and 63.9(h)(2)(i)(A) through (G) and (ii) do not apply because 63.2520(d) specifies the required contents and due date of the notifica-
§ 63.9(j)	8.63.0(i)	Adjustment of Submittal Deadlines	
§ 63.10(a)			No, §63.2520(e) specifies reporting require-
	8.63.10(a)	Recordkeening/Reporting	
	§ 63.10(a) § 63.10(b)(1)		

Environmental Protection Agency

Citation	Subject	Explanation
§ 63.10(b)(2)(i)–(ii), (iv), (v).	Records related to SSM	No, §§ 63.998(d)(3) and 63.998(c)(1)(ii)(D) through (G) specify recordkeeping requirements for periods of SSM.
§ 63.10(b)(2)(iii)	Records related to maintenance of air pollution control equipment.	Yes.
§ 63.10(b)(2)(vi), (x), and (xi).	CMS Records	Only for CEMS; requirements for CPMS are specified in referenced subparts G and SS of this part 63.
§ 63.10(b)(2)(vii)-(ix)	Records	Yes.
§ 63.10(b)(2)(xii)	Records	Yes.
§ 63.10(b)(2)(xiii)	Records	Only for CEMS.
§ 63.10(b)(2)(xiv)	Records	Yes.
§ 63.10(b)(3)	Records	Yes.
§ 63.10(c)(1)–(6),(9)–(15)	Records	Only for CEMS. Recordkeeping requirements for CPMS are specified in referenced subparts G and SS of this part 63.
§ 63.10(c)(7)-(8)	Records	No. Recordkeeping requirements are specified in
		§ 63.2525.
§ 63.10(d)(1)	General Reporting Requirements	Yes.
§ 63.10(d)(2)	Report of Performance Test Results	Yes.
§ 63.10(d)(3)	Reporting Opacity or VE Observations	No. Subpart FFFF does not contain opacity or VE limits.
§ 63.10(d)(4)	Progress Reports	Yes.
§ 63.10(d)(5)(i)	Periodic Startup, Shutdown, and Malfunction Reports.	No, § 63.2520(e)(4) and (5) specify the SSM reporting requirements.
§ 63.10(d)(5)(ii)	Immediate SSM Reports	No.
§ 63.10(e)(1)	Additional CEMS Reports	Yes.
§ 63.10(e)(2)(i)	Additional CMS Reports	Only for CEMS.
§ 63.10(e)(2)(ii)	Additional COMS Reports	No. Subpart FFFF does not require COMS.
§ 63.10(e)(3)	Reports	No. Reporting requirements are specified in § 63.2520.
§ 63.10(e)(3)(i)–(iii)	Reports	No. Reporting requirements are specified in § 63.2520.
§ 63.10(e)(3)(iv)–(v)	Excess Emissions Reports	No. Reporting requirements are specified in § 63.2520.
§ 63.10(e)(3)(iv)–(v)	Excess Emissions Reports	No. Reporting requirements are specified in § 63.2520.
§ 63.10(e)(3)(vi)–(viii)	Excess Emissions Report and Summary Report	No. Reporting requirements are specified in § 63.2520.
§63.10(e)(4)	Reporting COMS data	No. Subpart FFFF does not contain opacity or VE limits.
§ 63.10(f)	Waiver for Recordkeeping/Reporting	Yes.
§ 63.11	Control device requirements for flares and work practice requirements for equipment leaks.	Yes.
§ 63.12	Delegation	Yes.
§ 63.13	Addresses	Yes.
§ 63.14	Incorporation by Reference	Yes.
§ 63.15	Availability of Information	Yes.
300.10	Availability of information	163.

 $[68 \ FR \ 63888, \ Nov.\ 10,\ 2003, \ as \ amended \ at \ 70 \ FR \ 38561, \ July \ 1,\ 2005; \ 71 \ FR \ 20463, \ Apr.\ 20,\ 2006; \ 71 \ FR \ 40341, \ July \ 14,\ 2006; \ 73 \ FR \ 72816, \ Dec.\ 22,\ 2008]$

Subpart GGGG—National Emission Standards for Hazardous Air Pollutants: Solvent Extraction for Vegetable Oil Production

Source: $66\ \mathrm{FR}\ 19011,\ \mathrm{Apr.}\ 12,\ 2001,\ \mathrm{unless}$ otherwise noted.

WHAT THIS SUBPART COVERS

§63.2830 What is the purpose of this subpart?

This subpart establishes national emission standards for hazardous air pollutants (NESHAP) for emissions during vegetable oil production. This subpart limits hazardous air pollutant (HAP) emissions from specified vegetable oil production processes. This subpart also establishes requirements to demonstrate initial and continuous compliance with the emission standards.