§ 63.11435

[72 FR 38915, July 16, 2007, as amended at 73 FR 15929, Mar. 26, 2008]

Subpart RRRRRR—National Emission Standards for Hazardous Air Pollutants for Clay Ceramics Manufacturing Area Sources

SOURCE: 72 FR 73197, Dec. 26, 2007, unless otherwise noted.

APPLICABILITY AND COMPLIANCE DATES

§63.11435 Am I subject to this subpart?

- (a) You are subject to this subpart if you own or operate a clay ceramics manufacturing facility (as defined in §63.11444), with an atomized glaze spray booth or kiln that fires glazed ceramic ware, that processes more than 45 megagrams per year (Mg/yr) (50 tons per year (tpy)) of wet clay and is an area source of hazardous air pollutant (HAP) emissions.
- (b) If you are an owner or operator of an area source subject to this subpart, you are exempt from the obligation to obtain a permit under 40 CFR part 70 or 71, provided you are not required to obtain a permit under 40 CFR 70.3(a) or 71.3(a) for a reason other than your status as an area source under this subpart. You must continue to comply with the provisions of this subpart applicable to area sources.

§ 63.11436 What parts of my plant does this subpart cover?

- (a) This subpart applies to any existing or new affected source located at a clay ceramics manufacturing facility.
- (b) The affected source includes all atomized glaze spray booths and kilns that fire glazed ceramic ware located at a clay ceramics manufacturing facility.
- (c) An affected source is existing if you commenced construction or reconstruction of the affected source on or before September 20, 2007.
- (d) An affected source is new if you commenced construction or reconstruction of the affected source after September 20, 2007.

§ 63.11437 What are my compliance dates?

- (a) If you have an existing affected source, you must comply with the standards no later than December 26, 2007
- (b) If you have a new affected source, you must comply with this subpart according to paragraphs (b)(1) and (2) of this section.
- (1) If you start up your affected source on or before December 26, 2007, you must comply with this subpart no later than December 26, 2007.
- (2) If you start up your affected source after December 26, 2007, you must comply with this subpart upon initial startup of your affected source.

STANDARDS, COMPLIANCE, AND MONITORING REQUIREMENTS

§ 63.11438 What are the standards for new and existing sources?

- (a) For each kiln that fires glazed ceramic ware, you must maintain the peak temperature below 1540 °C (2800 °F) and comply with one of the management practices in paragraphs (a)(1) and (2) of this section:
- (1) Use natural gas, or equivalent clean-burning fuel, as the kiln fuel; or
- (2) Use an electric-powered kiln.
- (b) You must maintain annual wet glaze usage records for your facility.
- (c) For each atomized glaze spray booth located at a clay ceramics manufacturing facility that uses more than 227 Mg/yr (250 tpy) of wet glaze(s), you must comply with the equipment standard requirements in paragraph (c)(1) of this section or the management practice in paragraph (c)(2) of this section.
- (1) Control the emissions from the atomized glaze spray booth with an air pollution control device (APCD), as defined in §63.11444.
- (i) Operate and maintain the APCD in accordance with the equipment manufacturer's specifications; and
- (ii) Monitor the APCD according to the applicable requirements in §63.11440.
- (2) Alternatively, use wet glazes containing less than 0.1 (weight) percent clay ceramics metal HAP.