

Environmental Protection Agency

§ 180.507

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect and inadvertent residues.* [Reserved]

[71 FR 18649, Apr. 12, 2006, as amended at 74 FR 2873, Jan. 16, 2009]

§ 180.506 Cyclanilide; tolerances for residues.

(a) *General.* Tolerances are established for residues of the plant growth regulator, cyclanilide, [1-(2,4-dichlorophenylaminocarbonyl)-cyclopropane carboxylic acid] determined as 2,4-dichloroaniline (calculated as cyclanilide) in or on the following food commodities and processed feed:

Commodity	Parts Per Million
Cattle, fat	0.10
Cattle, meat	0.02
Cattle, meat byproducts, except kidney	0.2
Cattle, kidney	2.0
Cotton, undelinted seed	0.60
Cotton, gin byproducts	25.0
Goat, fat	0.10
Goat, meat	0.02
Goat, meat byproducts, except kidney	0.20
Goat, kidney	2.0
Horse, fat	0.10
Horse, meat	0.02
Horse, meat byproducts, except kidney	0.20
Horse, kidney	2.0
Hog, fat	0.10
Hog, meat	0.02
Hog, meat byproducts, except kidney	0.20
Hog, kidney	2.0
Milk	0.04
Sheep, fat	0.10
Sheep, meat	0.20
Sheep, meat byproducts, except kidney	0.20
Sheep, kidney	2.0

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[62 FR 28355, May 23, 1997; 62 FR 34182, June 25, 1997]

§ 180.507 Azoxystrobin; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide, azoxystrobin, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the table is to be determined by measuring only the sum of azoxystrobin,

[methyl(*E*)-2-(2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl)-3-methoxyacrylate], and the *Z*-isomer of azoxystrobin [methyl(*Z*)-2-(2-(6-(2-cyanophenoxy)pyrimidin-4-yloxy)phenyl)-3-methoxyacrylate] in or on the commodity.

Commodity	Parts per million
Acerola	2.0
Almond, hulls	4.0
Animal feed, nongrass, forage, group 18	45
Animal feed, nongrass, hay, group 18	120
Artichoke, globe	4.0
Asparagus	0.04
Atemoya	2.0
Avocado	2.0
Banana (pre-harvest and post harvest)	2.0
(of which not more than 0.1 is contained in the pulp)	
Barley, bran	6.0
Barley, forage	25
Barley, grain	3.0
Barley, hay	15.0
Barley, straw	7.0
Biriba	2.0
Brassica, head and stem, subgroup 5A	3.0
Brassica, leafy greens, subgroup 5B	25
Bushberry subgroup 13B	3.0
Caneberry subgroup 13A	5.0
Canistel	2.0
Canola, seed	1.0
Citrus, dried pulp	20.0
Citrus, oil	40.0
Cherimoya	2.0
Coriander, leaves	30.0
Corn, field, forage	12.0
Corn, field, grain	0.05
Corn, field, refined oil	0.3
Corn, field, stover	25.0
Corn, pop, grain	0.05
Corn, pop, stover	25.0
Corn, sweet, forage	12.0
Corn, sweet, kernel plus cob with husks removed	0.05
Corn, sweet, stover	25.0
Cotton, gin byproducts	45
Cotton, undelinted seed	0.6
Crambe, seed	0.5
Cranberry	0.50
Cucurbits	0.3
Custard apple	2.0
Feijoa	2.0
Flax, seed	0.5
Fruit, citrus, group 10	10.0
Fruit, stone	1.5
Grain, aspirated fractions	420
Grape	1.0
Grass, forage ¹	15
Grass, hay ¹	20
Guava	2.0
Herb Subgroup 19A, dried leaves	260
Herb Subgroup 19A, fresh leaves	50
Hop, dried cones	20.0
Ilama	2.0
Jaboticaba	2.0
Jackfruit	2.0
Juneberry	3.0
Lingonberry	3.0
Longan	2.0
Loquat	2.0
Lychee	2.0
Mango	2.0
Mustard, field, seed	0.5