Environmental Protection Agency

(e) Depleted rhenium scrubbing solution.

NSPS FOR THE PRIMARY MOLYBDENUM AND RHENIUM SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of molybdenum sulfide roasted	
Arsenic	0.995	0.444
Lead	0.201	0.093
Nickel	0.394	0.265
Selenium	0.587	0.265
Molybdenum	[Reserved]	[Reserved].
Ammonia (as N)	95.440	41.960
Fluoride	25.060	14.250
Total suspended solids	10.740	8.592
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

 $[50~{\rm FR}~38355,~{\rm Sept.}~20,~1985,~{\rm as~amended}~{\rm at}~55~{\rm FR}~31702,~{\rm Aug.}~3,~1990]$

§ 421.215 [Reserved]

§ 421.216 Pretreatment standards for new sources.

Except as provided in 40 CFR 403.7, any new source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for new sources. The mass of wastewater pollutants in primary molybdenum and rhenium process wastewater introduced into a POTW shall not exceed the following values:

(a) Molybdenum sulfide leachate.

PSNS FOR THE PRIMARY MOLYBDENUM AND RHENIUM SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of molybdenum sulfide leached	
Arsenic Lead Nickel Selenium Molybdenum Ammonia (as N) Fluoride	0.644 0.130 0.255 0.380 [Reserved] 61.720 16.210	0.287 0.060 0.171 0.171 [Reserved] 27.130 9.214

⁽b) Roaster SO₂ scrubber.

PSNS FOR THE PRIMARY MOLYBDENUM AND RHENIUM SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of molybdenum sulfide roasted	
Arsenic Lead Nickel Selenium Molybdenum Ammonia (as N) Fluoride	2.334 0.470 0.924 1.377 [Reserved] 223.800 58.770	1.041 0.218 0.621 0.621 [Reserved]. 98.390 33.410

(c) Molybdic oxide leachate.

PSNS FOR THE PRIMARY MOLYBDENUM AND RHENIUM SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per millior pounds) of molybdenum contained in molybdio oxide leached	
Arsenic Lead Nickel Selenium Molybdenum Ammonia (as N) Fluoride	16.100 3.244 6.371 9.499 [Reserved] 1,544.000 405.400	7.182 1.506 4.286 4.286 [Reserved] 678.800 230.500

 $\begin{array}{ccc} (d) & Hydrogen & reduction & furnace \\ scrubber. \end{array}$

PSNS FOR THE PRIMARY MOLYBDENUM AND RHENIUM SUBCATEGORY

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of molybdenum metal powder produced	
Arsenic	3.183 0.641 1.260 1.878 [Reserved] 305.300 80.150	1.420 0.298 0.847 0.847 [Reserved]. 134.200 45.570

(e) Depleted rhenium scrubbing solution.