## 40 CFR Ch. I (7-1-10 Edition)

Subpart E

## Continuous Rod Casting Spent Lubricant

	BAT effluent limitations	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum rod cast	
Chromium	0.00086 0.0006 0.0029 0.0127	0.0004 0.0002 0.0012 0.0063

## SUBPART E

# ${ Continuous \ Rod \ Casting \ Contact \ Cooling } \\ Water$

	BAT effluent limitations	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum rod cast	
Chromium	0.086 0.056 0.283 1.247	0.035 0.024 0.118 0.621

## SUBPART E

#### Solution Heat Treatment Contact Cooling Water

	BAT effluent limitations	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum quenched	
Chromium Cyanide Zinc Aluminum	0.896 0.591 2.974 13.10	0.367 0.245 1.243 6.519

## SUBPART E

## Cleaning or Etching Bath

	BAT effluent limitations	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum cleaned or etched	
Chromium	0.079 0.052 0.262 1.151	0.032 0.022 0.109 0.563

## SUBPART E

## Cleaning or Etching Rinse

	BAT effluent limitations	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum cleaned or etched	
Chromium	0.612 0.404 2.031 8.944	0.251 0.167 0.849 4.451

## Subpart E

## Cleaning or Etching Scrubber Liquor

	BAT effluent limitations	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum cleaned or etched	
Chromium	0.851 0.561	0.348 0.232
ZincAluminum	2.82 12.43	1.179 6.19

 $[48\ {\rm FR}\ 49149,\ {\rm Oct.}\ 24,\ 1983;\ 49\ {\rm FR}\ 11633$  and  $11635,\ {\rm Mar.}\ 27,\ 1984]$ 

## § 467.54 New source performance standards.

Any new source subject to this subpart must achieve the following performance standards. The discharge of wastewater pollutants from the core and ancillary operations shall not exceed the values set forth below:

## SUBPART E

## Core

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/m aluminum di oils	nillion off-lbs) of rawn with neat
Chromium	0.019	0.008
CyanideZinc	0.010 0.051	0.004 0.021
Aluminum	0.304	0.021
Oil and grease	0.498	0.498
Suspended solids	0.747	0.598
pH	(1)	(1)

<sup>&</sup>lt;sup>1</sup> Within the range of 7.0 to 10 at all times.

## **Environmental Protection Agency**

Subpart E

## Continuous Rod Casting Spent Lubricant

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum rod cast	
Chromium Cyanide Zinc Aluminum Oil and grease Suspended solids	0.0008 0.0004 0.002 0.012 0.02 0.03	0.0003 0.0002 0.0008 0.006 0.02 0.024
pH	(¹)	(1)

<sup>&</sup>lt;sup>1</sup> Within the range of 7.0 to 10 at all times.

## SUBPART E

## Continuous Rod Casting Contact Cooling Water

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum rod cast	
Chromium	0.072 0.039 0.198 1.185 1.939 2.909	0.029 0.016 0.082 0.526 1.939 2.327
pH	(1)	(1)

<sup>&</sup>lt;sup>1</sup> Within the range of 7.0 to 10 at all times.

## SUBPART E

# $Solution \ Heat \ Treatment \ Contact \ Cooling \\ Water$

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) o aluminum quenched	
Chromium	0.754	0.306
Cyanide	0.408	0.163
Zinc	2.08	0.856
Aluminum	12.45	5.52
Oil and grease	20.37	20.37
Suspended solids	30.56	24.45
pH	(1)	(1)

<sup>&</sup>lt;sup>1</sup> Within the range of 7.0 to 10 at all times.

## Subpart E

## Cleaning or Etching Bath

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) o aluminum cleaned or etched	
Chromium Cyanide Zinc Aluminum	0.066 0.036 0.183 1.094	0.027 0.015 0.075 0.485
Oil and grease Suspended solidspH	1.79 2.69 (¹)	1.79 2.15 (¹)

<sup>&</sup>lt;sup>1</sup> Within the range of 7.0 to 10 at all times.

## SUBPART E

## Cleaning or Etching Rinse

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum cleaned or etched	
Chromium Cyanide Zinc Aluminum Oil and grease Suspended solids DH	0.515 0.278 1.42 8.50 13.91 20.87	0.209 0.111 0.584 3.77 13.91 16.70

<sup>&</sup>lt;sup>1</sup> Within the range of 7.0 to 10 at all times.

## SUBPART E

## Cleaning or Etching Scrubber Liquor

	NSPS	
Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (lb/million off-lbs) of aluminum cleaned or etched	
Chromium Cyanide Zinc Aluminum Oil and grease Suspended solids	0.715 0.387 1.97 11.81 19.33 29.00	0.290 0.155 0.812 5.24 19.33 23.20
рН	(1)	(1)

 $<sup>^{\</sup>mbox{\scriptsize 1}}\mbox{\ensuremath{\mbox{Within}}}$  the range of 7.0 to 10 at all times.

 $[48\ FR\ 49149,\ Oct.\ 24,\ 1983;\ 49\ FR\ 11633$  and  $11635,\ Mar.\ 27,\ 1984]$ 

# § 467.55 Pretreatment standards for existing sources.

Except as provided in  $40\ \mathrm{CFR}\ 403.7$  and 403.13, any existing source subject