

Health and Human Services

315.371

and practices regarding the submission, maintenance, and disposal of reviewer rating sheets.

[74 FR 62398, Nov. 27, 2009, as amended at 75 FR 21510, Apr. 26, 2010]

315.306 Exchanges with offerors after receipt of proposals.

(d) *Exchanges with offerors after establishment of the competitive range.* The Project Officer or technical evaluation panel shall develop technical questions as part of the technical evaluation report. The questions shall disclose the ambiguities, weaknesses, and deficiencies of offeror(s)' proposals. The Contracting Officer, with the assistance of the Project Officer or panel as required, shall prepare the management, past performance, and cost or price questions. The method of requesting offerors in the competitive range to submit additional information may vary depending on the complexity of the questions, the extent of additional information necessary, the time needed to analyze the responses, and the time frame for making the award. However, to the extent practicable, all questions and answers shall be in writing. The Contracting Officer shall give each offeror in the competitive range an equitable period of time for preparation of responses to questions to the extent practicable.

315.307 Proposal revisions.

(b) Final proposal revisions are subject to—

(1) A final evaluation of price or cost and other salient factors by the Contracting Officer and Project Officer, with assistance from a cost/price analyst, as appropriate; and

(2) An evaluation of technical factors by the technical evaluation panel, as necessary.

The technical evaluation panel may rescore and re-rank technical proposals in the competitive range and prepare a technical evaluation report. To the extent practicable, the same evaluators who reviewed the original proposals shall perform the evaluation. The Contracting Officer and Project Officer shall conduct a final evaluation of past performance. The technical evaluation panel may be involved in the final evaluation of past performance, if the panel

is comprised solely of Government personnel.

315.370 Finalization of details with the selected source.

(a) After selection of the successful proposal, the Contracting Officer may finalize details with the selected offeror, if necessary. However, the Contracting Officer shall not introduce any factor that could have an effect on the selection process after the common cutoff date for receipt of final proposal revisions, nor shall the finalization process in any way prejudice the competitive interest or rights of the unsuccessful offerors. The Contracting Officer shall restrict finalization of details with the selected offeror to definitizing the final agreement on terms and conditions, assuming none of these factors were involved in the selection process.

(b) Whenever a change occurs in the requirements, the Contracting Officer shall reopen the competition, and provide all offerors submitting final proposal revisions an opportunity to resubmit proposals based on the revised requirements. If there is a question as to whether a change is material and would require the initiation of a new competition, the Contracting Officer shall obtain the advice of technical personnel and OGC-GLD before proceeding. Significant changes in the offeror's cost proposal may also necessitate a reopening of a competition, if the changes alter the factors involved in the original selection process.

(c) Upon finalization of details, the Contracting Officer shall obtain a confirmation letter from the successful offeror which includes any revisions to its technical proposal, the agreed upon price or cost, and, as applicable, a certificate of current cost or pricing data.

315.371 Contract preparation and award.

(a) After completing any activities that may be necessary to finalize details with the selected offeror, the Contracting Officer shall—

(1) Prepare the negotiation memorandum in accordance with 315.372;

(2) Prepare the contract containing all agreed to terms and conditions and clauses required by law or regulation;