#### Occupational Safety and Health Admin., Labor

Pt. 1926, Subpt. L, App. E

Scaffold erectors and dismantlers should all receive the general overview, and, in ad-


dition, specific training for the type of supported scaffold being erected or dismantled.

(Non-mandatory) Appendix E to Subpart L of Part 1926—Drawings and Illustrations


This appendix provides drawings of particular types of scaffolds and scaffold components, and graphic illustrations of bracing patterns and tie spacing patterns.

This appendix is intended to provide visual guidance to assist the user in complying with the requirements of subpart L, part 1926.

## **BRACING – TUBE & COUPLER SCAFFOLDS**




# SUSPENDED SCAFFOLD PLATFORM WELDING PRECAUTIONS




HOISTS MUST BE ELECTRONICALLY ISOLATED FROM SCAFFOLD


# MAXIMUM VERTICAL TIE SPACING WIDER THAN 3'-0" BASES



#### MAXIMUM VERTICAL TIE SPACING 3'- 0" AND NARROWER BASES



## SYSTEM SCAFFOLD











Grade stamp courtesy of Southern Pine Inspection Bureau

### TUBE and COUPLER SCAFFOLD




## **SCAFFOLDING WORK SURFACES**
















#### § 1926.500

### **OUTRIGGER SCAFFOLD**



 $[61~{\rm FR}~46122,~{\rm Aug.}~30,~1996;~61~{\rm FR}~59832,~{\rm Nov.}~25,~1996]$ 

#### Subpart M—Fall Protection

AUTHORITY: Section 3704 of the Contract Work Hours and Safety Standards Act (Construction Safety Act) (40 U.S.C. 3701); Sections 4, 6 and 8 of the Occupational Safety and Health Act of 1970 (29 U.S.C. 653, 655, 657); Secretary of Labor's Order Nos. 1–90 (55 FR 9033), 6–96 (62 FR 111), 3–2000 (65 FR 50017), and 5–2007 (72 FR 31159); and 29 CFR part 1911.

Source: 59 FR 40730, Aug. 9, 1994, unless otherwise noted.

#### § 1926.500 Scope, application, and definitions applicable to this subpart.

(a) Scope and application. (1) This subpart sets forth requirements and criteria for fall protection in construction workplaces covered under 29 CFR part 1926. Exception: The provisions of this subpart do not apply when employees are making an inspection, investigation, or assessment of workplace conditions prior to the actual start of construction work or after all construction work has been completed.