

the diesel engine in the event of a run-away.

(a) For a diesel engine that is not continuously manned, you must equip the engine with an automatic shutdown device;

(b) For a diesel engine that is continuously manned, you may equip the engine with either an automatic or remote manual air intake shutdown device;

(c) You do not have to equip a diesel engine with an air intake device if it meets one of the following criteria:

- (1) Starts a larger engine;
- (2) Powers a firewater pump;
- (3) Powers an emergency generator;
- (4) Powers a BOP accumulator system;
- (5) Provides air supply to divers or confined entry personnel;
- (6) Powers temporary equipment on a nonproducing platform;
- (7) Powers an escape capsule; or
- (8) Powers a portable single-cylinder rig washer.

[68 FR 8423, Feb. 20, 2003]

**§ 250.406 What additional safety measures must I take when I conduct drilling operations on a platform that has producing wells or has other hydrocarbon flow?**

You must take the following safety measures when you conduct drilling operations on a platform with producing wells or that has other hydrocarbon flow:

(a) You must install an emergency shutdown station near the driller's console;

(b) You must shut in all producible wells located in the affected wellbay below the surface and at the wellhead when:

- (1) You move a drilling rig or related equipment on and off a platform. This includes rigging up and rigging down activities within 500 feet of the affected platform;
- (2) You move or skid a drilling unit between wells on a platform;
- (3) A mobile offshore drilling unit (MODU) moves within 500 feet of a platform. You may resume production once the MODU is in place, secured, and ready to begin drilling operations.

[68 FR 8423, Feb. 20, 2003]

**§ 250.407 What tests must I conduct to determine reservoir characteristics?**

You must determine the presence, quantity, quality, and reservoir characteristics of oil, gas, sulphur, and water in the formations penetrated by logging, formation sampling, or well testing.

[68 FR 8423, Feb. 20, 2003]

**§ 250.408 May I use alternative procedures or equipment during drilling operations?**

You may use alternative procedures or equipment during drilling operations after receiving approval from the District Manager. You must identify and discuss your proposed alternative procedures or equipment in your Application for Permit to Drill (APD) (Form MMS-123) (see § 250.414(h)). Procedures for obtaining approval are described in section 250.141 of this part.

[68 FR 8423, Feb. 20, 2003, as amended at 72 FR 25201, May 4, 2007]

**§ 250.409 May I obtain departures from these drilling requirements?**

The District Manager may approve departures from the drilling requirements specified in this subpart. You may apply for a departure from drilling requirements by writing to the District Manager. You should identify and discuss the departure you are requesting in your APD (see § 250.414(h)).

[68 FR 8423, Feb. 20, 2003]

APPLYING FOR A PERMIT TO DRILL

**§ 250.410 How do I obtain approval to drill a well?**

You must obtain written approval from the District Manager before you begin drilling any well or before you sidetrack, bypass, or deepen a well. To obtain approval, you must:

- (a) Submit the information required by § 250.411 through 250.418;
- (b) Include the well in your approved Exploration Plan (EP), Development and Production Plan (DPP), or Development Operations Coordination Document (DOCD);

**§ 250.411**

**30 CFR Ch. II (7-1-11 Edition)**

(c) Meet the oil spill financial responsibility requirements for offshore facilities as required by 30 CFR part 253; and

(d) Submit the following to the District Manager:

(1) An original and two complete copies of Form MMS-123, Application for Permit to Drill (APD), and Form MMS-123S, Supplemental APD Information Sheet;

(2) A separate public information copy of forms MMS-123 and MMS-123S that meets the requirements of § 250.186; and

(3) Payment of the service fee listed in § 250.125.

[68 FR 8423, Feb. 20, 2003, as amended at 71 FR 40911, July 19, 2006; 72 FR 25201, May 4, 2007]

**§ 250.411 What information must I submit with my application?**

In addition to forms MMS-123 and MMS-123S, you must include the information described in the following table.

Information that you must include with an APD	Where to find a description
(a) Plat that shows locations of the proposed well.	§ 250.412
(b) Design criteria used for the proposed well.	§ 250.413
(c) Drilling prognosis .....	§ 250.414
(d) Casing and cementing programs .....	§ 250.415
(e) Diverter and BOP systems descriptions ..	§ 250.416
(f) Requirements for using an MODU .....	§ 250.417
(g) Additional information .....	§ 250.418

[68 FR 8423, Feb. 20, 2003]

**§ 250.412 What requirements must the location plat meet?**

The location plat must:

(a) Have a scale of 1:24,000 (1 inch = 2,000 feet);

(b) Show the surface and subsurface locations of the proposed well and all the wells in the vicinity;

(c) Show the surface and subsurface locations of the proposed well in feet or meters from the block line;

(d) Contain the longitude and latitude coordinates, and either Universal Transverse Mercator grid-system coordinates or state plane coordinates in the Lambert or Transverse Mercator Projection system for the surface and

subsurface locations of the proposed well; and

(e) State the units and geodetic datum (including whether the datum is North American Datum 27 or 83) for these coordinates. If the datum was converted, you must state the method used for this conversion, since the various methods may produce different values.

[68 FR 8423, Feb. 20, 2003]

**§ 250.413 What must my description of well drilling design criteria address?**

Your description of well drilling design criteria must address:

(a) Pore pressures;

(b) Formation fracture gradients, adjusted for water depth;

(c) Potential lost circulation zones;

(d) Drilling fluid weights;

(e) Casing setting depths;

(f) Maximum anticipated surface pressures. For this section, maximum anticipated surface pressures are the pressures that you reasonably expect to be exerted upon a casing string and its related wellhead equipment. In calculating maximum anticipated surface pressures, you must consider: drilling, completion, and producing conditions; drilling fluid densities to be used below various casing strings; fracture gradients of the exposed formations; casing setting depths; total well depth; formation fluid types; safety margins; and other pertinent conditions. You must include the calculations used to determine the pressures for the drilling and the completion phases, including the anticipated surface pressure used for designing the production string;

(g) A single plot containing estimated pore pressures, formation fracture gradients, proposed drilling fluid weights, and casing setting depths in true vertical measurements;

(h) A summary report of the shallow hazards site survey that describes the geological and manmade conditions if not previously submitted; and

(i) Permafrost zones, if applicable.

[68 FR 8423, Feb. 20, 2003]

**§ 250.414 What must my drilling prognosis include?**

Your drilling prognosis must include a brief description of the procedures