anastomotic stoma are sufficiently recognized as to warrant two separate graduated descriptions. In evaluating the ulcer, care should be taken that the findings adequately identify the particular location.

§4.111 Postgastrectomy syndromes.

There are various postgastrectomy symptoms which may occur following anastomotic operations of the stomach. When present, those occurring during or immediately after eating and known as the "dumping syndrome" are characterized by gastrointestinal complaints and generalized symptoms simulating hypoglycemia; those occurring from 1 to 3 hours after eating usually present definite manifestations of hypoglycemia.

§4.112 Weight loss.

For purposes of evaluating conditions in §4.114, the term "substantial weight loss" means a loss of greater than 20 percent of the individual's baseline weight, sustained for three months or longer; and the term "minor weight loss" means a weight loss of 10 to 20 percent of the individual's baseline weight, sustained for three months or longer. The term "inability to gain weight" means that there has been substantial weight loss with inability to regain it despite appropriate therapy. "Baseline weight" means the average weight for the two-year-period preceding onset of the disease.

(Authority: 38 U.S.C. 1155) [66 FR 29488, May 31, 2001]

§ 4.113 Coexisting abdominal conditions.

There are diseases of the digestive system, particularly within the abdomen, which, while differing in the site of pathology, produce a common disability picture characterized in the main by varying degrees of abdominal distress or pain, anemia and disturbances in nutrition. Consequently, certain coexisting diseases in this area, as indicated in the instruction under the title "Diseases of the Digestive System," do not lend themselves to distinct and separate disability evaluations without violating the funda-

mental principle relating to pyramiding as outlined in §4.14.

§4.114 Schedule of ratings—digestive system.

Ratings under diagnostic codes 7301 to 7329, inclusive, 7331, 7342, and 7345 to 7348 inclusive will not be combined with each other. A single evaluation will be assigned under the diagnostic code which reflects the predominant disability picture, with elevation to the next higher evaluation where the severity of the overall disability warrants such elevation.

	Rat- ing
7200 Mouth, injuries of.	
Rate as for disfigurement and impairment of	
function of mastication.	
7201 Lips, injuries of.	
Rate as for disfigurement of face.	
7202 Tongue, loss of whole or part:	
With inability to communicate by speech	100
One-half or more	60 30
7203 Esophagus, stricture of:	30
Permitting passage of liquids only, with marked	
impairment of general health	80
Severe, permitting liquids only	50
Moderate	30
7204 Esophagus, spasm of (cardiospasm).	
If not amenable to dilation, rate as for the de-	
gree of obstruction (stricture).	
7205 Esophagus, diverticulum of, acquired.	
Rate as for obstruction (stricture).	
7301 Peritoneum, adhesions of:	
Severe; definite partial obstruction shown by X-	
ray, with frequent and prolonged episodes of	
severe colic distension, nausea or vomiting, following severe peritonitis, ruptured appendix,	
perforated ulcer, or operation with drainage	50
Moderately severe; partial obstruction mani-	
fested by delayed motility of barium meal and	
less frequent and less prolonged episodes of	
pain	30
Moderate; pulling pain on attempting work or ag-	
gravated by movements of the body, or occa-	
sional episodes of colic pain, nausea, con-	
stipation (perhaps alternating with diarrhea) or	
abdominal distension	10
Mild	0
NOTE: Ratings for adhesions will be considered	
when there is history of operative or other traumatic or infectious (intraabdominal) proc-	
ess, and at least two of the following: disturb-	
ance of motility, actual partial obstruction, re-	
flex disturbances, presence of pain.	
7304 Ulcer, gastric.	
7305 Ulcer, duodenal:	
Severe; pain only partially relieved by standard	
ulcer therapy, periodic vomiting, recurrent	
hematemesis or melena, with manifestations	
of anemia and weight loss productive of defi-	
nite impairment of health	60
Moderately severe; less than severe but with im-	
pairment of health manifested by anemia and	
weight loss; or recurrent incapacitating epi-	
sodes averaging 10 days or more in duration	٠,
at least four or more times a year	40