

Environmental Protection Agency

§ 180.418

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[49 FR 391, Jan. 4, 1984, as amended at 50 FR 4976, Feb. 5, 1985; 52 FR 11262, Apr. 8, 1987; 62 FR 66014, Dec. 17, 1997; 64 FR 5191, Feb. 3, 1999; 64 FR 54782, Oct. 8, 1999; 66 FR 37598, July 19, 2001; 66 FR 41454, Aug. 8, 2001; 67 FR 2342, Jan. 17, 2002; 67 FR 49617, July 31, 2002; 72 FR 68534, Dec. 5, 2007]

§ 180.417 Triclopyr; tolerances for residues.

(a) *General.* (1) Tolerances for residues of the herbicide triclopyr per se, as a result of the application/use of butoxyethyl ester of triclopyr and triethylamine salt of triclopyr, are established in or on the following raw agricultural commodities:

Commodity	Parts per million
Egg	0.05
Fish	3.0
Grass, forage	700.0
Grass, hay	200.0
Milk	0.01
Poultry, fat	0.1
Poultry, meat	0.1
Poultry, meat byproducts, except kidney	0.1
Rice, grain	0.3
Rice, straw	10.0
Shellfish	3.5

(2) Tolerances for the combined residues of the herbicide triclopyr ((3,5,6-trichloro-2-pyridinyl)oxy) acetic acid and its metabolite 3,5,6-trichloro-2-pyridinol (TCP), as a result of the application/use of butoxyethyl ester of triclopyr or the triethylamine salt of triclopyr, are established in or on the following raw agricultural commodities:

Commodity	Parts per million
Cattle, fat	0.05
Cattle, kidney	0.5
Cattle, liver	0.5
Cattle, meat	0.05
Cattle, meat byproducts, except kidney and liver	0.05
Goat, fat	0.05
Goat, kidney	0.5
Goat, liver	0.5
Goat, meat	0.05
Goat, meat byproducts, except kidney and liver	0.05
Hog, fat	0.05
Hog, kidney	0.5
Hog, liver	0.5
Hog, meat	0.05
Hog, meat byproducts, except kidney and liver	0.05
Horse, fat	0.05
Horse, kidney	0.5

Commodity	Parts per million
Horse, liver	0.5
Horse, meat	0.05
Horse, meat byproducts, except kidney and liver	0.05
Sheep, fat	0.05
Sheep, kidney	0.5
Sheep, liver	0.5
Sheep, meat	0.05
Sheep, meat byproducts, except kidney and liver	0.05

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[50 FR 18486, May 1, 1985, as amended at 55 FR 26440, June 28, 1990; 60 FR 4095, Jan. 20, 1995; 62 FR 46894, Sept. 5, 1997; 63 FR 45406, Aug. 26, 1998; 67 FR 35048, May 17, 2002; 67 FR 58725, Sept. 18, 2002; 72 FR 41931, Aug. 1, 2007]

§ 180.418 Cypermethrin and an isomer zeta-cypermethrin; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the insecticide cypermethrin (±)alpha cyano-(3-phenoxyphenyl)methyl(±)cis,trans-3(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate in or on the following commodities:

Commodity	Parts per million
Brassica, head and stem, subgroup 5A	2.0
Brassica, leafy greens, subgroup 5B	14.0
Cattle, fat	1.0
Cattle, meat	0.2
Cattle, meat byproducts	0.05
Cotton, gin byproducts	11.0
Cotton, undelinted seed	0.5
Egg	0.05
Goat, fat	1.0
Goat, meat	0.2
Goat, meat byproducts	0.05
Hog, fat	0.1
Hog, meat	0.05
Horse, fat	1.0
Horse, meat	0.2
Horse, meat byproducts	0.05
Lettuce, head	4.0
Milk, fat (reflecting 0.10 in whole milk)	2.5
Onion, bulb	0.1
Onion, green	6.0
Pecan	0.05
Poultry, fat	0.05
Poultry, meat	0.05
Sheep, fat	1.0
Sheep, meat	0.2
Sheep, meat byproducts	0.05

(2) Tolerances are established for residues of the insecticide Z-cypermethrin (S-cyano(3-phenoxyphenyl) methyl

§ 180.418

40 CFR Ch. I (7-1-11 Edition)

(±)(cis-trans 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropanecarboxylate and its inactive R-isomers in or on the following raw agricultural commodities:

Commodity	Parts per million
Alfalfa, hay	15.00
Alfalfa, forage	5.00
Alfalfa, seed	0.50
Almond, hulls	6
Animal feed, nongrass, group 18, forage	8
Animal feed, nongrass, group 18, hay	40
Beet, sugar, roots	0.05
Beet, sugar, tops	0.20
Berry group 13	0.8
Borage, seed	0.2
Brassica, head and stem, subgroup 5A	2.00
Brassica, leafy greens, subgroup 5B	14.00
Cabbage	2.00
Castor oil plant, refined oil	0.4
Castor oil plant, seed	0.2
Cattle, fat	1.00
Cattle, meat	0.2
Cattle, meat byproducts	0.05
Chinese tallowtree, refined oil	0.4
Chinese tallowtree, seed	0.2
Cilantro, leaves	10
Citrus, dried pulp	1.8
Citrus, oil	4.0
Corn, field, forage	0.20
Corn, field, grain	0.05
Corn, field, stover	3.00
Corn, pop, grain	0.05
Corn, pop, stover	3.00
Corn, sweet, forage	15.00
Corn, sweet, kernel plus cob with husks removed	0.05
Corn, sweet, stover	15.00
Cotton, undelinted seed	0.5
Crambe, seed	0.2
Cuphea, seed	0.2
Echium, seed	0.2
Egg	0.05
Euphorbia, refined oil	0.4
Euphorbia, seed	0.2
Evening primrose, refined oil	0.4
Evening primrose, seed	0.2
Flax, seed	0.2
Food commodities/feed commodities (other than those covered by a higher tolerance as a result of use on growing crops) in food/feed handling establishments	0.05
Fruit, citrus, group 10	0.35
Fruit, pome, group 11	2
Fruit, stone, group 12	1
Goat, fat	1.00
Goat, meat	0.2
Goat, meat byproducts	0.05
Gold of pleasure, seed	0.2
Grain, aspirated fractions	10.0
Grape	2
Grass, forage, fodder, and hay, group 17, forage	10
Grass, forage, fodder and hay, group 17, hay	35
Hare's-ear mustard, seed	0.2
Hog, fat	0.1
Hog, meat	0.05
Horse, fat	1.00
Horse, meat	0.2
Horse, meat byproducts	0.05
Jajoba, refined oil	0.4
Jajoba, seed	0.2
Lesquerella, seed	0.2

Commodity	Parts per million
Lunaria, seed	0.2
Meadowfoam, seed	0.2
Milk, fat (reflecting 0.10 in whole milk)	2.50
Milkweed, seed	0.2
Mustard, seed	0.2
Niger seed, refined oil	0.4
Niger seed, seed	0.2
Nut, tree, group 14	0.05
Oil radish, seed	0.2
Okra	0.2
Onion, bulb	0.10
Onion, green	3.00
Pea and bean, dried shelled, except soybean, subgroup 6C	0.05
Pea and bean, succulent shelled, subgroup 6B	0.1
Peanut	0.05
Pecan	0.05
Poppy, seed	0.2
Poultry, fat	0.05
Poultry, meat	0.05
Rapeseed	0.2
Rice, grain	1.50
Rice, hulls	6.00
Rice, straw	2.00
Rice, wild, grain	1.5
Rose hip, refined oil	0.4
Rose hip, seed	0.2
Safflower, seed	0.2
Sesame, seed	0.2
Sheep, fat	1.00
Sheep, meat	0.2
Sheep, meat byproducts	0.05
Sorghum, grain, forage	0.1
Sorghum, grain, grain	0.5
Sorghum, grain, stover	5.0
Soybean, seed	0.05
Stokes aster, refined oil	0.4
Stokes aster, seed	0.2
Sugarcane, cane	0.60
Sunflower, refined oil	0.5
Sunflower, seed	0.2
Sweet rocket, seed	0.2
Tallowwood, refined oil	0.4
Tallowwood, seed	0.2
Tea oil plant, refined oil	0.4
Tea oil plant, seed	0.2
Turnip, greens	14
Vegetable, cucurbit, group 9	0.2
Vegetable, fruiting, group 8	0.2
Vegetable, leafy, except brassica, group 4	10.00
Vegetable, legume, edible podded, subgroup 6A	0.5
Vegetable, root and tuber, group 1, except sugar beet	0.1
Vernonia, refined oil	0.4
Vernonia, seed	0.2
Wheat, forage	3.0
Wheat, grain	0.2
Wheat, hay	6.0
Wheat, straw	7.0

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

Environmental Protection Agency

§ 180.420

(d) *Indirect or inadvertent residues.*
[Reserved]

[62 FR 63235, 63243, Nov. 26, 1997, as amended at 63 FR 48586, Sept. 11, 1998; 66 FR 47993, Sept. 17, 2001; 67 FR 6430, Feb. 12, 2002; 67 FR 56495, Sept. 4, 2002; 69 FR 71717, Dec. 10, 2004; 71 FR 78382, Dec. 29, 2006; 72 FR 53462, Sept. 19, 2007; 72 FR 71801, Dec. 19, 2007; 73 FR 1525, Jan. 9, 2008]

§ 180.419 Chlorpyrifos-methyl; tolerances for residues.

(a) *General.* (1) Tolerances are established for the combined residues of the insecticide chlorpyrifos-methyl [*O,O*-dimethyl *O*-(3,5,6-trichloro-2-pyridyl)] phosphorothioate and its metabolite (3,5,6-trichloro-2-pyridinol) in or on the following food commodities:

Commodity	Parts per million
Barley, grain	6.0
Cattle, fat	0.5
Cattle, meat	0.5
Cattle, meat byproducts	0.5
Egg	0.1
Goat, fat	0.5
Goat, meat	0.5
Goat, meat byproducts	0.5
Hog, fat	0.5
Hog, meat	0.5
Hog, meat byproducts	0.5
Horse, fat	0.5
Horse, meat	0.5
Horse, meat byproducts	0.5
Milk, fat (0.05 ppm (N) in whole milk)	1.25
Oat, grain	6.0
Poultry, fat	0.5
Poultry, meat	.5
Poultry, meat byproducts	.5
Rice, grain	6.0
Sheep, fat	0.5
Sheep, meat	0.5
Sheep, meat byproducts	0.5
Sorghum, grain	6.0
Wheat, grain	6.0

(2) Tolerances are established for the combined residues of the insecticide chlorpyrifos-methyl [*O,O*-dimethyl-*O*-(3,5,6-trichloro-2-pyridyl)] phosphorothioate and its metabolite (3,5,6-trichloro-2-pyridinol) in or on the following food commodities when present therein as a result of application to stored grains:

Commodity	Parts per million
Barley, bran	90
Barley, pearled barley	90
Rice, bran	30
Rice, hulls	30
Rice, polished rice	30
Sorghum, grain, bran	90
Wheat, bran	30

Commodity	Parts per million
Wheat, germ	30
Wheat, middlings	30
Wheat, shorts	30

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[65 FR 33715, May 24, 2000, as amended at 74 FR 46374, Sept. 9, 2009]

§ 180.420 Fluridone; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the herbicide fluridone, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only the sum of fluridone, 1-methyl-3-phenyl-5-(3-(trifluoromethyl)phenyl)-4(1*H*)-pyridinone, and its bound residues, calculated as the stoichiometric equivalent of fluridone, in or on the commodity.

Commodity	Parts per million
Crayfish	0.5
Fish	0.5

(2) Tolerances are established for residues of the herbicide fluridone, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only fluridone, 1-methyl-3-phenyl-5-(3-(trifluoromethyl)phenyl)-4(1*H*)-pyridinone, in or on the commodity.

Commodity	Parts per million
Cattle, fat	0.05
Cattle, kidney	0.1
Cattle, liver	0.1
Cattle, meat	0.05
Cattle, meat byproducts	0.05
Egg	0.05
Goat, fat	0.05
Goat, kidney	0.1
Goat, liver	0.1
Goat, meat	0.05
Goat, meat byproducts	0.05
Hog, fat	0.05
Hog, kidney	0.1