

§ 180.599

Compliance with the tolerance levels specified in the following table is to be determined by measuring only novaluron, (N-[[[3-chloro-4-[1,1,2-trifluoro-2-(trifluoromethoxy)ethoxy]phenyl]amino]carbonyl]-2,6-difluorobenzamide). These tolerances will expire and are revoked on the dates specified in the following table:

Commodity	Parts per million	Expiration/revocation date
Strawberry	0.50	12/31/11

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertant residues.* [Reserved]

[69 FR 31021, June 2, 2004, as amended at 71 FR 17014, Apr. 5, 2006; 71 FR 61911, Oct. 20, 2006; 73 FR 74982, Dec. 10, 2008; 74 FR 637, Jan. 7, 2009; 74 FR 20891, May 6, 2009; 74 FR 65033, Dec. 9, 2009; 75 FR 4278, Jan. 27, 2010; 75 FR 29447, May 26, 2010]

§ 180.599 Acequinocyl; tolerances for residues.

(a) *General.* Tolerances are established for residues of acequinocyl, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of acequinocyl [2-(acetyloxy)-3-dodecyl-1,4-naphthalenedione] and its metabolite, 2-dodecyl-3-hydroxy-1,4-naphthoquinone, calculated as the stoichiometric equivalent of acequinocyl, in or on the commodity.

Commodity	Parts per million
Almond, hulls	2.0
Apple, wet pomace	1.0
Bean, edible podded	0.25
Cattle, fat	0.02
Cattle, liver	0.02
Citrus, oil	30
Fruit, citrus, group 10	0.20
Fruit, pome, group 11	0.40
Goat, fat	0.02
Goat, liver	0.02
Grape	1.6
Hop, dried cones	4.0
Horse, fat	0.02
Horse, liver	0.02
Nut, tree, group 14	0.02
Okra	0.70
Pistachio	0.02
Sheep, fat	0.02
Sheep, liver	0.02
Strawberry	0.40

40 CFR Ch. I (7-1-11 Edition)

Commodity	Parts per million
Vegetable, fruiting, group 8	0.70

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[69 FR 43533, July 21, 2004, as amended at 73 FR 17910, Apr. 2, 2008; 75 FR 70148, Nov. 17, 2010]

§ 180.600 Propoxycarbazone; tolerances for residues

(a) *General.* (1) Tolerances are established for combined residues of the herbicide propoxycarbazone methyl 2-[[[(4,5-dihydro-4-methyl-5-oxo-3-propoxy-1H-1,2,4-triazol-1-yl)carbonyl]amino]sulfonyl]benzoate and its metabolite methyl 2-[[[(4,5-dihydro-3-(2-hydroxypropoxy)-4-methyl-5-oxo-1H-1,2,4-triazol-1-yl)carbonyl]amino]sulfonyl]benzoate in/on the following raw agricultural commodities:

Commodity	Parts per million
Grass, forage	20
Grass, hay	25
Wheat, forage	17
Wheat, grain	0.02
Wheat, hay	0.15
Wheat, straw	0.05

(2) Tolerances are established for residues of the herbicide propoxycarbazone methyl 2-[[[(4,5-dihydro-4-methyl-5-oxo-3-propoxy-1H-1,2,4-triazol-1-yl)carbonyl]amino]sulfonyl]benzoate in/on the following raw agricultural commodities:

Commodity	Parts per million
Cattle, meat	0.05
Cattle, meat byproducts	0.3
Goat, meat	0.05
Goat, meat byproducts	0.3
Horse, meat	0.05
Horse, meat byproducts	0.3
Milk	0.03
Sheep, meat	0.05
Sheep, meat byproducts	0.3

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

Environmental Protection Agency

§ 180.603

(d) *Indirect or inadvertent residues.*
[Reserved]

[69 FR 40781, July 7, 2004, as amended at 71 FR 52487, Sept. 6, 2006; 74 FR 9377, Mar. 4, 2009]

§ 180.601 Cyazofamid; tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide cyazofamid, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only the sum of 4-chloro-2-cyano-*N,N*-dimethyl-5-(4-methylphenyl)-1*H*-imidazole-1-sulfonamide and its metabolite, 4-chloro-5-(4-methylphenyl)-1*H*-imidazole-2-carbonitrile, calculated as the stoichiometric equivalent of cyazofamid, in or on the following commodities:

Commodity	Parts per million
Brassica, head and stem, subgroup 5A	1.2
Brassica, leafy greens, subgroup 5B	12.0
Carrot, roots	0.09
Hop dried cones	10.0
Okra	0.40
Potato	0.02
Spinach	9.0
Turnip, greens	12.0
Vegetable, cucurbit, group 9	0.10
Vegetable, fruiting, group 8	0.40

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registrations are established for residues of the fungicide cyazofamid, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only the sum of 4-chloro-2-cyano-*N,N*-dimethyl-5-(4-methylphenyl)-1*H*-imidazole-1-sulfonamide and its metabolite, 4-chloro-5-(4-methylphenyl)-1*H*-imidazole-2-carbonitrile, calculated as the stoichiometric equivalent of cyazofamid, in or on the following commodities:

Commodity	Parts per million
Grape	1.5

(d) *Indirect or inadvertent residues.*
[Reserved]

[69 FR 58299, Sept. 30, 2004, as amended at 73 FR 21839, Apr. 23, 2008; 74 FR 32453, July 8, 2009; 75 FR 40751, July 14, 2010]

§ 180.602 Spiroxamine; tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide spiroxamine, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified in the following table is to be determined by measuring only spiroxamine, [(8-(1,1-dimethylethyl)-*N*-ethyl-*N*-propyl-1,4-dioxaspiro[4,5]decane-2-methanamine) in or on the commodities.

Commodity	Parts per million
Artichoke, globe, import ¹	0.7
Asparagus ¹	0.05
Banana (import)	3.0
Grape (import)	1.0
Hop, dried cones	50
Vegetable, fruiting, crop group 8 ¹	1.2

¹ No U.S. registration as of December 1, 2010.

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[69 FR 42570, July 16, 2004, as amended at 75 FR 74640, Dec. 1, 2010]

§ 180.603 Dinotefuran; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of dinotefuran, (*RS*)-1-methyl-2-nitro-3-((tetrahydro-3-furanyl)methyl)guanidine, including its metabolites and degradates, in or on the commodities listed in the following table. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of dinotefuran and its metabolites DN, 1-methyl-3-(tetrahydro-3-furylmethyl)guanidine, and UF, 1-methyl-3-(tetrahydro-3-furylmethyl)urea, calculated as the stoichiometric equivalent of dinotefuran, in or on the commodities listed in the table below: