| Inert ingredients | Limits | Uses |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| Terpenes and terpenoids, turpentine oil, alphapinene fraction, polymd. (CAS Reg. No. 70750–57–1). | | Surfactants, related adjuvants of surfactants |
| 1,1,1,2-Tetrafluoroethane, (CAS Reg. No. 811–97–2). | | Aerosol propellant |
| Tetrahydrofurfuryl alcohol (THFA) (CAS Reg. No 97–99–4). | Expires February 9, 2008 | Solvent/cosolvent |
| N,N,N',N'',-tetrakis-(2-hydroxypropyl) ethylene- diamine (CAS Reg. No. 102–60–3). | Concentration in formulated end-use products not to exceed 20% by weight in pesticide formulations. | Stabilizer for formulation. |
| α-[ρ-(1,1,3,3-tetramethylbutyl)phenyl]-ω- hydroxypoly(oxyethylene) produced by the condensation of 1 mole of ρ-(1,1,3,3- tetramethylbutyl)phenol with a range of 1–14 or 30–70 moles of ethylene oxide: If a blend of products is used, the average range num- ber of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 1–14 or 30– 70 (CAS Reg. Nos. 9036–19–5, 9002–93–1). | Not to exceed 7% of pesticide formulation. Expires May 17, 2012. | Surfactants, related adjuvants of surfactants |
| 2,4,7,9-Tetramethyl-5-decyn-4, 7-diol | Not more than 2.5% of pes- ticide formulation. | Surfactants, related adjuvants of surfactants |
| Tetrasodium pyrophosphate | | Anticaking agent, conditioning agent Dechlorinator, reducing agent |
| Thiosulfuric acid, disodium salt, pentahydrate. (CAS Reg. No. 10102–17–7). | | Do. |
| d-Àlpha tocopherol (CAS Reg. No. 9-02-9 d-Alpha tocopheryl acetate (CAS Reg. No. 58-95-7). | None | Safener Do. |
| dl-Alpha tocopherol (CAS Reg. No.10191–41–0) dl-Alpha tocopheryl acetate (CAS Reg. No. 7695–91–2). | None | Do. Do. |
| Tricalcium phosphate | | Surfactant, suspending agent, dispersing agent, anticaking agent, conditioning agent |
| Trisodium phosphate | | Surfactant, emulsifier, wetting agent Solid diluent, carrier. |
| Vitamin E (CAS Reg. No. 1406–18–4) | None | Safener Leaching inhibitor, binder for water-dispersible aggregates, sticker and suspension stabilizer |
| Wintergreen oil | Derived from wood free of | Attractant Solid diluent and carrier |
| | chemical preservatives. | |
| Xanthan gum-modified, produced by the reaction of xanthan gum and glyoxal (maximum 0.3% by weight). | Not more than 0.5% of pesticide formulation. | Surfactant |
| Xylene meeting the specifications listed in 21 CFR 172.884(b)(4). | In pesticide formulations for grain storage only. | Solvent, cosolvent |
| Zeolite (hydrated alkali aluminum silicate) Zinc oxide | | Solid diluent, carrier |
| Zinc sulfate (basic and monohydrate) | | Coating agent Do. |
| Zinc sulfate (basic and monohydrate) | | Solid diluent, carrier |

[69 FR 23117, Apr. 28, 2004]

EDITORIAL NOTE: For Federal Register citations affecting \$180.910, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§180.920 Inert ingredients used preharvest; exemptions from the requirement of a tolerance.

The following materials are exempted from the requirement of a tolerance

when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only:

| Inert ingredients | Limits | Uses |
|-------------------|--------|------------|
| Acetophenone | | Attractant |

| Inert ingredients | Limits | Uses | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|--|
| Adenosine (CAS Reg. No. 58–61–7) | Maximum of 0.5% of formulation. | Synergist | |
| Alder bark Alkyl (C_{12} - C_{16}) dimethyl ammonio acetate (CAS Reg. Nos. 683–10–3, 2601–33–4 and 693–33–4. | 20% by weight in pesticide formulation. | Seed germination stimulator Surfactant | |
| α-Alkyl (minimum C ₆ linear, branched, saturated and/or unsaturated)-ω-hydroxypolyoxyethylene polymer with or without polyoxypropylene, mixture of di- and monohydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; minimum oxyethylene content is 2 moles; minimum oxypropylene content is 2 moles; (CAS Reg. Nos. 9046–01–9, 37280–82–3, 39464–66–9, 42612–52–2, 50643–20–4, 52019–36–0, 58318–92–6, 60267–55–2, 68071–35–2, 68071–17–0, 68130–47–2, 68186–37–8, 68186–36–7, 68311–02–4, 68425–73–0, 68458–48–0, 68511–37–5, 68610–65–1, 68895–36–4, 68649–29–6, 68815–11–2, 68908–64–5, 68891–13–4, 73038–25–2, 78330–24–2, 108818–88–8, 154518–39–5, 317833–96–8, 873662–29–4, 936100–29–7, 936100–30–0). | Not to exceed 30% of pesticide formulation. | Surfactants, related adjuvants of surfactants | |
| 936100-29-1, 936100-30-0). N-alkyl (Cs-Cr _s) primary amines and their acetate salts where the alkyl group is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 61790-57-6, 61790-58-7, 61790-59-8, 61790-60-1, 61788-46-3, 61790-33-8, 68155-38-4). | Concentration in formulated end-use products not to exceed 10% by weight in herbicide products, 4% by weight in insecticide products, and 4% by weight in fungicide prod- ucts. | Surfactants, related adjuvants of surfactants | |
| $\label{eq:N.h.Bis-} N,N-Bis-α-ethyl-w-hydroxypoly(oxy-1,2-ethanediyl) Cs-C1s saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl) content is 2-60 moles (CAS Reg. Nos. 10213-78-2, 25307-17-9, 26635-92-7, 26635-93-8, 288259-52-9, 58253-49-9, 61790-82-7, 61791-14-8, 61791-24-0, 61791-26-2, 61791-31-9, 61791-24-0, 68155-33-9, 68155-39-5, 73246-96-5).$ | Not to exceed 25% in herbicide formulations and 10% in insecticide and fungicide formulations. | Surfactants, related adjuvants of surfactants | |
| N,N–Bis-α-ethyl-α-hydroxypoly(oxy-1,2-ethanediyl/oxy(methyl-1,2-ethanediyl) C ₈ -C ₁₈ saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl/oxy(methyl-1,2-ethanediyl) content is 2–60 moles (CAS Reg. Nos. 68213–26–3, 68153–97–9, 75601–76–2). | Not to exceed 25% in herbi- cide formulations and 10% in insecticide and fungicide formulations. | Surfactants, related adjuvants of surfactants | |
| Aluminum sulfate | | Safener adjuvant Carrier/nutrient | |
| Ammonium formate (CAS Reg. No. 540–69–2) Ammonium nitrate (CAS Reg. No. 6484–52–2) Ammonium polyphosphate (CAS Reg. No. 68333–79–9). Barium sulfate | | Complexing or fixing agent Adjuvant/ intensifier for herbicides Sequestrant, buffer, or surfactant Carrier | |
| 1,4-Benzenedicarboxylic acid, dimethyl ester, polymer with 1,4-butanediol, adipic acid, and hexamethylene diisocyanate, minimum num- ber average molecular weight (in amu) 30,000 (CAS Reg. No. 55231–08–8). | For use in honeybee hive miticide formulations. | Component of controlled release agent | |
| 1,2-Benzisothiazolin-3-one | Not more than 0.1% of for- mulation. Not more than 0.02 lb to be applied per acre. | Preservative/stabilizer Sequestrant | |
| Buffalo gourd root powder (<i>Cucurbita foetidissima</i> root powder); or, Zucchini juice (<i>Cucurbita pepo</i> juice) or Hawkesbury melon <i>Citrullus lanatus.</i> . | No more than 2.5 lbs/acre/ season (3.4 gm/acre/sea- son of Cucurbitacin). | Gustatory stimulant | |
| Butyl stearate | l | Detoamer | |

| Inert ingredients | Limits | Uses |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | Columnt |
| γ-Butyrolactone | For seed treament use only | Solvent Dye, coloring agent |
| C.I. Pigment Green #7 (CAS Reg. No. 1328– 53–6; containing no more than 50 ppm poly- chlorinated biphenyls (PCBs)). | For seed treatment use only. | Dye, coloring agent |
| C.I. Pigment Violet #23 (CAS Reg. No. 6358– 30–1; containing no more than 20 ppb of poly- chlorinated dibenzo-p-dioxins and/or poly- chlorinated dibenzofurans). | For seed treatment use only. | Dye, coloring agent |
| Camphor (CAS Reg. No. 76–22–2) | Not more than 5% weight to weight (w/w) of pesticide formulations. | Deodorant, melting point adjustment |
| Carbon Black (CAS Reg. No. 1333–86–4) | For seed treatment use only. | Colorant |
| Carbonic acid, dipotassium salt (CAS Reg. No. 584–08–7). Carbonic acid, dipotassium salt, trihydrate (CAS | | Buffering agent Buffering agent |
| Reg. No. 18662–52–7). Carous chloride | 10 ppm in formulation | Tagging agent |
| Carrageenan, conforming to 21 CFR 172.260 Chlorobenzene | Not more than 0.15% of pesticide formulation. Contains not more than 1% | Thickener and stabilizer for pesticide formula- tions applied to seeds before planting Solvent, cosolvent |
| | impurities. Not for use after edible parts of plant begin to form. Do not graze livestock in treated areas within 48 hours after application. | |
| 5-Chloro-2-methyl-4-isothiazolin-3-one (in combination with 2-methyl-4-isothiazolin-3-one). | Not more than 0.0022% (22.5 ppm) in the formu- lation; 0.00022% (or 2.25 ppm) in the final solution applied to growing crops. | Preservative |
| Choline chloride (CAS Reg. No. 67–48–1) Choline hydroxide (CAS Reg No. 123–41–1) Cis-isome of 1-(3-chloroallyl)-3,5,7-triaza-1- azoniaadamantane chloride (CAS Reg. No. 51229–78–8). | Without limitation | As a solvent Neutralizer Preservative |
| Copper naphthenate | Not more than 2.5% of for- mulation; application lim- ited to before edible por- tions of plants begin to form. | Mercaptan scavenger in technical pesticide |
| Cyclohexane | | Solvent, cosolvent |
| Cysteine (CAS Reg. No. 52–90–4) | Maximum of 0.5% of formulation. | Do. Synergist |
| D&C Green No. 6 | | Dye |
| D&C Red No. 17, technical grade | | Dye |
| D&C Red No. 33 (CAS Reg. No. 3567–66–6); meeting the specifications listed in 21 CFR 74.1333. | | Dye |
| D&C Violet No. 2, technical grade | Not more than 0.005% of pesticide formulation. | Dye |
| Decanamide, N,N-dimethyl (CAS Reg. No. 14433–76–2). Diammonium phosphate (CAS Reg. No. 7783– | | Emulsifier, solvent, cosolvent Buffer, surfactant |
| 28–0). dibenzylidene sorbitol (32647–67–9) | | Thinning agent |
| Diethanolamine | | Stabilizer, inhibitor for formulations used before |
| $ \begin{array}{llllllllllllllllllllllllllllllllllll$ | Not to exceed 7% of pesticide formulation. | crop emerges from soil Surfactants, related adjuvants of surfactants |
| Diethylene glycol | | Deactivator, adjuvant for formulations used be- |
| Diethylene Glycol (CAS No. 111–46–6) | Without limitation | fore crop emerges from soil Solvent, stabilizer and/or antifreeze Deactivator for formulations used before crop emerges from soil, stabilizer |
| Diethylene glycol mono butyl ether (CAS Reg. No. 112–34–5). | Without limitation | Pesticide inert ingredient as a solvent, sta- bilizer and/or antifreeze |

| Inert ingredients | Limits | Uses |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Diethylene Glycol MonoEthyl Ether (CAS Reg. | Without limitation | Solvent, stabilizer and/or antifreeze |
| No. 111–90–0). Dimethylaminopropylamine, isopropylamine, ethanolamine, and triethanolamine salts of alkyl (C_8 - C_{24}) benzenesulfonic acid (CAS Reg. Nos. 26264–05–1, 27323–41–7, 55470–69–4, 68411–31–4, 68584–24–7, 68584–25–8, 68648–81–7, 68648–96–4, 68649–00–3, 68910–32–7, 68953–93–5, 90194–42–6, 90194–53–9, 90218–35–2, 157966–96–6, 319926–68–6, 877677–48–0, 1093628–27–3). | | Surfactants, related adjuvants of surfactants |
| 3,6-Dimethyl-4-octyn-3,6-diol | In pesticide formulations, for soil prior to planting or to plants before edible parts form. | Surfactants, related adjuvants of surfactants |
| Dimethyl sulfoxide | | Solvent or cosolvent for formulations used be- fore crop emerges from soil or prior to forma- tion of edible parts of food plants |
| Dipotassium hydrogen phosphate | | Buffering agent |
| Dipropylene glycol monomethyl ether | | Stabilizer |
| Douglas-fir bark, ground | | Solid diluent, carrier |
| Dysprosium chloride | 10 ppm in formulation | Tagging agent |
| 1,2-ethanediamine, <i>N</i> , <i>N</i> , <i>N'</i> , <i>N'</i> -tetramethyl-, polymer with 1,1'-oxybis[2-chloroethane] (CAS Reg. No. 31075–24–8). | For use in pesticide formu- lations applied to cotton or wheat only. | Adjuvant or water conditioner |
| (S,S)-Ethylenediaminedisuccinic acid (CAS Reg. No. 20846-91-7). | | Sequestrant or chelating agent |
| Ethylene glycol | | Antifreeze, deactivator for all pesticides used before crop emerges from soil and in herbi- cides before or after crop emerges |
| Ethylene glycol (CAS Reg. No. 107–21–1) | Without limitation | Pesticide inert ingredient as a solvent, stabilizer and/or antifreeze. |
| Ethylene glycol monobutyl ether | | |
| 2-Ethylhexanol | | Cosolvent, defoamer, solvent for all pesticides used before crop emerges from soil and in herbicides before or after crop emerges |
| Europic chloride | 10 ppm in formulation For seed treatment use only; Number average molecular weight (in amu) is greater than 1,000; Not to exceed 5% of the for- | Tagging agent Dye, coloring agent |
| FD&C Blue No. 1, polyethylene glycol derivative (CAS Reg. No. 9079–33–8). | mulated pesticide product. For seed treatment use only; Number average molecular weight (in amu) is greater than 1,000; Not to exceed 5% of the for- mulated pesticide product. | Dye, coloring agent |
| FD&C Red No. 40 (CAS Reg. No. 25956–17–6) | For seed treatment use only. Not to exceed 2% by weight of the pesticide formulation. | Dye, coloring agent |
| Ferric chloride | | Not greater than 2% of suspending, dispersing agent, pesticide formulation |
| FluoroapatiteFolic acid (CAS Reg. No. 59-30-3) | Maximum of 0.5% of formulation. | Solid diluent, carrier Synergist |
| Gluconic acid (and sodium salt) | Seet treatment use only | Sequestrant Plant nutrient |
| [alpha]-D-glucopyranoside, 2-ethylhexyl 6-O- [alpha]-D glucopyranosyl- (CAS Reg. No. 330980-61-5). | | Surfactant |
| [alpha]-D-glucopyranoside, 2-ethylhexyl (CAS Reg. No. 125590–73–0). | | Surfactant |
| Glutamine (CAS Reg. No. 56–85–9) | Maximum of 0.5% of formulation. | Synergist |
| Glycerol—propylene oxide polymer (CAS Reg. | | Component in water-soluble film |
| No. 25791-96-2). | | Stabilizor |
| No. 25791-96-2). Glyceryl triacetate | | Stabilizer Flow control agent |

| Inert ingredients | Limits | Uses |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Hexamethylenetetramine | | Stabilizer for carriers in solid pesticide formula- |
| 2-(2'-hydroxy-3',5'-di-tert-amylphenyl) benzotriazole (CAS Reg. No. 25973–55–1). | Maximum concentration of 0.6% in insecticide formulations applied to adzuki beans, canola, chickpeas, cotton, faba beans, field peas, lentils, linola, linseed, lucerne, lupins, mung beans, navy beans, pigeon peas, safflower, sunflower, and vetch. | tions Ultraviolet (UV) stabilizer |
| 2-Hydroxy-4- <i>n</i> -octoxybenzophenone (CAS Reg. No. 1843–05–6). | Not more than 0.2 pt of pesticide formulation. | Light stabilizer |
| Hydroxypropyl guar gum | pesticide iornidiation. | Thickener |
| Isobornyl acetate | | Solvent |
| Isobutyl alcohol | | Do. |
| Isobutylene-butene copolymers | For soil application only Not more than 2% of pesticide formulation. | Binder Defoaming agent |
| Lanthanum chloride | 10 ppm in formulation None | Tagging agent. Preservation |
| Maleic acid and maleic anhydride | For pesticide formulations applied to apples with a minimum preharvest interval of 21 days. | Stabilizer |
| Manganese carbonate | Not for use after edible parts of plant begin to form. Do not graze livestock in treated areas within 48 hours after application. | Plant nutrient Solvent, cosolvent |
| Methionine (CAS Reg. No. 59-51-8) | Maximum of 0.5% of formulation. | Synergist |
| Methyl alcohol | | Do. |
| Methyl ethyl ketone | | Surfactant |
| Methyl p- hydroxybenzoate | | Preservative for formulations Solvent, cosolvent |
| 2-Methyl-4-isothiazolin-3-one (in combination with 5-chloro-2-methyl-4-isothiazolin-3-one). | Not more than 0.0022% (22.5 ppm) in the formulation; 0.00022% (or 2.25 ppm) in the final solution applied to growing crops. | Preservative |
| Mono-, di-, and trimethylnapthalenesulfonic acids and napthalenesulfonic acids formaldehyde condensates, ammonium and sodium salts (CAS Reg. Nos. 9008–63–3, 9069–80–1, 9084–06–4, 36290–04–7, 91078–68–1, 141959–43–5, 68425–94–5). | | Surfactants, related adjuvants of surfactants |
| Methyl oleate2-Methyl-2,4-pentanediol | | Surfactant Solvent for formulations used before crop |
| ,- - , · - | | emerges from soil |
| Methyl poly(oxyethylene) C_8 – C_{18} alkylammonium chlorides where the poly(oxyethylene) content is n=2–15 and where C_8 – C_{18} alkyl is linear and may be saturated or unsaturated (CAS Reg. Nos. 3010–24–0, 18448–65–2, 70750–47–9, 22340–01–8, 67784–77–4, 64755–05–1, 61791–10–4, 28724–32–5, 28880–55–9, 68187–69–9, 68607–27–2, 60687–90–3. | Concentration in formulated end use products not to exceed 10% by weight in herbicide products and 5% by weight in all other pesticide products. | Surfactants, related adjuvants of surfactants |
| N-Methylpyrrolidone (CAS Reg. No. 872-504) Mixed phytosterols (consisting of campesterol, sitosterol and stigmasterol, with minor amounts of associated plant sterols) derived from edible vegetable oils. | | Solvent, cosolvent Surfactant |
| Mono- and bis-(1 H , 1 H , 2 H , 2 H -perfluoroalkyl) phosphates where the alkyl group is even numbered and in the C_{6} - C_{12} range. | Not more than 0.5% of pesticide formulation. Expires February 9, 2008. | Surfactant, related adjvants of surfactants |

| Inert ingredients | Limits | Uses |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Mono- and dialkyl (C_s-C_{1s}) methylated ammonium chloride compounds, where the alkyl group(s) (C_s-C_{1s}) are derived from coconut, cottonseed, soya, tallow, or hogfat fatty acids. | | Surfactants, related adjuvants of surfactants |
| Morpholine 4-C ₆₋₁₂ Acyl Derivatives (CAS Reg. No. 887947–29–7). Nicotinamide (CAS Reg. No. 98–92–0) | Maximum of 0.5% of formu- | As a solvent Synergist |
| | lation. | |
| α-(ρ-Nonylphenyl)-ω-hydroxypoly(oxyethylene); produced by the condensation of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-14 or 30-100 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range 4-14 or 30-100. | | Surfactant |
| Octanamide, N,N-dimethyl (CAS Reg. No. 1118–92–9). | | Emulsifier, solvent, cosolvent |
| α-Oleoyl-ω-(oleoyloxy) poly(oxyethylene) derived from α-hydro-ω-hydroxypoly(oxyethylene) (molecular weight 600 amu). | | Component of defoamers |
| Oxo-decyl acetate (CAS reg. No. 108419-33-6) | | Solvent |
| Oxo-heptyl acetate (CAS Reg. No. 90438–79–2) | | Solvent |
| Oxo-hexyl acetate (CAS Reg. No. 88230–35–7) Oxo-nonyl acetate (CAS Reg. No. 108419–34–7). | | Solvent Solvent |
| Oxo-octyl acetate (CAS Reg. No. 108419–32–5) Oxo-tridecyl acetate (CAS Reg. No. 108419–35–8). | | Solvent Solvent |
| Phenol | Maximum concentration of 0.6% in insecticide formulations applied to adzuki beans, canola, chickpeas, cotton, faba beans, field peas, lentils, linola, linseed, lucerne, lupins, mung beans, navy beans, pigeon peas, safflower, sunflower, and vetch. | Solvent, cosolvent Ultraviolet (UV) stabilizer |
| Phenolsulfonic acid—formaldehyde—urea condensate and its sodium salt. | Applied to growing plants only. | Dispersant surfactant |
| Phthalocyaninato (2)) copper; (C.I. pigment blue No. 15). Pigment red 48 | When used as a colorant in low-density plastic films. For seed treatment use | Coloring agent, pigment Dye |
| x-Pinene | only. Not more than 2% of formu- | Stabilizer |
| Poly(oxy-1,2-ethanediyl), α-isotridecyl-ω-methoxy (CAS Reg. No. 345642–79–7). | lation by weight. At a maximum of 10% in formulation. | Surfactant |
| Poly(oxyethylene) adducts of mixed phylosterols (such sterols to consist of campesterol, stig-masterol and sitosterol with minor amounts of associated plant sterols) derived from edible vegetable oils; polyoxyethylene content averaging 5-26 moles. | | Surfactant, related adjuvants |
| Polyoxyethylene polyoxypropylene mono(di-sec- | Limited to herbicide formu- lations only, and to no more than 30% by weight | Surfactants, related adjuvants of surfactants |
| butylphenyl) ether (CAS Reg. No. 69029–39–6). | in herbicide formulations intended for application to turf. | |
| 6). Poly(oxyethylene) (5) sorbitan monooleate Polysorbate 60, conforming to 21 CFR 172.836 Potassium dihydrogen phosphate | in herbicide formulations intended for application to turf. Not more than 15% in the | Surfactants, related adjuvants of surfactants Surfactant Buffering agent Surfactant |
| 6). Poly(oxyethylene) (5) sorbitan monooleate Polysorbate 60, conforming to 21 CFR 172.836 Potassium dihydrogen phosphate | in herbicide formulations intended for application to turf. | Surfactant Buffering agent |

| Inert ingredients | Limits | Uses |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------------------------------------------------------------------------|
| Pyridoxine (CAS Reg. No. 65–23–6) | Maximum of 0.5% of formulation. | Synergist |
| Rosin, dark wood (as defined in 21 CFR 178.3870(a)(1)(v)). | | Surfactants, related adjuvants of surfactants |
| Rosin, gum | | Do. |
| Rosin, tall oil | | Do. |
| Scandium chloride | 10 ppm in formulation | Tagging agent |
| Sodium bisulfate (CAS Reg. No. 7681–38–1) | | Acidifying/buffering agent |
| Sodium 1,4-dicyclohexyl sulfosuccinate | | Surfactants, related adjuvants of surfactants |
| Sodium 1,4-dihexyl sulfosuccinate (CAS Reg. No. 3006–15–3). | | Surfactants, related adjuvants of surfactants |
| Sodium dihydrogen phosphate (CAS Reg. No. 7558–80–7) conforming to 21 CFR 182.6778. | | Buffering agent |
| Sodium 1,4-diisobutyl sulfosuccinate (CAS Reg. No. 127–39–9). | | Surfactants, related adjuvants of surfactants |
| Sodium 1,4-dipentyl sulfosuccinate (CAS Reg. No. 922–80–5). | | Surfactants, related adjuvants of surfactants |
| Sodium metaborate | | Sequestrant |
| Sodium molybdate | | Plant nutrient |
| Sodium nitrate | | Solid diluent |
| Sodium nitrite | Not more than 3% of pes- | Stabilizer, inhibitor. |
| Sodium <i>o</i> -phenylphenate | ticide formulation. Not more than 0.1% of pes- | Preservative for formulation |
| Sodium salt of the insoluble fraction of rosin | ticide formulation. | Surfactants, related adjuvants of surfactants |
| Sodium salts of N-alkyl (C8-C18)-beta- | Concentration in formulated | Surfactants, related adjuvants of surfactants |
| iminodipropionic acid where the C8-C18 is lin- | end-use products not to | |
| ear and may be saturated and/or unsaturated | exceed 30% by weight in | |
| (CAS Reg. Nos. 3655-00-3, 61791-56-8, | pesticide formulations. | |
| 14960-06-6, 26256-79-1, 90170-43-7, 91696- | | |
| 17-2, 97862-48-1). | Not more than 00/ of mos | Duffering agent, corrector inhibitor |
| Sodium tetraborate | Not more than 2% of pes- ticide formulation. | Buffering agent; corrosion inhibitor |
| Tallowamine, ethoxylated, mixture of dihydrogen phosphate and monohydrogen phosphate esters and the corresponding ammonium, cal- | Not to exceed 20% of pesticide formulation. | Surfactants, related adjuvants of surfactants |
| cium, potassium, and sodium salts of the phosphate esters, where the | | |
| poly(oxyethylene) content averages 2–20 moles (CAS Reg. No. 68308–48–5). | | |
| Tannin | | Dispersing agent |
| Tertiary butylhydroquinone | | Antioxidant Component in water-soluble film |
| (CAS Reg. No. 3332–27–2). | | Component in water-soluble lillin |
| N,N,N',N"-Tetrakis-(2-hydroxypropyl) ethylene- | Concentration in formulated | Stabilizer for formulations |
| diamine (CAS Reg. No. 102-60-3). | end-use products not to exceed 20% by weight in | |
| 2,4,7,9-Tetramethyl-5-decyne 4,7-diol | pesticide formulations. In pesticide formulations, | Surfactants, related adjuvants of surfactants |
| 2, 1,7 ,0 10114110111,10 400,110 1,7 4101 1 | for application to soil prior | Carractante, related adjuvante er carractante |
| | to planting or to plants | |
| Tetranetarium mumberelata (OAO Den Ne | before edible parts form. | Otime |
| Tetrapotassium pyrophosphate (CAS Reg. No. 7320–345). | Not to exceed 10% of for- mulation. | Sequestrant, anticaking agent, conditioning agent |
| Titanium dioxide (CAS Reg. No. 13463–67–7) | | Pigment/coloring agent in plastic bags used to wrap growing banana (preharvest), colorant |
| | | on seeds for planting |
| Toluenesulfonic acid and its ammonium, cal- cium, magnesium, potassium, sodium, and | | Solvent, cosolvent |
| zinc salts. | | |
| Triethanolamine | | Stabilizer, inhibitor for formulations used before crop emerges from soil |
| Triethanolamine (CAS Reg. No. 102-71-6) | | Stabilizer, inhibitor |
| Triethylene glycol | | Deactivator |
| Triethyl phosphate | | Stabilizer for formulations used before crop |
| Trimethylolpropane (CAS Reg. No. 77-99-6) | Not to exceed 15% by | emerges from soil Component in water-soluble film |
| | weight of the film. | |
| $\alpha\text{-}[2,4,6\text{-Tris}[1\text{-}(phenyl)ethyl]phenyl]-}\omega\text{-hydroxy}$ poly(oxyethylene), the poly(oxyethylene) content averages 4-150 moles). | Not more than 15% of the formulation. | Surfactant. |

| Inert ingredients | Limits | Uses |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-----------------------------------------------|
| α-[2,4,6-Tris[1-(phenyl)ethyl]phenyl]-ω-hydroxy poly(oxyethylene); mixture of monohydrogen and dihydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, potassium, sodium, and zinc salts, the poly(oxyethylene) content averages 4-150 moles). | Not more than 15% of the formulation. | Do. |
| α-[2.4,6-Tris[1-(phenyl)ethyl]phenyl]-ω-hydroxy poly(oxyethylene) sulfate, and the corresponding ammonium, calcium, magnesium, potassium, sodium, and zinc salts, the poly(oxyethylene) content averages 4-150 moles. | Not more than 15% of the pesticide formulation. | Do. |
| Tryptophan (CAS Reg. No. 73-22-3) | Maximum of 0.5% of formulation. | Synergist |
| Valeric acid, normal | Not more than 2% in pes- ticide formulations. | Stenching agent or odorant |
| Xylene | | Solvent, cosolvent |
| Xylenesulfonic acid its ammonium calcium, magnesium, potassium, sodium, and zinc salts. | | Surfactants, related adjuvants of surfactants |
| Yucca extract from Yucca schidigera | | Wetting agent |
| Ytterbium chloride | 10 ppm in formulation | Tagging agent |
| Yttrium chloride | 10 ppm in formulation | Tagging agent |
| Zinc orthophosphate | | Plant nutrient and safener |
| Zinc stearate, conforming to 21 CFR 182.5994 and 582.5994. | | Flow control agent |

[69 FR 23124, Apr. 28, 2004]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting \$180.920, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§180.930 Inert ingredients applied to animals; exemptions from the requirement of a tolerance.

The following materials are exempted from the requirement of a tolerance

when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to animals:

| Inert ingredients | Limits | Uses |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------|
| Acetic acid (CAS Reg. No. 64–19–7) | Not more than 0.5% of pesticide formulation. | Catalyst |
| Acetic anhydride | | Solvent, cosolvent, stabilizer |
| Alkanoic and alkenoic acids, mono- and diesters of a-hydro-a-hydroxypoly(oxyethylene) with molecular weight (in amu) range of 200 to 6,000. | | Emulsifiers |
| Alkyl (C_8 - C_{24}) benzenesulfonic acid and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts. | | Surfactants, emulsifier, related adjuvants of surfactants |
| Alkyl (C_{12} - C_{16}) dimethyl ammonio acetate (CAS Reg. Nos. 683–10–3, 2601–33–4 and 693–33–4. | 20% by weight in pesticide formulation. | Surfactant |
| α -Alkyl(C ₆ -C ₁₅)- ω -hydroxypoly(oxyethylene)sulfate, and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts, poly(oxyethylene) content averages 2–4 moles (CAS Reg. Nos. 3088–31–1, 9004–82–4, 9004–84–6, 13150–00–0, 25446–78–0, 26183–44–8, 32612–48–9, 50602–06–7, 62755–21–9, 68424–50–0, 68511–39–7, 68585–34–2, 68611–55–2, 68891–38–3, 73665–22–2). | Not to exceed 30% of pesticide formulation. | Surfactants, related adjuvants of surfactants |