Environmental Protection Agency

NSPS

Pollutant or pollutant prop- erty	Maximum for any 1 day Age		
	kg/1,000 kkg (pounds per mil- lions pounds) of metal poured		
Copper (T)	8.48	4.63	
Lead (T)	5.84	2.86	
Zinc (T)	8.37	3.19	
Oil and grease	330	110	
TSS	165	132	
pH	(1)	(1)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average ¹
	(mg/l) ²	mg/l) ²	
Copper (T)	0.77	0.42	1.87
Lead (T)	0.53	0.26	1.65
Zinc (T)	0.76	0.29	1.98
Oil and grease	30	10	55.1
TSS	15	12	28.6
рН	(3)	(3)	(3)

¹ kg/1,000 kkg (pounds per million pounds) of metal poured. ² These concentrations must be multiplied by the ratio of (1,320/x) where x is the actual normalized process waste-water flow (in gallons per 1,000 pounds of metal poured) for a specific plant. ³ Within the range of 7.0 to 10.0 at all times.

(f) Melting Furnace Scrubber Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age	
	kg/62.3 million Sm ³ (pounds per billion SCF) of air scrubbed		
Copper (T)	1.81	0.988	
Lead (T)	1.25	0.612	
Zinc (T)	1.79	0.673	
Total phenols	2.02	0.706	
Oil and grease	70.6	23.5	
TSS	35.3	28.2	
рН	(1)	(1)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average ¹
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.4
Lead (T)	0.53	0.26	0.353
Zinc (T)	0.76	0.29	0.424
Total phenols	0.86	0.3	0.471
Oil and grease	30	10	11.8
TSS	15	12	6.12
рН	(3)	(3)	(³)

¹ kg/62.3 Sm³ (pounds per billion SCF) of air scrubbed. ² These concentrations must be multiplied by the ratio of (0.282/x) where x is the actual normalized process waste-water flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant. ³ Within the range of 7.0 to 10.0 at all times.

(g) Mold Cooling Operations.

NSPS

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age	
	kg/1,000 kkg (pounds per million pounds) of metal poured		
Copper (T)	0.392	0.214	
Lead (T)	0.27	0.132	
Zinc (T)	0.387	0.148	
Oil and grease	15.3	5.09	
TSS	7.63	6.11	
рН	(1)	(1)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age 1
	(mg/1) ²	(mg/1) ²	
Copper (T)	0.77	0.42	0.0865
Lead (T)	0.53	0.26	0.0763
Zinc (T)	0.76	0.29	0.0916
Oil and grease	30	10	2.54
TSS	15	12	1.32
рН	(3)	(3)	(³)

 1 kg/1,000 kkg (pounds per million pound) of metal poured. 2 These concentrations must be multiplied by the ratio of (61/x) where x is the actual normalized process waste-water flow (in gallons per 1,000 pounds of metal poured) for a spe-cific plant. 3 Within the range of 7.0 to 10.0 at all times.

[50 FR 45247, Oct. 30, 1985; 51 FR 21761, June 16, 1986]

§464.25 Pretreatment standards for existing sources.

Except as provided in $40\ \mathrm{CFR}\ 403.7$ and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources.

(a) Casting Quench Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age	
	kg/1000 kkg (pounds per m lion pounds) of met poured		
Copper (T) Lead (T) Zinc (T) TTO Oil and grease (for alternate	0.0307 0.0211 0.0303 0.0335	0.0168 0.0104 0.0116 0.0109	
monitoring)	1.2	0.399	

(b) Direct Chill Casting Operations.

§464.25

§464.26

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver-
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T)	0.928 0.639 0.916	0.506 0.314 0.35

(c) Dust Collection Scrubber Operations.

PSES			
Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age	
	kg/62.3 million Sm ³ (pounds per billion SCF) of air scrubbed		
Copper (T) Lead (T) Zinc (T) Total phenols TTO Oil and grease (for alter-	0.552 0.38 0.545 0.617 1.65	0.301 0.187 0.208 0.215 0.54	
nate monitoring)	21.5	7.18	

(d) *Grinding Scrubber Operations*. No discharge of process wastewater pollutants to a POTW.

(e) Investment Casting.

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T) TTO Oil and grease for alternate	8.48 5.84 8.37 25.4	4.63 2.86 3.19 8.29
monitoring)	330	110

(f) Melting Furnace Scrubber Operations.

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/62.3 million Sm ³ (pounds pe billion SCF) of air scrubbed	
Copper (T) Lead (T) Zinc (T) Total phenols TTO	1.81 1.25 1.79 2.02 5.41	0.988 0.612 0.673 0.706 1.77
nate monitoring)	70.6	23.5

(g) Mold Cooling Operations.

40 CFR Ch. I (7-1-11 Edition)

PSES

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per million pounds) of metal poure	
Copper (T) Lead (T) Zinc (T) TTO Oil and grease (for alter- nate monitoring)	0.392 0.27 0.387 0.428	0.214 0.132 0.148 0.14

§464.26 Pretreatment standards for new sources.

Except as provided in 40 CFR 403.7, any new source subject to this subpart which introduces pollutants into publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for new sources.

(a) Casting Quench Operations.

PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age	
	kg/1,000 kkg (pounds per mil- lion pounds) of metal poured		
Copper (T)	0.0307	0.0168	
Lead (T)	0.0211	0.0104	
Zinc (T)	0.0303	0.0116	
тто	0.0335	0.0109	
Oil and grease (for alternate			
monitoring)	1.2	0.399	

(b) Direct Chill Casting Operations.

PSNS

Pollutant or pollutant prop- erty	Maximum for any 1 day	Maximum for monthly aver- age
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T) Lead (T) Zinc (T)	0.928 0.639 0.916	0.506 0.314 0.35

(c) Dust Collection Scrubber Operations.