#### SUBPART D-BPT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per millior off-pounds) of precious metals sawed or ground with emulsions	
Cadmium	0.032	0.014
Copper	0.178	0.094
Cyanide	0.027	0.011
Silver	0.039	0.016
Oil and grease	1.87	1.12
TSS	3.83	1.82
pH	(1)	(1)

<sup>1</sup> Within the range of 7.5 to 10.0 at all times.

(v) Degreasing spent solvents—subpart D—BPT. There shall be no discharge of process wastewater pollutants.

[50 FR 34270, Aug. 23, 1985; 51 FR 2886, Jan. 22, 1986]

# § 471.42 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (BAT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (BAT):

- (a) Rolling spent neat oils—subpart D— BAT. There shall be no discharge of wastewater pollutants.
  - (b) Rolling spent emulsions.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil lion off-pounds) of pre cious metals rolled with emulsions	
Cadmium	0.026	0.012
Copper	0.147	0.077
Cyanide	0.023	0.010
Silver	0.032	0.013

- (c) Drawing spent neat oils—subpart D—BAT. There shall be no discharge of process wastewater pollutants.
  - (d) Drawing spent emulsions.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metals drawn with emulsions	
Cadmium Copper Cyanide Silver	0.016 0.091 0.014 0.020	0.007 0.048 0.006 0.008

(e) Drawing spent soap solutions.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals drawn with soap so lutions	
Cadmium	0.001 0.006 0.0009 0.002	0.0005 0.003 0.0004 0.0006

(f) Metal powder production wet atomization wastewater.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per millic off-pounds) of preciou metals powder wet ator ized	
Cadmium	2.27 12.7 1.94 2.74	1.00 6.68 0.802 1.14

(g) Heat treatment contact cooling water.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mi lion off-pounds) of pre cious metals heat treate	
Cadmium Copper Cyanide Silver	0.142 0.793 0.121 0.171	0.063 0.417 0.050 0.071

 $\begin{array}{cccc} \text{(h)} & \textit{Semi-continuous} & \textit{and} & \textit{continuous} \\ \textit{casting contact cooling water.} \end{array}$ 

# **Environmental Protection Agency**

# SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals cast by the semi- continuous or continuous method	
Cadmium	0.350 1.96 0.299 0.423	0.155 1.03 0.124 0.175

- (i) Stationary casting contact cooling water—subpart D—BAT. There shall be no discharge of process wastewater pollutants
- ${\it (j) \ Direct \ chill \ casting \ contact \ cooling \ water.}$

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	mg/off-kg (pounds per million off-pounds) of precious met- als cast by the direct chill method	
Cadmium	0.3676	0.162
Copper	2.05	1.08
Cyanide	0.313	0.130
Silver	0.443	0.184

(k) Shot casting contact cooling water.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil lion off-pounds) of pre cious metals shot cast	
Cadmium Copper Cyanide Silver	0.125 0.698 0.107 0.151	0.055 0.367 0.044 0.063

- (1) Wet air pollution control scrubber blowdown—subpart D—BAT. There shall be no discharge of process wastewater pollutants.
- $\begin{tabular}{ll} (m) & Pressure & bonding & contact & cooling \\ water. \end{tabular}$

# SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil lion off-pounds) of pre cious metal and base metal pressure bonded	
Cadmium	0.0297	0.013
Copper	0.159	0.084
Cyanide	0.0247	0.010
Silver	0.0342	0.014

(n) Surface treatment spent baths.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		unds per mil- unds) of pre- tals surface
Cadmium	0.033	0.015
Copper	0.183	0.097
Cyanide	0.028	0.012
Silver	0.040	0.017

 $\hbox{(o) Surface treatment rinse.}\\$ 

# SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		inds per mil- nds) of pre- surface treat-
Cadmium Copper Cyanide Silver	0.210 1.17 0.179 0.253	0.093 0.616 0.074 0.105

(p) Alkaline cleaning spent baths.

# SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metals alkaline cleaned	
Cadmium	0.021 0.114 0.018 0.025	0.009 0.060 0.007 0.010

(q) Alkaline cleaning rinse.

# §471.43

# 40 CFR Ch. I (7-1-11 Edition)

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per millior off-pounds) of precious metals alkaline cleaned	
Cadmium	0.381 2.13 0.325 0.459	0.168 1.12 0.135 0.191

(r) Alkaline cleaning prebonding wastewater.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metal and base metal cleaned prior to bonding	
Cadmium	0.400	0.174
Copper	2.210	1.16
Cyanide	0.337	0.139
Silver	0.476	0.197

(s) Tumbling or burnishing wastewater.

#### SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metals tumbled or burnished	
Cadmium	0.412 2.300 0.351 0.496	0.182 1.21 0.145 0.206

- (t) Sawing or grinding spent neat oils—subpart D—BAT. There shall be no discharge of process wastewater pollutants
  - (u) Sawing or grinding spent emulsions.

SUBPART	D-	BAT
---------	----	-----

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metals sawed or ground with emulsions	
CadmiumCopper	0.0327 0.178	0.014 0.094
Cyanide Silver	0.0277 0.0381	0.011 0.016

(v) Degreasing spent solvents—subpart D—BAT. There shall be no discharge of process wastewater pollutants.

 $[50~\mathrm{FR}~34270,~\mathrm{Aug}.~23,~1985;~51~\mathrm{FR}~2886,~\mathrm{Jan}.~22,~1986]$ 

# $\$\,471.43$ New source performance standards (NSPS).

Any new source subject to this subpart must achieve the following new source performance standards (NSPS):

- (a) Rolling Spent Neat Oils—subpart D—NSPS. There shall be no discharge of process wastewater pollutants.
  - (b) Rolling spent emulsions.

# SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals rolled with emul- sions	
Cadmium	0.026	0.012
Copper	0.147	0.077
Cyanide	0.023	0.010
Silver	0.032	0.013
Oil and grease	1.54	0.925
TSS	3.16	1.51
pH	(1)	(1)

- <sup>1</sup> Within the range of 7.5 to 10.0 at all times.
- (c) Drawing spent neat oils—subpart D—NSPS. There shall be no discharge of process wastewater pollutants.
  - (d) Drawing spent emulsions.