

(2) If the facility chooses to refer specimens for laboratory testing, the referral laboratory must be certified in the appropriate specialties and subspecialties of services in accordance with the requirements of part 493 of this chapter.

[48 FR 56293, Dec. 15, 1982, as amended at 56 FR 8852, Mar. 1, 1991; 57 FR 7137, Feb. 28, 1992; 73 FR 69941, Nov. 19, 2008]

§ 485.60 Condition of participation: Clinical records.

The facility must maintain clinical records on all patients in accordance with accepted professional standards and practice. The clinical records must be completely, promptly, and accurately documented, readily accessible, and systematically organized to facilitate retrieval and compilation of information.

(a) *Standard: Content.* Each clinical record must contain sufficient information to identify the patient clearly and to justify the diagnosis and treatment. Entries in the clinical record must be made as frequently as is necessary to insure effective treatment and must be signed by personnel providing services. All entries made by assistant level personnel must be countersigned by the corresponding professional. Documentation on each patient must be consolidated into one clinical record that must contain—

(1) The initial assessment and subsequent reassessments of the patient's needs;

(2) Current plan of treatment;

(3) Identification data and consent or authorization forms;

(4) Pertinent medical history, past and present;

(5) A report of pertinent physical examinations if any;

(6) Progress notes or other documentation that reflect patient reaction to treatment, tests, or injury, or the need to change the established plan of treatment; and

(7) Upon discharge, a discharge summary including patient status relative to goal achievement, prognosis, and future treatment considerations.

(b) *Standard: Protection of clinical record information.* The facility must safeguard clinical record information against loss, destruction, or unauthor-

ized use. The facility must have procedures that govern the use and removal of records and the conditions for release of information. The facility must obtain the patient's written consent before releasing information not required to be released by law.

(c) *Standard: Retention and preservation.* The facility must retain clinical record information for 5 years after patient discharge and must make provision for the maintenance of such records in the event that it is no longer able to treat patients.

§ 485.62 Condition of participation: Physical environment.

The facility must provide a physical environment that protects the health and safety of patients, personnel, and the public.

(a) *Standard: Safety and comfort of patients.* The physical premises of the facility and those areas of its surrounding physical structure that are used by the patients (including at least all stairwells, corridors and passageways) must meet the following requirements:

(1) Applicable Federal, State, and local building, fire, and safety codes must be met.

(2) Fire extinguishers must be easily accessible and fire regulations must be prominently posted.

(3) A fire alarm system with local (in-house) capability must be functional, and where power is generated by electricity, an alternate power source with automatic triggering must be present.

(4) Lights, supported by an emergency power source, must be placed at exits.

(5) A sufficient number of staff to evacuate patients during a disaster must be on the premises of the facility whenever patients are being treated.

(6) Lighting must be sufficient to carry out services safely; room temperature must be maintained at comfortable levels; and ventilation through windows, mechanical means, or a combination of both must be provided.

(7) Safe and sufficient space must be available for the scope of services offered.

(b) *Standard: Sanitary environment.* The facility must maintain a sanitary environment and establish a program