§ 486.110

§ 486.110 Condition for coverage: Inspection of equipment.

Inspections of all X-ray equipment and shielding are made by qualified individuals at intervals not greater than every 24 months.

- (a) Standard—qualified inspectors. Inspections are made at least every 24 months by a radiation health specialist who is on the staff of or approved by an appropriate State or local government agency.
- (b) Standard—records of inspection and scope of inspection. The supplier maintains records of current inspections which include the extent to which equipment and shielding are in compliance with the safety standards outlined in §486.108.

[34 FR 388, Jan. 10, 1969. Redesignated at 42 FR 52826, Sept. 30, 1977. Further redesignated and amended at 60 FR 2326, Jan. 9, 1995; 60 FR 45086, Aug. 30, 1995; 60 FR 50447, Sept. 29, 1995]

Subparts D-F [Reserved]

Subpart G—Requirements for Certification and Designation and Conditions for Coverage: Organ Procurement Organizations

Source: 71 FR 31046, May 31, 2006, unless otherwise noted.

§ 486.301 Basis and scope.

- (a) Statutory basis. (1) Section 1138(b) of the Act sets forth the requirements that an organ procurement organization (OPO) must meet to have its organ procurement services to hospitals covered under Medicare and Medicaid. These include certification as a "qualified" OPO and designation as the OPO for a particular service area.
- (2) Section 371(b) of the Public Health Service Act sets forth the requirements for certification and the functions that a qualified OPO is expected to perform.
- (3) Section 1102 of the Act authorizes the Secretary of Health and Human Services to make and publish rules and regulations necessary to the efficient administration of the functions that are assigned to the Secretary under the Act.
- (4) Section 1871 of the Act authorizes the Secretary to prescribe regulations

as may be necessary to carry out the administration of the Medicare program under title XVIII.

- (b) Scope. This subpart sets forth—
- (1) The conditions and requirements that an OPO must meet;
- (2) The procedures for certification and designation of OPOs; and
- (3) The terms of the agreement with CMS and the basis for and the effect of de-certification.
- (4) The requirements for an OPO to be re-certified.

§ 486.302 Definitions.

As used in this subpart, the following definitions apply:

Adverse event means an untoward, undesirable, and usually unanticipated event that causes death or serious injury or the risk thereof. As applied to OPOs, adverse events include but are not limited to transmission of disease from a donor to a recipient, avoidable loss of a medically suitable potential donor for whom consent for donation has been obtained, or delivery to a transplant center of the wrong organ or an organ whose blood type does not match the blood type of the intended recipient.

Agreement cycle refers to the time period of at least 4 years when an agreement is in effect between CMS and an OPO.

Certification means a CMS determination that an OPO meets the requirements for certification at § 486.303.

Death record review means an assessment of the medical chart of a deceased patient to evaluate potential for organ donation.

Decertification means a CMS determination that an OPO no longer meets the requirements for certification at §486.303.

Designated requestor or effective requestor is an individual (generally employed by a hospital), who is trained to handle or participate in the donation consent process. The designated requestor may request consent for donation from the family of a potential donor or from the individual(s) responsible for making the donation decision in circumstances permitted under State law, provide information about donation to the family or decision-