AUTHENTICATED
U.S. GOVERNMENT
INFORMATION
GPO



(8) Bulk (loose, unpacked) materials shall be specified and purchased in metric or dual units.

(9) Measuring devices, shop and laboratory equipment shall be purchased in metric or dual units.

(10) Shipping allowances, bills of lading and other shipping documents shall be expressed in metric or dual units.

## Subpart 611.1—Selecting and Developing Requirements Documents

### 611.103 Market acceptance.

(a) The head of the contracting activity is the agency head for the purpose of FAR 11.103(a).

## Subpart 611.5—Liquidated Damages

### 611.501 Policy.

(d) The head of the contracting activity is the agency head for the purpose of FAR 11.501(d).

[64 FR 43622, Aug. 11, 1999. Redesignated and amended at 71 FR 34839, June 16, 2006]

## Subpart 611.6—Priorities and Allocations

SOURCE: 69 FR 19332, Apr. 13, 2004, unless otherwise noted.

### 611.600 Scope of subpart.

On September 18, 2001, the Department of Commerce (DOC) authorized the Department of State to use the Defense Priorities and Allocations System (DPAS). This authority expires on October 1, 2006. The Department of Defense has approved the Department's Embassy Security Protection Program (DOSESPP) as a national defense program eligible for the priorities support under the DPAS.

### 611.602 General.

(c)(1) Authority to use the DPAS is limited to the following circumstances:

(i) The contract or order must be placed with a U.S. firm; and,

(ii) The contract or order must be in support of the DOSESPP, which consists of work involving the security of overseas posts. The DOSESPP includes a wide range of elements of both physical and technical security, such as:

(A) New Embassy/Consulate Compound (NEC/NCC) Program. This program involves the construction of new secure Embassies, Consulates, and related facilities, as well as renovations of newly acquired buildings when used as alternatives to the construction of new secure buildings.

(B) Physical security upgrade. This includes installation of forced entry/ballistic resistant (FE/BR) windows and doors, walls/fences, active anti-ram barriers, bollards (concrete and steel barriers), and related items.

(C) Forced entry/ballistic resistant (FE/BR) components. This includes doors, windows, and related facilities and items that can provide the necessary time to protect Government personnel from attack.

(D) Armored vehicles. This includes passenger vehicles with appropriate armoring.

(E) Entry control and building surveillance equipment. This includes walk-through metal detectors, X-ray equipment, surveillance cameras, explosive detection equipment, and other features to enhance the protection of Government personnel and facilities.

(2) DOC has assigned the following priority rating to DOSESPP contracts or orders: DO-H8.

### 611.603 Procedures.

(f) Department of State contracting officers are authorized to sign DO-H8 rated contracts or orders. It is the responsibility of the requirements office to determine which contracts or orders should be rated. All contracts with U.S. firms under the DOSESPP will not necessarily need to be assigned a priority rating.

(g) The contracting officer should place a DO-H8 rating on any contract or order if there is any doubt as to whether a contractor doing work for Embassy security protection will be able to deliver on time. If an unrated contract or order is not completed on time, the contracting officer may modify the contract or order to add the rating; however, the rating shall only be effective for the newly established delivery date, not the original delivery date.