

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

District of Columbia, Commonwealth of Puerto Rico, American Samoa, U.S. Virgin Islands, Guam, Commonwealth of the Northern Mariana Islands, Baker Island, Howland Island, Jarvis Island, Johnston Atoll, Kingman Reef, Midway Atoll, Navassa Island, Palmyra Atoll, and Wake Atoll, and any other territory or possession under the jurisdiction of the United States.

Whoever means the same as person.

Wildlife means the same as fish or wildlife.

[38 FR 22015, Aug. 15, 1973, as amended at 42 FR 32377, June 24, 1977; 42 FR 59358, Nov. 16, 1977; 45 FR 56673, Aug. 25, 1980; 50 FR 52889, Dec. 26, 1985; 72 FR 48445, Aug. 23, 2007]

§ 10.13 List of Migratory Birds.

(a) *Legal authority for this list.* The Migratory Bird Treaty Act (MBTA) in 16 U.S.C. 703–711, the Fish and Wildlife Improvement Act of 1978, 16 U.S.C. 712, and 16 U.S.C. 742a–j. The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) *Canada:* Convention for the Protection of Migratory Birds, August 16, 1916, United States-Great Britain (on behalf of Canada), 39 Stat. 1702, T.S. No. 628, as amended;

(2) *Mexico:* Convention for the Protection of Migratory Birds and Game Mammals, February 7, 1936, United States-United Mexican States (=Mexico), 50 Stat. 1311, T.S. No. 912, as amended;

(3) *Japan:* Convention for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, United States-Japan, 25 U.S.T. 3329, T.I.A.S. No. 7990; and

(4) *Russia:* Convention for the Conservation of Migratory Birds and Their Environment, United States-Union of Soviet Socialist Republics (=Russia), November 26, 1976, 92 Stat. 3110, T.I.A.S. 9073, 16 U.S.C. 703, 712.

(b) *Purpose of this list.* The purpose is to inform the public of the species protected by regulations designed to enforce the terms of the MBTA. These regulations, found in parts 10, 20, and 21 of this chapter, cover most aspects of the taking, possession, transportation,

sale, purchase, barter, exportation, and importation of migratory birds.

(c) *What species are protected as migratory birds?* Species protected as migratory birds are listed in two formats to suit the varying needs of the user: Alphabetically in paragraph (c)(1) of this section and taxonomically in paragraph (c)(2) of this section. Taxonomy and nomenclature generally follow the 7th edition of the American Ornithologists' Union's *Check-list of North American birds* (1998, as amended through 2007). For species not treated by the AOU *Check-list*, we generally follow Monroe and Sibley's *A World Checklist of Birds* (1993).

(1) *Alphabetical listing.* Species are listed alphabetically by common (English) group names, with the scientific name of each species following the common name. It is possible that alphabetical listing by common group names may create confusion in those few instances in which the common (English) name of a species has changed. The species formerly known as the Falcated Teal, for example, is now known as the Falcated Duck. To prevent confusion, the alphabetical list has two entries for Falcated Duck: "DUCK, Falcated" and "[TEAL, Falcated (see DUCK, Falcated)]." Other potential ambiguities are treated in the same way.

ACCENTOR, Siberian, *Prunella montanella*
AKEKEE, *Loxops caeruleirostris*
AKEPA, *Loxops coccineus*
AKIALOA, Greater, *Hemignathus ellisianus*
AKIAPOLAAU, *Hemignathus munroi*
AKIKIKI, *Oreomystis bairdi*
AKOHEKOHE, *Palmeria dolei*
ALAUAHIO, Maui, *Paroreomyza montana*
Oahu, *Paroreomyza maculata*
ALBATROSS, Black-browed, *Thalassarche melanophrys*
Black-footed, *Phoebastria nigripes*
Laysan, *Phoebastria immutabilis*
Light-mantled, *Phoebetria palpebrata*
Short-tailed, *Phoebastria albatrus*
Shy, *Thalassarche cauta*
Wandering, *Diomedea exulans*
Yellow-nosed, *Thalassarche chlororhynchos*
ANHINGA, *Anhinga anhinga*
ANI, Groove-billed, *Crotophaga sulcirostris*
Smooth-billed, *Crotophaga ani*
AMAKIHI, Hawaii, *Hemignathus virens*
Kauai, *Hemignathus kauaiensis*
Oahu, *Hemignathus flavus*
ANIANIAU, *Magumma parva*
APAPANE, *Himatione sanguinea*
AUKLET, Cassin's, *Ptychoramphus aleuticus*

§ 10.13

50 CFR Ch. I (10-1-11 Edition)

Crested, <i>Aethia cristatella</i>	CATBIRD, Black, <i>Melanoptila glabrirostris</i>
Least, <i>Aethia pusilla</i>	Gray, <i>Dumetella carolinensis</i>
Parakeet, <i>Aethia psittacula</i>	CHAFFINCH, Common, <i>Fringilla coelebs</i>
Rhinoceros, <i>Cerorhinca monocerata</i>	CHAT, Yellow-breasted, <i>Icteria virens</i>
Whiskered, <i>Aethia pygmaea</i>	CHICKADEE, Black-capped, <i>Poecile atricapillus</i>
AVOCET, American, <i>Recurvirostra americana</i>	Boreal, <i>Poecile hudsonica</i>
[BARN-OWL, Common (see OWL, Barn)]	Carolina, <i>Poecile carolinensis</i>
BEAN-GOOSE, Taiga, <i>Anser fabalis</i>	Chestnut-backed, <i>Poecile rufescens</i>
Tundra, <i>Anser serrirostris</i>	Gray-headed, <i>Poecile cincta</i>
BEARDLESS-TYRANNULET, Northern, <i>Camptostoma imberbe</i>	Mexican, <i>Poecile sclateri</i>
BECARD, Rose-throated, <i>Pachyramphus aglaiae</i>	Mountain, <i>Poecile gambeli</i>
BITTERN, American, <i>Botaurus lentiginosus</i>	CHUCK-WILL'S-WIDOW, <i>Caprimulgus carolinensis</i>
Black, <i>Ixobrychus flavicollis</i>	CONDOR, California, <i>Gymnogyps californianus</i>
[Chinese (see Yellow)]	COOT, American, <i>Fulica americana</i>
Least, <i>Ixobrychus exilis</i>	Caribbean, <i>Fulica caribaea</i>
Schrenck's, <i>Ixobrychus eurhythmus</i>	Eurasian, <i>Fulica atra</i>
Yellow, <i>Ixobrychus sinensis</i>	Hawaiian, <i>Fulica alai</i>
BLACK-HAWK, Common, <i>Buteogallus anthracinus</i>	CORMORANT, Brandt's, <i>Phalacrocorax penicillatus</i>
BLACKBIRD, Brewer's, <i>Euphagus cyanocephalus</i>	Double-crested, <i>Phalacrocorax auritus</i>
Red-winged, <i>Agelaius phoeniceus</i>	Great, <i>Phalacrocorax carbo</i>
Rusty, <i>Euphagus carolinus</i>	Little Pied, <i>Phalacrocorax melanoleucos</i>
Tawny-shouldered, <i>Agelaius humeralis</i>	Neotropic, <i>Phalacrocorax brasiliensis</i>
Tricolored, <i>Agelaius tricolor</i>	[Olivaceous (see Neotropic)]
Yellow-headed, <i>Xanthocephalus xanthocephalus</i>	Pelagic, <i>Phalacrocorax pelagicus</i>
Yellow-shouldered, <i>Agelaius xanthomus</i>	Red-faced, <i>Phalacrocorax urile</i>
BLUEBIRD, Eastern, <i>Sialia sialis</i>	COWBIRD, Bronzed, <i>Molothrus aeneus</i>
Mountain, <i>Sialia currucoides</i>	Brown-headed, <i>Molothrus ater</i>
Western, <i>Sialia mexicana</i>	Shiny, <i>Molothrus bonariensis</i>
BLUETAIL, Red-flanked, <i>Tarsiger cyanurus</i>	CRAKE, Corn, <i>Crex crex</i>
BLUETHROAT, <i>Luscinia svecica</i>	Paint-billed, <i>Neocrex erythrops</i>
BOBOLINK, <i>Dolichonyx oryzivorus</i>	Spotless, <i>Porzana tabuensis</i>
BOOBY, Blue-footed, <i>Sula nebulouxii</i>	Yellow-breasted, <i>Porzana flaviventer</i>
Brown, <i>Sula leucogaster</i>	CRANE, Common, <i>Grus grus</i>
Masked, <i>Sula dactylatra</i>	Sandhill, <i>Grus canadensis</i>
Red-footed, <i>Sula sula</i>	Whooping, <i>Grus americana</i>
BRAMBLING, <i>Fringilla montifringilla</i>	CREEPER, Brown, <i>Certhia americana</i>
BRANT, <i>Branta bernicla</i>	Hawaii, <i>Oreomystis mana</i>
BUFFLEHEAD, <i>Bucephala albeola</i>	CROSSBILL, Red, <i>Loxia curvirostra</i>
BULLFINCH, Eurasian, <i>Pyrrhula pyrrhula</i>	White-winged, <i>Loxia leucoptera</i>
Puerto Rican, <i>Loxigilla portoricensis</i>	CROW, American, <i>Corvus brachyrhynchos</i>
BUNTING, Blue, <i>Cyanocompsa parellina</i>	Fish, <i>Corvus ossifragus</i>
Gray, <i>Emberiza variabilis</i>	Hawaiian, <i>Corvus hawaiiensis</i>
Indigo, <i>Passerina cyanea</i>	Mariana, <i>Corvus kubaryi</i>
Little, <i>Emberiza pusilla</i>	[Mexican (see Tamaulipas)]
Lark, <i>Calamospiza melanocorys</i>	Northwestern, <i>Corvus caurinus</i>
Lazuli, <i>Passerina amoena</i>	Tamaulipas, <i>Corvus imparatus</i>
McKey's, <i>Plectrophenax hyperboreus</i>	White-necked, <i>Corvus leucognaphalus</i>
Painted, <i>Passerina ciris</i>	CUCKOO, Black-billed, <i>Coccyzus erythrophthalmus</i>
Pallas's, <i>Emberiza pallasi</i>	Common, <i>Cuculus canorus</i>
Pine, <i>Emberiza leucocephalos</i>	Mangrove, <i>Coccyzus minor</i>
Reed, <i>Emberiza schoeniclus</i>	Oriental, <i>Cuculus optatus</i>
Rustic, <i>Emberiza rustica</i>	Yellow-billed, <i>Coccyzus americanus</i>
Snow, <i>Plectrophenax nivalis</i>	CURLEW, Bristle-thighed, <i>Numenius tahitiensis</i>
Varied, <i>Passerina versicolor</i>	Eskimo, <i>Numenius borealis</i>
Yellow-breasted, <i>Emberiza aureola</i>	Eurasian, <i>Numenius arquata</i>
Yellow-throated, <i>Emberiza elegans</i>	Far Eastern, <i>Numenius madagascariensis</i>
BUSHTIT, <i>Psaltriparus minimus</i>	[Least (see Little)]
CANVASBACK, <i>Aythya valisineria</i>	Little, <i>Numenius minutus</i>
CARACARA, Crested, <i>Caracara cheriway</i>	Long-billed, <i>Numenius americanus</i>
CARDINAL, Northern, <i>Cardinalis cardinalis</i>	DICKCISSEL, <i>Spiza americana</i>
CARIB, Green-throated, <i>Eulampis holosericeus</i>	DIPPER, American, <i>Cinclus mexicanus</i>
Purple-throated, <i>Eulampis jugularis</i>	

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

DOTTEREL, Eurasian, <i>Charadrius morinellus</i>	Dusky-capped, <i>Myiarchus tuberculifer</i>
DOVE, Inca, <i>Columbina inca</i>	Fork-tailed, <i>Tyrannus savana</i>
Mourning, <i>Zenaida macroura</i>	Gray, <i>Empidonax wrightii</i>
White-tipped, <i>Leptotila verreauxi</i>	[Gray-spotted (see Gray-streaked)]
White-winged, <i>Zenaida asiatica</i>	Gray-streaked, <i>Muscicapa griseisticta</i>
Zenaida, <i>Zenaida aurita</i>	Great Crested, <i>Myiarchus crinitus</i>
DOVEKIE, <i>Alle alle</i>	Hammond's, <i>Empidonax hammondi</i>
DOWITCHER, Long-billed, <i>Limnodromus scolopaceus</i>	La Sagra's, <i>Myiarchus sagrae</i>
Short-billed, <i>Limnodromus griseus</i>	Least, <i>Empidonax minimus</i>
DUCK, American Black, <i>Anas rubripes</i>	Narcissus, <i>Ficedula narcissina</i>
Falcated, <i>Anas falcata</i>	Nutting's, <i>Myiarchus nuttingi</i>
Harlequin, <i>Histrionicus histrionicus</i>	Olive-sided, <i>Contopus cooperi</i>
Hawaiian, <i>Anas wyvilliana</i>	Pacific-slope, <i>Empidonax difficilis</i>
Laysan, <i>Anas laysanensis</i>	Piratic, <i>Legatus leucophalus</i>
Long-tailed, <i>Clangula hyemalis</i>	Puerto Rican, <i>Myiarchus antillarum</i>
Masked, <i>Nomonyx dominicus</i>	Scissor-tailed, <i>Tyrannus forficatus</i>
Mottled, <i>Anas fulvigula</i>	Social, <i>Myiozetetes similis</i>
Muscovy, <i>Cairina moschata</i>	Sulphur-bellied, <i>Myiodynastes luteiventris</i>
Pacific Black, <i>Anas superciliosa</i>	Tufted, <i>Mitrephanes phaeocercus</i>
Ring-necked, <i>Aythya collaris</i>	Variegated, <i>Empidonax varius</i>
Ruddy, <i>Oxyura jamaicensis</i>	Vermilion, <i>Pyrocephalus rubinus</i>
Spot-billed, <i>Anas poecilorhyncha</i>	[Western (see Cordilleran and Pacific-slope)]
Tufted, <i>Aythya fuligula</i>	Willow, <i>Empidonax traillii</i>
Wood, <i>Aix sponsa</i>	Yellow-bellied, <i>Empidonax flaviventris</i>
DUNLIN, <i>Calidris alpina</i>	FOREST-FALCON, Collared, <i>Micrastur semitorquatus</i>
EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	FRIGATEBIRD, Great, <i>Fregata minor</i>
Golden, <i>Aquila chrysaetos</i>	Lesser, <i>Fregata ariel</i>
White-tailed, <i>Haliaeetus albicilla</i>	Magnificent, <i>Fregata magnificens</i>
EGRET, Cattle, <i>Bubulcus ibis</i>	FROG-HAWK, Gray, <i>Accipiter soloensis</i>
Chinese, <i>Egretta eulophotes</i>	FRUIT-DOVE, Crimson-crowned, <i>Ptilinopus porphyreus</i>
Great, <i>Ardea alba</i>	Many-colored, <i>Ptilinopus perousii</i>
Intermediate, <i>Mesophoyx intermedia</i>	Mariana, <i>Ptilinopus roseicapilla</i>
Little, <i>Egretta garzetta</i>	FULMAR, Northern, <i>Fulmarus glacialis</i>
[Plumed (see Intermediate)]	GADWALL, <i>Anas strepera</i>
Reddish, <i>Egretta rufescens</i>	GALLINULE, Azure, <i>Porphyrio flavirostris</i>
Snowy, <i>Egretta thula</i>	Purple, <i>Porphyrio martinica</i>
EIDER, Common, <i>Somateria mollissima</i>	GANNET, Northern, <i>Morus bassanus</i>
King, <i>Somateria spectabilis</i>	GARGANEY, <i>Anas querquedula</i>
Spectacled, <i>Somateria fischeri</i>	GNATCATCHER, Black-capped, <i>Polioptila nigriceps</i>
Steller's, <i>Polysticta stelleri</i>	Black-tailed, <i>Polioptila melanura</i>
ELAENIA, Caribbean, <i>Elaenia martinica</i>	Blue-gray, <i>Polioptila caerulea</i>
Greenish, <i>Myiopagis viridicata</i>	California, <i>Polioptila californica</i>
EMERALD, Puerto Rican, <i>Chlorostilbon maugaeus</i>	GODWIT, Bar-tailed, <i>Limosa lapponica</i>
EUPHONIA, Antillean, <i>Euphonia musica</i>	Black-tailed, <i>Limosa limosa</i>
FALCON, Aplomado, <i>Falco femoralis</i>	Hudsonian, <i>Limosa haemastica</i>
Peregrine, <i>Falco peregrinus</i>	Marbled, <i>Limosa fedoa</i>
Prairie, <i>Falco mexicanus</i>	GOLDEN-PLOVER, American, <i>Pluvialis dominica</i>
Red-Footed, <i>Falco vespertinus</i>	European, <i>Pluvialis apricaria</i>
FIELDFARE, <i>Turdus pilaris</i>	[Lesser (see American)]
FINCH, Cassin's, <i>Carpodacus cassini</i>	Pacific, <i>Pluvialis fulva</i>
House, <i>Carpodacus mexicanus</i>	GOLDFENEYE, Barrow's, <i>Bucephala islandica</i>
Laysan, <i>Telespiza cantans</i>	Common, <i>Bucephala clangula</i>
Nihoa, <i>Telespiza ultima</i>	GOLDFINCH, American, <i>Carduelis tristis</i>
Purple, <i>Carpodacus purpureus</i>	Lawrence's, <i>Carduelis lawrencei</i>
[Rosy (see ROSY-FINCH)]	Lesser, <i>Carduelis psaltria</i>
FLAMINGO, Greater, <i>Phoenicopterus ruber</i>	GOOSE, Barnacle, <i>Branta leucopsis</i>
FLICKER, Gilded, <i>Colaptes chrysoides</i>	[Bean, (see BEAN-GOOSE, Taiga)]
Northern, <i>Colaptes auratus</i>	Canada, <i>Branta canadensis</i> (including Cackling Goose, <i>Branta hutchinsii</i>)
FLYCATCHER, Acadian, <i>Empidonax virescens</i>	Emperor, <i>Chen canagica</i>
Alder, <i>Empidonax alnorum</i>	Greater White-fronted, <i>Anser albifrons</i>
Ash-throated, <i>Myiarchus cinerascens</i>	Hawaiian, <i>Branta sandvicensis</i>
Brown-crested, <i>Myiarchus tyrannulus</i>	
Buff-breasted, <i>Empidonax fulvifrons</i>	
Cordilleran, <i>Empidonax occidentalis</i>	
Dusky, <i>Empidonax oberholseri</i>	

§ 10.13

Lesser White-fronted, *Anser erythropus*
 Ross's, *Chen rossii*
 Snow, *Chen caerulescens*
GOSHAWK, Northern, *Accipiter gentilis*
GRACKLE, Boat-tailed, *Quiscalus major*
 Common, *Quiscalus quiscula*
 Great-tailed, *Quiscalus mexicanus*
 Greater Antillean, *Quiscalus niger*
GRASSHOPPER-WARBLER, Middendorff's,
 Locustella ochotensis
GRASSQUIT, Black-faced, *Tiaris bicolor*
 Yellow-faced, *Tiaris olivaceus*
GREBE, Clark's, *Aechmophorus clarkii*
 Eared, *Podiceps nigricollis*
 Horned, *Podiceps auritus*
 Least, *Tachybaptus dominicus*
 Pied-billed, *Podilymbus podiceps*
 Red-necked, *Podiceps grisegena*
 Western, *Aechmophorus occidentalis*
GREENFINCH, Oriental, *Carduelis sinica*
GREENSHANK, Common, *Tringa nebularia*
 Nordmann's, *Tringa guttifer*
GROSBEAK, Black-headed, *Pheucticus*
 melanocephalus
 Blue, *Passerina caerulea*
 Crimson-collared, *Rhodothraupis celaeno*
 Evening, *Coccothraustes vespertinus*
 Pine, *Pinicola enucleator*
 Rose-breasted, *Pheucticus ludovicianus*
 Yellow, *Pheucticus chrysopaeplus*
GROUND-DOVE, Common, *Columbina*
 passerina
 Friendly, *Gallicolumba stauri*
 Ruddy, *Columbina talpacoti*
 White-throated, *Gallicolumba xanthonura*
GUILLEMOT, Black, *Cephus grylle*
 Pigeon, *Cephus columba*
GULL, Belcher's, *Larus belcheri*
 Black-headed, *Larus ridibundus*
 Black-tailed, *Larus crassirostris*
 Bonaparte's, *Larus philadelphicus*
 California, *Larus californicus*
 [Common Black-headed (see Black-headed)]
 Franklin's, *Larus pipixcan*
 Glaucous, *Larus hyperboreus*
 Glaucous-winged, *Larus glaucescens*
 Gray-hooded, *Larus cirrocephalus*
 Great Black-backed, *Larus marinus*
 Heermann's, *Larus heermanni*
 Herring, *Larus argentatus*
 Iceland, *Larus glaucopterus*
 Ivory, *Pagophila eburnea*
 Kelp, *Larus dominicanus*
 Laughing, *Larus atricilla*
 Lesser Black-backed, *Larus fuscus*
 Little, *Larus minutus*
 Mew, *Larus canus*
 Ring-billed, *Larus delawarensis*
 Ross's, *Rhodostethia rosea*
 Sabine's, *Xema sabini*
 Slaty-backed, *Larus schistisagus*
 Thayer's, *Larus thayeri*
 Western, *Larus occidentalis*
 Yellow-footed, *Larus livens*
 Yellow-legged, *Larus michahellis*
GYRFALCON, *Falco rusticolus*
HARRIER, Northern, *Circus cyaneus*

50 CFR Ch. I (10-1-11 Edition)

HAWFINCH, *Coccothraustes coccothraustes*
HAWK, [Asiatic Sparrow (see
 SPARROWHAWK, Japanese)]
 Broad-winged, *Buteo platypterus*
 Cooper's, *Accipiter cooperii*
 Crane, *Geranospiza caerulescens*
 Ferruginous, *Buteo regalis*
 Gray, *Buteo nitidus*
 Harris's, *Parabuteo unicinctus*
 Hawaiian, *Buteo solitarius*
 Red-shouldered, *Buteo lineatus*
 Red-tailed, *Buteo jamaicensis*
 Roadside, *Buteo magnirostris*
 Rough-legged, *Buteo lagopus*
 Sharp-shinned, *Accipiter striatus*
 Short-tailed, *Buteo brachyurus*
 Swainson's, *Buteo swainsoni*
 White-tailed, *Buteo albicaudatus*
 Zone-tailed, *Buteo albonotatus*
HAWK-CUCKOO, Hodgson's, *Cuculus fugax*
 [HAWK-OWL, Northern (see OWL, Northern
 Hawk)]
HERON, Gray, *Ardea cinerea*
 Great Blue, *Ardea herodias*
 Green, *Butorides virescens*
 [Green-backed (see Green)]
 Little Blue, *Egretta caerulea*
 [Pacific Reef (see REEF-EGRET, Pacific)]
 Tricolored, *Egretta tricolor*
HOBBY, Eurasian, *Falco subbuteo*
HOPOE, Eurasian, *Upupa epops*
HOUSE-MARTIN, Common, *Delichon urbicum*
HUMMINGBIRD, Allen's, *Selasphorus sasin*
 Anna's, *Calypte anna*
 Antillean Crested, *Orthorhyncus cristatus*
 Berylline, *Amazilia beryllina*
 Black-chinned, *Archilochus alexandri*
 Blue-throated, *Lampornis clemenciae*
 Broad-billed, *Cynanthus latirostris*
 Broad-tailed, *Selasphorus platycercus*
 Buff-bellied, *Amazilia yucatanensis*
 Bumblebee, *Aethopyga heloisa*
 Calliope, *Stellula calliope*
 Cinnamon, *Amazilia rutila*
 Costa's, *Calypte costae*
 Lucifer, *Calothorax lucifer*
 Magnificent, *Eugenes fulgens*
 Ruby-throated, *Archilochus colubris*
 Rufous, *Selasphorus rufus*
 Violet-crowned, *Amazilia violiceps*
 White-eared, *Hylocharis leucotis*
 Xantus's, *Hylocharis xanthusii*
IBIS, Glossy, *Plegadis falcinellus*
 Scarlet, *Eudocimus ruber*
 White, *Eudocimus albus*
 White-faced, *Plegadis chihi*
IIWI, *Vestiaria coccinea*
IMPERIAL-PIGEON, Pacific, *Ducula pacifica*
JABIRU, *Jabiru mycteria*
JACANA, Northern, *Jacana spinosa*
JAEGER, Long-tailed, *Stercorarius*
 longicaudus
 Parasitic, *Stercorarius parasiticus*
 Pomarine, *Stercorarius pomarinus*
JAY, Blue, *Cyanocitta cristata*
 Brown, *Cyanocorax morio*
 Gray, *Perisoreus canadensis*

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

[Gray-breasted (see Mexican)]	Gray-breasted, <i>Progne chalybea</i>
Green, <i>Cyanocorax yncas</i>	Purple, <i>Progne subis</i>
Mexican, <i>Aphelocoma ultramarina</i>	Southern, <i>Progne elegans</i>
Pinyon, <i>Gymnorhinus cyanocephalus</i>	MEADOWLARK, Eastern, <i>Sturnella magna</i>
[Scrub (see SCRUB-JAY)]	Western, <i>Sturnella neglecta</i>
Steller's, <i>Cyanocitta stelleri</i>	MERGANSER, Common, <i>Mergus merganser</i>
JUNCO, Dark-eyed, <i>Junco hyemalis</i>	Hooded, <i>Lophodytes cucullatus</i>
Yellow-eyed, <i>Junco phaeonotus</i>	Red-breasted, <i>Mergus serrator</i>
KAKAWAHIE, <i>Paroreomyza flammea</i>	MERLIN, <i>Falco columbarius</i>
KAMAO, <i>Myadestes myadestinus</i>	MILLERBIRD, <i>Acrocephalus familiaris</i>
KESTREL, American, <i>Falco sparverius</i>	MOCKINGBIRD, Bahama, <i>Mimus gundlachii</i>
Eurasian, <i>Falco tinnunculus</i>	Blue, <i>Melanotis caerulescens</i>
KILLDEER, <i>Charadrius vociferus</i>	Northern, <i>Mimus polyglottos</i>
KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>	MOORHEN, Common, <i>Gallinula chloropus</i>
Couch's, <i>Tyrannus couchii</i>	MURRE, Common, <i>Uria aalge</i>
Eastern, <i>Tyrannus tyrannus</i>	Thick-billed, <i>Uria lomvia</i>
Gray, <i>Tyrannus dominicensis</i>	MURRELET, Ancient, <i>Synthliboramphus antiquus</i>
Loggerhead, <i>Tyrannus caudifasciatus</i>	Craveri's, <i>Synthliboramphus craveri</i>
Thick-billed, <i>Tyrannus crassirostris</i>	Kittlitz's, <i>Brachyramphus brevirostris</i>
Tropical, <i>Tyrannus melancholicus</i>	Long-billed, <i>Brachyramphus perdix</i>
Western, <i>Tyrannus verticalis</i>	Marbled, <i>Brachyramphus marmoratus</i>
KINGFISHER, Belted, <i>Megaceryle alcyon</i>	Xantus's, <i>Synthliboramphus hypoleucus</i>
Collared, <i>Todirhamphus chloris</i>	NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>
Green, <i>Chloroceryle americana</i>	NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>
Micronesian, <i>Todirhamphus cinnamominus</i>	Japanese, <i>Gorsachius goisagi</i>
Ringed, <i>Megaceryle torquata</i>	[Malay (see Malayan)]
KINGLET, Golden-crowned, <i>Regulus satrapa</i>	Malayan, <i>Gorsachius melanotophus</i>
Ruby-crowned, <i>Regulus calendula</i>	Yellow-crowned, <i>Nyctanassa violacea</i>
KISKADEE, Great, <i>Pitangus sulphuratus</i>	NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>
KITE, [American Swallow-tailed (see Swallow-tailed)]	Common, <i>Chordeiles minor</i>
Black, <i>Milvus migrans</i>	Lesser, <i>Chordeiles acutipennis</i>
[Black-shouldered (see White-tailed)]	NIGHTINGALE-THRUSH, Black-headed, <i>Catharus mexicanus</i>
Hook-billed, <i>Chondrohierax uncinatus</i>	Orange-billed, <i>Catharus aurantiirostris</i>
Mississippi, <i>Ictinia mississippiensis</i>	NIGHTJAR, Buff-collared, <i>Caprimulgus ridgwayi</i>
Snail, <i>Rostrhamus sociabilis</i>	Gray, <i>Caprimulgus indicus</i>
Swallow-tailed, <i>Elanoides forficatus</i>	[Jungle (see Gray)]
White-tailed, <i>Elanus leucurus</i>	Puerto Rican, <i>Caprimulgus noctitherus</i>
KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>	NODDY, Black, <i>Anous minutus</i>
Red-legged, <i>Rissa brevirostris</i>	Blue-gray, <i>Procelsterna cerulea</i>
KNOT, Great, <i>Calidris tenuirostris</i>	Brown, <i>Anous stolidus</i>
Red, <i>Calidris canutus</i>	[Lesser (see Black)]
LAPWING, Northern, <i>Vanellus vanellus</i>	NUKUPUU, <i>Hemignathus lucidus</i>
LARK, Horned, <i>Eremophila alpestris</i>	NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>
Sky, <i>Alauda arvensis</i>	NUTHATCH, Brown-headed, <i>Sitta pusilla</i>
LIMPKIN, <i>Aramus guarauna</i>	Pygmy, <i>Sitta pygmaea</i>
LIZARD-CUCKOO, Puerto Rican, <i>Coccyzus vieilloti</i>	Red-breasted, <i>Sitta canadensis</i>
LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>	White-breasted, <i>Sitta carolinensis</i>
Lapland, <i>Calcarius lapponicus</i>	[OLDSQUAW (see DUCK, Long-tailed)]
McCown's, <i>Calcarius mccownii</i>	OLOMAO, <i>Myadestes lanaiensis</i>
Smith's, <i>Calcarius pictus</i>	OMAO, <i>Myadestes obscurus</i>
LOON, Arctic, <i>Gavia arctica</i>	ORIOLE, Altamira, <i>Icterus gularis</i>
Common, <i>Gavia immer</i>	Audubon's, <i>Icterus graduacauda</i>
Pacific, <i>Gavia pacifica</i>	Baltimore, <i>Icterus galbula</i>
Red-throated, <i>Gavia stellata</i>	[Black-cowled (see Greater Antillean)]
Yellow-billed, <i>Gavia adamsii</i>	Black-vented, <i>Icterus wagleri</i>
MAGPIE, Black-billed, <i>Pica hudsonia</i>	Bullock's, <i>Icterus bullockii</i>
Yellow-billed, <i>Pica nuttalli</i>	Greater Antillean, <i>Icterus dominicensis</i>
MALLARD, <i>Anas platyrhynchos</i>	Hooded, <i>Icterus cucullatus</i>
MANGO, Antillean, <i>Anthracothorax dominicus</i>	[Northern (see Baltimore and Bullock's)]
Green, <i>Anthracothorax viridis</i>	Orchard, <i>Icterus spurius</i>
Green-breasted, <i>Anthracothorax prevostii</i>	
MARTIN, Brown-chested, <i>Progne tapera</i>	
Caribbean, <i>Progne dominicensis</i>	
Cuban, <i>Progne cryptoleuca</i>	

§ 10.13

Scott's, *Icterus parisorum*
 Streak-backed, *Icterus pustulatus*
OSPREY, *Pandion haliaetus*
OU, *Psittirostra psittacea*
OVENBIRD, *Seiurus aurocapilla*
OWL, Barn, *Tyto alba*
 Barred, *Strix varia*
 Boreal, *Aegolius funereus*
 Burrowing, *Athene cunicularia*
 Elf, *Micrathene whitneyi*
 Flammulated, *Otus flammeolus*
 Great Gray, *Strix nebulosa*
 Great Horned, *Bubo virginianus*
 Long-eared, *Asio otus*
 Mottled, *Ciccaba virgata*
 Northern Hawk, *Surnia ulula*
 Northern Saw-whet, *Aegolius acadicus*
 Short-eared, *Asio flammeus*
 Snowy, *Bubo scandiacus*
 Spotted, *Strix occidentalis*
 Stygian, *Asio stygius*
OYSTERCATCHER, American, *Haematopus palliatus*
 Black, *Haematopus bachmani*
 Eurasian, *Haematopus ostralegus*
PALILA, *Loxioides bailleui*
PALM-SWIFT, Antillean, *Tachornis phoenicobia*
PARROTBILL, Maui, *Pseudonestor xanthophrys*
PARULA, Northern, *Parula americana*
 Tropical, *Parula pitayumi*
PAURAQUE, Common, *Nyctidromus albicollis*
PELICAN, American White, *Pelecanus erythrorhynchos*
 Brown, *Pelecanus occidentalis*
PETREL, Bermuda, *Pterodroma cahow*
 Black-capped, *Pterodroma hasitata*
 Black-winged, *Pterodroma nigripennis*
 Bonin, *Pterodroma hypoleuca*
 Bulwer's, *Bulweria bulwerii*
 Cook's, *Pterodroma cookii*
 [Dark-rumped (see Hawaiian)]
 Gould's, *Pterodroma leucoptera*
 Great-winged, *Pterodroma macroptera*
 Hawaiian, *Pterodroma sandwichensis*
 Herald, *Pterodroma arminjoniana*
 Jouanin's, *Bulweria fallax*
 Juan Fernandez, *Pterodroma externa*
 Kermadec, *Pterodroma neglecta*
 Mottled, *Pterodroma inexpectata*
 Murphy's, *Pterodroma ultima*
 Phoenix, *Pterodroma alba*
 Stejneger's, *Pterodroma longirostris*
 Tahiti, *Pterodroma rostrata*
 White-necked, *Pterodroma cervicalis*
 [White-necked, *Pterodroma externa* (see Petrel, Juan Fernandez)]
PEWEE, Cuban, *Contopus caribaeus*
 Greater, *Contopus pertinax*
 Hispaniolan, *Contopus hispaniolensis*
 Lesser Antillean, *Contopus latirostris*
PHAINOPEPLA, *Phainopepla nitens*
PHALAROPE, Red, *Phalaropus fulicarius*
 Red-necked, *Phalaropus lobatus*
 Wilson's, *Phalaropus tricolor*
PHOEBE, Black, *Sayornis nigricans*

50 CFR Ch. I (10-1-11 Edition)

Eastern, *Sayornis phoebe*
 Say's, *Sayornis saya*
PIGEON, Band-tailed, *Patagioenas fasciata*
 Plain, *Patagioenas inornata*
 Red-billed, *Patagioenas flavirostris*
 Scaly-naped, *Patagioenas squamosa*
 White-crowned, *Patagioenas leucocephala*
PINTAIL, Northern, *Anas acuta*
 White-cheeked, *Anas bahamensis*
PIPIT, American, *Anthus rubescens*
 Olive-backed, *Anthus hodgsoni*
 Pechora, *Anthus gustavi*
 Red-throated, *Anthus cervinus*
 Sprague's, *Anthus spragueii*
 Tree, *Anthus trivialis*
 [Water (see American)]
PLOVER, Black-bellied, *Pluvialis squatarola*
 Collared, *Charadrius collaris*
 Common Ringed, *Charadrius hiaticula*
 [Great Sand (see Sand-Plover, Greater)]
 Little Ringed, *Charadrius dubius*
 [Mongolian (see Sand-Plover, Lesser)]
 Mountain, *Charadrius montanus*
 Piping, *Charadrius melanotos*
 Semipalmed, *Charadrius semipalmatus*
 Snowy, *Charadrius alexandrinus*
 Wilson's, *Charadrius wilsonia*
POCHARD, Baer's, *Aythya baeri*
 Common, *Aythya ferina*
POND-HERON, Chinese, *Ardeola bacchus*
POORWILL, Common, *Phalaenoptilus nuttallii*
POO-ULI, *Melamprosops phaeosoma*
PUAIOHI, *Myadestes palmeri*
PUFFIN, Atlantic, *Fratercula arctica*
 Horned, *Fratercula corniculata*
 Tufted, *Fratercula cirrhata*
PYGMY-OWL, Ferruginous, *Glaucidium brasilianum*
 Northern, *Glaucidium gnoma*
PYRRHULOXIA, *Cardinalis sinuatus*
QUAIL-DOVE, Bridled, *Geotrygon mystacea*
 Key West, *Geotrygon chrysia*
 Ruddy, *Geotrygon montana*
QUETZEL, Eared, *Euptilotis neoxenus*
RAIL, Black, *Lateralus jamaicensis*
 Buff-banded, *Gallirallus philippensis*
 Clapper, *Rallus longirostris*
 Guam, *Gallirallus owstoni*
 King, *Rallus elegans*
 Spotted, *Pardirallus maculatus*
 Virginia, *Rallus limicola*
 Yellow, *Coturnicops noveboracensis*
RAVEN, Chihuahuan, *Corvus cryptoleucus*
 Common, *Corvus corax*
RAZORBILL, *Alca torda*
REDHEAD, *Aythya americana*
REDPOLL, Common, *Carduelis flammea*
 Hoary, *Carduelis hornemannii*
REDSHANK, Spotted, *Tringa erythropus*
REDSTART, American, *Setophaga ruticilla*
 Painted, *Myioborus pictus*
 Slate-throated, *Myioborus miniatus*
[REED-BUNTING], Common (see BUNTING, Reed)
 [Pallas' (see BUNTING, Pallas's)]
REED-WARBLER, Nightingale, *Acrocephalus luscinia*

U.S. Fish and Wildlife Serv., Interior

§ 10.13

REEF-EGRET, Pacific, <i>Egretta sacra</i>	Black-vented, <i>Puffinus opisthomelas</i>
REEF-HERON, Western, <i>Egretta gularis</i>	Buller's, <i>Puffinus bulleri</i>
ROADRUNNER, Greater, <i>Geococcyx californianus</i>	Cape Verde, <i>Calonectris edwardsii</i>
ROBIN, American, <i>Turdus migratorius</i>	Christmas, <i>Puffinus nativitatis</i>
Clay-colored, <i>Turdus grayi</i>	Cory's, <i>Calonectris diomedea</i>
Rufous-backed, <i>Turdus rufopalliatus</i>	Flesh-footed, <i>Puffinus carneipes</i>
Siberian Blue, <i>Luscinia cyane</i>	Greater, <i>Puffinus gravis</i>
White-throated, <i>Turdus assimilis</i>	Little, <i>Puffinus assimilis</i>
ROSEFINCH, Common, <i>Carpodacus erythrinus</i>	Manx, <i>Puffinus puffinus</i>
ROSY-FINCH, Black, <i>Leucosticte atrata</i>	Pink-footed, <i>Puffinus creatopus</i>
Brown-capped, <i>Leucosticte australis</i>	Short-tailed, <i>Puffinus tenuirostris</i>
Gray-crowned, <i>Leucosticte tephrocotis</i>	Sooty, <i>Puffinus griseus</i>
RUBYTHROAT, Siberian, <i>Luscinia calliope</i>	Streaked, <i>Calonectris leucomelas</i>
RUFF, <i>Philomachus pugnax</i>	Townsend's, <i>Puffinus auricularis</i>
SANDERLING, <i>Calidris alba</i>	Wedge-tailed, <i>Puffinus pacificus</i>
SANDPIPER, Baird's, <i>Calidris bairdii</i>	SHOVELER, Northern, <i>Anas clypeata</i>
Broad-billed, <i>Limicola falcinellus</i>	SHRIKE, Brown, <i>Lanius cristatus</i>
Buff-breasted, <i>Tryngites subruficollis</i>	Loggerhead, <i>Lanius ludovicianus</i>
Common, <i>Actitis hypoleucus</i>	Northern, <i>Lanius excubitor</i>
Curlew, <i>Calidris ferruginea</i>	SILKY-FLYCATCHER, Gray, <i>Ptilogonyx cinereus</i>
Green, <i>Tringa ochropus</i>	SISKIN, Eurasian, <i>Carduelis spinus</i>
Least, <i>Calidris minutilla</i>	Pine, <i>Carduelis pinus</i>
Marsh, <i>Tringa stagnatilis</i>	SKIMMER, Black, <i>Rynchops niger</i>
Pectoral, <i>Calidris melanotos</i>	SKUA, Great, <i>Stercorarius skua</i>
Purple, <i>Calidris maritima</i>	South Polar, <i>Stercorarius maccormicki</i>
Rock, <i>Calidris ptilonemesis</i>	[SKYLARK, Eurasian (see LARK, Sky)]
Semipalmated, <i>Calidris pusilla</i>	SMEW, <i>Mergus albellus</i>
Sharp-tailed, <i>Calidris acuminata</i>	SNIPE, Common, <i>Gallinago gallinago</i> (rare in western Alaska; also see SNIPE, Wilson's)
Solitary, <i>Tringa solitaria</i>	Jack, <i>Lymnocryptes minimus</i>
[Spoonbill (see Spoon-billed)]	Pin-tailed, <i>Gallinago stenura</i>
Spoon-billed, <i>Eurynorhynchus pygmeus</i>	Swinhoe's, <i>Gallinago megala</i>
Spotted, <i>Actitis macularius</i>	Wilson's, <i>Gallinago delicata</i> (the "common" snipe hunted in most of the U.S.)
Stilt, <i>Calidris himantopus</i>	SOLITAIRE, Townsend's, <i>Myadestes townsendi</i>
Terek, <i>Xenus cinereus</i>	SORA, <i>Porzana carolina</i>
Upland, <i>Bartramia longicauda</i>	SPARROW, American Tree, <i>Spizella arborea</i>
Western, <i>Calidris mauri</i>	Bachman's, <i>Aimophila aestivalis</i>
White-rumped, <i>Calidris fuscicollis</i>	Baird's, <i>Ammodramus bairdii</i>
Wood, <i>Tringa glareola</i>	Black-chinned, <i>Spizella atrogularis</i>
SAND-PLOVER, Greater, <i>Charadrius leschenaultii</i>	Black-throated, <i>Amphispiza bilineata</i>
Lesser, <i>Charadrius mongolus</i>	Botteri's, <i>Aimophila botterii</i>
SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>	Brewer's, <i>Spizella breweri</i>
Red-naped, <i>Sphyrapicus nuchalis</i>	Cassin's, <i>Aimophila cassini</i>
Williamson's, <i>Sphyrapicus thyroideus</i>	Chipping, <i>Spizella passerina</i>
Yellow-bellied, <i>Sphyrapicus varius</i>	Clay-colored, <i>Spizella pallida</i>
SCAUP, Greater, <i>Aythya marila</i>	Field, <i>Spizella pusilla</i>
Lesser, <i>Aythya affinis</i>	Five-striped, <i>Aimophila quinquestriata</i>
SCOPS-OWL, Oriental, <i>Otus sunia</i>	Fox, <i>Passerella iliaca</i>
SCOTER, Black, <i>Melanitta nigra</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>
Surf, <i>Melanitta perspicillata</i>	Grasshopper, <i>Ammodramus savannarum</i>
White-winged, <i>Melanitta fusca</i>	Harris's, <i>Zonotrichia querula</i>
SCREECH-OWL, Eastern, <i>Megascops asio</i>	Henslow's, <i>Ammodramus henslowii</i>
Puerto Rican, <i>Megascops nudipes</i>	Lark, <i>Chondestes grammacus</i>
Western, <i>Megascops kennicottii</i>	Le Conte's, <i>Ammodramus lecontei</i>
Whiskered, <i>Megascops trichopsis</i>	Lincoln's, <i>Melospiza lincolni</i>
SCRUB-JAY, Florida, <i>Aphelocoma coerulescens</i>	Nelson's Sharp-tailed, <i>Ammodramus nelsoni</i>
Island, <i>Aphelocoma insularis</i>	Olive, <i>Arremonops rufivirgatus</i>
Western, <i>Aphelocoma californica</i>	Rufous-crowned, <i>Aimophila ruficeps</i>
SEA-EAGLE, Steller's, <i>Haliaeetus pelagicus</i>	Rufous-winged, <i>Aimophila carpalis</i>
SEEDEATER, White-collared, <i>Sporophila torqueola</i>	Sage, <i>Amphispiza belli</i>
Audubon's, <i>Puffinus therminieri</i>	Saltmarsh Sharp-tailed, <i>Ammodramus caudacutus</i>
	Savannah, <i>Passerculus sandwichensis</i>

§ 10.13

Seaside, *Ammodramus maritimus*
 [Sharp-tailed (see Nelson's Sharp-tailed and Saltmarsh Sharp-tailed)]
 Song, *Melospiza melodia*
 Swamp, *Melospiza georgiana*
 Vesper, *Pooecetes gramineus*
 White-crowned, *Zonotrichia leucophrys*
 White-throated, *Zonotrichia albicollis*
 Worthen's, *Spizella wortheni*
SPARROWHAWK, Japanese, *Accipiter gularis*
SPINDALIS, Puerto Rican, *Spindalis portoricensis*
 Western, *Spindalis zena*
SPOONBILL, Roseate, *Platalea ajaja*
STARLING, [Ashy (see White-cheeked)]
 Chestnut-cheeked, *Sturnus philippensis*
 [Violet-backed (see Chestnut-cheeked)]
 White-cheeked, *Sturnus cineraceus*
STARTHROAT, Plain-capped, *Heliomaster constantii*
STILT, Black-necked, *Himantopus mexicanus*
 Black-winged, *Himantopus himantopus*
STINT, Little, *Calidris minuta*
 Long-toed, *Calidris subminuta*
 Red-necked, *Calidris ruficollis*
 [Rufous-necked (see Red-necked)]
 Temminck's, *Calidris temminckii*
STONECHAT, *Saxicola torquatus*
STORK, Wood, *Mycteria americana*
STORM-PETREL, Ashy, *Oceanodroma homochroa*
 Band-rumped, *Oceanodroma castro*
 Black, *Oceanodroma Melania*
 Black-bellied, *Fregetta tropica*
 Fork-tailed, *Oceanodroma furcata*
 Leach's, *Oceanodroma leuconota*
 Least, *Oceanodroma microsoma*
 Matsudaira's, *Oceanodroma matsudairae*
 Polynesian, *Nesofregata fuliginosa*
 Ringed, *Oceanodroma hornbyi*
 [Sooty (see Tristram's)]
 Tristram's, *Oceanodroma tristrami*
 Wedge-rumped, *Oceanodroma tethys*
 White-faced, *Pelagodroma marina*
 White-bellied, *Fregetta grallaria*
 Wilson's, *Oceanites oceanicus*
SURFBIRD, *Aphriza virgata*
SWALLOW, Bahama, *Tachycineta cyaneoviridis*
 Bank, *Riparia riparia*
 Barn, *Hirundo rustica*
 Cave, *Petrochelidon fulva*
 Cliff, *Petrochelidon pyrrhonota*
 Mangrove, *Tachycineta albilinea*
 Northern Rough-winged, *Stelgidopteryx serripennis*
 Tree, *Tachycineta bicolor*
 Violet-green, *Tachycineta thalassina*
SWAMPHEN, Purple, *Porphyrio porphyrio*
SWAN, Trumpeter, *Cygnus buccinator*
 Tundra, *Cygnus columbianus*
 Whooper, *Cygnus cygnus*
SWIFT, Alpine, *Apus melba*
 [Antillean Palm (see PALM-SWIFT, Antillean)]
 Black, *Cypseloides niger*
 Chimney, *Chaetura pelagica*

50 CFR Ch. I (10-1-11 Edition)

Common, *Apus apus*
 Fork-tailed, *Apus pacificus*
 Short-tailed, *Chaetura brachyura*
 Vaux's, *Chaetura vauxi*
 White-collared, *Streptoprocne zonaris*
 White-throated, *Aeronautes saxatalis*
SWIFTLET, Mariana, *Aerodramus bartschi*
 White-rumped, *Aerodramus spodiopygius*
TANGER, Flame-colored, *Piranga bidentata*
 Hepatic, *Piranga flava*
 Puerto Rican, *Nesospingus speculiferus*
 Scarlet, *Piranga olivacea*
 [Stripe-headed (see SPINDALIS, Puerto Rican and Western)]
 Summer, *Piranga rubra*
 Western, *Piranga ludoviciana*
TATTLER, Gray-tailed, *Tringa brevipes*
 Wandering, *Tringa incana*
TEAL, Baikal, *Anas formosa*
 Blue-winged, *Anas discors*
 Cinnamon, *Anas cyanoptera*
 [Falcated (see DUCK, Falcated)]
 Green-winged, *Anas crecca*
TERN, Aleutian, *Onychoprion aleuticus*
 Arctic, *Sterna paradisaea*
 Black, *Chlidonias niger*
 Black-naped, *Sterna sumatrana*
 Bridled, *Onychoprion anaethetus*
 Caspian, *Hydroprogne caspia*
 Common, *Sterna hirundo*
 Elegant, *Thalasseus elegans*
 Forster's, *Sterna forsteri*
 Gray-backed, *Onychoprion lunatus*
 Great Crested, *Thalasseus bergii*
 Gull-billed, *Gelochelidon nilotica*
 Large-billed, *Phaetusa simplex*
 Least, *Sternula antillarum*
 Little, *Sternula albifrons*
 Roseate, *Sterna dougallii*
 Royal, *Thalasseus maximus*
 Sandwich, *Thalasseus sandvicensis*
 Sooty, *Onychoprion fuscatus*
 Whiskered, *Chlidonias hybrida*
 White, *Gygis alba*
 White-winged, *Chlidonias leucopterus*
THRASHER, Bendire's, *Toxostoma bendirei*
 Brown, *Toxostoma rufum*
 California, *Toxostoma redivivum*
 Crissal, *Toxostoma crissale*
 Curve-billed, *Toxostoma curvirostre*
 Le Conte's, *Toxostoma lecontei*
 Long-billed, *Toxostoma longirostre*
 Pearly-eyed, *Margarops fuscatus*
 Sage, *Oreoscoptes montanus*
THRUSH, Aztec, *Ridgwayia pinicola*
 Bicknell's, *Catharus bicknelli*
 Blue Rock, *Monticola solitarius*
 Dusky, *Turdus naumanni*
 Eyebrowed, *Turdus obscurus*
 Gray-cheeked, *Catharus minimus*
 [Hawaiian (see KAMAO, OLOMAO, and OMAO)]
 Hermit, *Catharus guttatus*
 Red-legged, *Turdus plumbeus*
 [Small Kauai (see PUAIOHI)]
 Swainson's, *Catharus ustulatus*
 Varied, *Ixoreus naevius*

U.S. Fish and Wildlife Serv., Interior

§ 10.13

Wood, <i>Hylocichla mustelina</i>	Black-throated Green, <i>Dendroica virens</i>
[TIT, Siberian (see CHICKADEE, Gray-headed)]	Blackburnian, <i>Dendroica fusca</i>
TITMOUSE, Black-crested, <i>Baeolophus atricristatus</i>	Blackpoll, <i>Dendroica striata</i>
Bridled, <i>Baeolophus wollweberi</i>	Blue-winged, <i>Vermivora pinus</i>
Juniper, <i>Baeolophus ridgwayi</i>	Canada, <i>Wilsonia canadensis</i>
Oak, <i>Baeolophus inornatus</i>	Cape May, <i>Dendroica tigrina</i>
[Plain (see Juniper and Oak)]	Cerulean, <i>Dendroica cerulea</i>
Tufted, <i>Baeolophus bicolor</i>	Chestnut-sided, <i>Dendroica pensylvanica</i>
TITYRA, Masked, <i>Tityra semifasciata</i>	Colima, <i>Vermivora crissalis</i>
TOWHEE, Abert's, <i>Pipilo aberti</i>	Connecticut, <i>Oporornis agilis</i>
[Brown (see California and Canyon)]	Crescent-chested, <i>Parula superciliosa</i>
California, <i>Pipilo crissalis</i>	Dusky, <i>Phylloscopus fuscatus</i>
Canyon, <i>Pipilo fuscus</i>	Elfin-woods, <i>Dendroica angelae</i>
Eastern, <i>Pipilo erythrorththalmus</i>	Fan-tailed, <i>Euthlypis lachrymosa</i>
Green-tailed, <i>Pipilo chlorurus</i>	Golden-cheeked, <i>Dendroica chrysoparia</i>
[Rufous-sided (see Eastern and Spotted)]	Golden-crowned, <i>Basileuterus culicivorus</i>
Spotted, <i>Pipilo maculatus</i>	Golden-winged, <i>Vermivora chrysoptera</i>
[TREE-PIPIT, Olive (see PIPIT, Olive-backed)]	Grace's, <i>Dendroica graciae</i>
TROGON, [Eared (see QUETZEL, Eared)]	Hermit, <i>Dendroica occidentalis</i>
Elegant, <i>Trogon elegans</i>	Hooded, <i>Wilsonia citrina</i>
TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>	Kentucky, <i>Oporornis formosus</i>
Red-tailed, <i>Phaethon rubricauda</i>	Kirtland's, <i>Dendroica kirtlandii</i>
White-tailed, <i>Phaethon lepturus</i>	Lanceolated, <i>Locustella lanceoloata</i>
TURNSTONE, Black, <i>Arenaria melanocephala</i>	Lucy's, <i>Vermivora luciae</i>
Ruddy, <i>Arenaria interpres</i>	MacGillivray's, <i>Oporornis tolmiei</i>
TURTLE-DOVE, Oriental, <i>Streptopelia orientalis</i>	Magnolia, <i>Dendroica magnolia</i>
VEERY, <i>Catharus fuscescens</i>	Mourning, <i>Oporornis philadelphia</i>
VERDIN, <i>Auriparus flaviceps</i>	Nashville, <i>Vermivora ruficapilla</i>
VIOLET-EAR, Green, <i>Colibri thalassinus</i>	Olive, <i>Peucedramus taeniatus</i>
VIREO, Bell's, <i>Vireo bellii</i>	Orange-crowned, <i>Vermivora celata</i>
Black-capped, <i>Vireo atricapillus</i>	Palm, <i>Dendroica palmarum</i>
Black-whiskered, <i>Vireo altiloquus</i>	Pine, <i>Dendroica pinus</i>
Blue-headed, <i>Vireo solitarius</i>	Prairie, <i>Dendroica discolor</i>
Cassin's, <i>Vireo cassini</i>	Prothonotary, <i>Protonotaria citrea</i>
Gray, <i>Vireo vicinior</i>	Red-faced, <i>Cardellina rubrifrons</i>
Hutton's, <i>Vireo huttoni</i>	Rufous-capped, <i>Basileuterus rufifrons</i>
Philadelphia, <i>Vireo philadelphicus</i>	Swainson's, <i>Limnothlypis swainsonii</i>
Plumbeous, <i>Vireo plumbeus</i>	Tennessee, <i>Vermivora peregrina</i>
Puerto Rican, <i>Vireo latimeri</i>	Townsend's, <i>Dendroica townsendi</i>
Red-eyed, <i>Vireo olivaceus</i>	Virginia's, <i>Vermivora virginiae</i>
[Solitary (see Blue-headed, Cassin's, and Plumbeous)]	Willow, <i>Phylloscopus trochilus</i>
Thick-billed, <i>Vireo crassirostris</i>	Wilson's, <i>Wilsonia pusilla</i>
Warbling, <i>Vireo gilvus</i>	Wood, <i>Phylloscopus sibilatrix</i>
White-eyed, <i>Vireo griseus</i>	Worm-eating, <i>Helmitheros vermivorum</i>
Yellow-green, <i>Vireo flavoviridis</i>	Yellow, <i>Dendroica petechia</i>
Yellow-throated, <i>Vireo flavifrons</i>	Yellow-browed, <i>Phylloscopus inornatus</i>
Yucatan, <i>Vireo magister</i>	Yellow-rumped, <i>Dendroica coronata</i>
VULTURE, Black, <i>Coragyps atratus</i>	Yellow-throated, <i>Dendroica dominica</i>
Turkey, <i>Cathartes aura</i>	WATERTHRUSH, Louisiana, <i>Seiurus motacilla</i>
WAGTAIL, [Black-backed (see White)]	Northern, <i>Seiurus noveboracensis</i>
Citrine, <i>Motacilla citreola</i>	WAXWING, Bohemian, <i>Bombycilla garrulus</i>
Eastern Yellow, <i>Motacilla tschutschensis</i>	Cedar, <i>Bombycilla cedrorum</i>
Gray, <i>Motacilla cinerea</i>	WHEATEAR, Northern, <i>Oenanthe oenanthe</i>
White, <i>Motacilla alba</i>	WHIMBREL, <i>Numenius phaeopus</i>
[Yellow (see Eastern Yellow)]	WHIP-POOR-WILL, <i>Caprimulgus vociferus</i>
WARBLER, Adelaide's, <i>Dendroica adelaidae</i>	WHISTLING-DUCK, Black-bellied, <i>Dendrocygna autumnalis</i>
Arctic, <i>Phylloscopus borealis</i>	Fulvous, <i>Dendrocygna bicolor</i>
Bachman's, <i>Vermivora bachmanii</i>	West Indian, <i>Dendrocygna arborea</i>
Bay-breasted, <i>Dendroica castanea</i>	WHITE-THROAT, Lesser, <i>Sylvia curruca</i>
Black-and-white, <i>Mniotilla varia</i>	WIGEON, American, <i>Anas americana</i>
Black-throated Blue, <i>Dendroica caerulescens</i>	Eurasian, <i>Anas penelope</i>
Black-throated Gray, <i>Dendroica nigrescens</i>	WILLET, <i>Tringa semipalmata</i>
	WOOD-PEWEE, Eastern, <i>Contopus virens</i>
	Western, <i>Contopus sordidulus</i>
	WOODCOCK, American, <i>Scolopax minor</i>

§ 10.13

Eurasian, *Scolopax rusticola*
WOODPECKER, Acorn, *Melanerpes*
formicivorus
American Three-toed, *Picoides dorsalis*
Arizona, *Picoides arizonae*
Black-backed, *Picoides arcticus*
Downy, *Picoides pubescens*
Gila, *Melanerpes uropygialis*
Golden-fronted, *Melanerpes aurifrons*
Great Spotted, *Dendrocopos major*
Hairy, *Picoides villosus*
Ivory-billed, *Campephilus principalis*
Ladder-backed, *Picoides scalaris*
Lewis's, *Melanerpes lewis*
Nuttall's, *Picoides nuttallii*
Pileated, *Dryocopus pileatus*
Puerto Rican, *Melanerpes portoricensis*
Red-bellied, *Melanerpes carolinus*
Red-cockaded, *Picoides borealis*
Red-headed, *Melanerpes erythrocephalus*
[Strickland's (see Arizona)]
[Three-toed (see American Three-toed)]
White-headed, *Picoides albolarvatus*
WOODSTAR, Bahama, *Calliphlox evelynae*
WREN, Bewick's, *Thryomanes bewickii*
Cactus, *Campylorhynchus brunneicapillus*
Canyon, *Catherpes mexicanus*
Carolina, *Thryothorus ludovicianus*
House, *Troglodytes aedon*
Marsh, *Cistothorus palustris*
Rock, *Salpinctes obsoletus*
Sedge, *Cistothorus platensis*
Winter, *Troglodytes troglodytes*
WRYNECK, Eurasian, *Jynx torquilla*
YELLOWLEGS, Greater, *Tringa melanoleuca*
Lesser, *Tringa flavipes*
YELLOWTHROAT, Common, *Geothlypis trichas*
Gray-crowned, *Geothlypis poliocephala*

(2) *Taxonomic listing.* Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.

Order ANSERIFORMES
Family ANATIDAE
Subfamily DENDROCYGNINAE
Dendrocygna autumnalis, Black-bellied Whistling-Duck
Dendrocygna arborea, West Indian Whistling-Duck
Dendrocygna bicolor, Fulvous Whistling-Duck
Subfamily ANSERINAE
Anser fabalis, Taiga Bean-Goose
Anser serrirostris, Tundra Bean-Goose
Anser albifrons, Greater White-fronted Goose
Anser erythropus, Lesser White-fronted Goose
Chen canagica, Emperor Goose
Chen caerulescens, Snow Goose

50 CFR Ch. I (10-1-11 Edition)

Chen rossii, Ross's Goose
Branta bernicla, Brant
Branta leucopsis, Barnacle Goose
Branta canadensis, Canada Goose (including
Branta hutchinsii, Cackling Goose)
Branta sandvicensis, Hawaiian Goose
Cygnus buccinator, Trumpeter Swan
Cygnus columbianus, Tundra Swan
Cygnus cygnus, Whooper Swan
Subfamily ANATINAE
Cairina moschata, Muscovy Duck
Aix sponsa, Wood Duck
Anas strepera, Gadwall
Anas falcata, Falcated Duck
Anas penelope, Eurasian Wigeon
Anas americana, American Wigeon
Anas rubripes, American Black Duck
Anas platyrhynchos, Mallard
Anas fulvigula, Mottled Duck
Anas wyvilliana, Hawaiian Duck
Anas laysanensis, Laysan Duck
Anas poecilorhyncha, Spot-billed Duck
Anas superciliosa, Pacific Black Duck
Anas discors, Blue-winged Teal
Anas cyanoptera, Cinnamon Teal
Anas clypeata, Northern Shoveler
Anas bahamensis, White-cheeked Pintail
Anas acuta, Northern Pintail
Anas querquedula, Garganey
Anas formosa, Baikal Teal
Anas crecca, Green-winged Teal
Aythya valisineria, Canvasback
Aythya americana, Redhead
Aythya ferina, Common Pochard
Aythya baeri, Baer's Pochard
Aythya collaris, Ring-necked Duck
Aythya fuligula, Tufted Duck
Aythya marila, Greater Scaup
Aythya affinis, Lesser Scaup
Polypticta stelleri, Steller's Eider
Somateria fischeri, Spectacled Eider
Somateria spectabilis, King Eider
Somateria mollissima, Common Eider
Histrionicus histrionicus, Harlequin Duck
Melanitta perspicillata, Surf Scoter
Melanitta fusca, White-winged Scoter
Melanitta nigra, Black Scoter
Clangula hyemalis, Long-tailed Duck
Bucephala albeola, Bufflehead
Bucephala clangula, Common Goldeneye
Bucephala islandica, Barrow's Goldeneye
Mergellus albellus, Smew
Lophodytes cucullatus, Hooded Merganser
Mergus merganser, Common Merganser
Mergus serrator, Red-breasted Merganser
Nomonyx dominicus, Masked Duck
Oxyura jamaicensis, Ruddy Duck
Order GAVIIFORMES
Family GAVIIDAE
Gavia stellata, Red-throated Loon
Gavia arctica, Arctic Loon
Gavia pacifica, Pacific Loon
Gavia immer, Common Loon
Gavia adamsii, Yellow-billed Loon
Order PODICIPEDIFORMES
Family PODICIPEDIDAE
Tachybaptus dominicus, Least Grebe

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

<i>Podilymbus podiceps</i> , Pied-billed Grebe	
<i>Podiceps auritus</i> , Horned Grebe	
<i>Podiceps grisegena</i> , Red-necked Grebe	
<i>Podiceps nigricollis</i> , Eared Grebe	
<i>Aechmophorus occidentalis</i> , Western Grebe	
<i>Aechmophorus clarkii</i> , Clark's Grebe	
Order PROCELLARIIFORMES	
Family DIOMEDEIDAE	
<i>Thalassarche chlororhynchos</i> , Yellow-nosed Albatross	
<i>Thalassarche cauta</i> , Shy Albatross	
<i>Thalassarche melanophris</i> , Black-browed Albatross	
<i>Phoebetria palpebrata</i> , Light-mantled Albatross	
<i>Diomedea exulans</i> , Wandering Albatross	
<i>Phoebastria immutabilis</i> , Laysan Albatross	
<i>Phoebastria nigripes</i> , Black-footed Albatross	
<i>Phoebastria albatrus</i> , Short-tailed Albatross	
Family PROCELLARIIDAE	
<i>Fulmarus glacialis</i> , Northern Fulmar	
<i>Pterodroma macroptera</i> , Great-winged Petrel	
<i>Pterodroma neglecta</i> , Kermadec Petrel	
<i>Pterodroma arminjoniana</i> , Herald Petrel	
<i>Pterodroma ultima</i> , Murphy's Petrel	
<i>Pterodroma inexpectata</i> , Mottled Petrel	
<i>Pterodroma cahow</i> , Bermuda Petrel	
<i>Pterodroma hasitata</i> , Black-capped Petrel	
<i>Pterodroma externa</i> , Juan Fernandez Petrel	
<i>Pterodroma sandwichensis</i> , Hawaiian Petrel	
<i>Pterodroma cervicalis</i> , White-necked Petrel	
<i>Pterodroma hypoleuca</i> , Bonin Petrel	
<i>Pterodroma nigripennis</i> , Black-winged Petrel	
<i>Pterodroma cookii</i> , Cook's Petrel	
<i>Pterodroma longirostris</i> , Stejneger's Petrel	
<i>Pterodroma alba</i> , Phoenix Petrel	
<i>Pterodroma leucoptera</i> , Gould's Petrel	
<i>Pterodroma rostrata</i> , Tahiti Petrel	
<i>Bulweria bulwerii</i> , Bulwer's Petrel	
<i>Bulweria fallax</i> , Jouanin's Petrel	
<i>Calonectris leucomelas</i> , Streaked Shearwater	
<i>Calonectris diomedea</i> , Cory's Shearwater	
<i>Calonectris edwardsii</i> , Cape Verde Shearwater	
<i>Puffinus creatopus</i> , Pink-footed Shearwater	
<i>Puffinus carneipes</i> , Flesh-footed Shearwater	
<i>Puffinus gravis</i> , Greater Shearwater	
<i>Puffinus pacificus</i> , Wedge-tailed Shearwater	
<i>Puffinus bulleri</i> , Buller's Shearwater	
<i>Puffinus griseus</i> , Sooty Shearwater	
<i>Puffinus tenuirostris</i> , Short-tailed Shearwater	
<i>Puffinus nativitatis</i> , Christmas Shearwater	
<i>Puffinus puffinus</i> , Manx Shearwater	
<i>Puffinus auricularis</i> , Townsend's Shearwater	
<i>Puffinus opisthomelas</i> , Black-vented Shearwater	
<i>Puffinus lherminieri</i> , Audubon's Shearwater	
<i>Puffinus assimilis</i> , Little Shearwater	
Family HYDROBATIDAE	
<i>Oceanites oceanicus</i> , Wilson's Storm-Petrel	
<i>Pelagodroma marina</i> , White-faced Storm-Petrel	
<i>Fregetta tropica</i> , Black-bellied Storm-Petrel	
<i>Fregetta grallaria</i> , White-bellied Storm-Petrel	
<i>Nesofregetta fuiginosa</i> , Polynesian Storm-Petrel	
<i>Oceanodroma furcata</i> , Fork-tailed Storm-Petrel	
<i>Oceanodroma hornbyi</i> , Ringed Storm-Petrel	
<i>Oceanodroma leucorhoa</i> , Leach's Storm-Petrel	
<i>Oceanodroma homochroa</i> , Ashy Storm-Petrel	
<i>Oceanodroma castro</i> , Band-rumped Storm-Petrel	
<i>Oceanodroma tethys</i> , Wedge-rumped Storm-Petrel	
<i>Oceanodroma matsudaireae</i> , Matsudaira's Storm-Petrel	
<i>Oceanodroma Melania</i> , Black Storm-Petrel	
<i>Oceanodroma tristrigata</i> , Tristram's Storm-Petrel	
<i>Oceanodroma microsoma</i> , Least Storm-Petrel	
Order PELECANIFORMES	
Family PHAETHONTIDAE	
<i>Phaethon lepturus</i> , White-tailed Tropicbird	
<i>Phaethon aethereus</i> , Red-billed Tropicbird	
<i>Phaethon rubricauda</i> , Red-tailed Tropicbird	
Family SULIDAE	
<i>Sula dactylatra</i> , Masked Booby	
<i>Sula nebouxii</i> , Blue-footed Booby	
<i>Sula leucogaster</i> , Brown Booby	
<i>Sula sula</i> , Red-footed Booby	
<i>Morus bassanus</i> , Northern Gannet	
Family PELECANIDAE	
<i>Pelecanus erythrorhynchos</i> , American White Pelican	
<i>Pelecanus occidentalis</i> , Brown Pelican	
Family PHALACROCORACIDAE	
<i>Phalacrocorax melanoleucus</i> , Little Pied Cormorant	
<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant	
<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant	
<i>Phalacrocorax auritus</i> , Double-crested Cormorant	
<i>Phalacrocorax carbo</i> , Great Cormorant	
<i>Phalacrocorax urile</i> , Red-faced Cormorant	
<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant	
Family ANHINGIDAE	
<i>Anhinga anhinga</i> , Anhinga	
Family FREGATIDAE	
<i>Fregata magnificens</i> , Magnificent Frigatebird	
<i>Fregata minor</i> , Great Frigatebird	
<i>Fregata ariel</i> , Lesser Frigatebird	
Order CICONIIFORMES	
Family ARDEIDAE	
<i>Botaurus lentiginosus</i> , American Bittern	
<i>Ixobrychus sinensis</i> , Yellow Bittern	
<i>Ixobrychus exilis</i> , Least Bittern	
<i>Ixobrychus eurhythmus</i> , Schrenck's Bittern	
<i>Ixobrychus flavicollis</i> , Black Bittern	
<i>Ardea herodias</i> , Great Blue Heron	
<i>Ardea cinerea</i> , Gray Heron	

§ 10.13

Ardea alba, Great Egret
Mesophoyx intermedia, Intermediate Egret
Egretta eulophotes, Chinese Egret
Egretta garzetta, Little Egret
Egretta sacra, Pacific Reef-Egret
Egretta gularis, Western Reef-Heron
Egretta thula, Snowy Egret
Egretta caerulea, Little Blue Heron
Egretta tricolor, Tricolored Heron
Egretta rufescens, Reddish Egret
Bubulcus ibis, Cattle Egret
Ardeola bacchus, Chinese Pond-Heron
Butorides virescens, Green Heron
Nycticorax nycticorax, Black-crowned Night-Heron
Nyctanassa violacea, Yellow-crowned Night-Heron
Gorsachius goisagi, Japanese Night-Heron
Gorsachius melanolophus, Malayan Night-Heron

Family THRESKIORNITHIDAE
Subfamily THRESKIORNITHINAE
Eudocimus albus, White Ibis
Eudocimus ruber, Scarlet Ibis
Plegadis falcinellus, Glossy Ibis
Plegadis chihi, White-faced Ibis

Subfamily PLATALEINAE
Platalea ajaja, Roseate Spoonbill

Family CICONIIDAE
Jabiru mycteria, Jabiru
Mycteria americana, Wood Stork

Order PHOENICOPTERIFORMES
Family PHOENICOPTERIDAE
Phoenicopterus ruber, Greater Flamingo

Order FALCONIFORMES
Family CATHARTIDAE
Coragyps atratus, Black Vulture
Cathartes aura, Turkey Vulture
Gymnogyps californianus, California Condor

Family ACCIPITRIDAE
Subfamily PANDIONINAE
Pandion haliaetus, Osprey

Subfamily ACCIPITRINAE
Chondrohierax uncinatus, Hook-billed Kite
Elanoides forficatus, Swallow-tailed Kite
Elanus leucurus, White-tailed Kite
Rostrhamus sociabilis, Snail Kite
Ictinia mississippiensis, Mississippi Kite
Milvus migrans, Black Kite
Haliaeetus leucocephalus, Bald Eagle
Haliaeetus albicilla, White-tailed Eagle
Haliaeetus pelagicus, Steller's Sea-Eagle
Circus cyaneus, Northern Harrier
Accipiter soloensis, Gray Frog-Hawk
Accipiter gularis, Japanese Sparrowhawk
Accipiter striatus, Sharp-shinned Hawk
Accipiter cooperii, Cooper's Hawk
Accipiter gentilis, Northern Goshawk
Geranospiza caerulescens, Crane Hawk
Buteogallus anthracinus, Common Black-Hawk

Parabuteo unicinctus, Harris's Hawk
Buteo magnirostris, Roadside Hawk
Buteo lineatus, Red-shouldered Hawk
Buteo platypterus, Broad-winged Hawk
Buteo nitidus, Gray Hawk
Buteo brachyurus, Short-tailed Hawk

50 CFR Ch. I (10-1-11 Edition)

Buteo swainsoni, Swainson's Hawk
Buteo albicaudatus, White-tailed Hawk
Buteo albonotatus, Zone-tailed Hawk
Buteo solitarius, Hawaiian Hawk
Buteo jamaicensis, Red-tailed Hawk
Buteo regalis, Ferruginous Hawk
Buteo lagopus, Rough-legged Hawk
Aquila chrysaetos, Golden Eagle

Family FALCONIDAE
Subfamily MICRASTURINAE
Micrastur semitorquatus, Collared Forest-Falcon

Subfamily CARACARINAE
Caracara cheriway, Crested Caracara

Subfamily FALCONINAE
Falco tinnunculus, Eurasian Kestrel
Falco sparverius, American Kestrel
Falco vespertinus, Red-footed Falcon
Falco columbarius, Merlin
Falco subbuteo, Eurasian Hobby
Falco femoralis, Aplomado Falcon
Falco rusticolus, Gyrfalcon
Falco peregrinus, Peregrine Falcon
Falco mexicanus, Prairie Falcon

Order GRUIFORMES
Family RALLIDAE
Coturnicops noveboracensis, Yellow Rail
Lateralis jamaicensis, Black Rail
Gallirallus philippensis, Buff-banded Rail
Gallirallus owstoni, Guam Rail
Crex crex, Corn Crake
Rallus longirostris, Clapper Rail
Rallus elegans, King Rail
Rallus limicola, Virginia Rail
Porzana carolina, Sora
Porzana tabuensis, Spotless Crake
Porzana flaviventer, Yellow-breasted Crake
Neocrex erythrops, Paint-billed Crake
Pardirallus maculatus, Spotted Rail
Porphyrio martinica, Purple Gallinule
Porphyrio porphyrio, Purple Swamphen
Porphyrio flavirostris, Azure Gallinule
Gallinula chloropus, Common Moorhen
Fulica atra, Eurasian Coot
Fulica alai, Hawaiian Coot
Fulica americana, American Coot
Fulica caribaea, Caribbean Coot

Family ARAMIDAE
Aramus guarauna, Limpkin

Family GRUIDAE
Grus canadensis, Sandhill Crane
Grus grus, Common Crane
Grus americana, Whooping Crane

Order CHARADRIIFORMES
Family CHARADRIIDAE
Subfamily VANELLINAE
Vanellus vanellus, Northern Lapwing

Subfamily CHARADRIINAE
Pluvialis squatarola, Black-bellied Plover
Pluvialis apricaria, European Golden-Plover
Pluvialis dominica, American Golden-Plover
Pluvialis fulva, Pacific Golden-Plover
Charadrius mongolus, Lesser Sand-Plover
Charadrius leschenaultii, Greater Sand-Plover
Charadrius collaris, Collared Plover
Charadrius alexandrinus, Snowy Plover

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

<i>Charadrius wilsonia</i> , Wilson's Plover	
<i>Charadrius hiaticula</i> , Common Ringed Plover	
<i>Charadrius semipalmatus</i> , Semipalmated Plover	
<i>Charadrius melanotos</i> , Piping Plover	
<i>Charadrius dubius</i> , Little Ringed Plover	
<i>Charadrius vociferus</i> , Killdeer	
<i>Charadrius montanus</i> , Mountain Plover	
<i>Charadrius morinellus</i> , Eurasian Dotterel	
Family HAEMATOPODIDAE	
<i>Haematopus ostralegus</i> , Eurasian Oystercatcher	
<i>Haematopus palliatus</i> , American Oystercatcher	
<i>Haematopus bachmani</i> , Black Oystercatcher	
Family RECURVIROSTRIDAE	
<i>Himantopus himantopus</i> , Black-winged Stilt	
<i>Himantopus mexicanus</i> , Black-necked Stilt	
<i>Recurvirostra americana</i> , American Avocet	
Family JACANIDAE	
<i>Jacana spinosa</i> , Northern Jacana	
Family SCOLOPACIDAE	
Subfamily SCOLOPACINAE	
<i>Xenus cinereus</i> , Terek Sandpiper	
<i>Actitis hypoleucos</i> , Common Sandpiper	
<i>Actitis macularius</i> , Spotted Sandpiper	
<i>Tringa ochropus</i> , Green Sandpiper	
<i>Tringa solitaria</i> , Solitary Sandpiper	
<i>Tringa brevipes</i> , Gray-tailed Tattler	
<i>Tringa incana</i> , Wandering Tattler	
<i>Tringa erythropus</i> , Spotted Redshank	
<i>Tringa melanoleuca</i> , Greater Yellowlegs	
<i>Tringa nebularia</i> , Common Greenshank	
<i>Tringa guttifer</i> , Nordmann's Greenshank	
<i>Tringa semipalmata</i> , Willet	
<i>Tringa flavipes</i> , Lesser Yellowlegs	
<i>Tringa stagnatilis</i> , Marsh Sandpiper	
<i>Tringa glareola</i> , Wood Sandpiper	
<i>Bartramia longicauda</i> , Upland Sandpiper	
<i>Numenius minutus</i> , Little Curlew	
<i>Numenius borealis</i> , Eskimo Curlew	
<i>Numenius phaeopus</i> , Whimbrel	
<i>Numenius tahitiensis</i> , Bristle-thighed Curlew	
<i>Numenius madagascariensis</i> , Far Eastern Curlew	
<i>Numenius arquata</i> , Eurasian Curlew	
<i>Numenius americanus</i> , Long-billed Curlew	
<i>Limosa limosa</i> , Black-tailed Godwit	
<i>Limosa haemastica</i> , Hudsonian Godwit	
<i>Limosa lapponica</i> , Bar-tailed Godwit	
<i>Limosa fedoa</i> , Marbled Godwit	
<i>Arenaria interpres</i> , Ruddy Turnstone	
<i>Arenaria melanocephala</i> , Black Turnstone	
<i>Aphriza virgata</i> , Surfbird	
<i>Calidris tenuirostris</i> , Great Knot	
<i>Calidris canutus</i> , Red Knot	
<i>Calidris alba</i> , Sanderling	
<i>Calidris pusilla</i> , Semipalmated Sandpiper	
<i>Calidris mauri</i> , Western Sandpiper	
<i>Calidris ruficollis</i> , Red-necked Stint	
<i>Calidris minuta</i> , Little Stint	
<i>Calidris temminckii</i> , Temminck's Stint	
<i>Calidris subminuta</i> , Long-toed Stint	
<i>Calidris minutilla</i> , Least Sandpiper	
<i>Calidris fuscicollis</i> , White-rumped Sandpiper	
<i>Calidris bairdii</i> , Baird's Sandpiper	
<i>Calidris melanotos</i> , Pectoral Sandpiper	
<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	
<i>Calidris maritima</i> , Purple Sandpiper	
<i>Calidris ptilocnemis</i> , Rock Sandpiper	
<i>Calidris alpina</i> , Dunlin	
<i>Calidris ferruginea</i> , Curlew Sandpiper	
<i>Calidris himantopus</i> , Stilt Sandpiper	
<i>Eurynorhynchus pygmeus</i> , Spoon-billed Sandpiper	
<i>Limicola falcinellus</i> , Broad-billed Sandpiper	
<i>Tryngites subruficollis</i> , Buff-breasted Sandpiper	
<i>Philomachus pugnax</i> , Ruff	
<i>Limnodromus griseus</i> , Short-billed Dowitcher	
<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher	
<i>Lymnocryptes minimus</i> , Jack Snipe	
<i>Gallinago delicata</i> , Wilson's Snipe (the "common" snipe hunted in most of the U.S.)	
<i>Gallinago gallinago</i> , Common Snipe (rare in western Alaska; also see <i>Gallinago delicata</i>)	
<i>Gallinago stenura</i> , Pin-tailed Snipe	
<i>Gallinago megala</i> , Swinhoe's Snipe	
<i>Scolopax rusticola</i> , Eurasian Woodcock	
<i>Scolopax minor</i> , American Woodcock	
Subfamily PHALAROPODINAE	
<i>Phalaropus tricolor</i> , Wilson's Phalarope	
<i>Phalaropus lobatus</i> , Red-necked Phalarope	
<i>Phalaropus fulicarius</i> , Red Phalarope	
Family LARIDAE	
Subfamily LARINAE	
<i>Larus atricilla</i> , Laughing Gull	
<i>Larus pipixcan</i> , Franklin's Gull	
<i>Larus minutus</i> , Little Gull	
<i>Larus ridibundus</i> , Black-headed Gull	
<i>Larus philadelphicus</i> , Bonaparte's Gull	
<i>Larus heermanni</i> , Heermann's Gull	
<i>Larus cirrocephalus</i> , Gray-hooded Gull	
<i>Larus belcheri</i> , Belcher's Gull	
<i>Larus crassirostris</i> , Black-tailed Gull	
<i>Larus canus</i> , Mew Gull	
<i>Larus delawarensis</i> , Ring-billed Gull	
<i>Larus californicus</i> , California Gull	
<i>Larus argentatus</i> , Herring Gull	
<i>Larus michahellis</i> , Yellow-legged Gull	
<i>Larus thayeri</i> , Thayer's Gull	
<i>Larus glaucopterus</i> , Iceland Gull	
<i>Larus fuscus</i> , Lesser Black-backed Gull	
<i>Larus schistisagus</i> , Slaty-backed Gull	
<i>Larus livens</i> , Yellow-footed Gull	
<i>Larus occidentalis</i> , Western Gull	
<i>Larus glaucescens</i> , Glaucous-winged Gull	
<i>Larus hyperboreus</i> , Glaucous Gull	
<i>Larus marinus</i> , Great Black-backed Gull	
<i>Larus dominicanus</i> , Kelp Gull	
<i>Xema sabini</i> , Sabine's Gull	
<i>Rissa tridactyla</i> , Black-legged Kittiwake	
<i>Rissa brevirostris</i> , Red-legged Kittiwake	
<i>Rhodostethia rosea</i> , Ross's Gull	
<i>Pagophila eburnea</i> , Ivory Gull	
Subfamily STERNINAE	
<i>Anous stolidus</i> , Brown Noddy	
<i>Anous minutus</i> , Black Noddy	

§ 10.13

Procelsterna cerulea, Blue-gray Noddy
Gygis alba, White Tern
Onychoprion fuscatus, Sooty Tern
Onychoprion lunatus, Gray-backed Tern
Onychoprion anaethetus, Bridled Tern
Onychoprion aleuticus, Aleutian Tern
Sternula albifrons, Little Tern
Sternula antillarum, Least Tern
Phaetusa simplex, Large-billed Tern
Gelochelidon nilotica, Gull-billed Tern
Hydroprogne caspia, Caspian Tern
Chlidonias niger, Black Tern
Chlidonias leucopterus, White-winged Tern
Chlidonias hybridus, Whiskered Tern
Sterna dougallii, Roseate Tern
Sterna hirundo, Common Tern
Sterna paradisaea, Arctic Tern
Sterna forsteri, Forster's Tern
Sterna sumatrana, Black-naped Tern
Thalasseus maximus, Royal Tern
Thalasseus bergii, Great Crested Tern
Thalasseus sandvicensis, Sandwich Tern
Thalasseus elegans, Elegant Tern
Subfamily RYNCHOPINAE
Rynchops niger, Black Skimmer
Family STERCORARIIDAE
Stercorarius skua, Great Skua
Stercorarius maccormicki, South Polar Skua
Stercorarius pomarinus, Pomarine Jaeger
Stercorarius parasiticus, Parasitic Jaeger
Stercorarius longicaudus, Long-tailed Jaeger
Family ALCIDAE
Alle alle, Dovekie
Uria aalge, Common Murre
Uria lomvia, Thick-billed Murre
Alca torda, Razorbill
Cephus grylle, Black Guillemot
Cephus columba, Pigeon Guillemot
Brachyramphus perdix, Long-billed Murrelet
Brachyramphus marmoratus, Marbled Murrelet
Brachyramphus brevirostris, Kittlitz's Murrelet
Synthliboramphus hypoleucus, Xantus's Murrelet
Synthliboramphus craveri, Craveri's Murrelet
Synthliboramphus antiquus, Ancient Murrelet
Ptychoramphus aleuticus, Cassin's Auklet
Aethia psittacula, Parakeet Auklet
Aethia pusilla, Least Auklet
Aethia pygmaea, Whiskered Auklet
Aethia cristatella, Crested Auklet
Cerorhinca monocerata, Rhinoceros Auklet
Fratercula arctica, Atlantic Puffin
Fratercula corniculata, Horned Puffin
Fratercula cirrhata, Tufted Puffin
Order COLUMBIFORMES
Family COLUMBIDAE
Patagioenas squamosa, Scaly-naped Pigeon
Patagioenas leucocephala, White-crowned Pigeon
Patagioenas flavirostris, Red-billed Pigeon
Patagioenas inornata, Plain Pigeon
Patagioenas fasciata, Band-tailed Pigeon

50 CFR Ch. I (10-1-11 Edition)

Streptopelia orientalis, Oriental Turtle-Dove
Zenaida asiatica, White-winged Dove
Zenaida aurita, Zenaida Dove
Zenaida macroura, Mourning Dove
Columbina inca, Inca Dove
Columbina passerina, Common Ground-Dove
Columbina talpacoti, Ruddy Ground-Dove
Leptotila verreauxi, White-tipped Dove
Geotrygon chrysia, Key West Quail-Dove
Geotrygon mystacea, Bridled Quail-Dove
Geotrygon montana, Ruddy Quail-Dove
Gallicolumba xanthonura, White-throated Ground-Dove
Gallicolumba stairi, Friendly Ground-Dove
Ptilinopus perousii, Many-colored Fruit-Dove
Ptilinopus roseicapilla, Mariana Fruit-Dove
Ptilinopus porphyraceus, Crimson-crowned Fruit-Dove
Ducula pacifica, Pacific Imperial-Pigeon
Order CUCULIFORMES
Family CUCULIDAE
Subfamily CUCULINAE
Cuculus canorus, Common Cuckoo
Cuculus optatus, Oriental Cuckoo
Cuculus fugax, Hodgson's Hawk-Cuckoo
Coccyzus americanus, Yellow-billed Cuckoo
Coccyzus minor, Mangrove Cuckoo
Coccyzus erythrophthalmus, Black-billed Cuckoo
Coccyzus vieilloti, Puerto Rican Lizard-Cuckoo
Subfamily NEOMORPHINAE
Geococcyx californianus, Greater Road-runner
Subfamily CROTOPHAGINAE
Crotophaga ani, Smooth-billed Ani
Crotophaga sulcirostris, Groove-billed Ani
Order STRIGIFORMES
Family TYTONIDAE
Tyto alba, Barn Owl
Family STRIGIDAE
Otus flammeolus, Flammulated Owl
Otus sunia, Oriental Scops-Owl
Megascops kennicottii, Western Screech-Owl
Megascops asio, Eastern Screech-Owl
Megascops trichopsis, Whiskered Screech-Owl
Megascops nudipes, Puerto Rican Screech-Owl
Bubo virginianus, Great Horned Owl
Bubo scandiacus, Snowy Owl
Surnia ulula, Northern Hawk Owl
Glaucidium gnoma, Northern Pygmy-Owl
Glaucidium brasilianum, Ferruginous Pygmy-Owl
Strix varia, Barred Owl
Strix nebulosa, Great Gray Owl
Asio otus, Long-eared Owl
Asio stygius, Stygian Owl
Asio flammeus, Short-eared Owl
Aegolius funereus, Boreal Owl
Aegolius acadicus, Northern Saw-whet Owl

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

Order CAPRIMULGIFORMES	
Family CAPRIMULGIDAE	
Subfamily CHORDEILINAE	
<i>Chordeiles acutipennis</i> , Lesser Nighthawk	
<i>Chordeiles minor</i> , Common Nighthawk	
<i>Chordeiles gundlachii</i> , Antillean Nighthawk	
Subfamily CAPRIMULGINAE	
<i>Nyctidromus albicollis</i> , Common Pauraque	
<i>Phalaenoptilus nuttallii</i> , Common Poorwill	
<i>Caprimulgus carolinensis</i> , Chuck-will's-widow	
<i>Caprimulgus ridgwayi</i> , Buff-collared Nightjar	
<i>Caprimulgus vociferus</i> , Whip-poor-will	
<i>Caprimulgus noctitherus</i> , Puerto Rican Nightjar	
<i>Caprimulgus indicus</i> , Gray Nightjar	
Order APODIFORMES	
Family APODIDAE	
Subfamily CYPSELOOIDINAE	
<i>Cypseloides niger</i> , Black Swift	
<i>Streptoprocne zonaris</i> , White-collared Swift	
Subfamily CHAETURINAE	
<i>Chaetura pelasgica</i> , Chimney Swift	
<i>Chaetura vauxi</i> , Vaux's Swift	
<i>Chaetura brachyura</i> , Short-tailed Swift	
<i>Hirundapus caudacutus</i> , White-throated Needletail	
<i>Aerodramus spodiopygius</i> , White-rumped Swiftlet	
<i>Aerodramus bartschi</i> , Mariana Swiftlet	
Subfamily APODINAE	
<i>Apus apus</i> , Common Swift	
<i>Apus pacificus</i> , Fork-tailed Swift	
<i>Apus melba</i> , Alpine Swift	
<i>Aeronauta saxatalis</i> , White-throated Swift	
<i>Tachornis phoenicobia</i> , Antillean Palm Swift	
Family TROCHILIDAE	
Subfamily TROCHILINAE	
<i>Colibri thalassinus</i> , Green Violet-ear	
<i>Anthracocephala prevostii</i> , Green-breasted Mango	
<i>Anthracocephala dominicus</i> , Antillean Mango	
<i>Anthracocephala viridis</i> , Green Mango	
<i>Eulampis jugularis</i> , Purple-throated Carib	
<i>Eulampis holosericeus</i> , Green-throated Carib	
<i>Orthorhynchus cristatus</i> , Antillean Crested Hummingbird	
<i>Chlorostilbon maugaeus</i> , Puerto Rican Emerald	
<i>Cynanthus latirostris</i> , Broad-billed Hummingbird	
<i>Hylocharis leucotis</i> , White-eared Hummingbird	
<i>Hylocharis xantusii</i> , Xantus's Hummingbird	
<i>Amazilia beryllina</i> , Berylline Hummingbird	
<i>Amazilia yucatanensis</i> , Buff-bellied Hummingbird	
<i>Amazilia rutila</i> , Cinnamon Hummingbird	
<i>Amazilia violiceps</i> , Violet-crowned Hummingbird	
<i>Lampornis clemenciae</i> , Blue-throated Hummingbird	
<i>Eugenes fulgens</i> , Magnificent Hummingbird	
<i>Heliodoxa constantii</i> , Plain-capped Starthroat	
	<i>Calliphlox evelynae</i> , Bahama Woodstar
	<i>Calothorax lucifer</i> , Lucifer Hummingbird
	<i>Archilochus colubris</i> , Ruby-throated Hummingbird
	<i>Archilochus alexandri</i> , Black-chinned Hummingbird
	<i>Calypte anna</i> , Anna's Hummingbird
	<i>Calypte costae</i> , Costa's Hummingbird
	<i>Stellula calliope</i> , Calliope Hummingbird
	<i>Atthis heloisa</i> , Bumblebee Hummingbird
	<i>Selasphorus platycercus</i> , Broad-tailed Hummingbird
	<i>Selasphorus rufus</i> , Rufous Hummingbird
	<i>Selasphorus sasin</i> , Allen's Hummingbird
Order TROGONIFORMES	
Family TROGONIDAE	
Subfamily TROGONINAE	
<i>Trogon elegans</i> , Elegant Trogon	
<i>Euptilotis neoxenus</i> , Eared Quetzal	
Order UPUPIFORMES	
Family UPUPIDAE	
<i>Upupa epops</i> , Eurasian Hoopoe	
Order CORACIIFORMES	
Family ALCEDINIDAE	
Subfamily HALCYONINAE	
<i>Todiramphus cinnamominus</i> , Micronesian Kingfisher	
<i>Todiramphus chloris</i> , Collared Kingfisher	
Subfamily CERYLINAE	
<i>Megacyrle torquata</i> , Ringed Kingfisher	
<i>Megacyrle alcyon</i> , Belted Kingfisher	
<i>Chloroceryle americana</i> , Green Kingfisher	
Order PICIFORMES	
Family PICIDAE	
Subfamily JYNGINAE	
<i>Jynx torquilla</i> , Eurasian Wryneck	
Subfamily PICINAE	
<i>Melanerpes lewis</i> , Lewis's Woodpecker	
<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker	
<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker	
<i>Melanerpes formicivorus</i> , Acorn Woodpecker	
<i>Melanerpes uropygialis</i> , Gila Woodpecker	
<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker	
<i>Melanerpes carolinus</i> , Red-bellied Woodpecker	
<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker	
<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker	
<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker	
<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker	
<i>Dendrocopos major</i> , Great Spotted Woodpecker	
<i>Picoides scalaris</i> , Ladder-backed Woodpecker	
<i>Picoides nuttallii</i> , Nuttall's Woodpecker	
<i>Picoides pubescens</i> , Downy Woodpecker	
<i>Picoides villosus</i> , Hairy Woodpecker	
<i>Picoides arizonae</i> , Arizona Woodpecker	
<i>Picoides borealis</i> , Red-cockaded Woodpecker	
<i>Picoides albolarvatus</i> , White-headed Woodpecker	
<i>Picoides dorsalis</i> , American Three-toed Woodpecker	

§ 10.13

Picoides arcticus, Black-backed Woodpecker
Colaptes auratus, Northern Flicker
Colaptes chrysoides, Gilded Flicker
Dryocopus pileatus, Pileated Woodpecker
Campephilus principalis, Ivory-billed Wood-pecker
Order PASSERIFORMES
Family TYRANNIDAE
Subfamily ELAENIINAE
Campstostoma imberbe, Northern Beardless-Tyrannulet
Myiopagis viridicata, Greenish Elaenia
Elaenia martinica, Caribbean Elaenia
Subfamily FLUVICOLINAE
Mitrephanes phaeocercus, Tufted Flycatcher
Contopus cooperi, Olive-sided Flycatcher
Contopus pertinax, Greater Pewee
Contopus sordidulus, Western Wood-Pewee
Contopus virens, Eastern Wood-Pewee
Contopus caribaeus, Cuban Pewee
Contopus hispaniolensis, Hispaniolan Pewee
Contopus latirostris, Lesser Antillean Pewee
Empidonax flaviventris, Yellow-bellied Flycatcher
Empidonax virescens, Acadian Flycatcher
Empidonax alnorum, Alder Flycatcher
Empidonax traillii, Willow Flycatcher
Empidonax minimus, Least Flycatcher
Empidonax hammondi, Hammond's Flycatcher
Empidonax wrightii, Gray Flycatcher
Empidonax oberholseri, Dusky Flycatcher
Empidonax difficilis, Pacific-slope Flycatcher
Empidonax occidentalis, Cordilleran Flycatcher
Empidonax fulvifrons, Buff-breasted Flycatcher
Sayornis nigricans, Black Phoebe
Sayornis phoebe, Eastern Phoebe
Sayornis saya, Say's Phoebe
Pyrocephalus rubinus, Vermilion Flycatcher
Subfamily TYRANNINAE
Myiarchus tuberculifer, Dusky-capped Flycatcher
Myiarchus cinerascens, Ash-throated Flycatcher
Myiarchus nuttingi, Nutting's Flycatcher
Myiarchus crinitus, Great Crested Flycatcher
Myiarchus tyrannulus, Brown-crested Flycatcher
Myiarchus sagrae, La Sagra's Flycatcher
Myiarchus antillarum, Puerto Rican Flycatcher
Pitangus sulphuratus, Great Kiskadee
Myiozetetes similis, Social Flycatcher
Myiodynastes luteiventris, Sulphur-bellied Flycatcher
Legatus leucophthalmus, Piratic Flycatcher
Empidonax varius, Variegated Flycatcher
Tyrannus melancholicus, Tropical Kingbird
Tyrannus couchii, Couch's Kingbird
Tyrannus vociferans, Cassin's Kingbird
Tyrannus crassirostris, Thick-billed Kingbird
Tyrannus verticalis, Western Kingbird

50 CFR Ch. I (10-1-11 Edition)

Tyrannus tyrannus, Eastern Kingbird
Tyrannus dominicensis, Gray Kingbird
Tyrannus caudifasciatus, Loggerhead Kingbird
Tyrannus forficatus, Scissor-tailed Flycatcher
Tyrannus savana, Fork-tailed Flycatcher
Pachyramphus aglaiae, Rose-throated Becard
Tityra semifasciata, Masked Tityra
Family LANIIDAE
Lanius cristatus, Brown Shrike
Lanius ludovicianus, Loggerhead Shrike
Lanius excubitor, Northern Shrike
Family VIREONIDAE
Vireo griseus, White-eyed Vireo
Vireo crassirostris, Thick-billed Vireo
Vireo latimeri, Puerto Rican Vireo
Vireo bellii, Bell's Vireo
Vireo atricapillus, Black-capped Vireo
Vireo vicinior, Gray Vireo
Vireo flavifrons, Yellow-throated Vireo
Vireo plumbeus, Plumbeous Vireo
Vireo cassinii, Cassin's Vireo
Vireo solitarius, Blue-headed Vireo
Vireo huttoni, Hutton's Vireo
Vireo gilvus, Warbling Vireo
Vireo philadelphicus, Philadelphia Vireo
Vireo olivaceus, Red-eyed Vireo
Vireo flavoviridis, Yellow-green Vireo
Vireo altiloquus, Black-whiskered Vireo
Vireo magister, Yucatan Vireo
Family CORVIDAE
Perisoreus canadensis, Gray Jay
Cyanocitta stelleri, Steller's Jay
Cyanocitta cristata, Blue Jay
Cyanocorax yncas, Green Jay
Cyanocorax morio, Brown Jay
Aphelocoma coerulescens, Florida Scrub-Jay
Aphelocoma insularis, Island Scrub-Jay
Aphelocoma californica, Western Scrub-Jay
Aphelocoma ultramarina, Mexican Jay
Gymnorhinus cyanocephalus, Pinyon Jay
Nucifraga columbiana, Clark's Nutcracker
Pica hudsonia, Black-billed Magpie
Pica nuttalli, Yellow-billed Magpie
Corvus kubaryi, Mariana Crow
Corvus brachyrhynchos, American Crow
Corvus caurinus, Northwestern Crow
Corvus leucognaphalus, White-necked Crow
Corvus imparatus, Tamaulipas Crow
Corvus ossifragus, Fish Crow
Corvus hawaiiensis, Hawaiian Crow
Corvus cryptoleucus, Chihuahuan Raven
Corvus corax, Common Raven
Family ALAUDIDAE
Alauda arvensis, Sky Lark
Eremophila alpestris, Horned Lark
Family HIRUNDINIDAE
Subfamily HIRUNDININAE
Progne subis, Purple Martin
Progne cryptoleuca, Cuban Martin
Progne dominicensis, Caribbean Martin
Progne chalybea, Gray-breasted Martin
Progne elegans, Southern Martin
Progne tapera, Brown-chested Martin
Tachycineta bicolor, Tree Swallow

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

<i>Tachycineta albilinea</i> , Mangrove Swallow	<i>Phylloscopus inornatus</i> , Yellow-browed Warbler
<i>Tachycineta thalassina</i> , Violet-green Swallow	<i>Phylloscopus borealis</i> , Arctic Warbler
<i>Tachycineta cyaneoviridis</i> , Bahama Swallow	<i>Sylvia curruca</i> , Lesser Whitethroat
<i>Stelgidopteryx serripennis</i> , Northern Rough-winged Swallow	Subfamily POLIOPTILINAE
<i>Riparia riparia</i> , Bank Swallow	<i>Polioptila caerulea</i> , Blue-gray Gnatcatcher
<i>Petrochelidon pyrrhonota</i> , Cliff Swallow	<i>Polioptila californica</i> , California Gnatcatcher
<i>Petrochelidon fulva</i> , Cave Swallow	<i>Polioptila melanura</i> , Black-tailed Gnatcatcher
<i>Hirundo rustica</i> , Barn Swallow	<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher
<i>Delichon urbicum</i> , Common House-Martin	Family MUSCICAPIDAE
Family PARIDAE	<i>Ficedula narcissina</i> , Narcissus Flycatcher
<i>Poecile carolinensis</i> , Carolina Chickadee	<i>Muscicapa griseisticta</i> , Gray-streaked Flycatcher
<i>Poecile atricapillus</i> , Black-capped Chickadee	Family TURDIDAE
<i>Poecile gambeli</i> , Mountain Chickadee	<i>Luscinia calliope</i> , Siberian Rubythroat
<i>Poecile sclateri</i> , Mexican Chickadee	<i>Luscinia svecica</i> , Bluethroat
<i>Poecile rufescens</i> , Chestnut-backed Chickadee	<i>Luscinia cyane</i> , Siberian Blue Robin
<i>Poecile hudsonica</i> , Boreal Chickadee	<i>Monticola solitarius</i> , Blue Rock Thrush
<i>Poecile cincta</i> , Gray-headed Chickadee	<i>Tarsiger cyanurus</i> , Red-flanked Bluetail
<i>Baeolophus wollweberi</i> , Bridled Titmouse	<i>Oenanthe oenanthe</i> , Northern Wheatear
<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Saxicola torquatus</i> , Stonechat
<i>Baeolophus ridgwayi</i> , Juniper Titmouse	<i>Sialia sialis</i> , Eastern Bluebird
<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Sialia mexicana</i> , Western Bluebird
<i>Baeolophus atricristatus</i> , Black-crested Titmouse	<i>Sialia currucoides</i> , Mountain Bluebird
Family REMIZIDAE	<i>Myadestes townsendi</i> , Townsend's Solitaire
<i>Auriparus flaviceps</i> , Verdin	<i>Myadestes myadestinus</i> , Kamao
Family AEGITHALIDAE	<i>Myadestes lanaiensis</i> , Olomao
<i>Psaltriparus minimus</i> , Bushtit	<i>Myadestes obscurus</i> , Omao
Family SITTIDAE	<i>Myadestes palmeri</i> , Puaiohi
Subfamily SITTINAE	<i>Catharus aurantiirostris</i> , Orange-billed Nightingale-Thrush
<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Catharus mexicanus</i> , Black-headed Nightingale-Thrush
<i>Sitta carolinensis</i> , White-breasted Nuthatch	<i>Catharus fuscescens</i> , Veery
<i>Sitta pygmaea</i> , Pygmy Nuthatch	<i>Catharus minimus</i> , Gray-cheeked Thrush
<i>Sitta pusilla</i> , Brown-headed Nuthatch	<i>Catharus bicknelli</i> , Bicknell's Thrush
Family CERTHIIDAE	<i>Catharus ustulatus</i> , Swainson's Thrush
Subfamily CERTHIINAE	<i>Catharus guttatus</i> , Hermit Thrush
<i>Certhia americana</i> , Brown Creeper	<i>Hylocichla mustelina</i> , Wood Thrush
Family TROGLODYTIDAE	<i>Turdus obscurus</i> , Eyebrowed Thrush
<i>Campylorhynchus brunneicapillus</i> , Cactus Wren	<i>Turdus naumannni</i> , Dusky Thrush
<i>Salpinctes obsoletus</i> , Rock Wren	<i>Turdus pilaris</i> , Fieldfare
<i>Catherpes mexicanus</i> , Canyon Wren	<i>Turdus grayi</i> , Clay-colored Robin
<i>Thryothorus ludovicianus</i> , Carolina Wren	<i>Turdus assimilis</i> , White-throated Robin
<i>Thryomanes bewickii</i> , Bewick's Wren	<i>Turdus rufopallidus</i> , Rufous-backed Robin
<i>Troglodytes aedon</i> , House Wren	<i>Turdus migratorius</i> , American Robin
<i>Troglodytes troglodytes</i> , Winter Wren	<i>Turdus plumbeus</i> , Red-legged Thrush
<i>Cistothorus platensis</i> , Sedge Wren	<i>Ixoreus naevius</i> , Varied Thrush
<i>Cistothorus palustris</i> , Marsh Wren	<i>Ridgwayia pinicola</i> , Aztec Thrush
Family CINCLIDAE	Family MIMIDAE
<i>Cinclus mexicanus</i> , American Dipper	<i>Dumetella carolinensis</i> , Gray Catbird
Family REGULIDAE	<i>Melanoptila glabrirostris</i> , Black Catbird
<i>Regulus satrapa</i> , Golden-crowned Kinglet	<i>Mimus polyglottos</i> , Northern Mockingbird
<i>Regulus calendula</i> , Ruby-crowned Kinglet	<i>Mimus gundlachii</i> , Bahama Mockingbird
Family SYLVIIDAE	<i>Oreoscopus montanus</i> , Sage Thrasher
Subfamily SYLVIINAE	<i>Toxostoma rufum</i> , Brown Thrasher
<i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler	<i>Toxostoma longirostre</i> , Long-billed Thrasher
<i>Locustella lanceolata</i> , Lanceolated Warbler	<i>Toxostoma bendirei</i> , Bendire's Thrasher
<i>Acrocephalus luscinia</i> , Nightingale Reed-Warbler	<i>Toxostoma curvirostre</i> , Curve-billed Thrasher
<i>Acrocephalus familiaris</i> , Millerbird	<i>Toxostoma redivivum</i> , California Thrasher
<i>Phylloscopus trochilus</i> , Willow Warbler	<i>Toxostoma crissale</i> , Crissal Thrasher
<i>Phylloscopus sibilatrix</i> , Wood Warbler	<i>Toxostoma lecontei</i> , Le Conte's Thrasher
<i>Phylloscopus fuscatus</i> , Dusky Warbler	<i>Melanotis caerulescens</i> , Blue Mockingbird

§ 10.13

Margarops fuscatus, Pearly-eyed Thrasher
Family STURNIDAE
Sturnus philippensis, Chestnut-cheeked Starling
Sturnus cinereus, White-cheeked Starling
Family PRUNELLIDAE
Prunella montanella, Siberian Accentor
Family MOTACILLIDAE
Motacilla tschutschensis, Eastern Yellow Wagtail
Motacilla citreola, Citrine Wagtail
Motacilla cinerea, Gray Wagtail
Motacilla alba, White Wagtail
Anthus trivialis, Tree Pipit
Anthus hodgsoni, Olive-backed Pipit
Anthus gustavi, Pechora Pipit
Anthus cervinus, Red-throated Pipit
Anthus rubescens, American Pipit
Anthus spragueii, Sprague's Pipit
Family BOMBYCILLIDAE
Bombycilla garrulus, Bohemian Waxwing
Bombycilla cedrorum, Cedar Waxwing
Family PTILOGONATIDAE
Ptilogonyx cinereus, Gray Silky-flycatcher
Phainopepla nitens, Phainopepla
Family PEUCEDRAMIDAE
Peucedramus taeniatus, Olive Warbler
Family PARULIDAE
Vermivora bachmanii, Bachman's Warbler
Vermivora pinus, Blue-winged Warbler
Vermivora chrysophtera, Golden-winged Warbler
Vermivora peregrina, Tennessee Warbler
Vermivora celata, Orange-crowned Warbler
Vermivora ruficapilla, Nashville Warbler
Vermivora virginiae, Virginia's Warbler
Vermivora crissalis, Colima Warbler
Vermivora luciae, Lucy's Warbler
Parula superciliosa, Crescent-chested Warbler
Parula americana, Northern Parula
Parula pitiayumi, Tropical Parula
Dendroica petechia, Yellow Warbler
Dendroica pensylvanica, Chestnut-sided Warbler
Dendroica magnolia, Magnolia Warbler
Dendroica tigrina, Cape May Warbler
Dendroica caerulescens, Black-throated Blue Warbler
Dendroica coronata, Yellow-rumped Warbler
Dendroica nigrescens, Black-throated Gray Warbler
Dendroica chrysoparia, Golden-cheeked Warbler
Dendroica virens, Black-throated Green Warbler
Dendroica townsendi, Townsend's Warbler
Dendroica occidentalis, Hermit Warbler
Dendroica fusca, Blackburnian Warbler
Dendroica dominica, Yellow-throated Warbler
Dendroica graciae, Grace's Warbler
Dendroica adelaidae, Adelaide's Warbler
Dendroica pinus, Pine Warbler
Dendroica kirtlandii, Kirtland's Warbler
Dendroica discolor, Prairie Warbler
Dendroica palmarum, Palm Warbler

50 CFR Ch. I (10-1-11 Edition)

Dendroica castanea, Bay-breasted Warbler
Dendroica striata, Blackpoll Warbler
Dendroica cerulea, Cerulean Warbler
Dendroica angelae, Elfin-woods Warbler
Mniotilla varia, Black-and-white Warbler
Setophaga ruticilla, American Redstart
Protonotaria citrea, Prothonotary Warbler
Helmitheros vermivorum, Worm-eating Warbler
Limnothlypis swainsonii, Swainson's Warbler
Seiurus aurocapilla, Ovenbird
Seiurus noveboracensis, Northern Waterthrush
Seiurus motacilla, Louisiana Waterthrush
Oporornis formosus, Kentucky Warbler
Oporornis agilis, Connecticut Warbler
Oporornis philadelphicus, Mourning Warbler
Oporornis tolmieii, MacGillivray's Warbler
Geothlypis trichas, Common Yellowthroat
Geothlypis poliocephala, Gray-crowned Yellowthroat
Wilsonia citrina, Hooded Warbler
Wilsonia pusilla, Wilson's Warbler
Wilsonia canadensis, Canada Warbler
Cardellina rubrifrons, Red-faced Warbler
Myioborus pictus, Painted Redstart
Myioborus miniatus, Slate-throated Redstart
Euthlypis lachrymosa, Fan-tailed Warbler
Basileuterus culicivorus, Golden-crowned Warbler
Basileuterus rufifrons, Rufous-capped Warbler
Icteria virens, Yellow-breasted Chat
Family THRAUPIDAE
Nesospingus speculiferus, Puerto Rican Tanager
Piranga flava, Hepatic Tanager
Piranga rubra, Summer Tanager
Piranga olivacea, Scarlet Tanager
Piranga ludoviciana, Western Tanager
Piranga bidentata, Flame-colored Tanager
Spindalis zena, Western Spindalis
Spindalis portoricensis, Puerto Rican Spindalis
Euphonia musica, Antillean Euphonia
Family EMBERIZIDAE
Sporophila torqueola, White-collared Seedeater
Tiaris olivacea, Yellow-faced Grassquit
Tiaris bicolor, Black-faced Grassquit
Loxigilla portoricensis, Puerto Rican Bullfinch
Arremonops rufivirgatus, Olive Sparrow
Pipilo chlorurus, Green-tailed Towhee
Pipilo maculatus, Spotted Towhee
Pipilo erythrorthalmus, Eastern Towhee
Pipilo fuscus, Canyon Towhee
Pipilo crissalis, California Towhee
Pipilo aberti, Abert's Towhee
Aimophila carpalis, Rufous-winged Sparrow
Aimophila cassini, Cassin's Sparrow
Aimophila aestivalis, Bachman's Sparrow
Aimophila botterii, Botteri's Sparrow
Aimophila ruficeps, Rufous-crowned Sparrow

U.S. Fish and Wildlife Serv., Interior**§ 10.13**

<i>Aimophila quinquestriata</i> , Five-striped Sparrow	
<i>Spizella arborea</i> , American Tree Sparrow	
<i>Spizella passerina</i> , Chipping Sparrow	
<i>Spizella pallida</i> , Clay-colored Sparrow	
<i>Spizella breweri</i> , Brewer's Sparrow	
<i>Spizella pusilla</i> , Field Sparrow	
<i>Spizella wortheni</i> , Worthen's Sparrow	
<i>Spizella atrogularis</i> , Black-chinned Sparrow	
<i>Pooecetes gramineus</i> , Vesper Sparrow	
<i>Chondestes grammacus</i> , Lark Sparrow	
<i>Amphispiza bilineata</i> , Black-throated Sparrow	
<i>Amphispiza belli</i> , Sage Sparrow	
<i>Calamospiza melanocorys</i> , Lark Bunting	
<i>Passerculus sandwichensis</i> , Savannah Sparrow	
<i>Ammodramus savannarum</i> , Grasshopper Sparrow	
<i>Ammodramus bairdii</i> , Baird's Sparrow	
<i>Ammodramus henslowii</i> , Henslow's Sparrow	
<i>Ammodramus lecontei</i> , Le Conte's Sparrow	
<i>Ammodramus nelsoni</i> , Nelson's Sharp-tailed Sparrow	
<i>Ammodramus caudacutus</i> , Saltmarsh Sharp-tailed Sparrow	
<i>Ammodramus maritimus</i> , Seaside Sparrow	
<i>Passerella iliaca</i> , Fox Sparrow	
<i>Melospiza melodia</i> , Song Sparrow	
<i>Melospiza lincolni</i> , Lincoln's Sparrow	
<i>Melospiza georgiana</i> , Swamp Sparrow	
<i>Zonotrichia albicollis</i> , White-throated Sparrow	
<i>Zonotrichia querula</i> , Harris's Sparrow	
<i>Zonotrichia leucophrys</i> , White-crowned Sparrow	
<i>Zonotrichia atricapilla</i> , Golden-crowned Sparrow	
<i>Junco hyemalis</i> , Dark-eyed Junco	
<i>Junco phaeonotus</i> , Yellow-eyed Junco	
<i>Calcarius mccownii</i> , McCown's Longspur	
<i>Calcarius lapponicus</i> , Lapland Longspur	
<i>Calcarius pictus</i> , Smith's Longspur	
<i>Calcarius ornatus</i> , Chestnut-collared Longspur	
<i>Emberiza leucocephala</i> , Pine Bunting	
<i>Emberiza pusilla</i> , Little Bunting	
<i>Emberiza rustica</i> , Rustic Bunting	
<i>Emberiza elegans</i> , Yellow-throated Bunting	
<i>Emberiza aureola</i> , Yellow-breasted Bunting	
<i>Emberiza variabilis</i> , Gray Bunting	
<i>Emberiza pallasi</i> , Pallas's Bunting	
<i>Emberiza schoeniclus</i> , Reed Bunting	
<i>Plectrophenax nivalis</i> , Snow Bunting	
<i>Plectrophenax hyperboreus</i> , McKay's Bunting	
Family CARDINALIDAE	
<i>Rhodothraupis celaeno</i> , Crimson-collared Grosbeak	
<i>Cardinalis cardinalis</i> , Northern Cardinal	
<i>Cardinalis sinuatus</i> , Pyrrhuloxia	
<i>Pheucticus chrysopcephalus</i> , Yellow Grosbeak	
<i>Pheucticus ludovicianus</i> , Rose-breasted Grosbeak	
<i>Pheucticus melanocephalus</i> , Black-headed Grosbeak	
<i>Cyanocompsa parellina</i> , Blue Bunting	
<i>Passerina caerulea</i> , Blue Grosbeak	
<i>Passerina amoena</i> , Lazuli Bunting	
<i>Passerina cyanea</i> , Indigo Bunting	
<i>Passerina versicolor</i> , Varied Bunting	
<i>Passerina ciris</i> , Painted Bunting	
<i>Spiza americana</i> , Dickcissel	
Family ICTERIDAE	
<i>Dolichonyx oryzivorus</i> , Bobolink	
<i>Agelaius phoeniceus</i> , Red-winged Blackbird	
<i>Agelaius tricolor</i> , Tricolored Blackbird	
<i>Agelaius humeralis</i> , Tawny-shouldered Blackbird	
<i>Agelaius xanthomus</i> , Yellow-shouldered Blackbird	
<i>Sturnella magna</i> , Eastern Meadowlark	
<i>Sturnella neglecta</i> , Western Meadowlark	
<i>Xanthocephalus xanthocephalus</i> , Yellow-headed Blackbird	
<i>Euphagus carolinus</i> , Rusty Blackbird	
<i>Euphagus cyanocephalus</i> , Brewer's Blackbird	
<i>Quiscalus quiscula</i> , Common Grackle	
<i>Quiscalus major</i> , Boat-tailed Grackle	
<i>Quiscalus mexicanus</i> , Great-tailed Grackle	
<i>Quiscalus niger</i> , Greater Antillean Grackle	
<i>Molothrus bonariensis</i> , Shiny Cowbird	
<i>Molothrus aeneus</i> , Bronzed Cowbird	
<i>Molothrus ater</i> , Brown-headed Cowbird	
<i>Icterus wagleri</i> , Black-vented Oriole	
<i>Icterus dominicensis</i> , Greater Antillean Oriole	
<i>Icterus spurius</i> , Orchard Oriole	
<i>Icterus cucullatus</i> , Hooded Oriole	
<i>Icterus pustulatus</i> , Streak-backed Oriole	
<i>Icterus bullockii</i> , Bullock's Oriole	
<i>Icterus gularis</i> , Altamira Oriole	
<i>Icterus graduacauda</i> , Audubon's Oriole	
<i>Icterus galbula</i> , Baltimore Oriole	
<i>Icterus parisorum</i> , Scott's Oriole	
Family FRINGILLIDAE	
Subfamily FRINGILLINAE	
<i>Fringilla coelebs</i> , Common Chaffinch	
<i>Fringilla montifringilla</i> , Brambling	
Subfamily CARDUELINAE	
<i>Leucosticte tephrocotis</i> , Gray-crowned Rosy-Finch	
<i>Leucosticte atrata</i> , Black Rosy-Finch	
<i>Leucosticte australis</i> , Brown-capped Rosy-Finch	
<i>Pinicola enucleator</i> , Pine Grosbeak	
<i>Carpodacus erythrinus</i> , Common Rosefinch	
<i>Carpodacus purpureus</i> , Purple Finch	
<i>Carpodacus cassinii</i> , Cassin's Finch	
<i>Carpodacus mexicanus</i> , House Finch	
<i>Loxia curvirostra</i> , Red Crossbill	
<i>Loxia leucoptera</i> , White-winged Crossbill	
<i>Carduelis flammea</i> , Common Redpoll	
<i>Carduelis hornemannii</i> , Hoary Redpoll	
<i>Carduelis spinus</i> , Eurasian Siskin	
<i>Carduelis pinus</i> , Pine Siskin	
<i>Carduelis psaltria</i> , Lesser Goldfinch	
<i>Carduelis lawrencei</i> , Lawrence's Goldfinch	
<i>Carduelis tristis</i> , American Goldfinch	
<i>Carduelis sinica</i> , Oriental Greenfinch	
<i>Pyrrhula pyrrhula</i> , Eurasian Bullfinch	
<i>Coccothraustes vespertinus</i> , Evening Grosbeak	

§ 10.21

Coccothraustes coccothraustes, Hawfinch
Subfamily DREPANIDINAE
Telespiza cantans, Laysan Finch
Telespiza ultima, Nihoa Finch
Psittirostra psittacea, Ou
Loxoides bailleui, Palila
Pseudonestor xanthophrys, Maui Parrotbill
Hemignathus virens, Hawaii Amakihi
Hemignathus flavus, Oahu Amakihi
Hemignathus kauaiensis, Kauai Amakihi
Hemignathus ellisianus, Greater Akialoa
Hemignathus lucidus, Nukupuu
Hemignathus munroi, Akiapolaau
Magumma parva, Anianiau
Oreomystis bairdi, Akikiki
Oreomystis mana, Hawaii Creeper
Paroreomyza maculata, Oahu Alauahio
Paroreomyza flammea, Kakawahie
Paroreomyza montana, Maui Alauahio
Loxops caeruleirostris, Akekee
Loxops coccineus, Akepa
Vestiaria coccinea, Iwi
Palmeria dolei, Akohekohe
Himatione sanguinea, Apapane
Melamprosops phaeosoma, Poo-uli

[75 FR 9299, Mar. 1, 2010]

Subpart C—Addresses

§ 10.21 Director.

(a) Mail forwarded to the Director for law enforcement purposes should be addressed: Chief, Division of Law Enforcement, U.S. Fish and Wildlife Service, P.O. Box 3247, Arlington, VA 22203-3247.

(b) Mail sent to the Director regarding permits for the Convention on International Trade in Endangered Species of Wild Fauna and Fauna (CITES), injurious wildlife, Wild Bird Conservation Act species, international movement of all ESA-listed endangered or threatened species, and scientific research on, exhibition of, or interstate commerce in nonnative ESA-listed endangered and threatened species should be addressed to: Director, U.S. Fish and Wildlife Service, (Attention: Office of Management Authority), 4401 N. Fairfax Drive, Room 700, Arlington, VA 22203. Address mail for the following permits to the Regional Director. In the address include one of the following: for import/export licenses and exception to designated port permits (Attention: Import/export license); for native endangered and threatened species (Attention: Endangered/threatened species permit); and for migratory birds and eagles (Attention: Migratory bird permit office). You can find ad-

50 CFR Ch. I (10-1-11 Edition)

dresses for regional offices at 50 CFR 2.2.

[55 FR 48851, Nov. 23, 1990, as amended at 63 FR 52633, Oct. 1, 1998]

§ 10.22 Law enforcement offices.

Service law enforcement offices and their areas of responsibility follow. Mail should be addressed: “Assistant Regional Director, Division of Law Enforcement, U.S. Fish and Wildlife Service, (appropriate address below)”:

AREAS OF RESPONSIBILITY AND OFFICE ADDRESSES

California, Hawaii, Idaho, Nevada, Oregon, Washington, American Samoa, Guam, the Marshall Islands, Northern Mariana Islands, and the Trust Territory of the Pacific Islands (District 1):

Eastside Federal Complex, 911 N.E. 11th Avenue, Portland, OR 97232-4181, Telephone: 503-231-6125.

Arizona, New Mexico, Oklahoma, and Texas (District 2):

P.O. Box 329, Albuquerque, NM 87103, Telephone: 505-766-2091

Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin (District 3):

P.O. Box 45—Federal Building, Ft. Snelling, Twin Cities, MN 55111, Telephone: 612-725-3530.

Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Puerto Rico, and the Virgin Islands (District 4):

P.O. Box 4839, Atlanta, GA 30302, Telephone: 404-331-5872

Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia, and West Virginia (District 5):

P.O. Box 129, New Town Branch, Boston, MA 02258, Telephone: 617-965-2298

Colorado, Kansas, Montana, Nebraska, North Dakota, South Dakota, Utah, and Wyoming (District 6):

P.O. Box 25486, Denver Federal Center, Denver, CO 80225, Telephone: 303-236-7540

Alaska (District 7):

P.O. Box 92597, Anchorage, AK 99509-2597, Telephone: 907-786-3311

Any foreign country (Washington Office):

P.O. Box 3247, Arlington, VA 22203-3247, Telephone: 703-358-1949.

(Pub. L. 97-79, 95 Stat. 1072; 16 U.S.C. 3371-3378)

[48 FR 1313, Jan. 12, 1983; 48 FR 37040, Aug. 16, 1983, as amended at 49 FR 31291, Aug. 6, 1984; 51 FR 23551, June 30, 1986; 53 FR 6649, Mar. 2, 1988; 55 FR 48851, Nov. 23, 1990]