

§ 590.508 Candling and transfer-room operations.

(a) Candling and transfer rooms and equipment shall be kept clean, free from cobwebs, dust, objectionable odors, and excess packing materials.

(b) Containers for trash and inedible eggs shall be removed from the candling rooms as often as necessary but at least once daily; and shall be cleaned and treated in such a manner as will prevent off odors or objectionable conditions in the plant.

(c) Shell eggs shall be handled in a manner to minimize sweating prior to breaking.

(d) Shell eggs with extensively damaged shells, unless prohibited under § 590.510(d), shall be placed into leaker trays and shall be broken promptly.

§ 590.510 Classifications of shell eggs used in the processing of egg products.

(a) The shell eggs shall be sorted and classified into the following categories in a manner approved by the National Supervisor:

(1) Eggs listed in paragraph (d) of this section.

(2) Dirty.

(3) Leakers as described in paragraph (c)(2) of this section.

(4) Eggs from other than chicken; duck, turkey, guinea, and goose eggs.

(5) Other eggs—satisfactory for use as breaking stock.

(b) Shell eggs having strong odors or eggs received in cases having strong odors shall be candled and broken separately to determine their acceptability.

(c) Shell eggs, when presented for breaking, shall be of edible interior quality and the shell shall be sound and free of adhering dirt and foreign material, except that:

(1) Checks and eggs with a portion of the shell missing may be used when the shell is free of adhering dirt and foreign material and the shell membranes are not ruptured.

(2) Eggs with clean shells which are damaged in candling and/or transfer and have a portion of the shell and shell membranes missing may be used only when the yolk is unbroken and the contents of the egg are not exuding over the outside shell. Such eggs shall

be placed in leaker trays and be broken promptly.

(3) Eggs with meat or blood spots may be used if the spots are removed in an acceptable manner.

(d) All loss or inedible eggs shall be placed in a designated container and be handled as required in § 590.504(c). Inedible and loss eggs for the purpose of this section and § 590.522 are defined to include black rots, white rots, mixed rots, green whites, eggs with diffused blood in the albumen or on the yolk, crusted yolks, stuck yolks, developed embryos at or beyond the blood ring state, moldy eggs, sour eggs, any eggs that are adulterated as such term is defined pursuant to this part, and any other filthy and decomposed eggs including the following:

(1) Any egg with visible foreign matter other than removable blood and meat spots in the egg meat.

(2) Any egg with a portion of the shell and shell membranes missing and with egg meat adhering to or in contact with the outside of the shell.

(3) Any egg with dirt or foreign material adhering to the shell and with cracks in the shell and shell membranes.

(4) Liquid egg recovered from shell egg containers and leaker trays.

(5) Open leakers made in the washing operation.

(6) Any egg which shows evidence that the contents are or have been exuding prior to transfer from the case.

(e) Incubator reject eggs shall not be brought into the official plant.

[36 FR 9814, May 28, 1971, as amended at 40 FR 20059, May 8, 1975. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981]

§ 590.515 Egg cleaning operations.

(a) The following requirements shall be met when washing shell eggs to be presented for breaking:

(1) Shell egg cleaning equipment shall be kept in good repair and shall be cleaned after each day's use or more frequently if necessary.

(2) The temperature of the wash water shall be maintained at 90 °F or higher, and shall be at least 20 °F warmer than the temperature of the eggs to be washed. These temperatures