Nuclear Regulatory Commission

TABLE 1004(B).1—QUALITY FACTORS AND ABSORBED DOSE EQUIVALENCIES

Type of radiation	Quality factor	Absorbed dose equal to a unit dose equiva- lent a	
	(Q)		
X-, gamma, or beta radiation	1	1	
particles of unknown charge	20	0.05	
Neutrons of unknown energy	10	0.1	
High-energy protons	10	0.1	

^a Absorbed dose in rad equal to 1 rem or the absorbed dose in gray equal to 1 sievert.

(c) If it is more convenient to measure the neutron fluence rate than to determine the neutron dose equivalent rate in rems per hour or sieverts per hour, as provided in paragraph (b) of this section, 1 rem (0.01 Sv) of neutron radiation of unknown energies may, for purposes of the regulations in this part, be assumed to result from a total fluence of 25 million neutrons per square centimeter incident upon the body. If sufficient information exists to estimate the approximate energy distribution of the neutrons, the licensee may use the fluence rate per unit dose equivalent or the appropriate Q value from table 1004(b).2 to convert a measured tissue dose in rads to dose equivalent in rems.

TABLE 1004(B).2—MEAN QUALITY FACTORS, Q, AND FLUENCE PER UNIT DOSE EQUIVALENT FOR MONOENERGETIC NEUTRONS

	Neutron en- ergy (MeV)	Quality factor ^a (Q)	Fluence per ur dose equiva- lent b (neutron cm ⁻² rem ⁻¹
(thermal)	2.5×10 -8	2	980×10 ⁶
	1×10 -7	2	980×10 ⁶
	1×10 -6	2	810×106
	1×10 -5	2	810×106
	1×10 -4	2	840×106
	1×10 -3	2	980×106
	1×10 -2	2.5	1010×106
	1×10 - 1	7.5	170×106
	5×10 -1	11	39×106
	1	11	27×106
	2.5	9	29×106
	5	8	23×10 ⁶
	7	7	24×106
	10	6.5	24×106
	14	7.5	17×106
	20	8	16×106
	40	7	14×106
	60	5.5	16×106
	1×10 ²	4	20×10 ⁶
	2×10 ²	3.5	19×106
	3×10 ²	3.5	16×106

TABLE 1004(B).2—MEAN QUALITY FACTORS, Q, AND FLUENCE PER UNIT DOSE EQUIVALENT FOR MONOENERGETIC NEUTRONS—Continued

Neutron en- ergy (MeV)	Quality factor ^a (Q)	Fluence per unit dose equiva- lent b (neutrons cm ⁻² rem ⁻¹)
4×10²	3.5	14×106

a Value of quality factor (Q) at the point where the dose equivalent is maximum in a 30-cm diameter cylinder tissueequivalent phantom.

§ 20.1005 Units of radioactivity.

For the purposes of this part, activity is expressed in the special unit of curies (Ci) or in the SI unit of becquerels (Bq), or their multiples, or disintegrations (transformations) per unit of time.

- (a) One becquerel = 1 disintegration per second (s^{-1}) .
- (b) One curie = 3.7×10^{10} disintegrations per second = 3.7×10^{10} becquerels = 2.22×10^{12} disintegrations per minute.

 $[56~\mathrm{FR}~23391,~\mathrm{May}~21,~1991;~56~\mathrm{FR}~61352,~\mathrm{Dec.}~3,~1991]$

§ 20.1006 Interpretations.

Except as specifically authorized by the Commission in writing, no interpretation of the meaning of the regulations in this part by an officer or employee of the Commission other than a written interpretation by the General Counsel will be recognized to be binding upon the Commission.

§ 20.1007 Communications.

Unless otherwise specified, communications or reports concerning the regulations in this part should be addressed to the Executive Director for Operations (EDO), and sent either by mail to the U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; by hand delivery to the NRC's offices at 11555 Rockville Pike, Rockville, Maryland; or, where practicable, by electronic submission, for example, via Electronic Information Exchange, or CD-ROM. Electronic submissions must be made in a manner that enables the NRC to receive, read, authenticate, distribute, and archive the submission, and process and retrieve it a single page at a time. Detailed guidance on making electronic submissions can be obtained by visiting the NRC's Web

equivalent phantom.

^b Monoenergetic neutrons incident normally on a 30-cm diameter cylinder tissue-equivalent phantom.