




APPENDIX L TO PART 305—SAMPLE LABELS




PROTOTYPE LABEL 1



PROTOTYPE LABEL 2



PROTOTYPE LABEL 3



PROTOTYPE LABEL 4

* Typeface is Arial or equivalent type style. Type is black or one color printed on a white or other neutral contrasting background.

8 point type with 1.6 points of leading and 0.5 point rule 2 points below

20 point type with 3 points of leading

Dollar symbol is 11 point type with 3.5 point baseline shift

Label is enclosed by 0.5 point box rule with 5 points of text measure

7 point type with 1.4 points of leading

Dark-filled rectangle is 0.8" x 0.75"

18 point type with 1 point of leading

* Minimum size for vertical label is 0.8" x 1.5". Scale label and all text proportionally.

Brightness	Estimated Energy Cost
820	\$7.23
lumens	per year

* Minimum size for vertical label is 1.6" x 0.75". Scale label and all text proportionally.

PROTOTYPE LABEL 5

FRONT PACKAGE DISCLOSURE FOR GENERAL SERVICE LAMPS

All text enclosed by hairline rule box within 3 points of text measure

Flush left, no smaller than 13 point, bold type

8 point bold type with 4 points of leading

7 point type with 2 points of leading

7 point type

10 point bold type with 4 points of leading

10 point type with 1 point of leading

7 point type

bar centered between lines of text

hairline rule centered between lines of text

Suggested location of Energy Star. Logo must be at least 27 points wide.

Light Appearance Scale
2 point rule with 1 point vertical marks at left, right and center. Scale is 2/3 width of label. 6 point isosceles triangle with 0.5 point white stroke, placed appropriately on scale.

* Typeface is Arial or equivalent type style. Type sizes shown are minimum allowable. Use bold or heavy typeface where indicated. Type is black or one color printed on a white or other neutral contrasting background. Pursuant to § 305.15(b)(3)(vi), the Energy Star logo may appear only on qualified lamps. Pursuant to § 305.15(b)(3)(viii), the mercury disclosure is required only for lamps containing mercury.

PROTOTYPE LABEL 6

LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMPS (STANDARD FORMAT)

All labels enclosed by hairline rule box within 3 points of text measure

Flush left, no smaller than 13 point, bold type

8 point type with 1.6 points of leading

10 point type with 1 point of leading

Lighting Facts Per Bulb, **Brightness** 870 lumens, **Estimated Yearly Energy Cost** \$1.57 (Based on 3 hrs/day, 11¢/kWh. Cost depends on rates and use), **Life** 5.5 years (Based on 3 hrs/day), **Energy Used** 13 watts, **Light Appearance** 2700 K

Contains Mercury: For more on clean up and safe disposal, visit epa.gov/cfl.


* Typeface is Arial or equivalent type style. Type sizes shown are minimum allowable. Use bold or heavy typeface where indicated. Type is black or one color printed on a white or other neutral contrasting background. Pursuant to § 305.15(b)(3)(viii), the mercury disclosure is required only for lamps containing mercury.

PROTOTYPE LABEL 7

**LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMPS CONTAINING
MERCURY (LINEAR FORMAT)**


Prototype Label 8

Triangular Television Label



Minimum label size right angle triangle 4.5" x 4.5"


* Typeface is Arial Narrow and Arial or equivalent type style. Type sizes shown are minimum allowable. Use bold or heavy typeface where indicated. Type is black printed on process yellow or equivalent color background. Energy Star logo, if applicable, must be at least 0.36" wide.



* Typeface is Arial Narrow and Arial or equivalent type style. Type sizes shown are minimum allowable. Use bold or heavy typeface where indicated. Type is black printed on process yellow or equivalent color background. Energy Star logo, if applicable, must be at least 0.36" wide.

Prototype Label 9

Horizontal Rectangular Television Label



* Typeface is Arial Narrow and Arial or equivalent type style. Type sizes shown are minimum allowable. Use bold or heavy typeface where indicated. Type is black printed on process yellow or equivalent color background. Energy Star logo, if applicable, must be at least 0.36" wide.

Prototype Label 10

Vertical Rectangular Television Label

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Refrigerator-Freezer
• Automatic Defrost
• Side-Mounted Freezer
• Through-the-Door Ice

XYZ Corporation
Model ABC-L
Capacity: 23 Cubic Feet

Estimated Yearly Operating Cost

\$58


\$57 \$74

Cost Range of Similar Models


545 kWh
Estimated Yearly Electricity Use

Your cost will depend on your utility rates and use.

- Cost range based only on models of similar capacity with automatic defrost, side-mounted freezer, and through-the-door ice.
- Estimated operating cost based on a 2007 national average electricity cost of 10.65 cents per kWh.
- For more information, visit www.ftc.gov/appliances.



SAMPLE LABEL 1



SAMPLE LABEL 2

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Dishwasher
Capacity: Standard

XYZ Corporation
Models G39, X88, Z33

Estimated Yearly Operating Cost
(when used with an electric water heater)

\$19

\$20 \$50

Cost Range of Similar Models

The estimated yearly operating cost of this model was not available at the time the range was published.

175 kWh
Estimated Yearly Electricity Use

\$13
Estimated Yearly Operating Cost
(when used with a natural gas water heater)

Your cost will depend on your utility rates and use.

- Cost range based only on standard capacity models.
- Estimated operating cost based on four wash loads a week and a 2007 national average electricity cost of 10.65 cents per kWh and natural gas cost of \$1.218 per therm.
- For more information, visit www.ftc.gov/appliances.

ENERGY STAR

SAMPLE LABEL 3

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Room Air Conditioner
Without Reverse Cycle
With Louvered Sides

XYZ Corporation
Model 12X4
Capacity: 13,000 BTUs

Estimated Yearly Operating Cost

\$103

\$59 \$112

Cost Range of Similar Models

10.1
Energy Efficiency Ratio

Your cost will depend on your utility rates and use.

- Cost range based only on models of similar capacity without reverse cycle and with louvered sides.
- Estimated operating cost based on a 2007 national average electricity cost of 10.65 cents per kWh.
- For more information, visit www.ftc.gov/appliances.


SAMPLE LABEL 4

U.S. Government Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE


Water Heater - Natural Gas
Capacity (first hour rating): 105 gallons

XYZ Corporation
Model RP23XY27



Estimated Yearly Operating Cost

\$328



\$276 \$345


Cost Range of Similar Models

269 therms
Estimated Yearly Energy Use


Your cost will depend on your utility rates and use.

- Cost range based only on models of similar capacity fueled by natural gas.
- Estimated operating cost based on a 2007 national average natural gas cost of \$1.218 per therm.
- For more information, visit www.ftc.gov/appliances.


SAMPLE LABEL 5




SAMPLE LABEL 6



SAMPLE LABEL 7



SAMPLE LABEL 8




SAMPLE LABEL 9

Lighting Facts Per Bulb	
Brightness	820 lumens
Estimated Yearly Energy Cost \$7.23 Based on 3 hrs/day, 11¢/kWh Cost depends on rates and use	
Life	Based on 3 hrs/day 1.4 years
Light Appearance	
Warm ▲ ▼ Cool	
2700 K	
Energy Used	60 watts

SAMPLE LABEL 10

LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP NOT CONTAINING

MERCURY

Lighting Facts Per Bulb		Light Appearance
Brightness	870 lumens	Warm ▲ ▼ Cool 
Estimated Yearly Energy Cost \$1.57 Based on 3 hrs/day, 11¢/kWh Cost depends on rates and use		Contains Mercury For more on clean up and safe disposal, visit epa.gov/cfl .
Life Based on 3 hrs/day	5.5 years	
Energy Used	13 watts	

SAMPLE LABEL 11

LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP CONTAINING

MERCURY (WIDE ORIENTATION)

Lighting Facts	
Per Bulb	
Brightness	870 lumens
Estimated Yearly Energy Cost	\$1.57
Based on 3 hrs/day, 11¢/kWh. Cost depends on rates and use.	
Life	5.5 years
Based on 3 hrs/day	
Light Appearance	
Warm Cool	
▲ 2700 K	
Energy Used	13 watts
Contains Mercury	
For more on clean up and safe disposal, visit epa.gov/cfl .	



SAMPLE LABEL 12

**LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP CONTAINING
MERCURY (TALL ORIENTATION)**

Lighting Facts/Datos de Iluminación Per Bulb/Por Bombilla	
Brightness/Brillo	870 lumens/lúmenes
Estimated Yearly Energy Cost/ Costo Estimado Anual de Energía	\$1.57
Based on 3 hrs/day, 11¢/kWh. Cost depends on rates and use./Basado en 3 hrs/día, 11¢/kWh. Costo depende de la tarifa y el uso.	
Life/Duración	5.5 years/años
Based on 3 hrs/day/Basado en 3 hrs/día	
Light Appearance/Apariencia de Iluminación	
Warm/Cálida Cool/Fría	
 2700 K	
Energy Used/Usó de Energía	13 watts/vatios
Contains Mercury/Contiene Mercurio	
For more on clean up and safe disposal, visit epa.gov/cfl . Para más sobre limpieza y desecho seguro, visite epa.gov/cfl .	

SAMPLE LABEL 13

**LIGHTING FACTS LABEL FOR GENERAL SERVICE LAMP CONTAINING
MERCURY (BILINGUAL EXAMPLE)**



Sample Label 10

Triangular Television Labels

Federal law prohibits removal of this label before consumer purchase.

ENERGY GUIDE

Television

XYZ Corporation
Model ABC-L

Estimated Yearly Energy Cost

\$39

Cost Range of Similar Models (50" – 54")

\$67

\$21

- Based on 11 cents per kWh and 5 hours use per day
- Estimated yearly electricity use of this model: 355 kWh
- **Your cost depends on your utility rates and use.**

Visit ftc.gov/energy

Federal law prohibits removal of this label before consumer purchase.

ENERGY GUIDE

Television

XYZ Corporation
Model ABC-L

Estimated Yearly Energy Cost

\$24

Cost Range of Similar Models (50" – 54")

\$67

\$21


- Based on 11 cents per kWh and 5 hours use per day
- Estimated yearly electricity use of this model: 218 kWh
- **Your cost depends on your utility rates and use.**

Visit ftc.gov/energy

Sample Label 11


Vertical Television Labels

<p>Federal law prohibits removal of this label before consumer purchase.</p> <p>ENERGY GUIDE</p> <p>XYZ Corporation Television Model ABC-L</p>	<p>Estimated Yearly Energy Cost</p> <p>\$39</p> <p>\$21 \$67</p> <p>Cost Range of Similar Models (50" – 54")</p>	<ul style="list-style-type: none"> • Based on 11 cents per kWh and 5 hours use per day • Estimated yearly electricity use of this model: 355 kWh • Your cost depends on your utility rates and use. <p>Visit ftc.gov/energy</p>
---	--	---

<p>Federal law prohibits removal of this label before consumer purchase.</p> <p>ENERGY GUIDE</p> <p>XYZ Corporation Television Model ABC-L</p>	<p>Estimated Yearly Energy Cost</p> <p>\$24</p> <p>\$21 \$67</p> <p>Cost Range of Similar Models (50" – 54")</p>	<ul style="list-style-type: none"> • Based on 11 cents per kWh and 5 hours use per day • Estimated yearly electricity use of this model: 218 kWh • Your cost depends on your utility rates and use.  <p>Visit ftc.gov/energy</p>
---	--	---

Sample Label 12

Horizontal Television Labels



Sample Icon 13

Website Link Icon

ENERGY INFORMATION at High Speed		
Airflow 5,609 Cubic Feet Per Minute	Electricity Use 63 Watts (excludes lights)	Airflow Efficiency 80 Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room.		

Ceiling Fan Label Illustration

[59 FR 25212, May 13, 1994; 59 FR 34053, July 1, 1994. Redesignated at 59 FR 49565, Sept. 28, 1994]

EDITORIAL NOTES: 1. For FEDERAL REGISTER citations affecting appendix L, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at *www.fdsys.gov*.

2. At 76 FR 79058, Dec. 21, 2011, appendix L was amended by redesignating samples 10, 11, 12, and icon 13 as samples 14, 15, 16, and icon 17. However, the original samples were illustrations and the numbers in the headings could not be changed.