

§ 35.1220

(HAP) contract with the housing agency.

(c) The owner shall provide a notice to occupants in accordance with § 35.125(b)(1) and (c) describing the results of the clearance examination.

(d) The designated party may grant the owner an extension of time to complete paint stabilization and clearance for reasonable cause, but such an extension shall not extend beyond 90 days after the date of notification to the owner of the results of the visual assessment.

[64 FR 50216, Sept. 15, 1999, as amended at 69 FR 34273, June 21, 2004]

§ 35.1220 Ongoing lead-based paint maintenance activities.

Notwithstanding the designation of the PHA, grantee, participating jurisdiction, or Indian Housing Block Grant (IHBG) recipient as the designated party for this subpart, the owner shall incorporate ongoing lead-based paint maintenance activities into regular building operations in accordance with § 35.1355(a).

[69 FR 34273, June 21, 2004]

§ 35.1225 Child with an environmental intervention blood lead level.

(a) Within 15 days after being notified by a public health department or other medical health care provider that a child of less than 6 years of age living in an assisted dwelling unit has been identified as having an environmental intervention blood lead level, the designated party shall complete a risk assessment of the dwelling unit in which the child lived at the time the blood was last sampled and of the common areas servicing the dwelling unit. The risk assessment shall be conducted in accordance with § 35.1320(b). When the risk assessment is complete, the designated party shall immediately provide the report of the risk assessment to the owner of the dwelling unit. If the child identified as having an environmental intervention blood lead level is no longer living in the unit when the designated party receives notification from the public health department or other medical health care provider, but another household receiving tenant-based rental assistance is

24 CFR Subtitle A (4–1–12 Edition)

living in the unit or is planning to live there, the requirements of this section apply just as they do if the child still lives in the unit. If a public health department has already conducted an evaluation of the dwelling unit, or the designated party conducted a risk assessment of the unit and common areas servicing the unit between the date the child's blood was last sampled and the date when the designated party received the notification of the environmental intervention blood lead level, the requirements of this paragraph shall not apply.

(b) *Verification.* After receiving information from a source other than a public health department or other medical health care provider that a child of less than 6 years of age living in an assisted dwelling unit may have an environmental intervention blood lead level, the designated party shall immediately verify the information with a public health department or other medical health care provider. If that department or provider verifies that the child has an environmental intervention blood lead level, such verification shall constitute notification to the designated party as provided in paragraph (a) of this section, and the designated party shall take the action required in paragraphs (a) and (c) of this section.

(c) *Hazard reduction.* Within 30 days after receiving the risk assessment report from the designated party or the evaluation from the public health department, the owner shall complete the reduction of identified lead-based paint hazards in accordance with § 35.1325 or § 35.1330. Hazard reduction is considered complete when clearance is achieved in accordance with § 35.1340 and the clearance report states that all lead-based paint hazards identified in the risk assessment have been treated with interim controls or abatement or when the public health department certifies that the lead-based paint hazard reduction is complete. If the owner does not complete the hazard reduction required by this section, the dwelling unit is in violation of Housing Quality Standards (HQS).