Environmental Protection Agency

correcting for excess (infiltration) air or you must operate, maintain, and calibrate a second monitor capable of measuring the O_2 concentration on a dry basis according to the manufacturer's specifications.

(2) Use Equation TT-9 of this section to correct the measured CH_4 concentra-

tion to 0% oxygen. If multiple CH_4 concentration measurements are made during the reporting year, determine F separately for each measurement made during the reporting year, and use the results to determine the arithmetic average value of F for use in Equation TT-1 of this part.

$$F = \left(\frac{C_{CH4}}{100\%}\right) \times \left[\frac{20.9_{c}}{(20.9 - \%O_{2})}\right] \quad (Eq. TT-9)$$

Where:

F = Fraction by volume of CH₄ in landfill gas (fraction, dry basis, corrected to 0% oxygen).

- $C_{\rm CH4}$ = Measured CH4 concentration in land-fill gas (volume %, dry basis).
- 20.9_c = Defined O₂ correction basis, (volume %, dry basis).
- $20.9 = O_2$ concentration in air (volume %, dry basis).
- $%O_2$ = Measured O_2 concentration in landfill gas (volume %, dry basis).

(h) The facility shall document the procedures used to ensure the accuracy of the estimates of disposal quantities and, if the industrial waste landfill has a gas collection system, gas flow rate, gas composition, temperature, pressure, and moisture content measurements. These procedures include, but are not limited to, calibration of weighing equipment, fuel flow meters, and other measurement devices. The estimated accuracy of measurements made with these devices shall also be recorded, and the technical basis for these estimates shall be provided.

[75 FR 39773, July 12, 2010, as amended at 76 FR 73908, Nov. 29, 2011]

§98.465 Procedures for estimating missing data.

(a) A complete record of all measured parameters used in the GHG emissions calculations is required. Therefore, whenever a quality-assured value of a required parameter is unavailable (e.g., if a meter malfunctions during unit operation or if a required fuel sample is not taken), a substitute data value for the missing parameter shall be used in the calculations, in accordance with paragraph (b) of this section. (b) For industrial waste landfills with gas collection systems, follow the procedures for estimating missing data specified in \$98.345(a) and (b).

§98.466 Data reporting requirements.

In addition to the information required by §98.3(c), each annual report must contain the following information for each landfill.

(a) Report the following general land-fill information:

(1) A classification of the landfill as "open" (actively received waste in the reporting year) or "closed" (no longer receiving waste).

(2) The year in which the landfill first started accepting waste for disposal.

(3) The last year the landfill accepted waste (for open landfills, enter the estimated year of landfill closure).

 $\left(4\right)$ The capacity (in metric tons) of the landfill.

(5) An indication of whether leachate recirculation is used during the reporting year and its typical frequency of use over the past 10 years (*e.g.*, used several times a year for the past 10 years, used at least once a year for the past 10 years, used occasionally but not every year over the past 10 years, not used).

(b) Report the following waste characterization and modeling information:

(1) The number of waste steams (including "Other Industrial Solid Waste (not otherwise listed)") for which Equation TT-1 of this subpart is used to calculate modeled CH₄ generation.

(2) A description of each waste stream (including the types of materials in each waste stream) for which