

Environmental Protection Agency

§ 180.414

| Commodity | Parts per million |
|--------------------|-------------------|
| Wheat, hay | 0.5 |
| Wheat, straw | 0.5 |

(2) Tolerances are established for the combined residues of the fungicide imazalil, 1-[2-(2,4-dichlorophenyl)-2-(2-propenyloxy)ethyl]-1*H*-imidazole, and its metabolites, 3-[2-(2,4-dichlorophenyl)-2-(2,3-dihydroxypropoxy)ethyl]-2,4-imidazolidinedione (FK772) and 3-[2-(2,4-dichlorophenyl)-2-(hydroxy)]-2,4-imidazolidinedione (FK284), in or on the following food commodities:

| Commodity | Parts per million |
|-------------------------------|-------------------|
| Cattle, fat | 0.01 |
| Cattle, meat | 0.01 |
| Cattle, meat byproducts | 0.2 |
| Goat, fat | 0.01 |
| Goat, meat | 0.01 |
| Goat, meat byproducts | 0.2 |
| Horse, fat | 0.01 |
| Horse, meat | 0.01 |
| Horse, meat byproducts | 0.2 |
| Milk | 0.02 |
| Sheep, fat | 0.01 |
| Sheep, meat | 0.01 |
| Sheep, meat byproducts | 0.2 |

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[65 FR 33715, May 24, 2000, as amended at 67 FR 46893, July 17, 2002; 71 FR 54434, Sept. 15, 2006]

§ 180.414 Cyromazine; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the insecticide cyromazine, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only cyromazine, *N*-cyclopropyl-1,3,5-triazine-2,4,6-triamine, in or on the commodity.

| Commodity | Parts per million |
|--------------------------------|-------------------|
| Bean, dry, except cowpea | 3.0 |
| Bean, lima | 1.0 |
| Bean, succulent | 2.0 |
| Broccoli | 1.0 |

| Commodity | Parts per million |
|--|-------------------|
| Cabbage, abyssinian | 10.0 |
| Cabbage, seakale | 10.0 |
| Cattle, fat | 0.05 |
| Cattle, kidney | 0.2 |
| Cattle, meat | 0.05 |
| Cattle, meat byproducts, except kidney | 0.05 |
| Egg | 0.25 |
| Garlic | 0.2 |
| Garlic, great-headed, bulb | 0.2 |
| Goat, fat | 0.05 |
| Goat, kidney | 0.2 |
| Goat, meat | 0.05 |
| Goat, meat byproducts, except kidney | 0.05 |
| Hanover salad, leaves | 10.0 |
| Hog, fat | 0.05 |
| Hog, kidney | 0.2 |
| Hog, meat | 0.05 |
| Hog, meat byproducts, except kidney | 0.05 |
| Horse, fat | 0.05 |
| Horse, kidney | 0.2 |
| Horse, meat | 0.05 |
| Horse, meat byproducts, except kidney | 0.05 |
| Leek | 3.0 |
| Mango ¹ | 0.3 |
| Milk | 0.05 |
| Mushroom | 1.0 |
| Onion, bulb | 0.2 |
| Onion, green | 3.0 |
| Onion, potato | 3.0 |
| Onion, tree | 3.0 |
| Onion, welsh | 3.0 |
| Pepper | 1.0 |
| Potato | 0.8 |
| Poultry, fat (from chicken layer hens and chicken breeder hens only) | 0.05 |
| Poultry, meat (from chicken layer hens and chicken breeder hens only) | 0.05 |
| Poultry, meat byproducts (from chicken layer hens and chicken breeder hens only) | 0.05 |
| Rakkyo, bulb | 0.2 |
| Shallot, bulb | 0.2 |
| Shallot, fresh leaves | 3.0 |
| Sheep, fat | 0.05 |
| Sheep, kidney | 0.2 |
| Sheep, meat | 0.05 |
| Sheep, meat byproducts, except kidney | 0.05 |
| Tomato | 0.5 |
| Turnip, greens | 10.0 |
| Vegetable, brassica, leafy, group 5, except broccoli | 10.0 |
| Vegetable, leafy, except brassica, group 4 | 7.0 |
| Vegetable, cucurbit, group 9 | 1.0 |

¹There are no U.S. registrations on mango as of May 4, 2000.

(2) A tolerance of 5.0 parts per million is established for residues of the insecticide cyromazine, including its metabolites and degradates, in or on poultry feed when used as a feed additive only in feed for chicken layer hens and chicken breeder hens at the rate of not more than 0.01 pound of cyromazine per ton of poultry feed for control of flies in manure of treated chicken layer hens and chicken breeder hens, provided the feeding of cyromazine-treated feed must stop at least 3 days (72 hours) before slaughter.

§ 180.415

If the feed is formulated by any person other than the end user, the formulator must inform the end user, in writing, of the 3-day (72 hours) pre-slaughter interval. Compliance with the tolerance level specified in this paragraph is to be determined by measuring only cyromazine, *N*-cyclopropyl-1,3,5-triazine-2,4,6-triamine, in or on the commodity.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* Tolerances are established for indirect or inadvertent residues of the insecticide cyromazine, including its metabolites and degradates, in or on the commodities in the table in this paragraph when present therein as a result of the application of cyromazine to growing crops listed in paragraph (a)(1) of this section. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only cyromazine, *N*-cyclopropyl-1,3,5-triazine-2,4,6-triamine, in or on the commodity.

| Commodity | Parts per million |
|---|-------------------|
| Cotton, undelinted seed | 0.1 |
| Corn, sweet, kernel plus cob with husks removed | 0.5 |
| Corn, sweet, forage | 0.5 |
| Corn, sweet, stover | 0.5 |
| Radish, roots | 0.5 |
| Radish, tops | 0.5 |

[65 FR 25860, May 4, 2000, as amended at 67 FR 72593, Dec. 6, 2002; 68 FR 55269, Sept. 24, 2003; 75 FR 22256, Apr. 28, 2010; 76 FR 23494, Apr. 27, 2011]

§ 180.415 Aluminum tris (O-ethylphosphonate); tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide aluminum tris (*O*-ethylphosphonate), including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only aluminum tris (*O*-ethylphosphonate), in or on the commodity.

40 CFR Ch. I (7-1-12 Edition)

| Commodity | Parts per million |
|--|-------------------|
| Avocado | 25 |
| Banana | 3.0 |
| Bushberry subgroup 13B | 40 |
| Caneberry subgroup 13A | 0.1 |
| Cranberry | 0.5 |
| Fruit, citrus, group 10 | 5.0 |
| Fruit, pome, group 11 | 10 |
| Ginseng | 0.1 |
| Hop, dried cones | 45 |
| Juneberry | 40 |
| Lingonberry | 40 |
| Nut, macadamia | 0.20 |
| Onion, bulb | 0.5 |
| Onion, green | 10.0 |
| Pea, succulent | 0.3 |
| Pineapple | 0.1 |
| Salal | 40 |
| Strawberry | 75 |
| Tomato | 3 |
| Turnip, greens | 40 |
| Turnip, roots | 15 |
| Vegetable, brassica, leafy, group 5 | 60 |
| Vegetable, cucurbit, group 9 | 15 |
| Vegetable, leafy, except brassica, group 4 | 100 |

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registration, as defined in §180.1(1), are established for residues of the fungicide aluminum tris (*O*-ethylphosphonate), including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only aluminum tris (*O*-ethylphosphonate), in or on the commodity.

| Commodity | Parts per million |
|-----------------|-------------------|
| Asparagus | 0.1 |
| Grape | 10 |

(d) *Indirect or inadvertent residues.* [Reserved]

[64 FR 36801, July 8, 1999, as amended at 64 FR 37875, July 14, 1999; 65 FR 50438, Aug. 18, 2000; 67 FR 55346, Aug. 29, 2002; 68 FR 11335, Mar. 10, 2003; 70 FR 7047, Feb. 10, 2005; 76 FR 23494, Apr. 27, 2011]

§ 180.416 Ethalfluralin; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide ethalfluralin [*N*-ethyl-*N*-(2-methyl-2-propenyl)-2,6-dinitro-4-(trifluoromethyl)benzenamine] in or on the following raw agricultural commodities: