

Environmental Protection Agency

§ 180.533

tolerance expiration/revocation date of April 26, 2005.

(3) To ensure safe use of the additive, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency and it shall be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[63 FR 34828, June 26, 1998, as amended at 69 FR 58083, Sept. 29, 2004]

§ 180.532 Cyprodinil; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide cyprodinil, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only cyprodinil 4-cyclopropyl-6-methyl-*N*-phenyl-2-pyrimidinamine.

Commodity	Parts per million
Almond	0.02
Almond, hulls	8.0
Apple, wet pomace	4.6
Avocado	1.2
Bean, dry	0.6
Bean, succulent	0.6
Brassica, head and stem, subgroup 5A	1.0
Brassica, leafy greens, subgroup 5B	10.0
Bushberry subgroup 13B	3.0
Caneberry subgroup 13A	10
Canistel	1.2
Canola, seed ¹	0.03
Citrus, dried pulp	8.0
Citrus, oil	340
Fruit, pome	1.7
Fruit, stone	2.0
Grape	2.0
Grape, raisin	3.0
Herb subgroup 19A, dried, except parsley	15.0
Herb subgroup 19A, fresh, except parsley	3.0
Juneberry	3.0
Kiwifruit	1.8
Leafy greens subgroup 4A, except spinach 35 ..	30
Lemon	0.60
Lime	0.60
Lingonberry	3.0
Longan	2.0
Lychee	2.0
Mango	1.2
Onion, bulb	0.60
Onion, green	4.0
Papaya	1.2
Parsley, dried leaves	170
Parsley, leaves	35
Pistachio	0.10
Pulasan	2.0

Commodity	Parts per million
Rambutan	2.0
Salal	3.0
Sapodilla	1.2
Sapote, black	1.2
Sapote, mamey	1.2
Spanish lime	2.0
Star apple	1.2
Strawberry	5.0
Tomatillo	0.45
Tomato	0.45
Tomato, paste	1.0
Turnip, greens	10.0
Vegetable, cucurbit, group 9	0.70
Vegetable, leaves of root and tuber, group 2	10
Vegetable, root, except sugarbeet, subgroup 1B 41	0.75
Watercress	20

¹ Import only.

(2) Tolerances are established for residues of the fungicide cyprodinil, including its metabolites and degradates, in the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of cyprodinil 4-cyclopropyl-6-methyl-*N*-phenyl-2-pyrimidinamine and free and conjugated CGA-304075 4-(4-cyclopropyl-6-methyl-pyrimidin-2-ylamino)-phenol, calculated as the stoichiometric equivalent of cyprodinil.

Commodity	Parts per million
Cattle, meat byproducts	0.02
Goat, meat byproducts	0.02
Horse, meat byproducts	0.02
Sheep, meat byproducts	0.02

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[63 FR 17706, Apr. 10, 1998]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.532, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 180.533 Esfenvalerate; tolerances for residues.

(a) *General.* (1) Tolerances are established for the combined residues of the insecticide esfenvalerate, (*S*)-cyano(3-phenoxyphenyl)methyl-(*S*)-4-chloro- α -(1-methylethyl)benzeneacetate, its non-racemic isomer, (*R*)-cyano(3-phenoxyphenyl)methyl-(*R*)-4-chloro- α -

§ 180.533

40 CFR Ch. I (7-1-12 Edition)

(1-methylethyl)benzeneacetate and its diastereomers (*S*)-cyano(3-phenoxyphenyl)methyl-(*R*)-4-chloro- α -(1-methylethyl)benzeneacetate and (*R*)-cyano(3-phenoxyphenyl) methyl-(*S*)-4-chloro- α -(1-methylethyl)benzeneacetate, in or on food commodities as follows:

Commodity	Parts per million
Almond	0.2
Almond, hulls	5.0
Apple	1.0
Artichoke, globe	1.0
Bean, dry, seed	0.25
Bean, snap, succulent	1.0
Beet, sugar, roots	0.05
Beet, sugar, tops	5.0
Blueberry	1.0
Broccoli	1.0
Cabbage, except Chinese cabbage	3.0
Caneberry subgroup 13A	1.0
Cantaloupe	0.5
Carrot, roots	0.5
Cattle, fat	1.5
Cattle, meat	1.5
Cattle, meat byproducts	1.5
Cauliflower	0.5
Collards	3.0
Corn, field, forage	15.0
Corn, field, grain	0.02
Corn, field, stover	15.0
Corn, pop, grain	0.02
Corn, pop, stover	15.0
Corn, sweet, forage	15.0
Corn, sweet, kernel plus cob with husks removed	0.1
Corn, sweet, stover	15.0
Cotton, undelinted seed	0.2
Cucumber	0.5
Egg	0.03
Eggplant	0.5
Elderberry	1.0
Fruit, stone, group 12	3.0
Goat, fat	1.5
Goat, meat	1.5
Goat, meat byproducts	1.5
Gooseberry	1.0
Hazelnut	0.2
Hog, fat	1.5
Hog, meat	1.5
Hog, meat byproducts	1.5
Horse, fat	1.5
Horse, meat	1.5
Horse, meat byproducts	1.5
Kiwifruit	0.5
Lentil, seed	0.25
Melon, honeydew	0.5
Milk	0.3
Milk, fat	7.0
Muskmelon	0.5
Mustard greens	5.0
Okra	0.5
Pea, dry, seed	0.25
Pea, succulent	0.5
Peanut	0.02
Pear	1.0
Pecan	0.2
Pepper	0.5
Potato	0.02
Poultry, fat	0.3
Poultry, liver	0.03

Commodity	Parts per million
Poultry, meat	0.03
Poultry, meat byproducts, except liver	0.3
Pumpkin	0.5
Radish, roots	0.3
Radish, tops	3.0
Sheep, fat	1.5
Sheep, meat	1.5
Sheep, meat byproducts	1.5
Sorghum, grain, forage	10.0
Sorghum, grain, grain	5.0
Sorghum, grain, stover	10.0
Soybean, hulls	0.5
Soybean, seed	0.05
Squash, summer	0.5
Squash, winter	0.5
Sugarcane, cane	1.0
Sunflower, seed	0.5
Sweet potato, roots	0.05
Tomato	0.5
Turnip, greens	7.0
Turnip, roots	0.5
Walnut	0.2
Watermelon	0.5

(2) A tolerance of 0.05 ppm on raw agricultural food commodities (other than those food commodities already covered by a higher tolerance as a result of use on growing crops) is established for the combined residues of the insecticide esfenvalerate, (*S*)-cyano(3-phenoxyphenyl)methyl-(*S*)-4-chloro- α -(1-methylethyl)benzeneacetate, its non-racemic isomer, (*R*)-cyano(3-phenoxyphenyl)methyl-(*R*)-4-chloro- α -(1-methylethyl)benzeneacetate and its diastereomers (*S*)-cyano(3-phenoxyphenyl)methyl-(*R*)-4-chloro- α -(1-methylethyl)benzeneacetate and (*R*)-cyano(3-phenoxyphenyl)methyl-(*S*)-4-chloro- α -(1-methylethyl)benzeneacetate as a result of the use of esfenvalerate in food-handling establishments.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registration are established for the combined residues of the insecticide esfenvalerate, (*S*)-cyano(3-phenoxyphenyl)methyl-(*S*)-4-chloro- α -(1-methylethyl)benzeneacetate, its non-racemic isomer, (*R*)-cyano(3-phenoxyphenyl)methyl-(*R*)-4-chloro- α -(1-methylethyl)benzeneacetate and its diastereomers (*S*)-cyano(3-phenoxyphenyl)methyl-(*R*)-4-chloro- α -(1-methylethyl)benzeneacetate and (*R*)-cyano(3-phenoxyphenyl)methyl-(*S*)-4-chloro- α -(1-

Environmental Protection Agency

§ 180.537

methylethyl)benzeneacetate, in or on food commodities as follows:

Commodity	Parts per million
Cabbage, chinese, bok choy	1.0
Kohlrabi	2.0
Lettuce, head	5.0

(d) *Indirect or inadvertent residues.*
[Reserved]

[63 FR 23401, Apr. 29, 1998, as amended at 63 FR 48615, Sept. 11, 1998; 74 FR 46699, Sept. 11, 2009]

§ 180.535 Fluroxypyr 1-methylheptyl ester; tolerances for residues.

(a) *General.* Tolerances are established for combined residues of fluroxypyr 1-methylheptyl ester [1-methylheptyl ((4-amino-3,5-dichloro-6-fluoro-2-pyridinyl)oxy)acetate] and its metabolite fluroxypyr [(4-amino-3,5-dichloro-6-fluoro-2-pyridinyl)oxy]acetic acid] in or on the following raw agricultural commodities.

Commodity	Parts per million
Barley, grain	0.5
Barley, hay	12.0
Barley, hay	20.0
Barley, straw	12.0
Cattle, fat	0.1
Cattle, kidney	1.5
Cattle, meat	0.1
Cattle, meat byproducts	0.1
Corn, field, forage	1.0
Corn, field, grain	0.02
Corn, field, stover	0.5
Corn, sweet, forage	1.0
Corn, sweet, kernel plus cob with husks removed	0.02
Corn, sweet, stover	2.0
Fruit, pome, group 11	0.02
Garlic, bulb	0.03
Goat, fat	0.1
Goat, kidney	1.5
Goat, meat	0.1
Goat, meat byproducts	0.1
Grain, aspirated fractions	0.6
Grass, forage	120
Grass, hay	160
Hog, fat	0.1
Hog, kidney	1.5
Hog, meat	0.1
Hog, meat byproducts	0.1
Horse, fat	0.1
Horse, kidney	1.5
Horse, meat	0.1
Horse, meat byproducts	0.1
Milk	0.3
Millet, forage	12.0
Millet, grain	0.5
Millet, hay	20.0
Millet, proso, straw	12.0
Oat, forage	12.0
Oat, grain	0.5
Oat, hay	20.0

Commodity	Parts per million
Oat, straw	12.0
Onion, bulb	0.03
Shallot, bulb	0.03
Sheep, fat	0.1
Sheep, kidney	1.5
Sheep, meat	0.1
Sheep, meat byproducts	0.1
Sorghum, grain, forage	2.0
Sorghum, grain, grain	0.02
Sorghum, grain, stover	4.0
Wheat, forage	12.0
Wheat, grain	0.5
Wheat, hay	20.0
Wheat, straw	12.0

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[63 FR 52169, Sept. 30, 1998, as amended at 64 FR 22799, Apr. 28, 1999; 66 FR 37598, July 19, 2001; 66 FR 47971, Sept. 17, 2001; 67 FR 46884, July 17, 2002; 67 FR 60146, Sept. 25, 2002; 68 FR 75438, Dec. 31, 2003; 69 FR 2074, Jan. 14, 2004; 70 FR 3649, Jan. 26, 2005; 70 FR 7047, Feb. 10, 2005; 71 FR 76204, Dec. 20, 2006; 72 FR 73635, Dec. 28, 2007]

§ 180.536 Triazamate; tolerances for residues.

(a) *General.* Time-limited tolerances are established for the combined residues of triazamate (RH-7988) ethyl(3-tert-butyl-1-dimethylcarbamoyl-1H-1,2,4-triazol-5-ylthio)acetate and its metabolite (RH0422) in or on the following commodity(ies):

Commodity	Parts per million	Expiration/Revocation Date
Apple	0.1	12/31/01

(b) *Section 18 emergency exemptions.*

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[63 FR 71026, Dec. 23, 1998]

§ 180.537 Isoxaflutole; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide, isoxaflutole, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring