

Environmental Protection Agency

§ 180.609

Commodity	Parts per million
Grape, raisin	4.0
Hop, dried cones	30
Mamey sapote	1.0
Mango	1.0
Nut, tree, group 14	0.10
Papaya	1.0
Pistachio	0.10
Sapodilla	1.0
Star apple	1.0

(2) Tolerances are established for residues of spirodiclofen (3-(2,4-dichlorophenyl)-2-oxo-1-oxaspiro [4.5]dec-3-en-4-yl 2,2-dimethylbutanoate) and its free enol metabolite BAJ 2510 (3-(2,4-dichlorophenyl)-4-hydroxy-1-oxaspiro [4.5]dec-3-en-2-one) in or on the following livestock commodities:

Commodity	Parts per million
Cattle, fat	0.02
Cattle, meat byproducts	0.10
Cattle, meat	0.02
Goat, fat	0.02
Goat, meat byproducts	0.1
Goat, meat	0.02
Horse, fat	0.02
Horse, meat byproducts	0.1
Horse, meat	0.02
Milk	0.01
Milk, fat	0.03
Sheep, fat	0.02
Sheep, meat byproducts	0.1
Sheep, meat	0.02

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[70 FR 40211, July 13, 2005, as amended at 73 FR 25539, May 7, 2008; 75 FR 24434, May 5, 2010]

§ 180.609 Fluoxastrobin; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of fluoxastrobin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only fluoxastrobin, (1E)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime and its Z isomer, (1Z)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-

pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime, calculated as the stoichiometric equivalent of fluoxastrobin.

Commodity	Parts per million
Berry, low growing, subgroup 13-07G	1.9
Corn, field, forage	3.0
Corn, field, grain	0.02
Corn, field, stover	4.5
Corn, sweet, forage	13
Corn, sweet, kernel plus cob with husks removed	0.01
Corn, sweet, stover	10
Grain, aspirated grain fractions	60
Leaf petioles subgroup 4B	4.0
Peanut	0.02
Peanut, hay	20.0
Peanut, refined oil	0.06
Soybean, forage	9.0
Soybean, hay	1.2
Soybean, hulls	0.20
Soybean, seed	0.05
Squash/cucumber subgroup 9B	0.50
Tomato, paste	1.5
Vegetable, fruiting, group 8	1.0
Vegetable, tuberous and corm, subgroup 1C ..	0.010
Wheat, bran	0.15
Wheat, forage	7.0
Wheat, hay	17
Wheat, straw	11

(2) Tolerances are established for residues of fluoxastrobin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only fluoxastrobin, (1E)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime, its Z isomer, (1Z)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime, and its phenoxyhydroxypyrimidine, 6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinol, calculated as the stoichiometric equivalent of fluoxastrobin.

Commodity	Parts per million
Cattle, fat	0.10
Cattle, meat	0.05
Cattle, meat byproducts	0.20
Goat, fat	0.10
Goat, meat	0.05
Goat, meat byproducts	0.20
Horse, fat	0.10
Horse, meat	0.05
Horse, meat, byproducts	0.20
Milk	0.02
Milk, fat	0.50
Sheep, fat	0.10

§ 180.610

Commodity	Parts per million
Sheep, meat	0.05
Sheep, meat byproducts	0.20

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. Tolerances are established for the indirect or inadvertent residues of fluoxastrobin, including its metabolites and degradates, in or on the commodities in the table below, when present therein as a result of the application of fluoxastrobin to the growing crops listed in paragraph (a)(1) of this section. Compliance with the tolerance levels specified below is to be determined by measuring only fluoxastrobin, (1E)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime and its Z isomer, (1Z)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime, calculated as the stoichiometric equivalent of fluoxastrobin.

Commodity	Parts per million
Alfalfa, forage	0.050
Alfalfa, hay	0.10
Cotton, gin byproducts	0.020
Grain, cereal, forage, fodder, and straw, group 16, except corn	0.10
Grass, forage	0.10
Grass, hay	0.50
Vegetable, foliage of legume, group 7	0.050

[74 FR 67113, Dec. 18, 2009, as amended at 75 FR 60333, Sept. 30, 2010; 76 FR 50898, Aug. 17, 2011; 77 FR 26471, May 4, 2012]

§ 180.610 Aminopyralid; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the herbicide aminopyralid, 4-amino-3,6-dichloro-2-pyridinecarboxylic acid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only free and conjugated aminopyralid.

40 CFR Ch. I (7-1-12 Edition)

Commodity	Parts per million
Corn, field, forage	0.30
Corn, field, grain	0.20
Corn, field, stover	0.20
Grain, aspirated fractions	0.2
Grass, forage	25
Grass, hay	50
Wheat, bran	0.1
Wheat, forage	2.0
Wheat, grain	0.04
Wheat, hay	4.0
Wheat, straw	0.25

(2) Tolerances are established for residues of the herbicide aminopyralid, 4-amino-3,6-dichloro-2-pyridinecarboxylic acid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only aminopyralid.

Commodity	Parts per million
Cattle, fat	0.02
Cattle, kidney	0.3
Cattle, meat	0.02
Cattle, meat byproducts, except kidney	0.02
Goat, fat	0.02
Goat, kidney	0.3
Goat, meat	0.02
Goat, meat byproducts, except kidney	0.02
Horse, fat	0.02
Horse, kidney	0.3
Horse, meat	0.02
Horse, meat byproducts, except kidney	0.02
Milk	0.03
Sheep, fat	0.02
Sheep, kidney	0.3
Sheep, meat	0.02
Sheep, meat byproducts, except kidney	0.02

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[70 FR 46428, Aug. 10, 2005, as amended at 75 FR 17584, Apr. 7, 2010]

§ 180.611 Pinoxaden; tolerances for residues.

(a) General. (1) Tolerances are established for the combined residues of pinoxaden (8-(2,6-diethyl-4-methylphenyl)-1,2,4,5-tetrahydro-7-oxo-7H-pyrazolo[1,2-d][1,4,5] oxadiazepin-9-yl 2,2-dimethylpropanoate), and its metabolites 8-(2,6-diethyl-4-methylphenyl)-tetrahydro-pyrazolo[1,2-d][1,4,5]oxadiazepine-7,9-dione (M2), and free and conjugated forms of 8-(2,6-