- (b) Each final-stage manufacturer that becomes the manufacturer of a multistage automobile under paragraph (a) of this section shall, within 10 days after completing its manufacturing operations on that automobile, send written notification of its exceeding the curb weight or frontal area maximum to the Administrator of the Environmental Protection Agency and to the manufacturer previously considered under this part to be the manufacturer of the automobile.
- (c)(1) If the final-stage manufacturer becomes the manufacturer of a multistage automobile under paragraph (a)(1) of this section, that manufacturer shall prepare a new fuel economy label for that automobile in accordance with 40 CFR part 600.
- (2) If the final-stage manufacturer places the portion of the body including the windshield and front seat side windows on the incomplete automobile, that manufacturer shall attach the fuel economy label furnished by the incomplete automobile manufacturer under §529.4(c)(2) or by the last intermediate manufacturer under §529.5(d)(2) or the fuel economy label prepared by the final-stage manufacturer under paragraph (c)(1) of this section, as appropriate, to that automobile in accordance with 40 CFR part 600.
- (3) The final-stage manufacturer shall attach to the completed automobile in accordance with 40 CFR part 600 a fuel economy label identical to the label that is required under this part to have been prepared by the manufacturer considered under this part to be the manufacturer of that automobile if:
- (i) The portion of the body including the windshield and front seat side windows was added to the completed automobile by a previous manufacturer;
- (ii) The final-stage manufacturer's manufacturing operations do not cause that automobile to exceed either of the maxima specified in paragraph (c)(1) of this section; and
- (iii) That fuel economy label is not on that automobile when received by that manufacturer or is removed from that automobile while it is in the possession of that manufacturer.

PART 531—PASSENGER AUTO-MOBILE AVERAGE FUEL ECON-OMY STANDARDS

Sec

531.1 Scope.

531.2 Purpose

531.3 Applicability.

531.4 Definitions.

531.5 Fuel economy standards.

531.6 Measurement and calculation procedures.

APPENDIX A TO PART 531—EXAMPLE OF CAL-CULATING COMPLIANCE UNDER §531.5(c)

AUTHORITY: 49 U.S.C. 32902, delegation of authority at 49 CFR 1.50.

SOURCE: 42 FR 33552, June 30, 1977, unless otherwise noted.

§ 531.1 Scope.

This part establishes average fuel economy standards pursuant to section 502 (a) and (c) of the Motor Vehicle Information and Cost Savings Act, as amended, for passenger automobiles.

[43 FR 28204, June 29, 1978]

§531.2 Purpose.

The purpose of this part is to increase the fuel economy of passenger automobiles by establishing minimum levels of average fuel economy for those vehicles.

§ 531.3 Applicability.

This part applies to manufacturers of passenger automobiles.

§531.4 Definitions.

- (a) Statutory terms. (1) The terms average fuel economy, manufacture, manufacturer, and model year are used as defined in section 501 of the Act.
- (2) The terms *automobile* and *passenger automobile* are used as defined in section 501 of the Act and in accordance with the determination in part 523 of this chapter.
- (b) Other terms. As used in this part, unless otherwise required by the context—
- (1) Act means the Motor Vehicle Information and Cost Savings Act, as amended by Pub. L. 94–163.

§531.5 Fuel economy standards.

(a) Except as provided in paragraph (e) of this section, each manufacturer

§531.5

of passenger automobiles shall comply with the average fuel economy standards in Table I, expressed in miles per gallon, in the model year specified as applicable:

TABLE I

Model year	Standard
1978	18.0
1979	19.0
1980	20.0
1981	22.0
1982	24.0
1983	26.0
1984	27.0
1985	27.5
1986	26.0
1987	26.0
1988	26.0
1989	26.5
1990-2010	27.5

(b) For model year 2011, a manufacturer's passenger automobile fleet shall comply with the fuel economy level calculated for that model year accord-

ing to Figure 1 and the appropriate values in Table II.

Figure 1:

Required _Fuel _Economy _Level =
$$\frac{N}{\sum_{i} \frac{N_{i}}{T_{i}}}$$

Where:

- N is the total number (sum) of passenger automobiles produced by a manufacturer.
- N_i is the number (sum) of the ith model passenger automobile produced by the manufacturer, and
- T_i is fuel economy target of the ith model passenger automobile, which is determined according to the following formula, rounded to the nearest hundredth:

$$T = \frac{1}{\frac{1}{a} + \left(\frac{1}{b} - \frac{1}{a}\right) \frac{e^{(x-c)/d}}{1 + e^{(x-c)/d}}}$$

Where:

e = 2.718; and

Parameters a, b, c, and d are defined in Table II:

x = footprint (in square feet, rounded to the nearest tenth) of the vehicle model

TABLE II—PARAMETERS FOR THE PASSENGER AUTOMOBILE FUEL ECONOMY TARGETS

Model year	Parameters			
	A	b	С	d
2011	31.20	24.00	51.41	1.91

(c) For model years 2012–2016, a manufacturer's passenger automobile fleet shall comply with the fuel economy

level calculated for that model year according to Figure 2 and the appropriate values in Table III.

Figure 2:
$$CAFE_{required} = \frac{\sum_{i} Production_{i}}{\sum_{i} \frac{Production_{i}}{TARGET_{i}}}$$

Where:

CAFE_{required} is the required level for a given fleet (domestic passenger automobiles or import passenger automobiles),

Subscript i is a designation of multiple groups of automobiles, where each group's designation, *i.e.*, i = 1, 2, 3, etc., represents automobiles that share a unique model type and footprint within

§531.5

the applicable fleet, either domestic passenger automobiles or import passenger automobiles

Production; is the number of passenger automobiles produced for sale in the United States within each ith designation, i.e., which shares the same model type and footprint.

 $TARGET_i$ is the fuel economy target in miles per gallon (mpg) applicable to the foot-

print of passenger automobiles within each ith designation, *i.e.*, which shares the same model type and footprint, calculated according to Figure 3 and rounded to the nearest hundredth of a mpg, *i.e.*, 35.455 = 35.46 mpg, and the summations in the numerator and denominator are both performed over all models in the fleet in question.

Figure 3:
$$TARGET = \frac{1}{MIN \left[MAX \left(c \times FOOTPRINT + d, \frac{1}{a} \right), \frac{1}{b} \right]}$$

Where:

TARGET is the fuel economy target (in mpg) applicable to vehicles of a given footprint (FOOTPRINT, in square feet),

Parameters a, b, c, and d are defined in Table III, and

The MIN and MAX functions take the minimum and maximum, respectively, of the included values.

TABLE III—PARAMETERS FOR THE PASSENGER AUTOMOBILE FUEL ECONOMY TARGETS

Model year	Parameters			
Model year	а	b	С	d
2012	35.95 36.80 37.75 39.24 41.09	27.95 28.46 29.03 29.90 30.96	0.0005308 0.0005308 0.0005308 0.0005308 0.0005308	0.006057 0.005410 0.004725 0.003719 0.002573

(d) In addition to the requirement of paragraphs (b) and (c) of this section, each manufacturer shall also meet the minimum standard for domestically manufactured passenger automobiles expressed in Table IV:

TABLE IV

Model year	Minimum standard
2011	27.8
2012	30.7
2013	31.4
2014	32.1
2015	33.3
2016	34.7

(e) The following manufacturers shall comply with the standards indicated below for the specified model years:

(1) Avanti Motor Corporation.

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon
1978	16.1
1979	14.5
1980	15.8
1981	18.2
1982	18.2
1983	16.9
1984	16.9
1985	16.9

(2) Rolls-Royce Motors, Inc.

1978 10.7 1979 10.8 1980 11.1 1981 10.7 1982 10.6 1983 9.9 1984 10.0 1985 10.0 1986 11.0 1987 11.2	Model year	Average fuel econ- omy stand- ard (miles per gallon)
1980 11.1 1981 10.7 1982 10.6 1983 9.9 1984 10.0 1985 10.0 1986 11.0	1978	10.7
1981 10.7 1982 10.6 1983 9.9 1984 10.0 1985 10.0 1986 11.0	1979	10.8
1982 10.6 1983 9.9 1984 10.0 1985 10.0 1986 11.0	1980	11.1
1983 9.9 1984 10.0 1985 10.0 1986 11.0	1981	10.7
1984 10.0 1985 10.0 1986 11.0	1982	10.6
1985 10.0 1986 11.0	1983	9.9
1986	1984	10.0
1986	1985	10.0
1987 11.2		11.0
	1987	11.2

Nat'l Highway Traffic Safety Admin., DOT

§531.5

Model year	Average fuel econ- omy stand- ard (miles per gallon)
1988	11.2
1989	11.2
1990	12.7
1991	12.7
1992	13.8
1993	13.8
1994	13.8
1995	14.6
1996	14.6
1997	15.1
1998	16.3
1999	16.3

(3) Checker Motors Corporation.

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon
1978 1979 1980 1981	17.6 16.5 18.5 18.3 18.4

(4) Aston Martin Lagonda, Inc.

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon
1979	11.5
1980	12.1
1981	12.2
1982	12.2
1983	11.3
1984	11.3
1985	11.4

$\hspace{1.5cm} \textbf{(5)} \hspace{0.2cm} \textbf{Excalibur} \hspace{0.2cm} \textbf{Automobile} \hspace{0.2cm} \textbf{Corporation}. \\$

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon
1978	11.5
1979	11.5
1980	16.2
1981	17.9
1982	17.9
1983	16.6
1984	16.6
1985	16.6

(6) Lotus Cars Ltd.

Model year	Average fuel econ- omy stand- ard (miles per gallon)
1994	24.2
1995	23.3

(7) Officine Alfieri Maserati, S.p.A. AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon
1978 1979 1980 1984	12.5 12.5 9.5 17.9 16.8

(8) Lamborghini of North America.

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon	
1983	13.7	
1984	13.7	

(9) LondonCoach Co., Inc.

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon	
1985	21.0	
1986	21.0	
1987	21.0	

(10) Automobili Lamborghini S.p.A./ Vector Aeromotive Corporation.

Model year	Average fuel econ- omy stand- ard (miles per gallon)
1995	12.8
1996	12.6
1997	12.5

(11) Dutcher Motors, Inc.

Model year	Average fuel econ- omy stand- ard (miles per gallon)
1986	16.0
1987	16.0
1988	16.0
1992	17.0
1993	17.0
1994	17.0
1995	17.0

(12) MedNet, Inc.

Model year	Average fuel econ- omy stand- ard (miles per gallon)	
1996	17.0	
1997	17.0	
1998	17.0	

§531.6

(13) Vector Aeromotive Corporation.

Model year	Average fuel econ- omy stand- ard (miles per gallon)
1998	12.1

(14) Qvale Automotive Group Srl.

Model year	Average fuel econ- omy stand- ard (miles per gallon)	
2000	22.0	
2001	22.0	

(15) Spyker Automobielen B.V.

AVERAGE FUEL ECONOMY STANDARD

Model year	Miles per gallon	
2006	18.9 18.9	

[43 FR 28204, June 29, 1978]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §531.5 see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

§ 531.6 Measurement and calculation procedures.

(a) The average fuel economy of all passenger automobiles that are manufactured by a manufacturer in a model

year shall be determined in accordance with procedures established by the Administrator of the Environmental Protection Agency under section 502(a)(1) of the Act and set forth in 40 CFR part 600.

(b) A manufacturer that is eligible to elect a model year in which to include value added in Mexico as domestic value, under subparagraphs (B)(i) and (B)(iii) of 49 U.S.C. 32904(b)(3), shall notify the Administrators of the Environmental Protection Agency and the National Highway Traffic Safety Administration of its election not later than 60 days before it begins production of automobiles for the model year. If an eligible manufacturer does not elect a model year before January 1, 2004, any value added in Mexico will be considered domestic value for automobiles manufactured in the next model year beginning after January 1, 2004, and in subsequent model years.

 $[42\ {\rm FR}\ 33552,\ {\rm June}\ 30,\ 1977,\ {\rm as}\ {\rm amended}\ {\rm at}\ 64\ {\rm FR}\ 27203,\ {\rm May}\ 19,\ 1999]$

APPENDIX A TO PART 531—EXAMPLE OF CALCULATING COMPLIANCE UNDER §531.5(C)

Assume a hypothetical manufacturer (Manufacturer X) produces a fleet of domestic passenger automobiles in MY 2012 as follows:

APPENDIX A, TABLE 1

Model type				Actual measured fuel		
Group	Carline name	Basic engine (L)	Transmission class	Description	economy (mpg)	Volume
1	PC A FWD	1.8	A5 M6	2-door sedan	34.0 34.6	1,500
2	PC A FWD	1.8 2.5	A6	2-door sedan 4-door wagon	34.6	2,000 2.000
4	PC A AWD	1.8	A6	4-door wagon	34.4	1,000
5	PC A AWD	2.5	M6	2-door hatchback	32.9	3,000
6		2.5	A6	4-door wagon	32.2	8,000
7	PC B RWD	2.5	A7	4-door sedan	33.1	2,000
8	PC C AWD	3.2	A7	4-door sedan	30.6	5,000
9	PC C FWD	3.2	M6	2-door coupe	28.5	3,000
Total				27,500		

NOTE TO APPENDIX A, TABLE 1. Manufacturer X's required corporate average fuel economy level standard under §531.5(c) would first be calculated by determining the fuel

economy targets applicable to each unique model type and footprint combination for model type groups 1-9 as illustrated in Appendix A, Table 2: