APPROVED PLANTS

§58.123 Survey and approval.

Prior to the approval of a plant, a designated representative of the Administrator shall make a survey of the plant, premises, storage facilities, equipment and raw material, volume of raw material processed daily, and facilities for handling the products at the plant. The survey shall be made at least twice a year to determine whether the facilities, equipment, method of operation, and raw material being received are adequate and suitable for USDA inspection and grading service in accordance with the provisions of this part. To be eligible for approval a plant shall satisfactorily meet the specifications of this subpart as determined by the Administrator.

§ 58.124 Denial or suspension of plant approval.

Plant approval may be denied or suspended if a determination is made by a designated representative of the Administrator that the plant is not performing satisfactorily in regard to;

- (a) The classification of milk,
- (b) Proper segregation and disposal of unwholesome raw materials or finished product.
- (c) Adequate facilities and condition of processing equipment,
- (d) Sanitary conditions of plant and equipment,
- (e) Control of insects, rodents and other vermin.
- (f) Use of non-toxic product contact surfaces and prevention of adulteration of raw materials and products with chemicals or other foreign material,
 - (g) Proper operating procedures,
- (h) The maintenance of legal composition of finished products,
- (i) The manufacture of stable dairy products, of desirable keeping quality characteristics,
- (j) Proper storage conditions for ingredients and dairy products, or
- (k) Suitable and effective packaging methods and material.

[40 FR 47911, Oct. 10, 1975. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 67 FR 48974, July 29, 2002]

PREMISES, BUILDINGS, FACILITIES, EQUIPMENT AND UTENSILS

§ 58.125 Premises.

- (a) The premises shall be kept in a clean and orderly condition, and shall be free from strong or foul odors, smoke, or excessive air pollution. Construction and maintenance of driveways and adjacent plant traffic areas should be of cement, asphalt, or similar material to keep dust and mud to a minimum.
- (b) Surroundings. The immediate surroundings shall be free from refuse, rubbish, overgrown vegetation, and waste materials to prevent harborage of rodents, insects and other vermin.
- (c) Drainage. A suitable drainage system shall be provided which will allow rapid drainage of all water from plant buildings and driveways, including surface water around the plant and on the premises, and all such water shall be disposed of in such a manner as to prevent an environmental or health hazard.

§58.126 Buildings.

The building or buildings shall be of sound construction and shall be kept in good repair to prevent the entrance or harboring of rodents, birds, insects, vermin, dogs, and cats. All service pipe openings through outside walls shall be effectively sealed around the opening or provided with tight metal collars.

(a) Outside doors, windows, openings, etc. All openings to the outer air including doors, windows, skylights and transoms shall be effectively protected or screened against the entrance of flies and other insects, rodents, birds, dust and dirt. All outside doors opening into processing rooms shall be in good condition and fit propperly. All hinged, outside screen doors shall open outward. All doors and windows should be kept clean and in good repair. Outside conveyor openings and other specialtype outside openings shall be effectively protected to prevent the entrance of flies and rodents, by the use of doors, screens, flaps, fans or tunnels. Outside openings for sanitary pipelines shall be covered when not in use. On new construction window sills should be slanted downward at approximately a 45° angle.