§ 835.604

- (c) Very high radiation area. The words "Grave Danger, Very High Radiation Area" shall be posted at each very high radiation area.
- (d) Airborne radioactivity area. The words "Caution, Airborne Radioactivity Area" or "Danger, Airborne Radioactivity Area" shall be posted at each airborne radioactivity area.
- (e) Contamination area. The words "Caution, Contamination Area" shall be posted at each contamination area.
- (f) High contamination area. The words "Caution, High Contamination Area" or "Danger, High Contamination Area" shall be posted at each high contamination area.
- (g) Radioactive material area. The words "Caution, Radioactive Material(s)" shall be posted at each radioactive material area.

[63 FR 59684, Nov. 4, 1998]

§835.604 Exceptions to posting requirements.

- (a) Areas may be excepted from the posting requirements of §835.603 for periods of less than 8 continuous hours when placed under continuous observation and control of an individual knowledgeable of, and empowered to implement, required access and exposure control measures.
- (b) Areas may be excepted from the radioactive material area posting requirements of §835.603(g) when:
- (1) Posted in accordance with §§ 835.603(a) through (f); or
- (2) Each item or container of radioactive material is labeled in accordance with this subpart such that individuals entering the area are made aware of the hazard; or
- (3) The radioactive material of concern consists solely of structures or installed components which have been activated (i.e., such as by being exposed to neutron radiation or particles produced by an accelerator).
- (c) Areas containing only packages received from radioactive material transportation labeled and in non-degraded condition need not be posted in accordance with §835.603 until the packages are monitored in accordance with §835.405.

[63 FR 59684, Nov. 4, 1998]

§ 835.605 Labeling items and containers.

Except as provided at §835.606, each item or container of radioactive material shall bear a durable, clearly visible label bearing the standard radiation warning trefoil and the words "Caution, Radioactive Material" or "Danger, Radioactive Material." The label shall also provide sufficient information to permit individuals handling, using, or working in the vicinity of the items or containers to take precautions to avoid or control exposures.

[63 FR 59684, Nov. 4, 1998]

§835.606 Exceptions to labeling requirements.

- (a) Items and containers may be excepted from the radioactive material labeling requirements of §835.605 when:
- (1) Used, handled, or stored in areas posted and controlled in accordance with this subpart and sufficient information is provided to permit individuals to take precautions to avoid or control exposures; or
- (2) The quantity of radioactive material is less than one tenth of the values specified in appendix E of this part and less than 0.1 Ci: or
- (3) Packaged, labeled, and marked in accordance with the regulations of the Department of Transportation or DOE Orders governing radioactive material transportation; or
- (4) Inaccessible, or accessible only to individuals authorized to handle or use them, or to work in the vicinity; or
- (5) Installed in manufacturing, process, or other equipment, such as reactor components, piping, and tanks; or
- (6) The radioactive material consists solely of nuclear weapons or their components.
- (b) Radioactive material labels applied to sealed radioactive sources may be excepted from the color specifications of §835.601(a).

[63 FR 59684, Nov. 4, 1998, as amended at 72 FR 31927, June 8, 2007]

Subpart H—Records

$\S 835.701$ General provisions.

(a) Records shall be maintained to document compliance with this part