§ 180.496

Commodity	Parts per mil
Starfruit Strawberry Sugar apple Ti, leaves Vegetable, bulb, group 3, except green onion Vegetable, cucurbit, group 9 Vegetable, foliage of legume, group 7 Vegetable, fruiting, group 8 Vegetable, leafy, except brassica, group 4 Vegetable, leaves of root and tuber, group 2 Vegetable, legume, edible podded, subgroup 6A Vegetable, root and tuber, group 1 Vegetable, root and tuber, group 1	0.3 1.0 0.3 10.0 0.10 0.3 8.0 0.4 8.0 10.0
Wax jambu	0.3

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertant residues. [Reserved]

[72 FR 68540, Dec. 5, 2007, as amended at 74 FR 46376, Sept. 9, 2009; 74 FR 48408, Sept. 23, 2009; 75 FR 60327, Sept. 30, 2010]

§ 180.496 Thiazopyr; tolerances for residues.

Tolerances are established for combined residues of the herbicide thiazopyr (3-pyridinecaroxylic acid, 2-(difluoromethyl)-5-(4,5-dihydro-2-thiazolyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-, methyl ester) and its metabolites determined as 2-(difluoromethyl)-6-(trifluoromethyl)-3,4,5-pyridinetricarboxylic acid, all expressed as the parent equivalents in or on the following raw agricultural commodities:

Commodities	Parts per million
Grapefruit Orange, sweet	0.05 0.05

[62 FR 9978, Mar. 5, 1997]

§ 180.497 Clofencet; tolerances for residues.

(a) General. Tolerances are established for residues of the plant growth regulator (hybridizing agent) clofencet, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only clofencet, potassium 2-(4-chlorophenyl)-3-ethyl-2,5-

dihydro-5-oxo-4-pyridazinecarboxylate, expressed as the free acid, in or on the commodity.

Commodity	Parts per million	Expiration/ revocation date
Cattle, fat	0.04	7/14/12
Cattle, kidney	10.0	7/14/12
Cattle, meat	0.15	7/14/12
Cattle, meat byproducts, except kid-		
ney	0.5	7/14/12
Egg	1.0	7/14/12
Goat, fat	0.04	7/14/12
Goat, kidney	10.0	7/14/12
Goat, meat	0.15	7/14/12
Goat, meat byproducts, except kid-		
ney	0.5	7/14/12
Hog, fat	0.04	7/14/12
Hog, kidney	10.0	7/14/12
Hog, meat	0.15	7/14/12
Hog, meat byproducts, except kid-		
ney	0.5	7/14/12
Horse, fat	0.04	7/14/12
Horse, kidney	10.0	7/14/12
Horse, meat	0.15	7/14/12
Horse, meat byproducts, except kid-		
ney	0.5	7/14/12
Milk	0.02	7/14/12
Poultry, fat	0.04	7/14/12
Poultry, meat	0.15	7/14/12
Poultry, meat byproducts	0.20	7/14/12
Sheep, fat	0.04	7/14/12
Sheep, kidney	10.0	7/14/12
Sheep, meat	0.15	7/14/12
Sheep, meat byproducts, except		
kidney	0.5	7/14/12
Wheat, forage	10.0	7/14/12
Wheat, grain	250.0	7/14/12
Wheat, hay	40.0	7/14/12
Wheat, straw	50.0	7/14/12

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for indirect or inadvertent residues of the plant growth regulator (hybridizing agent) clofencet, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only clofencet, potassium 2-(4-chlorophenyl)-3-ethyl-2,5-dihydro-5-oxo-4-

pyridazinecarboxylate, expressed as the free acid, in or on the commodity when present therein as a result of the application of clofencet to the growing crops in paragraph (a) of this section.

Environmental Protection Agency

Commodity	Parts per million	Expiration/ revocation date
Grain, cereal, forage, fodder and straw, group 16, except rice, sweet corn, wheat, and wild rice; forage	4.0	7/14/12
sweet corn, wheat, and wild rice, sweet corn, wheat, and wild rice, hay	15.0	7/14/12
sweet corn, wheat, and wild rice; stover	1.0	7/14/12
sweet corn, wheat, and wild rice; straw	4.0	7/14/12
sweet corn, wheat, and wild rice	20.0	7/14/12
Soybean	30.0	7/14/12
Soybean, forage	10.0 10.0	7/14/12 7/14/12

[76 FR 56656, Sept. 14, 2011]

§ 180.498 Sulfentrazone; tolerances for residues.

(a)(1) General. Tolerances are established for the combined residues of the conjugated forms and sulfentrazone, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (N-[2,4dichloro-5-[4-(difluoromethyl)-4,5dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]methanesulfonamide) and its metabolite HMS (N-(2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-3hydroxymethyl-5-oxo-1H-1,2,4-triazol-1yl)phenyl)methanesulfonamide, culated as the stoichiometric equivalent of sulfentrazone in or on the following commodities.

Commodity	Parts per million
Soybean, seed	0.05

(2) Tolerances are established for the combined residues of the free and conjugated forms of sulfentrazone, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-

yl]phenyl]methanesulfonamide) and its metabolites HMS (N-(2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-3-hydroxymethyl-5-oxo-1H-1,2,4-triazol-1-yl)phenyl)methanesulfonamide) and DMS (N-(2,4-dichloro-5-(4-(difluoromethyl)-4,5-dihydro-5-oxo-1H-1,2,4-triazol-1-yl)phenyl)methanesulfonamide, calculated as the stoichiometric equivalent of sulfentrazone in or on the fol-

lowing commodities.

Commodity	Parts per million
Asparagus	0.15
Berry and small fruit, group 13-07	0.15
Brassica, head and stem, subgroup 5A	0.20
Brassica, leafy greens, subgroup 5B	0.40
Corn, field, forage	0.20
Corn, field, grain	0.15
Corn, field, stover	0.30
Flax	0.15
Fruit, citrus, group 10–10	0.15
Horseradish	0.20
Melon, subgroup 9A	0.15
Nut, tree, group 14	0.15
Pea and bean, dried shelled, except soybean,	0.45
subgroup 6C	0.15
Pea, succulent	0.15
Peanut	0.20 0.40
Peanut, meal	
Peppermint, tops	0.30
Pistachio	0.15
Rhubarb	0.15
Spearmint, tops	0.30 0.15
Sugarcane, cane	0.15
Sugarcane, molasses	0.20
Sunflower subgroup 20B	0.20
Turnip, roots	0.15
Turnip, topsVegetable, fruiting, group 8–10	0.60
	0.15
Vegetable, soybean, succulent Vegetable, tuberous and corm, subgroup 1C	0.15
vegetable, tuberous and confit, subgroup TC	0.15

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. Tolerances with regional registration are established for the combined residues of the free and conjugated forms of sulfentrazone, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of sulfentrazone (N-[2,4-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-

yl]phenyl]methanesulfonamide) and its metabolites HMS (N-(2,4-dichloro-5-(4-difluoromethyl)-4,5-dihydro-3-

hydroxymethyl-5-oxo-1H-1,2,4-triazol-1-yl)phenyl)methanesulfonamide) and DMS (N-(2,4-dichloro-5-(4-