Environmental Protection Agency

Commodity	Parts per million
Rice, grain	0.40 0.40

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[67 FR 43256, June 27, 2002, as amended at 74 FR 15880, Apr. 8, 2009; 76 FR 82157, Dec. 30, 2011]

§ 180.577 Bispyribac-sodium; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide bispyribac-sodium, including its metabolites and degradates, in or on the commodity listed below. Compliance with the tolerance level specified below is to be determined by measuring only bispyribac-sodium, (2,6-bis[(4,6-dimethoxy-2-pyrimidinyl)oxy]benzoic acid, sodium salt), in or on the following raw agricultural commodities:

Commodity	Parts per million
Fish, freshwater Rice, grain Rice, straw	0.01 0.02 0.02

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[66 FR 48097, Sept. 18, 2001, as amended at 76 FR 5716, Feb. 2, 2011]

§180.578 Acetamiprid; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the insecticide acetamiprid (1E)-N-[(6-chloro-3pyridinyl)methyl]-N'-cyano-Nmethylethanimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined bу measuring acetamiprid in or on the following commodities.

Commodity	Parts per million
Almond, hulls	5.0
Asparagus	0.80
Berry, low growing subgroups 13-07G	0.60
Brassica, head and stem, subgroup 5A	1.20
Brassica, leafy greens, subgroup 5B	15
Bushberry subgroup 13–07B	1.6
Caneberry subgroup 13–07A	1.6
Canola, seed	0.010
Citrus, dried pulp	1.20
Corn, sweet, forage	15
Corn, sweet, kernel plus cob with husks re-	15
moved	0.01
Corn, sweet, stover	30
Cotton, gin byproducts	20.0
Cotton, undelinted seed	0.60
Fruit, citrus, group 10-10	1.0
Fruit, pome, group 11-10	1.0
Fruit, small, vine climbing, except fuzzy	
kiwifruit, subgroup 13-07F	0.35
Fruit, stone, group 12, except plum, prune	1.20
Grain, aspirated fractions	5.0
Mustard, seed	0.010
Nut, tree, group 14	0.10
Onion, bulb, subgroup 3–07A	0.02
Onion, green, subgroup 3–07B	4.5
Pea and bean, succulent shelled, subgroup 6B	0.40
Pistachio	0.10
Plum, prune, dried	0.40
Plum, prune, fresh	0.20
Soybean, hulls	0.20
Soybean, seed	0.04
Tea, dried ¹	50.0
	0.40
Tomato, paste	15
Turnip greens	
Vegetable, cucurbit, group 9	0.50
Vegetable, fruiting, group 8–10	0.20
Vegetable, leafy, except brassica, group 4 Vegetable, legume, edible podded, subgroup	3.00
	0.00
6A	0.60
Vegetable, tuberous and corm, group 1	0.01

 $^{1}\mbox{There}$ are no U.S. registrations as of February 10, 2010, for the use of acetamiprid on dried tea.

(2) Tolerances are established for residues of the insecticide acetamiprid (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N-cyano-N-methylethanimidamide, including its metabolites and degradates, in or on the commodities in the table below as a result of the application of acetamiprid. Compliance with the tolerance levels specified below is to be determined by measuring acetamiprid and (1E)-N-[(6-chloro-3-pyridinyl)methyl]-N'-cyano-N-

ethanimidamide in or on the following commodities.

Commodity	Parts per million
Cattle, fat	0.20
Cattle, meat	0.30
Cattle, meat byproducts	0.70
Egg	0.010
Goat, fat	0.20
Goat, meat	0.30
Goat, meat byproducts	0.70
Hog, fat	0.10