§464.14

²These concentrations must be multiplied by the ratio of (46.3/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

[50 FR 45247, Oct. 30, 1985; 51 FR 21760, June 16, 1986]

§ 464.14 New source performance standards.

Any new source subject to this subpart must achieve the following new source performance standards (NSPS), except that non-continuous dischargers shall not be subject to the maximum day and maximum for monthly average mass (kg/1,000 kkg or lb/million lb ofmetal poured; kg/62.3 million Sm3 or lb/ billion SCF of air scrubbed) effluent standards for copper, lead, zinc, total phenols, oil and grease, and TSS. For non-continuous dischargers, annual average mass standards and maximum day and maximum for monthly average concentration (mg/l) standards shall apply. Concentration standards and annual average mass standards shall only apply to non-continuous dischargers.

(a) Casting Cleaning Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day Maximum monthly a age		
	kg/1,000 kkg (pounds per m lion pounds) of met poured		
Copper (T)	0.0771	0.0421	
Lead (T)	0.0791	0.039	
Zinc (T)	0.114	0.0431	
Oil and grease	3.0	1.0	
TSS	3.8	1.5	
pH	. (1) (1)		

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual av- erage ¹
Copper (T)	(mg/l) ² 0.77 0.79 1.14 30 38	(mg/l) ² 0.42 0.39 0.43 10 15	0.017 0.022 0.027 0.501 1.0
pH	(3)	(3)	(3)

¹ kg/1,000 kkg (pounds per million pounds) of metal poured.
2 These concentrations must be multiplied by the ratio of (12/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

(b) Casting Quench Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average	
	kg/1,000 kkg (pounds per lion pounds) of m poured		
Copper (T)	0.0093 0.0096 0.0138 0.363 0.46 (1)	0.0051 0.0047 0.0052 0.121 0.182 (1)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age 1
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.0021
Lead (T)	0.79	0.39	0.0027
Zinc (T)	1.14	0.43	0.0033
Oil and grease	30	10	0.0605
TSS	38	15	0.121
pH	(3)	(3)	(3)

¹ kg/1,000 kkg (pounds per million pounds) of metal poured.
2 These concentrations must be multiplied by the ratio of (1.45/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.
3 Within the range of 7.0 to 10.0 at all times.

(c) Die Casting Operations.

NSPS

Pollutant or pollutant property	Maximum for one 1 day	Maximum for monthly average	
	kg/1,000 kkg (pounds per mi lion pounds) of meta poured		
Copper (T) Lead (T) Zinc (T) Total Phenols Oil and grease TSS and pH	0.0068 0.0 0.0098 0.0 0.0074 0.0 0.259 0.0 0.33 0.0		

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual aver- age 1
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.0015
Lead (T)	0.79	0.39	0.0019
Zinc (T)	1.14	0.43	0.0023
Total phenols	0.86	0.3	0.0017
Oil and grease	30	10	0.0432
TSS and	38	15	0.0864
pH	(3)	(³)	(3)

¹ kg/1,000 kkg (pounds per million pounds) of metal poured.
² These concentrations must be multiplied by the ratio of (1.04/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured)
³ Within the range of 7.0 to 10.0 at all times.

(d) Dust Collection Scrubber Operations.

³Within the range of 7.0 to 10.0 at all times.

Environmental Protection Agency

NSPS

Pollutant of pollutant property	Maximum for any 1 day Maximum for monthly ave age		
	kg/62.3 million Sm³ (pounds per billion SCF) of air scrubbed		
Cooper (T) Lead (T) Zinc (T) Total phenols Oil and grease TSS pH	0.237 0.1 0.343 0.1 0.258 0.0 9.01 3.0 11.4 4.5		

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	maximum for monthly average	Annual aver- age 1
	(mg/l) ²	(mg/l) ²	
Cooper (T)	0.77	0.42	0.0511
Lead (T)	0.79	0.39	0.0661
Zinc (T)	1.14	0.43	0.0811
Total phenols	0.86	0.3	0.0601
Oil and grease	30	10	1.5
TSS	38	15	3.0
pH	(3)	(3)	(3)

¹ kg/62.3 million Sm3 (pounds per billion SCF) of air

(e) Grinding Scrubber Operations. No discharge of process wastewater pollutants to navigable waters.

(f) Investment Casting.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average	
	kg/1,000 kkg (pounds per million pounds) of metal poure		
Conner (T)	8.48	4.63	
Copper (T)			
Lead (T)	8.7	4.3	
Zinc (T)	12.6	4.74	
Oil and grease	330	110	
TSS	419	165	
pH	(1)	(1)	

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average 1
Copper (T)	(mg/l) ² 0.77 0.79 1.14 30 38 (³)	(mg/l) ² 0.42 0.39 0.43 10 15 (³)	1.87 2.42 2.97 55.1 110

¹ kg/1,000 kkg (pounds per million pounds) of metal poured ² These concentrations must be multiplied by the ratio of (1,320/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant.

³ Within the range of 7.0 to 10.0 at all times.

(g) Melting Furnace Scrubber Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day Maximum monthly av age	
	kg/62.3 million Sm ³ (pounds per billion SCF) of air scrubbe	
Copper (T)	3.01	1.64
Lead (T)	3.09	1.52
Zinc (T)	4.45	1.68
Total phenols	3.36	1.17
Oil and grease	117	39.1
TSS	148	58.6
pH	(1)	(1)

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average ¹
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.664
Lead (T)	0.79	0.39	0.859
Zinc (T)	1.14	0.43	1.05
Total phenols	0.86	0.3	0.781
Oil and grease	30	10	19.5
TSS	38	15	39.1
pH	(3)	(3)	(3)

 $^{^{1}\}mbox{kg/}62.3$ million $\mbox{Sm}^{\,3}$ (pounds per billion SCF) of air scrubbed.

(h) Mold Cooling Operations.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T)	0.297 0.305 0.44 11.6 14.7	0.162 0.151 0.166 3.86 5.79
pH	(1)	(1)

¹ Within the range of 7.0 to 10.0 at all times.

	Maximum for any 1 day	Maximum for monthly average	Annual average 1
	(mg/l) ²	(mg/l) ²	
Copper (T)	0.77	0.42	0.0656
Lead (T)	0.79	0.39	0.0849
Zinc (T)	1.14	0.43	0.104
Oil and grease	30	10	1.93
TSS	38	15	3.86
pH	(3)	(3)	(3)

¹ kg/1,000 kkg (pounds per million pounds of metal poured.

kg/oz.3 Illimon on position process proceed 2 These concentrations must be multiplied by the ratio of (0.036/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a checific plant.

specific plant.

³ Within the range of 7.0 to 10.0 at all times.

scrubbed.
² These concentrations must be multiplied by the ratio of (0.468/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 SCF of air scrubbed) for a specific plant.

³ Within the range of 7.0 to 10.0 at all times.

40 CFR Ch. I (7-1-13 Edition)

§ 464.15

 2 These concentrations must be multiplied by the ratio of (46.3/x) where x is the actual normalized process wastewater flow (in gallons per 1,000 pounds of metal poured) for a specific plant. 3 Within the range of 7.0 to 10.0 at all times.

[50 FR 45247, Oct. 30, 1985; 51 FR 21760, June 16, 1986]

§464.15 Pretreatment standards for existing sources.

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the following pretreatment standards for existing sources.

(a) Casting Cleaning Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per mil- lion pounds) of meta poured	
Copper (T)	0.0771	0.0421
Lead (T)	0.0791	0.039
Zinc (T)	0.114	0.0431

(b) Casting Quench Operation.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per mil- lion pounds) of metal poured	
Copper (T)	0.0093 0.0096 0.0138 0.029	0.0051 0.0047 0.0052 0.0095
monitoring)	0.363	0.121

(c) Die Casting Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per million pounds) of metal poured	
Copper (T)	0.0066 0.0068 0.0098 0.0074 0.0308	0.0036 0.0034 0.0037 0.0026 0.01
monitoring)	0.259	0.0864

(d) Dust Collection Scrubber Operations.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/62.3 million Sm ³ (pounds per billion SCF) of air scrubbed	
Copper (T)	0.231 0.237 0.343 0.258 0.613	0.126 0.117 0.129 0.09 0.2
nate monitoring)	9.01	3.00

- (e) Grinding Scrubber Operations. No discharge of process wastewater pollutants to a POTW.
 - (f) Investment Casting.

PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	kg/1,000 kkg (pounds per mil- lion pounds) of meta poured	
Copper (T)	8.48	4.63
Lead (T)	8.7	4.3
Zinc (T)	12.6	4.74
TTO	18.1	5.91
Oil and grease (for alternate monitoring	330	110

⁽g) Melting Furnace Scrubber Operations.