

§ 170.400

(g) *Utilization*—(1) *Automated numerator recording*. For each meaningful use objective with a percentage-based measure, EHR technology must be able to create a report or file that enables a user to review the patients or actions that would make the patient or action eligible to be included in the measure's numerator. The information in the report or file created must be of sufficient detail such that it enables a user to match those patients or actions to meet the measure's denominator limitations when necessary to generate an accurate percentage.

(2) *Automated measure calculation*. For each meaningful use objective with a percentage-based measure that is supported by a capability included in an EHR technology, electronically record the numerator and denominator and create a report including the numerator, denominator, and resulting percentage associated with each applicable meaningful use measure.

(3) *Safety-enhanced design*. User-centered design processes must be applied to each capability an EHR technology includes that is specified in the following certification criteria: §170.314(a)(1), (2), (6) through (8), and (16) and (b)(3) and (4).

(4) *Quality management system*. For each capability that an EHR technology includes and for which that capability's certification is sought, the use of a Quality Management System (QMS) in the development, testing, implementation and maintenance of that capability must be identified.

(i) If a single QMS was used for applicable capabilities, it would only need to be identified once.

(ii) If different QMS were applied to specific capabilities, each QMS applied would need to be identified. This would include the application of a QMS to some capabilities and none to others.

(iii) If no QMS was applied to all applicable capabilities such a response is acceptable to satisfy this certification criterion.

[77 FR 54287, Sept. 4, 2012]

45 CFR Subtitle A (10–1–13 Edition)

Subpart D—Temporary Certification Program for HIT

SOURCE: 75 FR 36203, June 24, 2010, unless otherwise noted.

§ 170.400 Basis and scope.

This subpart implements section 3001(c)(5) of the Public Health Service Act, and sets forth the rules and procedures related to the temporary certification program for health information technology administered by the National Coordinator for Health Information Technology.

§ 170.401 Applicability.

This subpart establishes the processes that applicants for ONC-ATCB status must follow to be granted ONC-ATCB status by the National Coordinator, the processes the National Coordinator will follow when assessing applicants and granting ONC-ATCB status, the requirements that ONC-ATCBs must follow to remain in good standing, and the requirements of ONC-ATCBs for testing and certifying Complete EHRs and/or EHR Modules in accordance with the applicable certification criteria adopted by the Secretary in subpart C of this part.

§ 170.402 Definitions.

For the purposes of this subpart:

Applicant means a single organization or a consortium of organizations that seeks to become an ONC-ATCB by requesting and subsequently submitting an application for ONC-ATCB status to the National Coordinator.

Deployment site means the physical location where a Complete EHR or EHR Module resides or is being or has been implemented.

Development site means the physical location where a Complete EHR or EHR Module was developed.

ONC-ATCB or ONC-Authorized Testing and Certification Body means an organization or a consortium of organizations that has applied to and been authorized by the National Coordinator pursuant to this subpart to perform the testing and certification of Complete EHRs and/or EHR Modules under the temporary certification program.