# Agricultural Marketing Service, USDA

METRIC CONVERSION TABLE

#### §51.2009 Metric conversion table.

Inches	Millimeters (mm)
<sup>32</sup> / <sub>64</sub>	24.6
<sup>59</sup> /64	23.4
<sup>56</sup> /64	22.2
19/64	19.4
8/64	19.0
7/64	18.6
5/64	17.9
4⁄64	17.5
2⁄64	16.7
5/64	13.9
4/64	13.5

# Subpart—United States Standards for Grades of Almonds in the Shell

SOURCE: 62 FR 2892, Jan. 21, 1997, unless otherwise noted.

#### GRADES

## §51.2075 U.S. No. 1.

"U.S. No. 1" consists of almonds in the shell which are of similar varietal characteristics and free from loose extraneous and foreign material. The shells are clean, fairly bright, fairly uniform color, and free from damage caused by discoloration, adhering hulls, broken shells or other means. The kernels are well dried, free from decay, rancidity, and free from damage caused by insects, mold, gum, skin discoloration, shriveling, brown spot or other means.

(a) Unless otherwise specified, the almonds are of a size not less than  $^{28}64$  of an inch (11.1 mm) in thickness.

(b) In order to allow for variations incident to proper grading and handling, the following tolerances are provided as specified:

(1) For external (shell) defects. 10 percent, by count, for almonds which fail to meet the requirements of this grade other than for variety and size:

(2) For dissimilar varieties. 5 percent, by count, including therein not more than 1 percent for bitter almonds mixed with sweet almonds;

(3) For size. 5 percent, by count, for almonds which are smaller than the specified minimum thickness;

(4) For loose extraneous and foreign material. 2 percent, by weight, including therein not more than 1 percent which §51.2080

can pass through a round opening  $^{24}\!\!\!/_{64}$  inch (9.5 mm) in diameter: Provided, that such material is practically free from insect infestation; and,

(5) For internal (kernel) defects. 10 percent, by count, for almonds with kernels failing to meet the requirements of this grade: Provided, that not more than one-half of this tolerance or 5 percent shall be allowed for kernels affected by decay or rancidity, damaged by insects or mold or seriously damaged by shriveling: And provided further, that no part of this tolerance shall be allowed for live insects inside the shell.

## §51.2076 U.S. No. 1 Mixed.

"U.S. No. 1 Mixed" consists of almonds in the shell which meet the requirements of U.S. No. 1 grade, except that two or more varieties of sweet almonds are mixed.

#### §51.2077 U.S. No. 2.

"U.S. No. 2" consists of almonds in the shell which meet the requirements of U.S. No. 1 grade, except that an additional tolerance of 20 percent shall be allowed for almonds with shells damaged by discoloration.

## §51.2078 U.S. No. 2 Mixed.

"U.S. No. 2 Mixed" consists of almonds in the shell which meet the requirements of U.S. No. 2 grade, except that two or more varieties of sweet almonds are mixed.

#### APPLICATION OF TOLERANCES

## § 51.2079 Application of tolerances.

The tolerances for the foregoing grades are applied to the entire lot of almonds, based upon a composite sample drawn from containers throughout the lot.

## DETERMINATION OF GRADE

## §51.2080 Determination of grade.

In grading the inspection sample, the percentage of loose hulls, pieces of shell, chaff and foreign material is determined on the basis of weight. Next, the percentages of nuts which are of dissimilar varieties, undersize or have adhering hulls or defective shells are