

standards of identity (if any) and with the product label.

(b) To assure adequate pasteurization, pasteurized egg products and heat treated dried egg whites shall be sampled and analyzed for the presence of *Salmonellae* in accordance with such sequence, frequency, and approved laboratory methods as prescribed by the AMS Science Division Director. The samples of pasteurized egg products and heat treated dried egg whites shall be drawn from the final packaged form.

(c) Results of all analyses and tests performed under paragraphs (a) and (b) of this section shall be provided to the inspector promptly upon receipt by the plant. If samples of pasteurized products or heat treated dried egg whites, in addition to those described in paragraphs (a) and (b) of this section, are analyzed for the presence of *Salmonella*, the plant shall immediately advise the inspector of any such samples which are determined to be *Salmonella* positive.

(d) USDA will draw confirmation samples and submit them to a AMS Science Division laboratory at USDA's expense to determine the adequacy of the plant's tests and analyses.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 58 FR 42413, Aug. 9, 1993; 60 FR 49170, Sept. 21, 1995; 60 FR 58199, Nov. 27, 1995]

#### EXEMPTED EGG PRODUCTS PLANTS

##### § 590.600 Application for exemption.

An application for exemption from the continuous inspection requirements must be made in writing on forms approved by the Administrator and filed with the inspection service.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 47 FR 745, Jan. 7, 1982]

##### § 590.610 Criteria for exemption.

Any plant processing egg products may qualify for exemption where:

(a) The facility, operating procedures and practices, and sanitation meet the standards required for official egg products plants as are contained in §§ 590.500 through 590.580, and such exempted plants shall thereafter be sub-

ject to other provisions applicable to official plants which shall include maintaining records such as pasteurization temperatures and holding times, laboratory records, egg products testing procedures, and making all such records available for review.

(b) The eggs received or used in the manufacture of egg products contain no more restricted eggs than are allowed by the official standards for U.S. Consumer Grade B shell eggs.

[36 FR 9814, May 28, 1971. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 47 FR 745, Jan. 7, 1982]

##### § 590.620 Authority of applicant.

Proof of authority of any person applying for exemption from continuous inspection may be required by the Administrator.

##### § 590.630 Filing of application.

An application for exemption shall be regarded as filed only when it has been filled in completely and signed by the applicant and has been received in the office of the inspection service.

##### § 590.640 Application for exemption; approval.

Any person desiring to process egg products pursuant to the exemption provision of the Act and these regulations must receive approval of such plant, facilities, and operating procedures as an exempted plant. An application for exemption shall be according to the following:

(a) *Initial survey.* When an application for exemption of a plant has been filed, a Supervisory Egg Products Inspector will make a survey and inspection of the premises and plant to determine if the facilities, methods of operation, and eggs received or used therein are suitable and adequate in accordance with:

(1) Section 590.610; and

(2) Such other administrative instructions as may be issued, from time to time, by the Service and which are in effect at the time of the aforesaid survey and inspection.

(b) *Final survey and exemption approval.* Upon notification by the applicant for exemption that all the criteria for exemption required in § 590.610 are